


Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.740	≤ 24.000
122	5610	15.130	≤ 24.000
138(Bnad3)	5690	14.760	≤ 24.000
138(Bnad4)	5690	0.950	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.780	≤ 24.000
122	5610	14.910	≤ 24.000
138(Bnad3)	5690	14.330	≤ 24.000
138(Bnad4)	5690	0.880	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.900	≤ 24.000
122	5610	14.780	≤ 24.000
138(Bnad3)	5690	14.610	≤ 24.000
138(Bnad4)	5690	0.230	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.970	≤ 24.000
122	5610	14.810	≤ 24.000
138(Bnad3)	5690	14.550	≤ 24.000
138(Bnad4)	5690	0.410	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.750	≤ 24.000
122	5610	14.570	≤ 24.000
138(Bnad3)	5690	14.390	≤ 24.000
138(Bnad4)	5690	0.410	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	23.700	≤ 24.000
122	5610	23.777	≤ 24.000
138(Bnad3)	5690	23.524	≤ 24.000
138(Bnad4)	5690	9.545	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.920	≤ 24.000
116	5580	13.930	≤ 24.000
140	5700	13.730	≤ 24.000
144(Band3)	5720	13.510	≤ 23.777
144(Band4)	5720	6.420	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.290	≤ 24.000
116	5580	13.600	≤ 24.000
140	5700	13.620	≤ 24.000
144(Band3)	5720	13.660	≤ 23.777
144(Band4)	5720	6.510	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	12.460	≤ 24.000
116	5580	13.440	≤ 24.000
140	5700	13.460	≤ 24.000
144(Band3)	5720	13.830	≤ 23.777
144(Band4)	5720	7.110	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/09	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.790	≤ 24.000
116	5580	13.810	≤ 24.000
140	5700	13.950	≤ 24.000
144(Band3)	5720	13.790	≤ 23.777
144(Band4)	5720	6.650	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.930	≤ 24.000
116	5580	13.680	≤ 24.000
140	5700	13.790	≤ 24.000
144(Band3)	5720	13.750	≤ 23.777
144(Band4)	5720	6.860	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	14.160	≤ 24.000
116	5580	13.510	≤ 24.000
140	5700	13.710	≤ 24.000
144(Band3)	5720	13.810	≤ 23.777
144(Band4)	5720	6.530	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	14.320	≤ 24.000
116	5580	13.560	≤ 24.000
140	5700	14.280	≤ 24.000
144(Band3)	5720	14.020	≤ 23.777
144(Band4)	5720	6.680	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.970	≤ 24.000
116	5580	13.450	≤ 24.000
140	5700	13.540	≤ 24.000
144(Band3)	5720	13.530	≤ 23.777
144(Band4)	5720	6.440	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ax(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	22.795	≤ 24.000
116	5580	22.656	≤ 24.000
140	5700	22.798	≤ 24.000
144(Band3)	5720	22.771	≤ 23.777
144(Band4)	5720	15.687	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	15.380	≤ 24.000
118	5590	15.270	≤ 24.000
134	5670	14.180	≤ 24.000
142(Band3)	5710	14.480	≤ 24.000
142(Band4)	5710	4.270	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.630	≤ 24.000
118	5590	14.560	≤ 24.000
134	5670	14.850	≤ 24.000
142(Band3)	5710	14.570	≤ 24.000
142(Band4)	5710	4.250	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	13.950	≤ 24.000
118	5590	14.110	≤ 24.000
134	5670	14.070	≤ 24.000
142(Band3)	5710	14.800	≤ 24.000
142(Band4)	5710	4.150	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	15.080	≤ 24.000
118	5590	15.220	≤ 24.000
134	5670	15.270	≤ 24.000
142(Band3)	5710	14.720	≤ 24.000
142(Band4)	5710	4.720	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	15.380	≤ 24.000
118	5590	14.960	≤ 24.000
134	5670	15.070	≤ 24.000
142(Band3)	5710	14.590	≤ 24.000
142(Band4)	5710	4.450	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	15.140	≤ 24.000
118	5590	15.030	≤ 24.000
134	5670	14.510	≤ 24.000
142(Band3)	5710	14.660	≤ 24.000
142(Band4)	5710	4.530	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	15.320	≤ 24.000
118	5590	14.890	≤ 24.000
134	5670	14.670	≤ 24.000
142(Band3)	5710	15.090	≤ 24.000
142(Band4)	5710	4.830	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.610	≤ 24.000
118	5590	14.760	≤ 24.000
134	5670	14.600	≤ 24.000
142(Band3)	5710	14.370	≤ 24.000
142(Band4)	5710	4.340	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	23.992	≤ 24.000
118	5590	23.895	≤ 24.000
134	5670	23.700	≤ 24.000
142(Band3)	5710	23.696	≤ 24.000
142(Band4)	5710	13.479	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.630	≤ 24.000
122	5610	15.110	≤ 24.000
138(Bnad3)	5690	14.600	≤ 24.000
138(Bnad4)	5690	0.290	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.520	≤ 24.000
122	5610	14.520	≤ 24.000
138(Bnad3)	5690	14.710	≤ 24.000
138(Bnad4)	5690	0.020	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	13.420	≤ 24.000
122	5610	13.790	≤ 24.000
138(Bnad3)	5690	14.840	≤ 24.000
138(Bnad4)	5690	0.820	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.540	≤ 24.000
122	5610	14.980	≤ 24.000
138(Bnad3)	5690	14.930	≤ 24.000
138(Bnad4)	5690	0.820	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.820	≤ 24.000
122	5610	15.020	≤ 24.000
138(Bnad3)	5690	14.600	≤ 24.000
138(Bnad4)	5690	0.640	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.540	≤ 24.000
122	5610	14.590	≤ 24.000
138(Bnad3)	5690	14.570	≤ 24.000
138(Bnad4)	5690	-0.050	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.800	≤ 24.000
122	5610	14.700	≤ 24.000
138(Bnad3)	5690	14.690	≤ 24.000
138(Bnad4)	5690	0.280	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.590	≤ 24.000
122	5610	14.570	≤ 24.000
138(Bnad3)	5690	14.510	≤ 24.000
138(Bnad4)	5690	0.160	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	23.532	≤ 24.000
122	5610	23.708	≤ 24.000
138(Bnad3)	5690	23.714	≤ 24.000
138(Bnad4)	5690	9.415	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/09/02	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.170	≤ 30.000
157	5785	20.720	≤ 30.000
165	5825	20.710	≤ 30.000


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/02	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.370	≤ 30.000
157	5785	20.750	≤ 30.000
165	5825	20.720	≤ 30.000


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/02	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.360	≤ 30.000
157	5785	20.780	≤ 30.000
165	5825	20.680	≤ 30.000


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD_P-65DW Y		
Date of Test	2018/09/02	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	21.010	≤ 30.000
157	5785	21.040	≤ 30.000
165	5825	21.330	≤ 30.000


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/02	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.670	≤ 30.000
157	5785	20.520	≤ 30.000
165	5825	21.200	≤ 30.000

Channel 149



Channel 157



Channel 165

