


Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 0)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	17.170	≤ 30.000
50	5250	5290	17.780	≤ 24.000

Channel 50_(5210MHz)



Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 1)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	17.020	≤ 30.000
50	5250	5290	17.530	≤ 24.000

Channel 50_(5210MHz)



Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 2)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	17.560	≤ 30.000
50	5250	5290	18.460	≤ 24.000

Channel 50_(5210MHz)



Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 3)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	17.240	≤ 30.000
50	5250	5290	17.790	≤ 24.000

Channel 50_(5210MHz)



Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 4)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	16.550	≤ 24.000
50	5250	5210	18.800	≤ 30.000

Channel 50_(5210MHz)



Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 5)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	16.600	≤ 24.000
50	5250	5210	18.880	≤ 30.000

Channel 50_(5290MHz)



Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 6)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	16.730	≤ 24.000
50	5250	5210	18.870	≤ 30.000

Channel 50_(5290MHz)



Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 8)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	16.710	≤ 24.000
50	5250	5210	18.510	≤ 30.000

Channel 50_(5290MHz)



Channel 50_(5210MHz)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADG-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	23.273	≤ 30.000
50	5250	5290	22.669	≤ 24.000
50	5250	5290	23.925	≤ 24.000
50	5250	5210	24.788	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	8.460	≤ 24.000
60	5300	7.900	≤ 24.000
64	5320	8.380	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	8.010	≤ 24.000
60	5300	8.320	≤ 24.000
64	5320	8.690	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	8.810	≤ 24.000
60	5300	8.670	≤ 24.000
64	5320	9.040	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	8.260	≤ 24.000
60	5300	8.560	≤ 24.000
64	5320	8.980	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	7.920	≤ 24.000
60	5300	8.350	≤ 24.000
64	5320	8.310	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	8.270	≤ 24.000
60	5300	8.470	≤ 24.000
64	5320	8.360	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	8.030	≤ 24.000
60	5300	8.210	≤ 24.000
64	5320	8.220	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	7.970	≤ 24.000
60	5300	8.450	≤ 24.000
64	5320	8.330	≤ 24.000


Channel 52



Channel 60



Channel 64



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H

IEEE 802.11ax(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	17.257	≤ 24.000
60	5300	17.403	≤ 24.000
64	5320	17.580	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	11.810	≤ 24.000
62	5310	10.960	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	11.340	≤ 24.000
62	5310	11.640	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	12.000	≤ 24.000
62	5310	12.140	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	11.380	≤ 24.000
62	5310	11.810	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	10.980	≤ 24.000
62	5310	11.200	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	11.460	≤ 24.000
62	5310	11.640	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	11.700	≤ 24.000
62	5310	11.200	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	11.510	≤ 24.000
62	5310	11.140	≤ 24.000

Channel 54



Channel 62



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	20.563	≤ 24.000
62	5310	20.514	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.270	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.330	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	15.020	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.790	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.460	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.350	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.500	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.500	≤ 24.000

Channel 58



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	23.565	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 0)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	16.990	≤ 30.000
50	5250	5290	17.630	≤ 24.000

Channel 50_(5210MHz)



Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 1)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	17.080	≤ 30.000
50	5250	5290	17.460	≤ 24.000

Channel 50_(5210MHz)



Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 2)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	17.480	≤ 30.000
50	5250	5290	18.390	≤ 24.000

Channel 50_(5210MHz)



Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 3)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	16.840	≤ 30.000
50	5250	5290	17.620	≤ 24.000

Channel 50_(5210MHz)



Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 4)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	16.020	≤ 24.000
50	5250	5210	18.520	≤ 30.000

Channel 50_(5210MHz)



Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 5)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	16.280	≤ 24.000
50	5250	5210	18.490	≤ 30.000

Channel 50_(5290MHz)



Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 6)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	16.340	≤ 24.000
50	5250	5210	18.530	≤ 30.000

Channel 50_(5290MHz)



Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 8)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	16.330	≤ 24.000
50	5250	5210	18.140	≤ 30.000

Channel 50_(5290MHz)



Channel 50_(5210MHz)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	23.125	≤ 30.000
50	5250	5290	22.265	≤ 24.000
50	5250	5290	23.811	≤ 24.000
50	5250	5210	24.444	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11a(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.220	≤ 24.000
116	5580	8.370	≤ 24.000
140	5700	7.520	≤ 24.000
144(Band3)	5720	6.280	≤ 22.910
144(Band4)	5720	0.760	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11a(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.130	≤ 24.000
116	5580	7.850	≤ 24.000
140	5700	7.450	≤ 24.000
144(Band3)	5720	6.010	≤ 22.910
144(Band4)	5720	0.690	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11a(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.010	≤ 24.000
116	5580	7.610	≤ 24.000
140	5700	7.430	≤ 24.000
144(Band3)	5720	6.410	≤ 22.910
144(Band4)	5720	1.510	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11a(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.170	≤ 24.000
116	5580	7.830	≤ 24.000
140	5700	7.900	≤ 24.000
144(Band3)	5720	6.470	≤ 22.910
144(Band4)	5720	1.670	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11a(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.830	≤ 24.000
116	5580	7.730	≤ 24.000
140	5700	7.590	≤ 24.000
144(Band3)	5720	6.320	≤ 22.910
144(Band4)	5720	1.250	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11a(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.820	≤ 24.000
116	5580	7.610	≤ 24.000
140	5700	7.500	≤ 24.000
144(Band3)	5720	6.140	≤ 22.910
144(Band4)	5720	1.350	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11a(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.040	≤ 24.000
116	5580	7.740	≤ 24.000
140	5700	7.990	≤ 24.000
144(Band3)	5720	6.460	≤ 22.910
144(Band4)	5720	1.040	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11a(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.920	≤ 24.000
116	5580	7.670	≤ 24.000
140	5700	7.550	≤ 24.000
144(Band3)	5720	6.380	≤ 22.910
144(Band4)	5720	1.080	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H

IEEE 802.11a(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	16.695	≤ 24.000
116	5580	16.838	≤ 24.000
140	5700	16.652	≤ 24.000
144(Band3)	5720	15.342	≤ 22.910
144(Band4)	5720	10.212	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.420	≤ 24.000
116	5580	8.180	≤ 24.000
140	5700	7.860	≤ 24.000
144(Band3)	5720	6.660	≤ 22.847
144(Band4)	5720	1.110	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.560	≤ 24.000
116	5580	7.510	≤ 24.000
140	5700	7.850	≤ 24.000
144(Band3)	5720	6.410	≤ 22.847
144(Band4)	5720	1.690	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	6.900	≤ 24.000
116	5580	7.640	≤ 24.000
140	5700	7.770	≤ 24.000
144(Band3)	5720	6.510	≤ 22.847
144(Band4)	5720	1.440	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.450	≤ 24.000
116	5580	8.160	≤ 24.000
140	5700	7.980	≤ 24.000
144(Band3)	5720	6.750	≤ 22.847
144(Band4)	5720	1.620	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.220	≤ 24.000
116	5580	7.910	≤ 24.000
140	5700	7.680	≤ 24.000
144(Band3)	5720	6.510	≤ 22.847
144(Band4)	5720	1.200	≤ 30.000


Channel 100




Channel 116



Channel 140



Channel 144 (Band3)



Channel 144 (Band4)

