


Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.860	≤ 24.000
116	5580	7.560	≤ 24.000
140	5700	7.510	≤ 24.000
144(Band3)	5720	6.440	≤ 22.847
144(Band4)	5720	1.480	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.190	≤ 24.000
116	5580	7.730	≤ 24.000
140	5700	7.930	≤ 24.000
144(Band3)	5720	6.750	≤ 22.847
144(Band4)	5720	1.320	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H


IEEE 802.11ac(20MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.130	≤ 24.000
116	5580	7.650	≤ 24.000
140	5700	7.830	≤ 24.000
144(Band3)	5720	6.460	≤ 22.847
144(Band4)	5720	1.020	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/11/17	Test Site	SR10-H

IEEE 802.11ac(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	16.897	≤ 24.000
116	5580	16.830	≤ 24.000
140	5700	16.834	≤ 24.000
144(Band3)	5720	15.594	≤ 22.847
144(Band4)	5720	10.397	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.250	≤ 24.000
118	5590	11.400	≤ 24.000
134	5670	10.400	≤ 24.000
142(Band3)	5710	11.470	≤ 24.000
142(Band4)	5710	0.710	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.210	≤ 24.000
118	5590	10.830	≤ 24.000
134	5670	11.220	≤ 24.000
142(Band3)	5710	11.520	≤ 24.000
142(Band4)	5710	0.890	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	10.780	≤ 24.000
118	5590	10.920	≤ 24.000
134	5670	11.040	≤ 24.000
142(Band3)	5710	11.880	≤ 24.000
142(Band4)	5710	0.760	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.040	≤ 24.000
118	5590	11.270	≤ 24.000
134	5670	11.260	≤ 24.000
142(Band3)	5710	11.730	≤ 24.000
142(Band4)	5710	0.860	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.110	≤ 24.000
118	5590	11.180	≤ 24.000
134	5670	11.110	≤ 24.000
142(Band3)	5710	11.390	≤ 24.000
142(Band4)	5710	1.020	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/26	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	10.900	≤ 24.000
118	5590	10.880	≤ 24.000
134	5670	10.830	≤ 24.000
142(Band3)	5710	11.300	≤ 24.000
142(Band4)	5710	0.340	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/26	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.220	≤ 24.000
118	5590	10.730	≤ 24.000
134	5670	10.710	≤ 24.000
142(Band3)	5710	12.030	≤ 24.000
142(Band4)	5710	1.310	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/26	Test Site	SR10-H


IEEE 802.11ac(40MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.080	≤ 24.000
118	5590	11.170	≤ 24.000
134	5670	11.130	≤ 24.000
142(Band3)	5710	11.360	≤ 24.000
142(Band4)	5710	0.620	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/11/26	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	20.107	≤ 24.000
118	5590	20.084	≤ 24.000
134	5670	20.002	≤ 24.000
142(Band3)	5710	20.623	≤ 24.000
142(Band4)	5710	9.853	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.240	≤ 24.000
122	5610	14.380	≤ 24.000
138(Bnad3)	5690	14.260	≤ 24.000
138(Bnad4)	5690	-1.170	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.080	≤ 24.000
122	5610	14.100	≤ 24.000
138(Bnad3)	5690	14.420	≤ 24.000
138(Bnad4)	5690	-1.560	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.050	≤ 24.000
122	5610	14.030	≤ 24.000
138(Bnad3)	5690	14.690	≤ 24.000
138(Bnad4)	5690	-1.130	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.200	≤ 24.000
122	5610	14.360	≤ 24.000
138(Bnad3)	5690	14.550	≤ 24.000
138(Bnad4)	5690	-0.830	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.340	≤ 24.000
122	5610	14.170	≤ 24.000
138(Bnad3)	5690	14.210	≤ 24.000
138(Bnad4)	5690	-0.690	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.230	≤ 24.000
122	5610	14.130	≤ 24.000
138(Bnad3)	5690	14.140	≤ 24.000
138(Bnad4)	5690	-1.550	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.360	≤ 24.000
122	5610	14.020	≤ 24.000
138(Bnad3)	5690	14.410	≤ 24.000
138(Bnad4)	5690	-1.120	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.190	≤ 24.000
122	5610	14.280	≤ 24.000
138(Bnad3)	5690	14.080	≤ 24.000
138(Bnad4)	5690	-1.340	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	23.243	≤ 24.000
122	5610	23.217	≤ 24.000
138(Bnad3)	5690	23.380	≤ 24.000
138(Bnad4)	5690	7.867	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 0)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5530	15.100	≤ 24.000
114	5570	5610	14.400	≤ 24.000

Channel 114_(5530MHz)



Channel 114_(5610MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 1)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5530	14.730	≤ 24.000
114	5570	5610	14.410	≤ 24.000

Channel 114_(5530MHz)



Channel 114_(5610MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 2)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5530	14.270	≤ 24.000
114	5570	5610	14.540	≤ 24.000

Channel 114_(5530MHz)



Channel 114_(5610MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 3)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5530	14.510	≤ 24.000
114	5570	5610	14.620	≤ 24.000

Channel 114_(5530MHz)



Channel 114_(5610MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 4)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5610	14.680	≤ 24.000
114	5570	5530	15.360	≤ 24.000

Channel 114_(5610MHz)



Channel 114_(5530MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 5)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5610	14.460	≤ 24.000
114	5570	5530	15.320	≤ 24.000

Channel 114_(5610MHz)



Channel 114_(5530MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 6)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5610	14.350	≤ 24.000
114	5570	5530	15.460	≤ 24.000

Channel 114_(5610MHz)



Channel 114_(5530MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ac(160MHz)(ANT 8)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5610	14.480	≤ 24.000
114	5570	5530	15.300	≤ 24.000

Channel 114_(5610MHz)



Channel 114_(5530MHz)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5530+5610	23.610	≤ 24.000
114	5570	5610+5530	23.979	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.640	≤ 24.000
116	5580	8.720	≤ 24.000
140	5700	8.270	≤ 24.000
144(Band3)	5720	7.010	≤ 22.908
144(Band4)	5720	1.840	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.760	≤ 24.000
116	5580	8.330	≤ 24.000
140	5700	8.070	≤ 24.000
144(Band3)	5720	7.180	≤ 22.908
144(Band4)	5720	2.260	≤ 30.000


Channel 100




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.490	≤ 24.000
116	5580	8.540	≤ 24.000
140	5700	8.390	≤ 24.000
144(Band3)	5720	7.260	≤ 22.908
144(Band4)	5720	2.320	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	7.920	≤ 24.000
116	5580	8.490	≤ 24.000
140	5700	8.320	≤ 24.000
144(Band3)	5720	6.970	≤ 22.908
144(Band4)	5720	1.980	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.370	≤ 24.000
116	5580	8.140	≤ 24.000
140	5700	8.230	≤ 24.000
144(Band3)	5720	7.060	≤ 22.908
144(Band4)	5720	2.040	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.430	≤ 24.000
116	5580	8.110	≤ 24.000
140	5700	8.080	≤ 24.000
144(Band3)	5720	7.060	≤ 22.908
144(Band4)	5720	2.000	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.530	≤ 24.000
116	5580	8.150	≤ 24.000
140	5700	8.480	≤ 24.000
144(Band3)	5720	7.090	≤ 22.908
144(Band4)	5720	2.170	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(20MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	8.480	≤ 24.000
116	5580	8.270	≤ 24.000
140	5700	8.270	≤ 24.000
144(Band3)	5720	7.080	≤ 22.908
144(Band4)	5720	1.990	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADG-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H

IEEE 802.11ax(20MHz)(ANT 0+1+2+3+4+5+6+8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	17.251	≤ 24.000
116	5580	17.380	≤ 24.000
140	5700	17.297	≤ 24.000
144(Band3)	5720	16.121	≤ 22.908
144(Band4)	5720	11.109	≤ 30.000