


802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	120.79	Inf	-Inf	114.13	3	Vertical	274	1.80	-	33.70	5.10	32.14
AV	5.7116G	108.24	Inf	-Inf	101.57	3	Vertical	274	1.80	-	33.72	5.09	32.14
PK	5.85G	66.76	68.20	-1.44	59.96	3	Vertical	274	1.80	-	33.80	5.15	32.15

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7012G	112.45	Inf	-Inf	105.79	3	Horizontal	170	1.09	-	33.70	5.10	32.14	
AV	5.7124G	100.20	Inf	-Inf	93.53	3	Horizontal	170	1.09	-	33.72	5.09	32.14	
PK	5.8516G	60.44	68.20	-7.76	53.63	3	Horizontal	170	1.09	-	33.81	5.15	32.15	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42116G	52.44	74.00	-21.56	39.23	3	Vertical	38	1.23	-	38.84	7.60	33.23
AV	11.42264G	38.46	54.00	-15.54	25.24	3	Vertical	38	1.23	-	38.85	7.60	33.23

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41856G	52.39	74.00	-21.61	39.18	3	Horizontal	317	1.33	-	38.84	7.60	33.23
AV	11.42472G	38.47	54.00	-15.53	25.25	3	Horizontal	317	1.33	-	38.85	7.60	33.23

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	67.31	68.20	-0.89	60.50	3	Vertical	275	1.01	-	33.80	5.15	32.14	
PK	5.754G	121.21	Inf	-Inf	114.52	3	Vertical	275	1.01	-	33.79	5.05	32.15	
AV	5.75G	109.10	Inf	-Inf	102.39	3	Vertical	275	1.01	-	33.80	5.05	32.14	
PK	5.948G	61.29	68.20	-6.91	53.91	3	Vertical	275	1.01	-	34.10	5.44	32.16	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Y_4TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.637G	61.76	68.20	-6.44	54.91	3	Horizontal	173	1.00	-	33.83	5.16	32.14	
PK	5.749G	114.02	Inf	-Inf	107.31	3	Horizontal	173	1.00	-	33.80	5.05	32.14	
AV	5.744G	101.43	Inf	-Inf	94.72	3	Horizontal	173	1.00	-	33.79	5.06	32.14	
PK	6.002G	57.91	68.20	-10.29	50.36	3	Horizontal	173	1.00	-	34.11	5.60	32.16	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5146G	52.23	74.00	-21.77	38.78	3	Vertical	222	1.96	-	39.04	7.63	33.22	
AV	11.51456G	38.35	54.00	-15.65	24.90	3	Vertical	222	1.96	-	39.04	7.63	33.22	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51488G	51.94	74.00	-22.06	38.49	3	Horizontal	16	2.88	-	39.04	7.63	33.22
AV	11.51172G	38.32	54.00	-15.68	24.87	3	Horizontal	16	2.88	-	39.04	7.63	33.22

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	65.94	68.20	-2.26	59.13	3	Vertical	96	1.83	-	33.80	5.15	32.14
PK	5.778G	120.54	Inf	-Inf	113.93	3	Vertical	96	1.83	-	33.74	5.02	32.15
AV	5.806G	108.00	Inf	-Inf	101.42	3	Vertical	96	1.83	-	33.71	5.02	32.15
PK	5.925G	64.45	68.20	-3.75	57.18	3	Vertical	96	1.83	-	34.05	5.38	32.16

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.641G	59.08	68.20	-9.12	52.24	3	Horizontal	190	1.08	-	33.82	5.16	32.14	
PK	5.789G	115.32	Inf	-Inf	108.74	3	Horizontal	190	1.08	-	33.72	5.01	32.15	
AV	5.788G	101.20	Inf	-Inf	94.62	3	Horizontal	190	1.08	-	33.72	5.01	32.15	
PK	5.937G	58.92	68.20	-9.28	51.60	3	Horizontal	190	1.08	-	34.07	5.41	32.16	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58864G	52.41	74.00	-21.59	38.72	3	Vertical	59	1.34	-	39.27	7.66	33.24	
AV	11.59422G	38.64	54.00	-15.36	24.94	3	Vertical	59	1.34	-	39.28	7.66	33.24	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58714G	52.89	74.00	-21.11	39.21	3	Horizontal	38	1.15	-	39.26	7.66	33.24
AV	11.59204G	38.70	54.00	-15.30	25.00	3	Horizontal	38	1.15	-	39.28	7.66	33.24

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31G	55.89	68.20	-12.31	49.29	3	Vertical	276	1.26	-	33.70	5.04	32.14
PK	5.459G	66.35	74.00	-7.65	59.52	3	Vertical	276	1.26	-	33.90	5.06	32.13
AV	5.459G	53.55	54.00	-0.45	46.72	3	Vertical	276	1.26	-	33.90	5.06	32.13
PK	5.465G	66.06	68.20	-2.14	59.23	3	Vertical	276	1.26	-	33.90	5.06	32.13
AV	5.499G	104.63	Inf	-Inf	97.76	3	Vertical	276	1.26	-	33.90	5.10	32.13
PK	5.558G	114.97	Inf	-Inf	108.04	3	Vertical	276	1.26	-	33.90	5.16	32.13
PK	5.747G	59.28	68.20	-8.92	52.58	3	Vertical	276	1.26	-	33.79	5.05	32.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT V_4TX
Setting 89
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.307G	56.18	68.20	-12.02	49.57	3	Horizontal	174	1.07	-	33.70	5.05	32.14	
PK	5.458G	60.08	74.00	-13.92	53.25	3	Horizontal	174	1.07	-	33.90	5.06	32.13	
AV	5.46G	48.38	54.00	-5.62	41.55	3	Horizontal	174	1.07	-	33.90	5.06	32.13	
PK	5.462G	61.75	68.20	-6.45	54.92	3	Horizontal	174	1.07	-	33.90	5.06	32.13	
PK	5.522G	109.46	Inf	-Inf	102.57	3	Horizontal	174	1.07	-	33.90	5.12	32.13	
AV	5.518G	96.82	Inf	-Inf	89.93	3	Horizontal	174	1.07	-	33.90	5.12	32.13	
PK	5.728G	56.94	68.20	-11.26	50.25	3	Horizontal	174	1.07	-	33.76	5.07	32.14	

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05804G	51.94	74.00	-22.06	39.17	3	Vertical	152	2.00	-	38.56	7.47	33.26
AV	11.0552G	37.92	54.00	-16.08	25.15	3	Vertical	152	2.00	-	38.56	7.47	33.26

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05968G	51.76	74.00	-22.24	38.99	3	Horizontal	283	1.06	-	38.56	7.47	33.26
AV	11.05514G	37.89	54.00	-16.11	25.12	3	Horizontal	283	1.06	-	38.56	7.47	33.26

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Y_4TX
Setting 91
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	63.77	74.00	-10.23	56.97	3	Vertical	254	1.80	-	33.89	5.04	32.13
PK	5.461G	65.63	68.20	-2.57	58.80	3	Vertical	254	1.80	-	33.90	5.06	32.13
AV	5.46G	49.25	54.00	-4.75	42.42	3	Vertical	254	1.80	-	33.90	5.06	32.13
PK	5.602G	114.47	Inf	-Inf	107.51	3	Vertical	254	1.80	-	33.90	5.20	32.14
AV	5.605G	101.84	Inf	-Inf	94.89	3	Vertical	254	1.80	-	33.89	5.20	32.14
PK	5.729G	68.08	68.20	-0.12	61.39	3	Vertical	254	1.80	-	33.76	5.07	32.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 91
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	58.07	74.00	-15.93	51.25	3	Horizontal	194	1.19	-	33.90	5.05	32.13
AV	5.46G	45.44	54.00	-8.56	38.61	3	Horizontal	194	1.19	-	33.90	5.06	32.13
PK	5.47G	60.42	68.20	-7.78	53.58	3	Horizontal	194	1.19	-	33.90	5.07	32.13
PK	5.609G	109.58	Inf	-Inf	102.65	3	Horizontal	194	1.19	-	33.88	5.19	32.14
AV	5.605G	97.68	Inf	-Inf	90.73	3	Horizontal	194	1.19	-	33.89	5.20	32.14
PK	5.728G	60.80	68.20	-7.40	54.11	3	Horizontal	194	1.19	-	33.76	5.07	32.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22342G	51.72	74.00	-22.28	38.74	3	Vertical	196	1.51	-	38.70	7.53	33.25
AV	11.22336G	38.00	54.00	-16.00	25.02	3	Vertical	196	1.51	-	38.70	7.53	33.25

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22148G	52.04	74.00	-21.96	39.06	3	Horizontal	266	2.93	-	38.70	7.53	33.25
AV	11.2239G	38.10	54.00	-15.90	25.12	3	Horizontal	266	2.93	-	38.70	7.53	33.25

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	58.31	74.00	-15.69	51.49	3	Vertical	18	1.88	-	33.90	5.05	32.13
PK	5.462G	60.09	68.20	-8.11	53.26	3	Vertical	18	1.88	-	33.90	5.06	32.13
AV	5.4584G	46.49	54.00	-7.51	39.66	3	Vertical	18	1.88	-	33.90	5.06	32.13
PK	5.654G	117.25	Inf	-Inf	110.45	3	Vertical	18	1.88	-	33.79	5.15	32.14
AV	5.6516G	103.53	Inf	-Inf	96.72	3	Vertical	18	1.88	-	33.80	5.15	32.14
PK	5.8568G	67.76	68.20	-0.44	60.91	3	Vertical	18	1.88	-	33.83	5.17	32.15

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_4TX
Setting 100
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	56.72	74.00	-17.28	49.92	3	Horizontal	193	1.07	-	33.89	5.04	32.13
PK	5.4656G	57.00	68.20	-11.20	50.16	3	Horizontal	193	1.07	-	33.90	5.07	32.13
AV	5.4572G	44.51	54.00	-9.49	37.68	3	Horizontal	193	1.07	-	33.90	5.06	32.13
PK	5.678G	109.92	Inf	-Inf	103.20	3	Horizontal	193	1.07	-	33.74	5.12	32.14
AV	5.6792G	98.06	Inf	-Inf	91.34	3	Horizontal	193	1.07	-	33.74	5.12	32.14
PK	5.8544G	64.31	68.20	-3.89	57.48	3	Horizontal	193	1.07	-	33.82	5.16	32.15

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37888G	51.91	74.00	-22.09	38.78	3	Vertical	341	2.47	-	38.78	7.58	33.23
AV	11.38458G	38.24	54.00	-15.76	25.11	3	Vertical	341	2.47	-	38.78	7.58	33.23

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3776G	52.57	74.00	-21.43	39.44	3	Horizontal	0	1.40	-	38.78	7.58	33.23
AV	11.37814G	38.26	54.00	-15.74	25.13	3	Horizontal	0	1.40	-	38.78	7.58	33.23

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	67.98	68.20	-0.22	61.15	3	Vertical	278	1.23	-	33.81	5.16	32.14	
PK	5.744G	117.49	Inf	-Inf	110.78	3	Vertical	278	1.23	-	33.79	5.06	32.14	
AV	5.747G	104.32	Inf	-Inf	97.62	3	Vertical	278	1.23	-	33.79	5.05	32.14	
PK	5.926G	63.54	68.20	-4.66	56.27	3	Vertical	278	1.23	-	34.05	5.38	32.16	

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	61.42	68.20	-6.78	54.59	3	Horizontal	187	1.20	-	33.81	5.16	32.14	
PK	5.762G	108.44	Inf	-Inf	101.77	3	Horizontal	187	1.20	-	33.78	5.04	32.15	
AV	5.767G	95.88	Inf	-Inf	89.23	3	Horizontal	187	1.20	-	33.77	5.03	32.15	
PK	5.95G	58.27	68.20	-9.93	50.88	3	Horizontal	187	1.20	-	34.10	5.45	32.16	

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54664G	52.30	74.00	-21.70	38.75	3	Vertical	28	1.36	-	39.14	7.64	33.23
AV	11.54906G	38.30	54.00	-15.70	24.74	3	Vertical	28	1.36	-	39.15	7.64	33.23

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
Setting 100
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55396G	52.10	74.00	-21.90	38.53	3	Horizontal	24	2.56	-	39.16	7.64	33.23
AV	11.54628G	38.33	54.00	-15.67	24.78	3	Horizontal	24	2.56	-	39.14	7.64	33.23




For UNII 4
4T1S <Non-beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1_(6Mbps)_4TX	Pass	PK	5.898G	107.50	108.00	-0.50	3	Vertical	94	1.51	-

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	62.93	68.20	-5.27	55.64	3	Vertical	270	1.21	-	33.83	5.60	32.14
PK	5.851G	127.04	Inf	-Inf	119.74	3	Vertical	270	1.21	-	33.80	5.65	32.15
AV	5.852G	116.87	Inf	-Inf	109.56	3	Vertical	270	1.21	-	33.81	5.65	32.15
PK	5.91G	81.18	99.20	-18.02	73.60	3	Vertical	270	1.21	-	34.02	5.71	32.15

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.648G	59.10	68.20	-9.10	51.84	3	Horizontal	149	1.64	-	33.80	5.60	32.14	
PK	5.846G	120.21	Inf	-Inf	112.92	3	Horizontal	149	1.64	-	33.79	5.65	32.15	
AV	5.846G	110.71	Inf	-Inf	103.42	3	Horizontal	149	1.64	-	33.79	5.65	32.15	
PK	5.937G	67.25	88.20	-20.95	59.60	3	Horizontal	149	1.64	-	34.07	5.74	32.16	

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68796G	52.87	74.00	-21.13	38.77	3	Vertical	127	1.77	-	39.39	7.98	33.27
AV	11.68832G	39.25	54.00	-14.75	25.15	3	Vertical	127	1.77	-	39.39	7.98	33.27
PK	17.53528G	59.98	88.20	-28.22	38.12	3	Vertical	270	1.58	-	44.12	10.77	33.03

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69254G	53.37	74.00	-20.63	39.27	3	Horizontal	221	2.55	-	39.39	7.98	33.27
AV	11.68798G	39.09	54.00	-14.91	24.99	3	Horizontal	221	2.55	-	39.39	7.98	33.27
PK	17.53582G	60.68	88.20	-27.52	38.82	3	Horizontal	341	1.04	-	44.12	10.77	33.03

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT_Y_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	62.83	68.20	-5.37	55.56	3	Vertical	270	1.61	-	33.81	5.60	32.14	
PK	5.87G	127.05	Inf	-Inf	119.65	3	Vertical	270	1.61	-	33.88	5.67	32.15	
AV	5.872G	116.57	Inf	-Inf	109.16	3	Vertical	270	1.61	-	33.89	5.67	32.15	
PK	5.924G	84.16	88.93	-4.77	76.55	3	Vertical	270	1.61	-	34.05	5.72	32.16	

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT_Y_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	57.71	68.20	-10.49	50.41	3	Horizontal	142	1.30	-	33.84	5.60	32.14
PK	5.867G	121.83	Inf	-Inf	114.44	3	Horizontal	142	1.30	-	33.87	5.67	32.15
AV	5.867G	111.33	Inf	-Inf	103.94	3	Horizontal	142	1.30	-	33.87	5.67	32.15
PK	5.926G	75.99	88.20	-12.21	68.37	3	Horizontal	142	1.30	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73308G	52.23	74.00	-21.77	38.12	3	Vertical	124	1.72	-	39.40	7.99	33.28
AV	11.73832G	38.86	54.00	-15.14	24.74	3	Vertical	124	1.72	-	39.40	8.00	33.28
PK	17.59368G	61.50	88.20	-26.70	39.18	3	Vertical	354	1.82	-	44.64	10.80	33.12

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73184G	51.83	74.00	-22.17	37.72	3	Horizontal	123	2.81	-	39.40	7.99	33.28
AV	11.72292G	38.90	54.00	-15.10	24.79	3	Horizontal	123	2.81	-	39.40	7.99	33.28
PK	17.5948G	60.91	88.20	-27.29	38.58	3	Horizontal	112	1.13	-	44.65	10.80	33.12

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT_V_4TX
Setting 104
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.642G	59.63	68.20	-8.57	52.35	3	Vertical	94	1.51	-	33.82	5.60	32.14	
PK	5.878G	124.82	Inf	-Inf	117.38	3	Vertical	94	1.51	-	33.91	5.68	32.15	
AV	5.878G	114.31	Inf	-Inf	106.87	3	Vertical	94	1.51	-	33.91	5.68	32.15	
PK	5.898G	107.50	108.00	-0.50	99.96	3	Vertical	94	1.51	-	33.99	5.70	32.15	

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT_V_4TX
Setting 104
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.646G	57.95	68.20	-10.25	50.68	3	Horizontal	151	1.54	-	33.81	5.60	32.14	
PK	5.887G	119.47	Inf	-Inf	111.98	3	Horizontal	151	1.54	-	33.95	5.69	32.15	
AV	5.886G	109.43	Inf	-Inf	101.95	3	Horizontal	151	1.54	-	33.94	5.69	32.15	
PK	5.906G	95.64	102.13	-6.49	88.07	3	Horizontal	151	1.54	-	34.01	5.71	32.15	

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 104
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7701G	52.63	74.00	-21.37	38.51	3	Vertical	279	1.59	-	39.40	8.01	33.29
AV	11.77136G	38.86	54.00	-15.14	24.74	3	Vertical	279	1.59	-	39.40	8.01	33.29
PK	17.65916G	61.71	88.20	-26.49	38.82	3	Vertical	105	1.38	-	45.29	10.83	33.23

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom



EUT Y_4TX
Setting 104
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76882G	51.98	74.00	-22.02	37.86	3	Horizontal	179	2.48	-	39.40	8.01	33.29
AV	11.77028G	38.68	54.00	-15.32	24.56	3	Horizontal	179	2.48	-	39.40	8.01	33.29
PK	17.65302G	62.08	88.20	-26.12	39.24	3	Horizontal	165	1.44	-	45.23	10.83	33.22




For UNII 4
4T4S <Non-beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	PK	5.621G	68.04	68.20	-0.16	3	Vertical	273	1.58	-

802.11ax HEW80_Nss4,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.639G	64.49	68.20	-3.71	57.21	3	Vertical	272	1.47	-	33.82	5.60	32.14	
PK	5.841G	118.33	Inf	-Inf	111.06	3	Vertical	272	1.47	-	33.78	5.64	32.15	
AV	5.853G	107.17	Inf	-Inf	99.86	3	Vertical	272	1.47	-	33.81	5.65	32.15	
PK	5.925G	87.62	88.20	-0.58	80.00	3	Vertical	272	1.47	-	34.05	5.73	32.16	

802.11ax HEW80_Nss4,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.648G	60.60	68.20	-7.60	53.34	3	Horizontal	151	2.60	-	33.80	5.60	32.14	
PK	5.853G	109.95	Inf	-Inf	102.64	3	Horizontal	151	2.60	-	33.81	5.65	32.15	
AV	5.847G	99.28	Inf	-Inf	91.99	3	Horizontal	151	2.60	-	33.79	5.65	32.15	
PK	5.923G	81.57	89.67	-8.10	73.96	3	Horizontal	151	2.60	-	34.05	5.72	32.16	

802.11ax HEW80_Nss4,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70762G	52.49	74.00	-21.51	38.38	3	Vertical	328	2.11	-	39.40	7.98	33.27
AV	11.71212G	41.22	54.00	-12.78	27.12	3	Vertical	328	2.11	-	39.40	7.98	33.28
PK	17.56788G	60.46	88.20	-27.74	38.35	3	Vertical	213	2.15	-	44.41	10.78	33.08

802.11ax HEW80_Nss4,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71384G	52.92	74.00	-21.08	38.81	3	Horizontal	225	2.67	-	39.40	7.99	33.28
AV	11.70506G	41.71	54.00	-12.29	27.60	3	Horizontal	225	2.67	-	39.40	7.98	33.27
PK	17.5681G	60.58	88.20	-27.62	38.47	3	Horizontal	216	1.24	-	44.41	10.78	33.08

802.11ax HEW160_Nss4,(MCS0)_4TX

5815MHz_TnomVnom




EUT V_4TX
Setting 77
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	68.04	68.20	-0.16	60.72	3	Vertical	273	1.58	-	33.86	5.60	32.14
PK	5.841G	109.05	Inf	-Inf	101.78	3	Vertical	273	1.58	-	33.78	5.64	32.15
AV	5.843G	97.67	Inf	-Inf	90.39	3	Vertical	273	1.58	-	33.79	5.64	32.15
PK	5.895G	97.17	110.20	-13.03	89.64	3	Vertical	273	1.58	-	33.98	5.70	32.15

802.11ax HEW160_Nss4,(MCS0)_4TX

5815MHz_TnomVnom




EUT V_4TX
Setting 77
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.48	68.20	-7.72	53.21	3	Horizontal	142	2.62	-	33.81	5.60	32.14
PK	5.849G	101.32	Inf	-Inf	94.02	3	Horizontal	142	2.62	-	33.80	5.65	32.15
AV	5.843G	90.65	Inf	-Inf	83.37	3	Horizontal	142	2.62	-	33.79	5.64	32.15
PK	5.895G	86.47	110.20	-23.73	78.94	3	Horizontal	142	2.62	-	33.98	5.70	32.15

802.11ax HEW160_Nss4,(MCS0)_4TX

5815MHz_TnomVnom




EUT Y_4TX
Setting 77
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62994G	53.33	74.00	-20.67	39.30	3	Vertical	306	2.35	-	39.33	7.95	33.25
AV	11.62992G	41.51	54.00	-12.49	27.48	3	Vertical	306	2.35	-	39.33	7.95	33.25

802.11ax HEW160_Nss4,(MCS0)_4TX

5815MHz_TnomVnom



EUT Y_4TX
Setting 77
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.62762G	52.60	74.00	-21.40	38.57	3	Horizontal	273	1.05	-	39.33	7.95	33.25	
AV	11.6282G	41.34	54.00	-12.66	27.31	3	Horizontal	273	1.05	-	39.33	7.95	33.25	




For UNII 4
4T1S <Beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.932G	88.00	88.20	-0.20	3	Vertical	270	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	64.21	68.20	-3.99	56.95	3	Vertical	92	1.83	-	33.80	5.60	32.14	
PK	5.846G	128.90	Inf	-Inf	121.61	3	Vertical	92	1.83	-	33.79	5.65	32.15	
AV	5.848G	118.35	Inf	-Inf	111.05	3	Vertical	92	1.83	-	33.80	5.65	32.15	
PK	5.938G	76.06	88.20	-12.14	68.40	3	Vertical	92	1.83	-	34.08	5.74	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	58.83	68.20	-9.37	51.57	3	Horizontal	150	1.09	-	33.80	5.60	32.14	
PK	5.842G	123.25	Inf	-Inf	115.98	3	Horizontal	150	1.09	-	33.78	5.64	32.15	
AV	5.84G	111.32	Inf	-Inf	104.05	3	Horizontal	150	1.09	-	33.78	5.64	32.15	
PK	5.927G	70.22	88.20	-17.98	62.60	3	Horizontal	150	1.09	-	34.05	5.73	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67608G	52.92	74.00	-21.08	38.84	3	Vertical	347	1.80	-	39.38	7.97	33.27
AV	11.68214G	38.97	54.00	-15.03	24.89	3	Vertical	347	1.80	-	39.38	7.97	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69444G	52.89	74.00	-21.11	38.79	3	Horizontal	55	1.80	-	39.39	7.98	33.27
AV	11.68784G	38.95	54.00	-15.05	24.85	3	Horizontal	55	1.80	-	39.39	7.98	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.62G	61.34	68.20	-6.86	54.02	3	Vertical	272	1.80	-	33.86	5.60	32.14	
PK	5.866G	128.72	Inf	-Inf	121.34	3	Vertical	272	1.80	-	33.86	5.67	32.15	
AV	5.867G	117.16	Inf	-Inf	109.77	3	Vertical	272	1.80	-	33.87	5.67	32.15	
PK	5.917G	89.41	94.07	-4.66	81.82	3	Vertical	272	1.80	-	34.03	5.72	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT_V_4TX
Setting 113
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	57.64	68.20	-10.56	50.37	3	Horizontal	146	1.09	-	33.81	5.60	32.14	
PK	5.869G	123.26	Inf	-Inf	115.86	3	Horizontal	146	1.09	-	33.88	5.67	32.15	
AV	5.869G	111.40	Inf	-Inf	104.00	3	Horizontal	146	1.09	-	33.88	5.67	32.15	
PK	5.925G	75.75	88.20	-12.45	68.13	3	Horizontal	146	1.09	-	34.05	5.73	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73306G	51.41	74.00	-22.59	37.30	3	Vertical	128	1.04	-	39.40	7.99	33.28
AV	11.73528G	38.41	54.00	-15.59	24.30	3	Vertical	128	1.04	-	39.40	7.99	33.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.71884G	51.89	74.00	-22.11	37.78	3	Horizontal	56	1.11	-	39.40	7.99	33.28	
AV	11.73108G	38.49	54.00	-15.51	24.38	3	Horizontal	56	1.11	-	39.40	7.99	33.28	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 63
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	57.74	68.20	-10.46	50.48	3	Vertical	273	1.15	-	33.80	5.60	32.14
PK	5.883G	115.96	Inf	-Inf	108.50	3	Vertical	273	1.15	-	33.93	5.68	32.15
AV	5.88G	103.59	Inf	-Inf	96.14	3	Vertical	273	1.15	-	33.92	5.68	32.15
PK	5.895G	109.99	110.20	-0.21	102.46	3	Vertical	273	1.15	-	33.98	5.70	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT_Y_4TX
Setting 63
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.636G	57.19	68.20	-11.01	49.90	3	Horizontal	151	1.56	-	33.83	5.60	32.14	
PK	5.884G	109.18	Inf	-Inf	101.71	3	Horizontal	151	1.56	-	33.94	5.68	32.15	
AV	5.883G	97.06	Inf	-Inf	89.60	3	Horizontal	151	1.56	-	33.93	5.68	32.15	
PK	5.895G	101.34	110.20	-8.86	93.81	3	Horizontal	151	1.56	-	33.98	5.70	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 63
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75626G	51.53	74.00	-22.47	37.42	3	Vertical	348	1.64	-	39.40	8.00	33.29
AV	11.76916G	38.07	54.00	-15.93	23.95	3	Vertical	348	1.64	-	39.40	8.01	33.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 63
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.77954G	52.34	74.00	-21.66	38.22	3	Horizontal	337	1.86	-	39.40	8.01	33.29	
AV	11.78284G	38.95	54.00	-15.05	24.83	3	Horizontal	337	1.86	-	39.40	8.01	33.29	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 110
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	67.73	68.20	-0.47	60.47	3	Vertical	245	1.50	-	33.80	5.60	32.14	
PK	5.828G	126.65	Inf	-Inf	119.41	3	Vertical	245	1.50	-	33.76	5.63	32.15	
AV	5.829G	113.26	Inf	-Inf	106.02	3	Vertical	245	1.50	-	33.76	5.63	32.15	
PK	5.926G	81.64	88.20	-6.56	74.02	3	Vertical	245	1.50	-	34.05	5.73	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 110
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	64.05	68.20	-4.15	56.77	3	Horizontal	195	1.00	-	33.82	5.60	32.14
PK	5.848G	117.56	Inf	-Inf	110.26	3	Horizontal	195	1.00	-	33.80	5.65	32.15
AV	5.841G	105.11	Inf	-Inf	97.84	3	Horizontal	195	1.00	-	33.78	5.64	32.15
PK	5.926G	74.04	88.20	-14.16	66.42	3	Horizontal	195	1.00	-	34.05	5.73	32.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 110
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66058G	53.31	74.00	-20.69	39.25	3	Vertical	217	2.58	-	39.36	7.96	33.26
AV	11.65986G	38.75	54.00	-15.25	24.69	3	Vertical	217	2.58	-	39.36	7.96	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 110
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68362G	53.57	74.00	-20.43	39.49	3	Horizontal	94	2.85	-	39.38	7.97	33.27
AV	11.65608G	38.71	54.00	-15.29	24.65	3	Horizontal	94	2.85	-	39.36	7.96	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.648G	61.29	68.20	-6.91	54.03	3	Vertical	271	1.80	-	33.80	5.60	32.14	
PK	5.883G	123.98	Inf	-Inf	116.52	3	Vertical	271	1.80	-	33.93	5.68	32.15	
AV	5.871G	110.58	Inf	-Inf	103.18	3	Vertical	271	1.80	-	33.88	5.67	32.15	
PK	5.895G	109.85	110.20	-0.35	102.32	3	Vertical	271	1.80	-	33.98	5.70	32.15	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.33	68.20	-9.87	51.07	3	Horizontal	149	1.80	-	33.80	5.60	32.14
PK	5.869G	114.96	Inf	-Inf	107.56	3	Horizontal	149	1.80	-	33.88	5.67	32.15
AV	5.868G	101.43	Inf	-Inf	94.04	3	Horizontal	149	1.80	-	33.87	5.67	32.15
PK	5.895G	99.01	110.20	-11.19	91.48	3	Horizontal	149	1.80	-	33.98	5.70	32.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74778G	52.86	74.00	-21.14	38.74	3	Vertical	292	2.21	-	39.40	8.00	33.28
AV	11.74724G	38.66	54.00	-15.34	24.54	3	Vertical	292	2.21	-	39.40	8.00	33.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.75792G	52.34	74.00	-21.66	38.23	3	Horizontal	229	1.51	-	39.40	8.00	33.29	
AV	11.74136G	38.70	54.00	-15.30	24.58	3	Horizontal	229	1.51	-	39.40	8.00	33.28	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	63.05	68.20	-5.15	55.78	3	Vertical	270	1.80	-	33.81	5.60	32.14	
PK	5.83G	121.77	Inf	-Inf	114.53	3	Vertical	270	1.80	-	33.76	5.63	32.15	
AV	5.866G	107.13	Inf	-Inf	99.75	3	Vertical	270	1.80	-	33.86	5.67	32.15	
PK	5.932G	88.00	88.20	-0.20	80.37	3	Vertical	270	1.80	-	34.06	5.73	32.16	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	59.35	68.20	-8.85	52.09	3	Horizontal	-0	1.18	-	33.80	5.60	32.14	
PK	5.829G	112.36	Inf	-Inf	105.12	3	Horizontal	-0	1.18	-	33.76	5.63	32.15	
AV	5.83G	98.42	Inf	-Inf	91.18	3	Horizontal	-0	1.18	-	33.76	5.63	32.15	
PK	5.925G	72.43	88.20	-15.77	64.81	3	Horizontal	-0	1.18	-	34.05	5.73	32.16	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70544G	52.66	74.00	-21.34	38.55	3	Vertical	126	1.92	-	39.40	7.98	33.27
AV	11.72464G	38.82	54.00	-15.18	24.71	3	Vertical	126	1.92	-	39.40	7.99	33.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.70388G	52.77	74.00	-21.23	38.66	3	Horizontal	17	2.17	-	39.40	7.98	33.27	
AV	11.6971G	38.86	54.00	-15.14	24.75	3	Horizontal	17	2.17	-	39.40	7.98	33.27	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom




EUT Y_4TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.32	68.20	-0.88	62.05	3	Vertical	100.4	1.68	-	31.60	5.89	32.22
PK	5.799G	111.45	Inf	-Inf	105.87	3	Vertical	100.4	1.68	-	32.00	5.89	32.31
AV	5.797G	98.82	Inf	-Inf	93.24	3	Vertical	100.4	1.68	-	32.00	5.89	32.31
PK	5.895G	98.30	110.20	-11.90	92.59	3	Vertical	100.4	1.68	-	32.09	5.99	32.37

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom




EUT Y_4TX
Setting 78
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.657G	70.70	73.38	-2.68	63.45	3	Horizontal	360	1.02	-	33.79	5.60	32.14
PK	5.747G	110.08	Inf	-Inf	102.83	3	Horizontal	360	1.02	-	33.79	5.60	32.14
AV	5.747G	95.19	Inf	-Inf	87.94	3	Horizontal	360	1.02	-	33.79	5.60	32.14
PK	5.942G	67.93	88.20	-20.27	60.27	3	Horizontal	360	1.02	-	34.08	5.74	32.16

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom




EUT Y_4TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62352G	52.25	74.00	-21.75	38.23	3	Vertical	144	2.64	-	39.32	7.95	33.25
AV	11.63816G	38.83	54.00	-15.17	24.79	3	Vertical	144	2.64	-	39.34	7.96	33.26

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom



EUT Y_4TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63762G	52.36	74.00	-21.64	38.32	3	Horizontal	155	2.62	-	39.34	7.96	33.26
AV	11.6441G	38.80	54.00	-15.20	24.76	3	Horizontal	155	2.62	-	39.34	7.96	33.26




For UNII 4
4T2S <Beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	PK	5.92G	91.85	91.87	-0.02	3	Vertical	269	1.52	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	64.12	68.20	-4.08	56.85	3	Vertical	266	1.61	-	33.81	5.60	32.14	
PK	5.851G	128.61	Inf	-Inf	121.31	3	Vertical	266	1.61	-	33.80	5.65	32.15	
AV	5.853G	113.49	Inf	-Inf	106.18	3	Vertical	266	1.61	-	33.81	5.65	32.15	
PK	5.924G	75.63	88.93	-13.30	68.02	3	Vertical	266	1.61	-	34.05	5.72	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	58.70	68.20	-9.50	51.44	3	Horizontal	154	1.40	-	33.80	5.60	32.14
PK	5.853G	120.84	Inf	-Inf	113.53	3	Horizontal	154	1.40	-	33.81	5.65	32.15
AV	5.853G	108.49	Inf	-Inf	101.18	3	Horizontal	154	1.40	-	33.81	5.65	32.15
PK	5.926G	68.45	88.20	-19.75	60.83	3	Horizontal	154	1.40	-	34.05	5.73	32.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67512G	53.20	74.00	-20.80	39.12	3	Vertical	0	1.01	-	39.38	7.97	33.27
AV	11.69138G	39.07	54.00	-14.93	24.97	3	Vertical	0	1.01	-	39.39	7.98	33.27

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67614G	53.16	74.00	-20.84	39.08	3	Horizontal	247	1.80	-	39.38	7.97	33.27
AV	11.69414G	39.03	54.00	-14.97	24.93	3	Horizontal	247	1.80	-	39.39	7.98	33.27

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	60.65	68.20	-7.55	53.37	3	Vertical	269	1.56	-	33.82	5.60	32.14
PK	5.869G	127.35	Inf	-Inf	119.95	3	Vertical	269	1.56	-	33.88	5.67	32.15
AV	5.87G	113.85	Inf	-Inf	106.45	3	Vertical	269	1.56	-	33.88	5.67	32.15
PK	5.923G	83.10	89.67	-6.57	75.49	3	Vertical	269	1.56	-	34.05	5.72	32.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5865MHz_TnomVnom




EUT_Y_4TX
Setting 113
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.635G	57.65	68.20	-10.55	50.36	3	Horizontal	144	1.23	-	33.83	5.60	32.14	
PK	5.869G	121.00	Inf	-Inf	113.60	3	Horizontal	144	1.23	-	33.88	5.67	32.15	
AV	5.87G	108.01	Inf	-Inf	100.61	3	Horizontal	144	1.23	-	33.88	5.67	32.15	
PK	5.926G	73.60	88.20	-14.60	65.98	3	Horizontal	144	1.23	-	34.05	5.73	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72148G	52.50	74.00	-21.50	38.39	3	Vertical	246	1.95	-	39.40	7.99	33.28
AV	11.72166G	38.98	54.00	-15.02	24.87	3	Vertical	246	1.95	-	39.40	7.99	33.28

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 113
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7327G	52.66	74.00	-21.34	38.55	3	Horizontal	21	1.94	-	39.40	7.99	33.28
AV	11.73102G	38.98	54.00	-15.02	24.87	3	Horizontal	21	1.94	-	39.40	7.99	33.28

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 67
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	57.53	68.20	-10.67	50.26	3	Vertical	94	1.80	-	33.81	5.60	32.14	
PK	5.879G	116.18	Inf	-Inf	108.73	3	Vertical	94	1.80	-	33.92	5.68	32.15	
AV	5.883G	103.33	Inf	-Inf	95.87	3	Vertical	94	1.80	-	33.93	5.68	32.15	
PK	5.895G	109.82	110.20	-0.38	102.29	3	Vertical	94	1.80	-	33.98	5.70	32.15	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 67
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	58.04	68.20	-10.16	50.77	3	Horizontal	149	1.12	-	33.81	5.60	32.14	
PK	5.879G	110.18	Inf	-Inf	102.73	3	Horizontal	149	1.12	-	33.92	5.68	32.15	
AV	5.879G	97.34	Inf	-Inf	89.89	3	Horizontal	149	1.12	-	33.92	5.68	32.15	
PK	5.895G	103.38	110.20	-6.82	95.85	3	Horizontal	149	1.12	-	33.98	5.70	32.15	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 67
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.77486G	52.35	74.00	-21.65	38.23	3	Vertical	279	2.39	-	39.40	8.01	33.29	
AV	11.77966G	38.68	54.00	-15.32	24.56	3	Vertical	279	2.39	-	39.40	8.01	33.29	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 67
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7682G	52.51	74.00	-21.49	38.39	3	Horizontal	333	1.62	-	39.40	8.01	33.29
AV	11.76316G	38.89	54.00	-15.11	24.77	3	Horizontal	333	1.62	-	39.40	8.01	33.29

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	63.22	68.20	-4.98	55.94	3	Vertical	269	1.48	-	33.82	5.60	32.14
PK	5.832G	124.79	Inf	-Inf	117.55	3	Vertical	269	1.48	-	33.76	5.63	32.15
AV	5.831G	110.63	Inf	-Inf	103.39	3	Vertical	269	1.48	-	33.76	5.63	32.15
PK	5.922G	75.16	90.40	-15.24	67.56	3	Vertical	269	1.48	-	34.04	5.72	32.16

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5835MHz_TnomVnom




EUT_V_4TX
Setting 109
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	60.08	68.20	-8.12	52.81	3	Horizontal	186	1.00	-	33.81	5.60	32.14	
PK	5.849G	116.35	Inf	-Inf	109.05	3	Horizontal	186	1.00	-	33.80	5.65	32.15	
AV	5.827G	103.46	Inf	-Inf	96.23	3	Horizontal	186	1.00	-	33.75	5.63	32.15	
PK	5.926G	63.76	88.20	-24.44	56.14	3	Horizontal	186	1.00	-	34.05	5.73	32.16	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6696G	52.96	74.00	-21.04	38.88	3	Vertical	308	2.34	-	39.37	7.97	33.26
AV	11.67296G	38.75	54.00	-15.25	24.67	3	Vertical	308	2.34	-	39.37	7.97	33.26

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66848G	53.58	74.00	-20.42	39.50	3	Horizontal	46	2.20	-	39.37	7.97	33.26
AV	11.66972G	38.68	54.00	-15.32	24.60	3	Horizontal	46	2.20	-	39.37	7.97	33.26

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5875MHz_TnomVnom




EUT Y_4TX
Setting 106
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	61.48	68.20	-6.72	54.17	3	Vertical	269	1.52	-	33.85	5.60	32.14
PK	5.87G	124.96	Inf	-Inf	117.56	3	Vertical	269	1.52	-	33.88	5.67	32.15
AV	5.869G	109.41	Inf	-Inf	102.01	3	Vertical	269	1.52	-	33.88	5.67	32.15
PK	5.92G	91.85	91.87	-0.02	84.25	3	Vertical	269	1.52	-	34.04	5.72	32.16

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5875MHz_TnomVnom




EUT_V_4TX
Setting 106
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.638G	58.09	68.20	-10.11	50.81	3	Horizontal	146	1.20	-	33.82	5.60	32.14	
PK	5.867G	118.55	Inf	-Inf	111.16	3	Horizontal	146	1.20	-	33.87	5.67	32.15	
AV	5.867G	103.82	Inf	-Inf	96.43	3	Horizontal	146	1.20	-	33.87	5.67	32.15	
PK	5.922G	87.16	90.40	-3.24	79.56	3	Horizontal	146	1.20	-	34.04	5.72	32.16	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5875MHz_TnomVnom




EUT Y_4TX
Setting 106
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75312G	56.63	74.00	-17.37	42.52	3	Vertical	51	1.68	-	39.40	8.00	33.29
AV	11.74548G	39.26	54.00	-14.74	25.14	3	Vertical	51	1.68	-	39.40	8.00	33.28

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5875MHz_TnomVnom




EUT Y_4TX
Setting 106
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75158G	54.74	74.00	-19.26	40.63	3	Horizontal	32	1.82	-	39.40	8.00	33.29
AV	11.75354G	39.09	54.00	-14.91	24.98	3	Horizontal	32	1.82	-	39.40	8.00	33.29

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 104
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.638G	64.29	68.20	-3.91	57.01	3	Vertical	271	1.80	-	33.82	5.60	32.14	
PK	5.831G	123.36	Inf	-Inf	116.12	3	Vertical	271	1.80	-	33.76	5.63	32.15	
AV	5.83G	108.87	Inf	-Inf	101.63	3	Vertical	271	1.80	-	33.76	5.63	32.15	
PK	5.931G	87.67	88.20	-0.53	80.04	3	Vertical	271	1.80	-	34.06	5.73	32.16	

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 104
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.51	68.20	-8.69	52.25	3	Horizontal	360	1.03	-	33.80	5.60	32.14
PK	5.829G	115.26	Inf	-Inf	108.02	3	Horizontal	360	1.03	-	33.76	5.63	32.15
AV	5.827G	99.06	Inf	-Inf	91.83	3	Horizontal	360	1.03	-	33.75	5.63	32.15
PK	5.925G	77.52	88.20	-10.68	69.90	3	Horizontal	360	1.03	-	34.05	5.73	32.16

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 104
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71032G	53.23	74.00	-20.77	39.12	3	Vertical	10	1.09	-	39.40	7.98	33.27
AV	11.71402G	38.71	54.00	-15.29	24.60	3	Vertical	10	1.09	-	39.40	7.99	33.28

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 104
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70852G	53.06	74.00	-20.94	38.95	3	Horizontal	124	1.50	-	39.40	7.98	33.27
AV	11.7127G	38.68	54.00	-15.32	24.57	3	Horizontal	124	1.50	-	39.40	7.99	33.28

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5815MHz_TnomVnom




EUT Y_4TX
Setting 74
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	68.04	68.20	-0.16	60.74	3	Vertical	106	1.25	-	33.84	5.60	32.14
PK	5.741G	110.33	Inf	-Inf	103.09	3	Vertical	106	1.25	-	33.78	5.60	32.14
AV	5.743G	100.40	Inf	-Inf	93.15	3	Vertical	106	1.25	-	33.79	5.60	32.14
PK	5.954G	76.01	88.20	-12.19	68.32	3	Vertical	106	1.25	-	34.10	5.75	32.16

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5815MHz_TnomVnom




EUT Y_4TX
Setting 74
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.656G	65.19	72.64	-7.45	57.94	3	Horizontal	-0	1.05	-	33.79	5.60	32.14	
PK	5.749G	106.92	Inf	-Inf	99.66	3	Horizontal	-0	1.05	-	33.80	5.60	32.14	
AV	5.747G	93.57	Inf	-Inf	86.32	3	Horizontal	-0	1.05	-	33.79	5.60	32.14	
PK	5.895G	87.24	110.20	-22.96	79.71	3	Horizontal	-0	1.05	-	33.98	5.70	32.15	

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5815MHz_TnomVnom




EUT Y_4TX
Setting 74
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63498G	52.50	74.00	-21.50	38.48	3	Vertical	207	1.51	-	39.33	7.95	33.26
AV	11.62942G	38.46	54.00	-15.54	24.43	3	Vertical	207	1.51	-	39.33	7.95	33.25

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5815MHz_TnomVnom



EUT Y_4TX
Setting 74
02-B-K-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62682G	52.99	74.00	-21.01	38.96	3	Horizontal	309	2.61	-	39.33	7.95	33.25
AV	11.62802G	38.46	54.00	-15.54	24.43	3	Horizontal	309	2.61	-	39.33	7.95	33.25



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.53635G	27.48	54.00	-26.52	Vertical

Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.53625G	37.07	74.00	-36.93	-5.36	3	Vertical	61	1.99	-	42.43	25.47	2.84	33.67
AV	1.53635G	27.48	54.00	-26.52	-5.36	3	Vertical	61	1.99	-	32.84	25.47	2.84	33.67

Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.53628G	37.39	74.00	-36.61	-5.36	3	Horizontal	2	2.65	-	42.75	25.47	2.84	33.67
AV	1.53637G	26.81	54.00	-27.19	-5.36	3	Horizontal	2	2.65	-	32.17	25.47	2.84	33.67