


5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 100
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.51221G	60.71	74.00	-13.29	42.83	3	Vertical	309	2.13	-	40.10	10.58	32.80			
AV	11.50544G	47.19	54.00	-6.81	29.31	3	Vertical	309	2.13	-	40.10	10.58	32.80			

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 100
06-D-S-5-

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.505555G	60.21	74.00	-13.79	42.33	3	Horizontal	24	2.46	-	40.10	10.58	32.80			
AV	11.50561G	47.27	54.00	-6.73	29.39	3	Horizontal	24	2.46	-	40.10	10.58	32.80			

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 102
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	66.67	68.20	-1.53	58.76	3	Vertical	82	1.71	-	31.70	7.26	31.05			
PK	5.8015G	123.80	Inf	-Inf	115.16	3	Vertical	82	1.71	-	32.30	7.39	31.05			
AV	5.801G	110.03	Inf	-Inf	101.39	3	Vertical	82	1.71	-	32.30	7.39	31.05			
PK	5.9265G	67.49	68.20	-0.71	58.55	3	Vertical	82	1.71	-	32.55	7.44	31.05			

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 102
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	60.06	68.20	-8.14	52.67	3	Horizontal	320	1.80	-	31.70	7.26	31.57			
PK	5.7855G	112.31	Inf	-Inf	104.24	3	Horizontal	320	1.80	-	32.27	7.38	31.58			
AV	5.7955G	99.71	Inf	-Inf	91.62	3	Horizontal	320	1.80	-	32.29	7.39	31.59			
PK	6.02G	60.42	68.20	-7.78	51.96	3	Horizontal	320	1.80	-	32.54	7.49	31.57			

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 102
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59243G	60.45	74.00	-13.55	42.82	3	Vertical	93	1.17	-	39.85	10.62	32.84			
AV	11.58712G	46.89	54.00	-7.11	29.23	3	Vertical	93	1.17	-	39.88	10.61	32.83			

5.725-5.85GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 102
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5938G	60.12	74.00	-13.88	42.50	3	Horizontal	360	2.37	-	39.84	10.62	32.84			
AV	11.5867G	46.87	54.00	-7.13	29.21	3	Horizontal	360	2.37	-	39.88	10.61	32.83			

5.15-5.25GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 90
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	70.94	74.00	-3.06	62.47	3	Vertical	278	1.80	-	32.10	6.91	30.54			
AV	5.1472G	53.93	54.00	-0.07	45.46	3	Vertical	278	1.80	-	32.10	6.91	30.54			
PK	5.218G	114.04	Inf	-Inf	106.00	3	Vertical	278	1.80	-	31.73	6.95	30.64			
AV	5.2028G	100.71	Inf	-Inf	92.60	3	Vertical	278	1.80	-	31.79	6.94	30.62			
PK	5.3652G	62.42	74.00	-11.58	54.69	3	Vertical	278	1.80	-	31.53	7.06	30.86			
AV	5.3556G	49.94	54.00	-4.06	42.21	3	Vertical	278	1.80	-	31.51	7.06	30.84			

5.15-5.25GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 90
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1228G	62.22	74.00	-11.78	54.57	3	Horizontal	252	2.21	-	32.10	6.90	31.35			
AV	5.1456G	48.50	54.00	-5.50	40.85	3	Horizontal	252	2.21	-	32.10	6.91	31.36			
PK	5.218G	106.25	Inf	-Inf	98.97	3	Horizontal	252	2.21	-	31.73	6.95	31.40			
AV	5.2204G	92.94	Inf	-Inf	85.66	3	Horizontal	252	2.21	-	31.72	6.96	31.40			
PK	5.4076G	59.48	74.00	-14.52	52.26	3	Horizontal	252	2.21	-	31.63	7.09	31.50			
AV	5.3544G	46.85	54.00	-7.15	39.75	3	Horizontal	252	2.21	-	31.51	7.06	31.47			

5.15-5.25GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX


5210MHz_TX

EUT_Y_2TX
Setting 90
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.63242G	63.95	74.00	-10.05	46.02	3	Vertical	299	1.71	-	38.28	12.50	32.85			
AV	15.62634G	48.93	54.00	-5.07	30.95	3	Vertical	299	1.71	-	38.34	12.49	32.85			

5.15-5.25GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 90
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.62626G	62.72	74.00	-11.28	44.74	3	Horizontal	146	2.72	-	38.34	12.49	32.85			
AV	15.62641G	48.92	54.00	-5.08	30.94	3	Horizontal	146	2.72	-	38.34	12.49	32.85			

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 94
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6465G	68.19	68.20	-0.01	60.27	3	Vertical	257	1.78	-	31.71	7.26	31.05			
PK	5.7885G	116.55	Inf	-Inf	107.94	3	Vertical	257	1.78	-	32.28	7.38	31.05			
AV	5.763G	103.14	Inf	-Inf	94.60	3	Vertical	257	1.78	-	32.23	7.36	31.05			
PK	5.9255G	64.68	68.20	-3.52	55.74	3	Vertical	257	1.78	-	32.55	7.44	31.05			

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 94
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6375G	60.12	68.20	-8.08	52.71	3	Horizontal	320	2.14	-	31.73	7.25	31.57			
PK	5.783G	107.61	Inf	-Inf	99.54	3	Horizontal	320	2.14	-	32.27	7.38	31.58			
AV	5.768G	94.83	Inf	-Inf	86.81	3	Horizontal	320	2.14	-	32.24	7.36	31.58			
PK	6.008G	60.68	68.20	-7.52	52.27	3	Horizontal	320	2.14	-	32.52	7.48	31.59			

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
Setting 94
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.54833G	60.71	74.00	-13.29	42.83	3	Vertical	64	1.36	-	40.10	10.60	32.82			
AV	11.54856G	47.24	54.00	-6.76	29.36	3	Vertical	64	1.36	-	40.10	10.60	32.82			

5.725-5.85GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
Setting 94
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55166G	60.63	74.00	-13.37	42.76	3	Horizontal	102	2.02	-	40.09	10.60	32.82			
AV	11.54783G	47.27	54.00	-6.73	29.39	3	Horizontal	102	2.02	-	40.10	10.60	32.82			

5.25-5.35GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 75
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1402G	69.40	74.00	-4.60	60.92	3	Vertical	275	1.79	-	32.10	6.91	30.53			
AV	5.1462G	53.50	54.00	-0.50	45.03	3	Vertical	275	1.79	-	32.10	6.91	30.54			
PK	5.2314G	107.39	Inf	-Inf	99.42	3	Vertical	275	1.79	-	31.67	6.96	30.66			
AV	5.2308G	93.60	Inf	-Inf	85.62	3	Vertical	275	1.79	-	31.68	6.96	30.66			
PK	5.3826G	68.08	74.00	-5.92	60.31	3	Vertical	275	1.79	-	31.57	7.08	30.88			
AV	5.3736G	50.31	54.00	-3.69	42.56	3	Vertical	275	1.79	-	31.55	7.07	30.87			
PK	5.4624G	61.83	68.20	-6.37	53.88	3	Vertical	275	1.79	-	31.82	7.13	31.00			

5.25-5.35GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 75
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	62.68	74.00	-11.32	55.03	3	Horizontal	251	2.16	-	32.10	6.91	31.36			
AV	5.136G	48.63	54.00	-5.37	40.97	3	Horizontal	251	2.16	-	32.10	6.91	31.35			
PK	5.2146G	100.17	Inf	-Inf	92.88	3	Horizontal	251	2.16	-	31.74	6.95	31.40			
AV	5.22G	86.92	Inf	-Inf	79.64	3	Horizontal	251	2.16	-	31.72	6.96	31.40			
PK	5.385G	59.93	74.00	-14.07	52.77	3	Horizontal	251	2.16	-	31.57	7.08	31.49			
AV	5.3898G	47.39	54.00	-6.61	40.22	3	Horizontal	251	2.16	-	31.58	7.08	31.49			
PK	5.4828G	59.34	68.20	-8.86	51.87	3	Horizontal	251	2.16	-	31.87	7.14	31.54			

5.25-5.35GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 75
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.75337G	62.74	74.00	-11.26	44.76	3	Vertical	272	1.34	-	38.30	12.55	32.87			
AV	15.75274G	48.93	54.00	-5.07	30.95	3	Vertical	272	1.34	-	38.30	12.55	32.87			

5.25-5.35GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 75
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.74532G	62.99	74.00	-11.01	45.02	3	Horizontal	40	2.62	-	38.29	12.55	32.87			
AV	15.75002G	48.79	54.00	-5.21	30.81	3	Horizontal	40	2.62	-	38.30	12.55	32.87			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 94
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	66.32	74.00	-7.68	59.08	3	Vertical	69	1.80	-	32.90	7.24	32.90			
AV	5.1498G	53.79	54.00	-0.21	46.55	3	Vertical	69	1.80	-	32.90	7.24	32.90			
PK	5.1748G	125.57	Inf	-Inf	118.31	3	Vertical	69	1.80	-	32.90	7.26	32.90			
AV	5.1716G	112.91	Inf	-Inf	105.65	3	Vertical	69	1.80	-	32.90	7.26	32.90			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 94
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1368G	60.41	74.00	-13.59	52.75	3	Horizontal	268	1.21	-	32.10	6.91	31.35			
AV	5.1484G	47.79	54.00	-6.21	40.14	3	Horizontal	268	1.21	-	32.10	6.91	31.36			
PK	5.186G	114.19	Inf	-Inf	106.76	3	Horizontal	268	1.21	-	31.88	6.93	31.38			
AV	5.1884G	101.70	Inf	-Inf	94.28	3	Horizontal	268	1.21	-	31.87	6.93	31.38			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 94
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36044G	54.93	68.20	-13.27	47.90	3	Vertical	233	1.24	-	40.02	10.03	43.02			
PK	15.54007G	55.66	74.00	-18.34	46.85	3	Vertical	342	1.14	-	38.92	12.45	42.56			
AV	15.53964G	42.19	54.00	-11.81	33.38	3	Vertical	342	1.14	-	38.92	12.45	42.56			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 94
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36026G	54.22	68.20	-13.98	47.19	3	Horizontal	95	1.58	-	40.02	10.03	43.02			
PK	15.54044G	55.96	74.00	-18.04	47.15	3	Horizontal	110	1.76	-	38.92	12.45	42.56			
AV	15.53975G	42.26	54.00	-11.74	33.45	3	Horizontal	110	1.76	-	38.92	12.45	42.56			

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 98
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	72.21	74.00	-1.79	64.97	3	Vertical	77	1.80	-	32.90	7.24	32.90			
AV	5.15G	53.86	54.00	-0.14	46.62	3	Vertical	77	1.80	-	32.90	7.24	32.90			
PK	5.2064G	126.96	Inf	-Inf	119.66	3	Vertical	77	1.80	-	32.91	7.28	32.89			
AV	5.1988G	114.01	Inf	-Inf	106.72	3	Vertical	77	1.80	-	32.90	7.28	32.89			
PK	5.3508G	64.35	74.00	-9.65	56.66	3	Vertical	77	1.80	-	33.20	7.35	32.86			
AV	5.3564G	50.85	54.00	-3.15	43.15	3	Vertical	77	1.80	-	33.21	7.35	32.86			

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
Setting 98
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	61.36	74.00	-12.64	53.71	3	Horizontal	255	2.96	-	32.10	6.91	31.36			
AV	5.1488G	47.88	54.00	-6.12	40.23	3	Horizontal	255	2.96	-	32.10	6.91	31.36			
PK	5.2064G	117.63	Inf	-Inf	110.31	3	Horizontal	255	2.96	-	31.77	6.94	31.39			
AV	5.2052G	105.74	Inf	-Inf	98.41	3	Horizontal	255	2.96	-	31.78	6.94	31.39			
PK	5.3912G	59.81	74.00	-14.19	52.64	3	Horizontal	255	2.96	-	31.58	7.08	31.49			
AV	5.3576G	46.72	54.00	-7.28	39.61	3	Horizontal	255	2.96	-	31.52	7.06	31.47			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 98
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40039G	55.03	68.20	-13.17	47.91	3	Vertical	96	2.10	-	40.10	10.05	43.03			
PK	15.60021G	55.19	74.00	-18.81	46.60	3	Vertical	20	2.27	-	38.60	12.48	42.49			
AV	15.60031G	41.56	54.00	-12.44	32.97	3	Vertical	20	2.27	-	38.60	12.48	42.49			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 98
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39978G	54.86	68.20	-13.34	47.74	3	Horizontal	3	2.31	-	40.10	10.05	43.03			
PK	15.60012G	54.91	74.00	-19.09	46.32	3	Horizontal	38	2.86	-	38.60	12.48	42.49			
AV	15.60034G	41.54	54.00	-12.46	32.95	3	Horizontal	38	2.86	-	38.60	12.48	42.49			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1424G	67.13	74.00	-6.87	59.92	3	Vertical	270	1.80	-	32.88	7.23	32.90			
AV	5.138G	53.75	54.00	-0.25	46.54	3	Vertical	270	1.80	-	32.88	7.23	32.90			
PK	5.2404G	128.36	Inf	-Inf	120.96	3	Vertical	270	1.80	-	32.98	7.30	32.88			
AV	5.2376G	115.38	Inf	-Inf	107.98	3	Vertical	270	1.80	-	32.98	7.30	32.88			
PK	5.4068G	65.23	74.00	-8.77	57.37	3	Vertical	270	1.80	-	33.33	7.38	32.85			
AV	5.412G	51.87	54.00	-2.13	43.99	3	Vertical	270	1.80	-	33.35	7.38	32.85			

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0452G	59.44	74.00	-14.56	51.91	3	Horizontal	230	2.92	-	31.97	6.86	31.30			
AV	5.1312G	47.63	54.00	-6.37	39.97	3	Horizontal	230	2.92	-	32.10	6.91	31.35			
PK	5.2308G	117.90	Inf	-Inf	110.66	3	Horizontal	230	2.92	-	31.68	6.96	31.40			
AV	5.2312G	106.26	Inf	-Inf	99.02	3	Horizontal	230	2.92	-	31.68	6.96	31.40			
PK	5.3828G	59.57	74.00	-14.43	52.41	3	Horizontal	230	2.92	-	31.57	7.08	31.49			
AV	5.374G	47.01	54.00	-6.99	39.87	3	Horizontal	230	2.92	-	31.55	7.07	31.48			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48025G	54.50	68.20	-13.70	47.31	3	Vertical	280	2.23	-	40.14	10.09	43.04			
PK	15.71983G	55.20	74.00	-18.80	46.77	3	Vertical	165	1.53	-	38.24	12.54	42.35			
AV	15.71999G	41.06	54.00	-12.94	32.63	3	Vertical	165	1.53	-	38.24	12.54	42.35			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47952G	55.01	68.20	-13.19	47.82	3	Horizontal	40	2.96	-	40.14	10.09	43.04			
PK	15.72003G	55.05	74.00	-18.95	46.62	3	Horizontal	306	2.57	-	38.24	12.54	42.35			
AV	15.71991G	41.12	54.00	-12.88	32.69	3	Horizontal	306	2.57	-	38.24	12.54	42.35			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1439G	62.24	74.00	-11.76	55.83	3	Vertical	93	1.80	-	32.08	7.23	32.90			
AV	5.1499G	50.70	54.00	-3.30	44.26	3	Vertical	93	1.80	-	32.10	7.24	32.90			
PK	5.2576G	127.00	Inf	-Inf	121.19	3	Vertical	93	1.80	-	31.38	7.31	32.88			
AV	5.257G	116.32	Inf	-Inf	110.50	3	Vertical	93	1.80	-	31.39	7.31	32.88			
PK	5.3554G	63.62	74.00	-10.38	57.72	3	Vertical	93	1.80	-	31.41	7.35	32.86			
AV	5.3572G	52.57	54.00	-1.43	46.67	3	Vertical	93	1.80	-	31.41	7.35	32.86			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1136G	59.30	74.00	-14.70	51.64	3	Horizontal	252	2.93	-	32.10	6.90	31.34			
AV	5.1424G	47.48	54.00	-6.52	39.83	3	Horizontal	252	2.93	-	32.10	6.91	31.36			
PK	5.2543G	120.53	Inf	-Inf	113.38	3	Horizontal	252	2.93	-	31.59	6.98	31.42			
AV	5.2543G	106.91	Inf	-Inf	99.76	3	Horizontal	252	2.93	-	31.59	6.98	31.42			
PK	5.3632G	60.29	74.00	-13.71	53.18	3	Horizontal	252	2.93	-	31.53	7.06	31.48			
AV	5.3518G	48.57	54.00	-5.43	41.49	3	Horizontal	252	2.93	-	31.50	7.05	31.47			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX

EUT_Y_2TX
Setting 108
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51964G	54.05	68.20	-14.15	46.88	3	Vertical	319	2.83	-	40.10	10.11	43.04			
PK	15.78024G	54.45	74.00	-19.55	45.86	3	Vertical	85	2.09	-	38.30	12.57	42.28			
AV	15.77994G	41.63	54.00	-12.37	33.05	3	Vertical	85	2.09	-	38.30	12.57	42.29			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX

EUT_Y_2TX
Setting 108
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51976G	54.00	68.20	-14.20	46.83	3	Horizontal	20	1.64	-	40.10	10.11	43.04			
PK	15.77968G	55.49	74.00	-18.51	46.91	3	Horizontal	312	1.22	-	38.30	12.57	42.29			
AV	15.77951G	41.37	54.00	-12.63	32.79	3	Horizontal	312	1.22	-	38.30	12.57	42.29			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 104
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.297G	125.44	Inf	-Inf	119.68	3	Vertical	292	1.80	-	31.31	7.32	32.87			
AV	5.3044G	113.03	Inf	-Inf	107.26	3	Vertical	292	1.80	-	31.31	7.33	32.87			
PK	5.3502G	70.14	74.00	-3.86	64.25	3	Vertical	292	1.80	-	31.40	7.35	32.86			
AV	5.35G	53.91	54.00	-0.09	48.02	3	Vertical	292	1.80	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 104
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2938G	116.17	Inf	-Inf	109.09	3	Horizontal	236	3.00	-	31.51	7.01	31.44			
AV	5.302G	104.59	Inf	-Inf	97.51	3	Horizontal	236	3.00	-	31.50	7.02	31.44			
PK	5.3522G	66.37	74.00	-7.63	59.29	3	Horizontal	236	3.00	-	31.50	7.05	31.47			
AV	5.35G	50.31	54.00	-3.69	43.23	3	Horizontal	236	3.00	-	31.50	7.05	31.47			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX

EUT_Y_2TX
Setting 104
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60069G	54.38	74.00	-19.62	47.08	3	Vertical	8	3.00	-	40.20	10.15	43.05			
AV	10.60022G	40.76	54.00	-13.24	33.46	3	Vertical	8	3.00	-	40.20	10.15	43.05			
PK	15.90043G	55.46	74.00	-18.54	46.99	3	Vertical	53	1.19	-	38.00	12.62	42.15			
AV	15.89958G	41.53	54.00	-12.47	33.06	3	Vertical	53	1.19	-	38.00	12.62	42.15			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 104
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60042G	54.45	74.00	-19.55	47.15	3	Horizontal	333	2.11	-	40.20	10.15	43.05			
AV	10.60013G	40.70	54.00	-13.30	33.40	3	Horizontal	333	2.11	-	40.20	10.15	43.05			
PK	15.89955G	54.60	74.00	-19.40	46.13	3	Horizontal	41	2.38	-	38.00	12.62	42.15			
AV	15.89953G	41.30	54.00	-12.70	32.83	3	Horizontal	41	2.38	-	38.00	12.62	42.15			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 94
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3283G	123.16	Inf	-Inf	117.32	3	Vertical	86	1.80	-	31.36	7.34	32.86			
AV	5.3284G	110.00	Inf	-Inf	104.16	3	Vertical	86	1.80	-	31.36	7.34	32.86			
PK	5.3504G	66.83	74.00	-7.17	60.94	3	Vertical	86	1.80	-	31.40	7.35	32.86			
AV	5.3501G	53.19	54.00	-0.81	47.30	3	Vertical	86	1.80	-	31.40	7.35	32.86			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 94
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3135G	113.53	Inf	-Inf	106.45	3	Horizontal	237	2.99	-	31.50	7.03	31.45			
AV	5.3133G	101.77	Inf	-Inf	94.70	3	Horizontal	237	2.99	-	31.50	7.02	31.45			
PK	5.3561G	61.10	74.00	-12.90	54.00	3	Horizontal	237	2.99	-	31.51	7.06	31.47			
AV	5.3536G	47.77	54.00	-6.23	40.67	3	Horizontal	237	2.99	-	31.51	7.06	31.47			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 94
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64029G	53.97	74.00	-20.03	46.67	3	Vertical	120	1.43	-	40.20	10.16	43.06			
AV	10.63963G	40.66	54.00	-13.34	33.36	3	Vertical	120	1.43	-	40.20	10.16	43.06			
PK	15.96027G	54.01	74.00	-19.99	45.54	3	Vertical	241	2.16	-	37.90	12.65	42.08			
AV	15.95968G	41.25	54.00	-12.75	32.78	3	Vertical	241	2.16	-	37.90	12.65	42.08			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 94
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63996G	53.91	74.00	-20.09	46.61	3	Horizontal	351	1.78	-	40.20	10.16	43.06			
AV	10.64034G	40.72	54.00	-13.28	33.42	3	Horizontal	351	1.78	-	40.20	10.16	43.06			
PK	15.95987G	55.20	74.00	-18.80	46.73	3	Horizontal	96	1.40	-	37.90	12.65	42.08			
AV	15.95998G	41.23	54.00	-12.77	32.76	3	Horizontal	96	1.40	-	37.90	12.65	42.08			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 97
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	66.36	74.00	-7.64	60.05	3	Vertical	261	1.80	-	31.74	7.41	32.84			
AV	5.46G	50.64	54.00	-3.36	44.32	3	Vertical	261	1.80	-	31.74	7.42	32.84			
PK	5.47G	67.29	68.20	-0.91	60.93	3	Vertical	261	1.80	-	31.78	7.42	32.84			
PK	5.499G	122.39	Inf	-Inf	115.88	3	Vertical	261	1.80	-	31.90	7.44	32.83			
AV	5.4953G	110.21	Inf	-Inf	103.72	3	Vertical	261	1.80	-	31.88	7.44	32.83			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 97
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	59.21	74.00	-14.79	51.79	3	Horizontal	2	1.84	-	31.82	7.13	31.53			
AV	5.4587G	46.94	54.00	-7.06	39.52	3	Horizontal	2	1.84	-	31.82	7.13	31.53			
PK	5.4602G	60.17	68.20	-8.03	52.75	3	Horizontal	2	1.84	-	31.82	7.13	31.53			
PK	5.5027G	109.77	Inf	-Inf	102.26	3	Horizontal	2	1.84	-	31.90	7.16	31.55			
AV	5.5044G	96.54	Inf	-Inf	89.03	3	Horizontal	2	1.84	-	31.90	7.16	31.55			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 97
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9997G	55.49	74.00	-18.51	47.76	3	Vertical	83	1.39	-	40.50	10.33	43.10			
AV	11.00031G	42.07	54.00	-11.93	34.33	3	Vertical	83	1.39	-	40.50	10.34	43.10			
PK	16.49984G	57.12	68.20	-11.08	46.13	3	Vertical	296	1.78	-	39.70	12.89	41.60			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 97
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99998G	55.54	74.00	-18.46	47.81	3	Horizontal	211	2.68	-	40.50	10.33	43.10			
AV	11.00042G	42.19	54.00	-11.81	34.45	3	Horizontal	211	2.68	-	40.50	10.34	43.10			
PK	16.49994G	56.55	68.20	-11.65	45.56	3	Horizontal	51	1.36	-	39.70	12.89	41.60			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 110
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.426G	61.06	74.00	-12.94	54.91	3	Vertical	76	1.80	-	31.60	7.39	32.84			
PK	5.466G	61.03	68.20	-7.17	54.69	3	Vertical	76	1.80	-	31.76	7.42	32.84			
AV	5.46G	49.07	54.00	-4.93	42.75	3	Vertical	76	1.80	-	31.74	7.42	32.84			
PK	5.5744G	126.69	Inf	-Inf	120.30	3	Vertical	76	1.80	-	31.75	7.50	32.86			
AV	5.5744G	114.75	Inf	-Inf	108.36	3	Vertical	76	1.80	-	31.75	7.50	32.86			
PK	5.7264G	62.32	68.20	-5.88	55.62	3	Vertical	76	1.80	-	32.05	7.56	32.91			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 110
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4528G	59.19	74.00	-14.81	51.78	3	Horizontal	321	1.96	-	31.81	7.12	31.52			
AV	5.446G	46.69	54.00	-7.31	39.31	3	Horizontal	321	1.96	-	31.78	7.12	31.52			
PK	5.462G	58.22	68.20	-9.98	50.80	3	Horizontal	321	1.96	-	31.82	7.13	31.53			
PK	5.5824G	116.08	Inf	-Inf	108.59	3	Horizontal	321	1.96	-	31.84	7.21	31.56			
AV	5.5848G	104.15	Inf	-Inf	96.67	3	Horizontal	321	1.96	-	31.83	7.21	31.56			
PK	5.756G	59.05	68.20	-9.15	51.07	3	Horizontal	321	1.96	-	32.21	7.35	31.58			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 110
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15983G	53.59	74.00	-20.41	46.46	3	Vertical	66	2.20	-	39.88	10.41	43.16			
AV	11.16034G	40.82	54.00	-13.18	33.69	3	Vertical	66	2.20	-	39.88	10.41	43.16			
PK	16.74036G	56.78	68.20	-11.42	45.48	3	Vertical	274	2.91	-	40.14	13.00	41.84			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 110
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15955G	53.61	74.00	-20.39	46.48	3	Horizontal	124	1.83	-	39.88	10.41	43.16			
AV	11.16031G	40.76	54.00	-13.24	33.63	3	Horizontal	124	1.83	-	39.88	10.41	43.16			
PK	16.74034G	57.01	68.20	-11.19	45.71	3	Horizontal	194	2.27	-	40.14	13.00	41.84			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 77
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6915G	118.80	Inf	-Inf	112.18	3	Vertical	95	1.80	-	31.97	7.55	32.90			
AV	5.6919G	105.99	Inf	-Inf	99.37	3	Vertical	95	1.80	-	31.97	7.55	32.90			
PK	5.7288G	66.70	68.20	-1.50	59.99	3	Vertical	95	1.80	-	32.06	7.56	32.91			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 77
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7015G	109.75	Inf	-Inf	102.10	3	Horizontal	315	1.87	-	31.91	7.31	31.57			
AV	5.7029G	96.68	Inf	-Inf	89.02	3	Horizontal	315	1.87	-	31.92	7.31	31.57			
PK	5.7278G	65.75	68.20	-2.45	57.93	3	Horizontal	315	1.87	-	32.07	7.33	31.58			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 77
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4002G	54.06	74.00	-19.94	46.79	3	Vertical	204	1.47	-	40.00	10.53	43.26			
AV	11.4004G	41.16	54.00	-12.84	33.89	3	Vertical	204	1.47	-	40.00	10.53	43.26			
PK	17.0997G	57.40	68.20	-10.80	46.11	3	Vertical	95	2.38	-	40.20	13.16	42.07			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 77
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40028G	54.29	74.00	-19.71	47.02	3	Horizontal	84	2.78	-	40.00	10.53	43.26			
AV	11.4002G	41.09	54.00	-12.91	33.82	3	Horizontal	84	2.78	-	40.00	10.53	43.26			
PK	17.10031G	56.78	68.20	-11.42	45.48	3	Horizontal	254	2.30	-	40.20	13.17	42.07			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 107
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7268G	125.95	Inf	-Inf	119.25	3	Vertical	72	1.80	-	32.05	7.56	32.91			
AV	5.728G	116.07	Inf	-Inf	109.36	3	Vertical	72	1.80	-	32.06	7.56	32.91			
PK	5.8508G	64.96	68.20	-3.24	58.10	3	Vertical	72	1.80	-	32.20	7.61	32.95			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 107
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.728G	117.07	Inf	-Inf	109.25	3	Horizontal	313	2.76	-	32.07	7.33	31.58			
AV	5.725G	105.75	Inf	-Inf	97.95	3	Horizontal	313	2.76	-	32.05	7.33	31.58			
PK	5.9108G	60.59	68.20	-7.61	52.24	3	Horizontal	313	2.76	-	32.52	7.43	31.60			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 107
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43961G	53.99	74.00	-20.01	46.73	3	Vertical	186	2.67	-	40.00	10.54	43.28			
AV	11.43978G	40.62	54.00	-13.38	33.36	3	Vertical	186	2.67	-	40.00	10.54	43.28			
PK	17.16027G	57.17	68.20	-11.03	45.67	3	Vertical	161	2.55	-	40.36	13.19	42.05			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 107
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43963G	54.48	74.00	-19.52	47.22	3	Horizontal	342	1.36	-	40.00	10.54	43.28			
AV	11.43959G	40.89	54.00	-13.11	33.63	3	Horizontal	342	1.36	-	40.00	10.54	43.28			
PK	17.16025G	57.09	68.20	-11.11	45.59	3	Horizontal	246	1.42	-	40.36	13.19	42.05			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 104
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.646G	67.88	68.20	-0.32	59.32	3	Vertical	73	1.80	-	33.91	7.53	32.88			
PK	5.75G	128.97	Inf	-Inf	120.12	3	Vertical	73	1.80	-	34.20	7.56	32.91			
AV	5.7525G	116.31	Inf	-Inf	107.45	3	Vertical	73	1.80	-	34.21	7.57	32.92			
PK	5.9325G	64.24	68.20	-3.96	54.38	3	Vertical	73	1.80	-	35.19	7.65	32.98			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 104
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	59.87	68.20	-8.33	52.48	3	Horizontal	313	1.93	-	31.70	7.26	31.57			
PK	5.749G	117.73	Inf	-Inf	109.77	3	Horizontal	313	1.93	-	32.19	7.35	31.58			
AV	5.747G	104.73	Inf	-Inf	96.79	3	Horizontal	313	1.93	-	32.18	7.34	31.58			
PK	5.929G	59.17	68.20	-9.03	50.77	3	Horizontal	313	1.93	-	32.56	7.44	31.60			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 104
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4903G	55.05	74.00	-18.95	47.70	3	Vertical	232	1.21	-	40.08	10.57	43.30			
AV	11.49003G	41.26	54.00	-12.74	33.91	3	Vertical	232	1.21	-	40.08	10.57	43.30			
PK	17.23477G	57.80	68.20	-10.40	46.07	3	Vertical	286	1.49	-	40.53	13.23	42.03			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 104
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49049G	54.31	74.00	-19.69	46.96	3	Horizontal	144	1.32	-	40.08	10.57	43.30			
AV	11.48968G	41.27	54.00	-12.73	33.92	3	Horizontal	144	1.32	-	40.08	10.57	43.30			
PK	17.23498G	57.06	68.20	-11.14	45.33	3	Horizontal	42	1.29	-	40.53	13.23	42.03			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6128G	67.08	68.20	-1.12	58.46	3	Vertical	79	1.80	-	33.97	7.52	32.87			
PK	5.7814G	130.19	Inf	-Inf	121.29	3	Vertical	79	1.80	-	34.26	7.57	32.93			
AV	5.782G	116.79	Inf	-Inf	107.89	3	Vertical	79	1.80	-	34.26	7.57	32.93			
PK	5.9296G	64.01	68.20	-4.19	54.17	3	Vertical	79	1.80	-	35.18	7.64	32.98			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.616G	59.03	68.20	-9.17	51.59	3	Horizontal	314	1.79	-	31.77	7.23	31.56				
PK	5.7835G	117.85	Inf	-Inf	109.78	3	Horizontal	314	1.79	-	32.27	7.38	31.58				
AV	5.7825G	104.93	Inf	-Inf	96.87	3	Horizontal	314	1.79	-	32.26	7.38	31.58				
PK	6.03G	59.70	68.20	-8.50	51.19	3	Horizontal	314	1.79	-	32.56	7.49	31.54				

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56972G	54.95	74.00	-19.05	47.65	3	Vertical	235	1.79	-	39.98	10.61	43.29			
AV	11.57022G	41.44	54.00	-12.56	34.14	3	Vertical	235	1.79	-	39.98	10.61	43.29			
PK	17.35541G	58.32	68.20	-9.88	45.68	3	Vertical	195	2.77	-	41.36	13.28	42.00			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56999G	54.92	74.00	-19.08	47.62	3	Horizontal	269	2.87	-	39.98	10.61	43.29			
AV	11.57027G	41.34	54.00	-12.66	34.04	3	Horizontal	269	2.87	-	39.98	10.61	43.29			
PK	17.355G	58.38	68.20	-9.82	45.74	3	Horizontal	142	1.10	-	41.36	13.28	42.00			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 106
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63G	65.69	68.20	-2.51	57.09	3	Vertical	82	1.80	-	33.94	7.53	32.87			
PK	5.8238G	128.87	Inf	-Inf	119.78	3	Vertical	82	1.80	-	34.44	7.59	32.94			
AV	5.8214G	116.27	Inf	-Inf	107.19	3	Vertical	82	1.80	-	34.43	7.59	32.94			
PK	5.9252G	67.43	68.20	-0.77	57.61	3	Vertical	82	1.80	-	35.15	7.64	32.97			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 106
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.586G	59.59	68.20	-8.61	52.11	3	Horizontal	317	1.80	-	31.83	7.21	31.56			
PK	5.8295G	114.23	Inf	-Inf	106.12	3	Horizontal	317	1.80	-	32.30	7.40	31.59			
AV	5.8305G	102.21	Inf	-Inf	94.10	3	Horizontal	317	1.80	-	32.30	7.40	31.59			
PK	5.9295G	59.54	68.20	-8.66	51.14	3	Horizontal	317	1.80	-	32.56	7.44	31.60			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 106
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64962G	54.01	74.00	-19.99	47.25	3	Vertical	157	1.30	-	39.40	10.64	43.28			
AV	11.65007G	40.68	54.00	-13.32	33.92	3	Vertical	157	1.30	-	39.40	10.64	43.28			
PK	17.47532G	59.37	68.20	-8.83	45.57	3	Vertical	233	2.53	-	42.45	13.33	41.98			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 106
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64967G	53.94	74.00	-20.06	47.18	3	Horizontal	242	1.12	-	39.40	10.64	43.28			
AV	11.65048G	40.67	54.00	-13.33	33.91	3	Horizontal	242	1.12	-	39.40	10.64	43.28			
PK	17.4749G	59.18	68.20	-9.02	45.38	3	Horizontal	45	2.44	-	42.45	13.33	41.98			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 84
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.39	74.00	-7.61	59.15	3	Vertical	270	1.80	-	32.90	7.24	32.90			
AV	5.1496G	53.92	54.00	-0.08	46.68	3	Vertical	270	1.80	-	32.90	7.24	32.90			
PK	5.1828G	120.08	Inf	-Inf	112.80	3	Vertical	270	1.80	-	32.90	7.27	32.89			
AV	5.1864G	107.29	Inf	-Inf	100.01	3	Vertical	270	1.80	-	32.90	7.27	32.89			
PK	5.3668G	63.05	74.00	-10.95	55.32	3	Vertical	270	1.80	-	33.23	7.36	32.86			
AV	5.3508G	49.23	54.00	-4.77	41.54	3	Vertical	270	1.80	-	33.20	7.35	32.86			

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 84
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0912G	59.86	74.00	-14.14	52.22	3	Horizontal	250	1.77	-	32.08	6.89	31.33			
AV	5.1492G	47.70	54.00	-6.30	40.05	3	Horizontal	250	1.77	-	32.10	6.91	31.36			
PK	5.208G	111.13	Inf	-Inf	103.80	3	Horizontal	250	1.77	-	31.77	6.95	31.39			
AV	5.2076G	98.84	Inf	-Inf	91.51	3	Horizontal	250	1.77	-	31.77	6.95	31.39			
PK	5.3632G	58.73	74.00	-15.27	51.62	3	Horizontal	250	1.77	-	31.53	7.06	31.48			
AV	5.352G	46.34	54.00	-7.66	39.26	3	Horizontal	250	1.77	-	31.50	7.05	31.47			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 84
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3797G	54.74	68.20	-13.46	47.67	3	Vertical	155	2.78	-	40.06	10.04	43.03			
PK	15.57G	55.32	74.00	-18.68	46.60	3	Vertical	192	1.74	-	38.78	12.47	42.53			
AV	15.56958G	41.75	54.00	-12.25	33.03	3	Vertical	192	1.74	-	38.78	12.47	42.53			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 84
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37961G	55.16	68.20	-13.04	48.09	3	Horizontal	191	1.60	-	40.06	10.04	43.03			
PK	15.57031G	55.36	74.00	-18.64	46.64	3	Horizontal	170	1.54	-	38.78	12.47	42.53			
AV	15.56988G	41.57	54.00	-12.43	32.85	3	Horizontal	170	1.54	-	38.78	12.47	42.53			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 93
01-U-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	71.38	74.00	-2.62	64.16	3	Vertical	261	1.80	-	32.89	7.23	32.90			
AV	5.15G	53.73	54.00	-0.27	46.49	3	Vertical	261	1.80	-	32.90	7.24	32.90			
PK	5.222G	123.06	Inf	-Inf	115.72	3	Vertical	261	1.80	-	32.94	7.29	32.89			
AV	5.224G	109.68	Inf	-Inf	102.33	3	Vertical	261	1.80	-	32.95	7.29	32.89			
PK	5.3656G	65.02	74.00	-8.98	57.30	3	Vertical	261	1.80	-	33.23	7.35	32.86			
AV	5.3508G	51.29	54.00	-2.71	43.60	3	Vertical	261	1.80	-	33.20	7.35	32.86			

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 93
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	60.13	74.00	-13.87	52.48	3	Horizontal	252	2.14	-	32.10	6.91	31.36			
AV	5.1376G	47.83	54.00	-6.17	40.17	3	Horizontal	252	2.14	-	32.10	6.91	31.35			
PK	5.2352G	114.13	Inf	-Inf	106.91	3	Horizontal	252	2.14	-	31.66	6.97	31.41			
AV	5.236G	101.62	Inf	-Inf	94.40	3	Horizontal	252	2.14	-	31.66	6.97	31.41			
PK	5.3708G	59.12	74.00	-14.88	51.99	3	Horizontal	252	2.14	-	31.54	7.07	31.48			
AV	5.4252G	46.80	54.00	-7.20	39.50	3	Horizontal	252	2.14	-	31.70	7.11	31.51			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 93
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46009G	54.58	68.20	-13.62	47.36	3	Vertical	75	1.71	-	40.18	10.08	43.04			
PK	15.69017G	53.98	74.00	-20.02	45.67	3	Vertical	217	2.00	-	38.18	12.52	42.39			
AV	15.6897G	40.31	54.00	-13.69	32.00	3	Vertical	217	2.00	-	38.18	12.52	42.39			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 93
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46043G	54.67	68.20	-13.53	47.45	3	Horizontal	164	1.48	-	40.18	10.08	43.04			
PK	15.69001G	53.77	74.00	-20.23	45.46	3	Horizontal	225	1.12	-	38.18	12.52	42.39			
AV	15.68958G	40.22	54.00	-13.78	31.91	3	Horizontal	225	1.12	-	38.18	12.52	42.39			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 89
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1449G	63.09	74.00	-10.91	55.87	3	Vertical	286.4	1.80	-	32.89	7.23	32.90			
AV	5.1485G	50.71	54.00	-3.29	43.47	3	Vertical	286.4	1.80	-	32.90	7.24	32.90			
PK	5.2577G	122.49	Inf	-Inf	115.04	3	Vertical	286.4	1.80	-	33.02	7.31	32.88			
AV	5.2562G	109.39	Inf	-Inf	101.95	3	Vertical	286.4	1.80	-	33.01	7.31	32.88			
PK	5.3504G	68.89	74.00	-5.11	61.20	3	Vertical	286.4	1.80	-	33.20	7.35	32.86			
AV	5.3525G	53.14	54.00	-0.86	45.44	3	Vertical	286.4	1.80	-	33.21	7.35	32.86			

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 89
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1407G	59.65	74.00	-14.35	52.00	3	Horizontal	252	2.03	-	32.10	6.91	31.36			
AV	5.1476G	47.39	54.00	-6.61	39.74	3	Horizontal	252	2.03	-	32.10	6.91	31.36			
PK	5.2724G	112.80	Inf	-Inf	105.68	3	Horizontal	252	2.03	-	31.56	6.99	31.43			
AV	5.2745G	101.19	Inf	-Inf	94.07	3	Horizontal	252	2.03	-	31.55	7.00	31.43			
PK	5.3798G	59.87	74.00	-14.13	52.73	3	Horizontal	252	2.03	-	31.56	7.07	31.49			
AV	5.3669G	47.14	54.00	-6.86	40.02	3	Horizontal	252	2.03	-	31.53	7.07	31.48			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 89
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54049G	54.59	68.20	-13.61	47.41	3	Vertical	208	1.63	-	40.10	10.12	43.04			
PK	15.80979G	55.44	74.00	-18.56	46.85	3	Vertical	278	2.53	-	38.26	12.58	42.25			
AV	15.8095G	41.49	54.00	-12.51	32.90	3	Vertical	278	2.53	-	38.26	12.58	42.25			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 89
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54045G	54.42	68.20	-13.78	47.24	3	Horizontal	10	2.37	-	40.10	10.12	43.04			
PK	15.81009G	55.36	74.00	-18.64	46.77	3	Horizontal	12	1.80	-	38.26	12.58	42.25			
AV	15.80968G	41.20	54.00	-12.80	32.61	3	Horizontal	12	1.80	-	38.26	12.58	42.25			

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 80
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3242G	119.13	Inf	-Inf	113.31	3	Vertical	77	1.80	-	31.35	7.34	32.87			
AV	5.3034G	106.45	Inf	-Inf	100.68	3	Vertical	77	1.80	-	31.31	7.33	32.87			
PK	5.3522G	67.08	74.00	-6.92	61.19	3	Vertical	77	1.80	-	31.40	7.35	32.86			
AV	5.3536G	53.52	54.00	-0.48	47.62	3	Vertical	77	1.80	-	31.41	7.35	32.86			

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 80
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3268G	108.13	Inf	-Inf	101.05	3	Horizontal	238	2.98	-	31.50	7.04	31.46			
AV	5.325G	95.67	Inf	-Inf	88.60	3	Horizontal	238	2.98	-	31.50	7.03	31.46			
PK	5.3538G	59.83	74.00	-14.17	52.73	3	Horizontal	238	2.98	-	31.51	7.06	31.47			
AV	5.3526G	47.10	54.00	-6.90	40.01	3	Horizontal	238	2.98	-	31.51	7.05	31.47			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 80
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62024G	54.26	74.00	-19.74	46.96	3	Vertical	38	1.73	-	40.20	10.15	43.05			
AV	10.62009G	40.69	54.00	-13.31	33.39	3	Vertical	38	1.73	-	40.20	10.15	43.05			
PK	15.92971G	54.55	74.00	-19.45	46.08	3	Vertical	98	1.94	-	37.94	12.64	42.11			
AV	15.92981G	41.19	54.00	-12.81	32.72	3	Vertical	98	1.94	-	37.94	12.64	42.11			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 80
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6196G	54.00	74.00	-20.00	46.70	3	Horizontal	123	1.58	-	40.20	10.15	43.05			
AV	10.61997G	40.76	54.00	-13.24	33.46	3	Horizontal	123	1.58	-	40.20	10.15	43.05			
PK	15.93047G	54.83	74.00	-19.17	46.36	3	Horizontal	84	1.48	-	37.94	12.64	42.11			
AV	15.92951G	41.09	54.00	-12.91	32.62	3	Horizontal	84	1.48	-	37.94	12.64	42.11			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 90
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	64.37	74.00	-9.63	58.06	3	Vertical	80	1.80	-	31.74	7.41	32.84			
AV	5.4586G	52.88	54.00	-1.12	46.58	3	Vertical	80	1.80	-	31.73	7.41	32.84			
PK	5.4674G	68.02	68.20	-0.18	61.67	3	Vertical	80	1.80	-	31.77	7.42	32.84			
PK	5.5194G	121.20	Inf	-Inf	114.72	3	Vertical	80	1.80	-	31.86	7.46	32.84			
AV	5.5168G	107.87	Inf	-Inf	101.38	3	Vertical	80	1.80	-	31.87	7.46	32.84			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 90
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4442G	59.81	74.00	-14.19	52.43	3	Horizontal	328	1.80	-	31.78	7.12	31.52			
PK	5.4632G	59.14	68.20	-9.06	51.71	3	Horizontal	328	1.80	-	31.83	7.13	31.53			
AV	5.4572G	47.17	54.00	-6.83	39.76	3	Horizontal	328	1.80	-	31.81	7.13	31.53			
PK	5.5062G	108.29	Inf	-Inf	100.78	3	Horizontal	328	1.80	-	31.90	7.16	31.55			
AV	5.5274G	95.81	Inf	-Inf	88.29	3	Horizontal	328	1.80	-	31.90	7.17	31.55			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
Setting 90
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01972G	55.95	74.00	-18.05	48.30	3	Vertical	79	1.84	-	40.42	10.34	43.11			
AV	11.02014G	42.22	54.00	-11.78	34.57	3	Vertical	79	1.84	-	40.42	10.34	43.11			
PK	16.53014G	57.05	68.20	-11.15	46.19	3	Vertical	271	1.56	-	39.58	12.91	41.63			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
Setting 90
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02007G	55.95	74.00	-18.05	48.30	3	Horizontal	226	2.60	-	40.42	10.34	43.11			
AV	11.02045G	42.38	54.00	-11.62	34.73	3	Horizontal	226	2.60	-	40.42	10.34	43.11			
PK	16.52967G	56.37	68.20	-11.83	45.51	3	Horizontal	268	1.49	-	39.58	12.91	41.63			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 90
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4531G	63.67	74.00	-10.33	57.39	3	Vertical	90	1.97	-	31.71	7.41	32.84			
AV	5.4597G	49.99	54.00	-4.01	43.68	3	Vertical	90	1.97	-	31.74	7.41	32.84			
PK	5.469G	67.71	68.20	-0.49	61.35	3	Vertical	90	1.97	-	31.78	7.42	32.84			
PK	5.5662G	120.70	Inf	-Inf	114.29	3	Vertical	90	1.97	-	31.77	7.49	32.85			
AV	5.5653G	109.67	Inf	-Inf	103.26	3	Vertical	90	1.97	-	31.77	7.49	32.85			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 90
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4006G	58.42	74.00	-15.58	51.23	3	Horizontal	316	2.05	-	31.60	7.09	31.50			
PK	5.4699G	59.32	68.20	-8.88	51.87	3	Horizontal	316	2.05	-	31.84	7.14	31.53			
AV	5.4594G	46.15	54.00	-7.85	38.73	3	Horizontal	316	2.05	-	31.82	7.13	31.53			
PK	5.5362G	106.17	Inf	-Inf	98.64	3	Horizontal	316	2.05	-	31.90	7.18	31.55			
AV	5.5569G	94.48	Inf	-Inf	86.96	3	Horizontal	316	2.05	-	31.89	7.19	31.56			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 90
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10026G	55.06	74.00	-18.94	47.72	3	Vertical	130	1.57	-	40.10	10.38	43.14			
AV	11.10041G	41.16	54.00	-12.84	33.82	3	Vertical	130	1.57	-	40.10	10.38	43.14			
PK	16.64951G	56.15	68.20	-12.05	45.24	3	Vertical	324	1.67	-	39.70	12.96	41.75			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
Setting 90
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09974G	54.65	74.00	-19.35	47.31	3	Horizontal	347	2.24	-	40.10	10.38	43.14			
AV	11.10016G	41.26	54.00	-12.74	33.92	3	Horizontal	347	2.24	-	40.10	10.38	43.14			
PK	16.65034G	55.39	68.20	-12.81	44.48	3	Horizontal	249	2.31	-	39.70	12.96	41.75			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 80
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6598G	118.46	Inf	-Inf	111.96	3	Vertical	89.7	2.01	-	31.84	7.54	32.88			
AV	5.6631G	105.89	Inf	-Inf	99.39	3	Vertical	89.7	2.01	-	31.85	7.54	32.89			
PK	5.7306G	67.27	68.20	-0.93	60.56	3	Vertical	89.7	2.01	-	32.06	7.56	32.91			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 80
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6766G	106.06	Inf	-Inf	98.53	3	Horizontal	313	1.93	-	31.81	7.29	31.57			
AV	5.6868G	93.19	Inf	-Inf	85.62	3	Horizontal	313	1.93	-	31.85	7.29	31.57			
PK	5.7513G	59.48	68.20	-8.72	51.51	3	Horizontal	313	1.93	-	32.20	7.35	31.58			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 80
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33972G	54.27	74.00	-19.73	47.13	3	Vertical	272	1.57	-	39.88	10.50	43.24			
AV	11.34007G	41.02	54.00	-12.98	33.88	3	Vertical	272	1.57	-	39.88	10.50	43.24			
PK	17.01004G	58.04	68.20	-10.16	46.77	3	Vertical	41	1.60	-	40.24	13.12	42.09			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 80
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33984G	54.93	74.00	-19.07	47.79	3	Horizontal	247	1.34	-	39.88	10.50	43.24			
AV	11.33962G	41.05	54.00	-12.95	33.91	3	Horizontal	247	1.34	-	39.88	10.50	43.24			
PK	17.01048G	57.77	68.20	-10.43	46.50	3	Horizontal	308	2.57	-	40.24	13.12	42.09			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 100
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7148G	123.21	Inf	-Inf	116.53	3	Vertical	75.6	1.80	-	32.03	7.55	32.90			
AV	5.7088G	110.65	Inf	-Inf	103.98	3	Vertical	75.6	1.80	-	32.02	7.55	32.90			
PK	5.8516G	67.91	68.20	-0.29	61.04	3	Vertical	75.6	1.80	-	32.21	7.61	32.95			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 100
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7012G	111.99	Inf	-Inf	104.34	3	Horizontal	311	1.99	-	31.91	7.31	31.57			
AV	5.7048G	99.57	Inf	-Inf	91.90	3	Horizontal	311	1.99	-	31.93	7.31	31.57			
PK	5.868G	59.68	68.20	-8.52	51.48	3	Horizontal	311	1.99	-	32.37	7.42	31.59			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 100
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41952G	54.51	74.00	-19.49	47.25	3	Vertical	263	1.45	-	40.00	10.53	43.27			
AV	11.41957G	40.81	54.00	-13.19	33.55	3	Vertical	263	1.45	-	40.00	10.53	43.27			
PK	17.12978G	55.93	68.20	-12.27	44.55	3	Vertical	124	2.41	-	40.26	13.18	42.06			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 100
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41959G	54.39	74.00	-19.61	47.13	3	Horizontal	37	2.85	-	40.00	10.53	43.27			
AV	11.41968G	40.95	54.00	-13.05	33.69	3	Horizontal	37	2.85	-	40.00	10.53	43.27			
PK	17.12976G	56.16	68.20	-12.04	44.78	3	Horizontal	279	1.23	-	40.26	13.18	42.06			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 101
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6445G	66.42	68.20	-1.78	59.98	3	Vertical	72.3	1.80	-	31.79	7.53	32.88			
PK	5.7475G	124.57	Inf	-Inf	117.83	3	Vertical	72.3	1.80	-	32.09	7.56	32.91			
AV	5.7395G	112.51	Inf	-Inf	105.78	3	Vertical	72.3	1.80	-	32.08	7.56	32.91			
PK	5.9295G	59.88	68.20	-8.32	52.82	3	Vertical	72.3	1.80	-	32.40	7.64	32.98			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 101
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	59.73	68.20	-8.47	52.34	3	Horizontal	314	1.92	-	31.70	7.26	31.57			
PK	5.7465G	111.88	Inf	-Inf	103.94	3	Horizontal	314	1.92	-	32.18	7.34	31.58			
AV	5.7485G	100.63	Inf	-Inf	92.67	3	Horizontal	314	1.92	-	32.19	7.35	31.58			
PK	5.932G	59.36	68.20	-8.84	50.96	3	Horizontal	314	1.92	-	32.56	7.44	31.60			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 101
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51001G	54.46	74.00	-19.54	47.08	3	Vertical	246	2.15	-	40.10	10.58	43.30			
AV	11.50953G	40.95	54.00	-13.05	33.57	3	Vertical	246	2.15	-	40.10	10.58	43.30			
PK	17.26537G	57.70	68.20	-10.50	45.90	3	Vertical	199	1.27	-	40.59	13.24	42.03			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 101
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50987G	54.47	74.00	-19.53	47.09	3	Horizontal	144	1.00	-	40.10	10.58	43.30			
AV	11.51007G	41.02	54.00	-12.98	33.64	3	Horizontal	144	1.00	-	40.10	10.58	43.30			
PK	17.26539G	56.99	68.20	-11.21	45.19	3	Horizontal	285	1.44	-	40.59	13.24	42.03			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 101
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	66.09	68.20	-2.11	59.64	3	Vertical	81.1	1.80	-	31.80	7.53	32.88			
PK	5.804G	127.46	Inf	-Inf	120.61	3	Vertical	81.1	1.80	-	32.20	7.58	32.93			
AV	5.807G	113.96	Inf	-Inf	107.11	3	Vertical	81.1	1.80	-	32.20	7.58	32.93			
PK	5.925G	67.98	68.20	-0.22	60.91	3	Vertical	81.1	1.80	-	32.40	7.64	32.97			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 101
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6445G	58.69	68.20	-9.51	51.29	3	Horizontal	316	1.83	-	31.71	7.26	31.57			
PK	5.7805G	111.93	Inf	-Inf	103.88	3	Horizontal	316	1.83	-	32.26	7.37	31.58			
AV	5.7785G	100.42	Inf	-Inf	92.37	3	Horizontal	316	1.83	-	32.26	7.37	31.58			
PK	5.9375G	59.16	68.20	-9.04	50.74	3	Horizontal	316	1.83	-	32.58	7.44	31.60			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 101
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59038G	55.19	74.00	-18.81	48.00	3	Vertical	127	1.35	-	39.86	10.62	43.29			
AV	11.58977G	41.15	54.00	-12.85	33.96	3	Vertical	127	1.35	-	39.86	10.62	43.29			
PK	17.38523G	57.96	68.20	-10.24	44.95	3	Vertical	60	2.04	-	41.72	13.29	42.00			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 101
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58979G	55.25	74.00	-18.75	48.06	3	Horizontal	106	1.02	-	39.86	10.62	43.29			
AV	11.5895G	41.20	54.00	-12.80	34.01	3	Horizontal	106	1.02	-	39.86	10.62	43.29			
PK	17.38547G	58.39	68.20	-9.81	45.37	3	Horizontal	212	2.65	-	41.73	13.29	42.00			

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 92
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	71.39	74.00	-2.61	62.91	3	Vertical	280	1.63	-	32.10	6.91	30.53			
AV	5.1488G	53.99	54.00	-0.01	45.52	3	Vertical	280	1.63	-	32.10	6.91	30.54			
PK	5.2184G	118.07	Inf	-Inf	110.03	3	Vertical	280	1.63	-	31.73	6.95	30.64			
AV	5.2192G	104.65	Inf	-Inf	96.63	3	Vertical	280	1.63	-	31.72	6.95	30.65			
PK	5.3504G	64.26	74.00	-9.74	56.54	3	Vertical	280	1.63	-	31.50	7.05	30.83			
AV	5.3544G	51.29	54.00	-2.71	43.56	3	Vertical	280	1.63	-	31.51	7.06	30.84			

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 92
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.126G	62.11	74.00	-11.89	54.46	3	Horizontal	252	2.11	-	32.10	6.90	31.35			
AV	5.1464G	47.79	54.00	-6.21	40.14	3	Horizontal	252	2.11	-	32.10	6.91	31.36			
PK	5.2268G	110.15	Inf	-Inf	102.90	3	Horizontal	252	2.11	-	31.69	6.96	31.40			
AV	5.2244G	97.62	Inf	-Inf	90.36	3	Horizontal	252	2.11	-	31.70	6.96	31.40			
PK	5.3584G	58.15	74.00	-15.85	51.04	3	Horizontal	252	2.11	-	31.52	7.06	31.47			
AV	5.3508G	46.33	54.00	-7.67	39.25	3	Horizontal	252	2.11	-	31.50	7.05	31.47			

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 92
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42034G	54.50	68.20	-13.70	47.33	3	Vertical	282	1.19	-	40.14	10.06	43.03			
PK	15.62983G	54.49	74.00	-19.51	46.16	3	Vertical	134	1.03	-	38.30	12.49	42.46			
AV	15.62955G	40.85	54.00	-13.15	32.52	3	Vertical	134	1.03	-	38.30	12.49	42.46			

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 92
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41983G	54.77	68.20	-13.43	47.60	3	Horizontal	237	1.30	-	40.14	10.06	43.03			
PK	15.62969G	53.26	74.00	-20.74	44.93	3	Horizontal	128	2.48	-	38.30	12.49	42.46			
AV	15.62952G	40.24	54.00	-13.76	31.91	3	Horizontal	128	2.48	-	38.30	12.49	42.46			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 86
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	64.03	74.00	-9.97	57.59	3	Vertical	80	1.80	-	32.10	7.24	32.90			
AV	5.15G	51.85	54.00	-2.15	45.41	3	Vertical	80	1.80	-	32.10	7.24	32.90			
PK	5.2965G	115.54	Inf	-Inf	109.78	3	Vertical	80	1.80	-	31.31	7.32	32.87			
AV	5.2955G	102.91	Inf	-Inf	97.15	3	Vertical	80	1.80	-	31.31	7.32	32.87			
PK	5.3585G	67.66	74.00	-6.34	61.75	3	Vertical	80	1.80	-	31.42	7.35	32.86			
AV	5.359G	53.89	54.00	-0.11	47.98	3	Vertical	80	1.80	-	31.42	7.35	32.86			
PK	5.4695G	61.49	68.20	-6.71	55.13	3	Vertical	80	1.80	-	31.78	7.42	32.84			

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 86
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.132G	60.71	74.00	-13.29	53.05	3	Horizontal	255	2.11	-	32.10	6.91	31.35			
AV	5.1385G	46.63	54.00	-7.37	38.97	3	Horizontal	255	2.11	-	32.10	6.91	31.35			
PK	5.2775G	105.65	Inf	-Inf	98.54	3	Horizontal	255	2.11	-	31.54	7.00	31.43			
AV	5.277G	94.32	Inf	-Inf	87.20	3	Horizontal	255	2.11	-	31.55	7.00	31.43			
PK	5.357G	59.43	74.00	-14.57	52.33	3	Horizontal	255	2.11	-	31.51	7.06	31.47			
AV	5.352G	47.11	54.00	-6.89	40.03	3	Horizontal	255	2.11	-	31.50	7.05	31.47			
PK	5.5275G	58.52	68.20	-9.68	51.00	3	Horizontal	255	2.11	-	31.90	7.17	31.55			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Y_2TX
Setting 86
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58027G	54.39	68.20	-13.81	47.14	3	Vertical	56	1.34	-	40.16	10.14	43.05			
PK	15.8702G	54.67	74.00	-19.33	46.18	3	Vertical	221	2.84	-	38.06	12.61	42.18			
AV	15.86958G	40.83	54.00	-13.17	32.34	3	Vertical	221	2.84	-	38.06	12.61	42.18			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 86
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58047G	54.40	68.20	-13.80	47.15	3	Horizontal	234	1.49	-	40.16	10.14	43.05			
PK	15.86966G	54.66	74.00	-19.34	46.17	3	Horizontal	350	1.24	-	38.06	12.61	42.18			
AV	15.86959G	40.79	54.00	-13.21	32.30	3	Horizontal	350	1.24	-	38.06	12.61	42.18			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 94
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.291G	59.62	68.20	-8.58	53.85	3	Vertical	255	1.80	-	31.32	7.32	32.87			
AV	5.35G	47.17	54.00	-6.83	41.28	3	Vertical	255	1.80	-	31.40	7.35	32.86			
PK	5.4345G	66.92	74.00	-7.08	60.72	3	Vertical	255	1.80	-	31.64	7.40	32.84			
PK	5.4635G	66.43	68.20	-1.77	60.10	3	Vertical	255	1.80	-	31.75	7.42	32.84			
AV	5.4585G	52.05	54.00	-1.95	45.75	3	Vertical	255	1.80	-	31.73	7.41	32.84			
PK	5.538G	117.29	Inf	-Inf	110.84	3	Vertical	255	1.80	-	31.82	7.47	32.84			
AV	5.5395G	104.92	Inf	-Inf	98.47	3	Vertical	255	1.80	-	31.82	7.47	32.84			
PK	5.7685G	62.24	68.20	-5.96	55.45	3	Vertical	255	1.80	-	32.14	7.57	32.92			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 94
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2332G	59.11	68.20	-9.09	51.89	3	Horizontal	324	1.93	-	31.67	6.96	31.41			
AV	5.1476G	45.91	54.00	-8.09	38.26	3	Horizontal	324	1.93	-	32.10	6.91	31.36			
PK	5.3644G	58.86	74.00	-15.14	51.75	3	Horizontal	324	1.93	-	31.53	7.06	31.48			
PK	5.4612G	58.57	68.20	-9.63	51.15	3	Horizontal	324	1.93	-	31.82	7.13	31.53			
AV	5.4404G	46.82	54.00	-7.18	39.46	3	Horizontal	324	1.93	-	31.76	7.12	31.52			
PK	5.534G	106.62	Inf	-Inf	99.09	3	Horizontal	324	1.93	-	31.90	7.18	31.55			
AV	5.5364G	94.03	Inf	-Inf	86.50	3	Horizontal	324	1.93	-	31.90	7.18	31.55			
PK	5.8332G	59.08	68.20	-9.12	50.97	3	Horizontal	324	1.93	-	32.30	7.40	31.59			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 94
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0602G	55.34	74.00	-18.66	47.84	3	Vertical	64	2.31	-	40.26	10.36	43.12			
AV	11.05981G	42.02	54.00	-11.98	34.52	3	Vertical	64	2.31	-	40.26	10.36	43.12			
PK	16.58992G	56.88	68.20	-11.32	46.21	3	Vertical	74	2.55	-	39.42	12.94	41.69			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 94
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05999G	55.29	74.00	-18.71	47.79	3	Horizontal	165	2.59	-	40.26	10.36	43.12			
AV	11.06006G	41.93	54.00	-12.07	34.43	3	Horizontal	165	2.59	-	40.26	10.36	43.12			
PK	16.59004G	56.94	68.20	-11.26	46.27	3	Horizontal	269	2.93	-	39.42	12.94	41.69			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 80
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4595G	64.60	74.00	-9.40	58.29	3	Vertical	81	1.80	-	31.74	7.41	32.84			
AV	5.46G	49.38	54.00	-4.62	43.06	3	Vertical	81	1.80	-	31.74	7.42	32.84			
PK	5.47G	64.69	68.20	-3.51	58.33	3	Vertical	81	1.80	-	31.78	7.42	32.84			
PK	5.583G	115.19	Inf	-Inf	108.81	3	Vertical	81	1.80	-	31.73	7.51	32.86			
AV	5.582G	101.94	Inf	-Inf	95.55	3	Vertical	81	1.80	-	31.74	7.51	32.86			
PK	5.7325G	66.70	68.20	-1.50	59.99	3	Vertical	81	1.80	-	32.06	7.56	32.91			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 80
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4445G	58.31	74.00	-15.69	50.93	3	Horizontal	333	2.09	-	31.78	7.12	31.52			
AV	5.4365G	45.89	54.00	-8.11	38.55	3	Horizontal	333	2.09	-	31.75	7.11	31.52			
PK	5.4615G	57.36	68.20	-10.84	49.94	3	Horizontal	333	2.09	-	31.82	7.13	31.53			
PK	5.5725G	102.88	Inf	-Inf	95.38	3	Horizontal	333	2.09	-	31.86	7.20	31.56			
AV	5.6005G	90.72	Inf	-Inf	83.26	3	Horizontal	333	2.09	-	31.80	7.22	31.56			
PK	5.751G	59.72	68.20	-8.48	51.75	3	Horizontal	333	2.09	-	32.20	7.35	31.58			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 80
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21964G	54.78	74.00	-19.22	47.73	3	Vertical	33	2.94	-	39.80	10.44	43.19			
AV	11.2195G	40.76	54.00	-13.24	33.71	3	Vertical	33	2.94	-	39.80	10.44	43.19			
PK	16.8295G	58.65	68.20	-9.55	47.07	3	Vertical	203	2.80	-	40.46	13.04	41.92			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 80
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21999G	55.45	74.00	-18.55	48.40	3	Horizontal	115	1.50	-	39.80	10.44	43.19			
AV	11.22016G	40.92	54.00	-13.08	33.87	3	Horizontal	115	1.50	-	39.80	10.44	43.19			
PK	16.8296G	57.55	68.20	-10.65	45.97	3	Horizontal	190	2.55	-	40.46	13.04	41.92			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 91
01-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	62.51	74.00	-11.49	56.23	3	Vertical	83.5	1.80	-	31.71	7.41	32.84			
PK	5.464G	62.85	68.20	-5.35	56.51	3	Vertical	83.5	1.80	-	31.76	7.42	32.84			
AV	5.46G	48.81	54.00	-5.19	42.49	3	Vertical	83.5	1.80	-	31.74	7.42	32.84			
PK	5.673G	121.20	Inf	-Inf	114.66	3	Vertical	83.5	1.80	-	31.89	7.54	32.89			
AV	5.688G	106.45	Inf	-Inf	99.84	3	Vertical	83.5	1.80	-	31.95	7.55	32.89			
PK	5.8505G	67.96	68.20	-0.24	61.10	3	Vertical	83.5	1.80	-	32.20	7.61	32.95			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 91
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.452G	58.30	74.00	-15.70	50.90	3	Horizontal	312	2.01	-	31.80	7.12	31.52			
AV	5.458G	45.80	54.00	-8.20	38.38	3	Horizontal	312	2.01	-	31.82	7.13	31.53			
PK	5.465G	57.97	68.20	-10.23	50.54	3	Horizontal	312	2.01	-	31.83	7.13	31.53			
PK	5.702G	106.56	Inf	-Inf	98.91	3	Horizontal	312	2.01	-	31.91	7.31	31.57			
AV	5.702G	94.14	Inf	-Inf	86.49	3	Horizontal	312	2.01	-	31.91	7.31	31.57			
PK	5.853G	59.68	68.20	-8.52	51.55	3	Horizontal	312	2.01	-	32.31	7.41	31.59			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 91
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37958G	54.19	74.00	-19.81	46.96	3	Vertical	108	2.51	-	39.96	10.52	43.25			
AV	11.37988G	40.99	54.00	-13.01	33.76	3	Vertical	108	2.51	-	39.96	10.52	43.25			
PK	17.07039G	56.46	68.20	-11.74	45.06	3	Vertical	120	2.50	-	40.32	13.15	42.07			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 91
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37979G	54.69	74.00	-19.31	47.46	3	Horizontal	219	1.25	-	39.96	10.52	43.25			
AV	11.37982G	41.00	54.00	-13.00	33.77	3	Horizontal	219	1.25	-	39.96	10.52	43.25			
PK	17.06988G	56.49	68.20	-11.71	45.09	3	Horizontal	4	1.31	-	40.32	13.15	42.07			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 95
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	68.17	68.20	-0.03	60.26	3	Vertical	260	1.61	-	31.70	7.26	31.05			
PK	5.739G	120.70	Inf	-Inf	112.28	3	Vertical	260	1.61	-	32.13	7.34	31.05			
AV	5.7805G	105.89	Inf	-Inf	97.31	3	Vertical	260	1.61	-	32.26	7.37	31.05			
PK	5.9335G	63.75	68.20	-4.45	54.79	3	Vertical	260	1.61	-	32.57	7.44	31.05			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 95
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	60.78	68.20	-7.42	53.39	3	Horizontal	313	1.90	-	31.70	7.26	31.57			
PK	5.7415G	109.89	Inf	-Inf	101.98	3	Horizontal	313	1.90	-	32.15	7.34	31.58			
AV	5.742G	96.82	Inf	-Inf	88.91	3	Horizontal	313	1.90	-	32.15	7.34	31.58			
PK	5.963G	59.32	68.20	-8.88	50.90	3	Horizontal	313	1.90	-	32.57	7.46	31.61			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
Setting 95
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54969G	54.23	74.00	-19.77	46.82	3	Vertical	187	1.43	-	40.10	10.60	43.29			
AV	11.54999G	41.00	54.00	-13.00	33.59	3	Vertical	187	1.43	-	40.10	10.60	43.29			
PK	17.32492G	57.44	68.20	-10.76	45.13	3	Vertical	308	1.23	-	41.05	13.27	42.01			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
Setting 95
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54974G	54.71	74.00	-19.29	47.30	3	Horizontal	154	1.70	-	40.10	10.60	43.29			
AV	11.5497G	41.25	54.00	-12.75	33.84	3	Horizontal	154	1.70	-	40.10	10.60	43.29			
PK	17.32537G	57.73	68.20	-10.47	45.42	3	Horizontal	169	1.82	-	41.05	13.27	42.01			

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 70
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1372G	69.25	74.00	-4.75	60.77	3	Vertical	271	1.80	-	32.10	6.91	30.53			
AV	5.15G	53.79	54.00	-0.21	45.32	3	Vertical	271	1.80	-	32.10	6.92	30.55			
PK	5.1852G	108.63	Inf	-Inf	100.41	3	Vertical	271	1.80	-	31.89	6.93	30.60			
AV	5.1804G	98.50	Inf	-Inf	90.24	3	Vertical	271	1.80	-	31.92	6.93	30.59			
PK	5.3836G	66.72	74.00	-7.28	58.95	3	Vertical	271	1.80	-	31.57	7.08	30.88			
AV	5.3604G	50.07	54.00	-3.93	42.34	3	Vertical	271	1.80	-	31.52	7.06	30.85			
PK	5.4684G	60.88	68.20	-7.32	52.91	3	Vertical	271	1.80	-	31.84	7.13	31.00			

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 70
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	59.68	74.00	-14.32	52.03	3	Horizontal	257	1.83	-	32.10	6.91	31.36			
AV	5.1268G	47.36	54.00	-6.64	39.71	3	Horizontal	257	1.83	-	32.10	6.90	31.35			
PK	5.2804G	101.28	Inf	-Inf	94.17	3	Horizontal	257	1.83	-	31.54	7.00	31.43			
AV	5.2788G	88.36	Inf	-Inf	81.25	3	Horizontal	257	1.83	-	31.54	7.00	31.43			
PK	5.4188G	58.86	74.00	-15.14	51.59	3	Horizontal	257	1.83	-	31.68	7.10	31.51			
AV	5.3988G	46.24	54.00	-7.76	39.05	3	Horizontal	257	1.83	-	31.60	7.09	31.50			
PK	5.6468G	58.12	68.20	-10.08	50.72	3	Horizontal	257	1.83	-	31.71	7.26	31.57			

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 70
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49988G	55.29	68.20	-12.91	48.13	3	Vertical	92	1.90	-	40.10	10.10	43.04			
PK	15.75024G	54.60	74.00	-19.40	46.07	3	Vertical	355	1.23	-	38.30	12.55	42.32			
AV	15.7505G	40.43	54.00	-13.57	31.90	3	Vertical	355	1.23	-	38.30	12.55	42.32			

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
Setting 70
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49978G	55.02	68.20	-13.18	47.86	3	Horizontal	23	1.95	-	40.10	10.10	43.04			
PK	15.75004G	54.40	74.00	-19.60	45.87	3	Horizontal	23	2.45	-	38.30	12.55	42.32			
AV	15.75048G	40.88	54.00	-13.12	32.35	3	Horizontal	23	2.45	-	38.30	12.55	42.32			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 73
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.294G	60.84	68.20	-7.36	53.07	3	Vertical	258	1.55	-	31.51	7.01	30.75			
AV	5.35G	49.03	54.00	-4.97	41.31	3	Vertical	258	1.55	-	31.50	7.05	30.83			
PK	5.4588G	66.08	74.00	-7.92	58.12	3	Vertical	258	1.55	-	31.82	7.13	30.99			
AV	5.4444G	53.36	54.00	-0.64	45.43	3	Vertical	258	1.55	-	31.78	7.12	30.97			
PK	5.466G	66.58	68.20	-1.62	58.62	3	Vertical	258	1.55	-	31.83	7.13	31.00			
PK	5.5468G	111.21	Inf	-Inf	103.17	3	Vertical	258	1.55	-	31.90	7.19	31.05			
AV	5.518G	98.16	Inf	-Inf	90.14	3	Vertical	258	1.55	-	31.90	7.17	31.05			
PK	5.726G	64.68	68.20	-3.52	56.34	3	Vertical	258	1.55	-	32.06	7.33	31.05			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 73
06-D-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2364G	60.65	68.20	-7.55	53.44	3	Horizontal	326	2.16	-	31.65	6.97	31.41			
PK	5.3996G	59.01	74.00	-14.99	51.82	3	Horizontal	326	2.16	-	31.60	7.09	31.50			
AV	5.35G	45.21	54.00	-8.79	38.13	3	Horizontal	326	2.16	-	31.50	7.05	31.47			
PK	5.4612G	57.92	68.20	-10.28	50.50	3	Horizontal	326	2.16	-	31.82	7.13	31.53			
AV	5.4484G	46.40	54.00	-7.60	39.01	3	Horizontal	326	2.16	-	31.79	7.12	31.52			
PK	5.4996G	100.95	Inf	-Inf	93.45	3	Horizontal	326	2.16	-	31.90	7.15	31.55			
AV	5.5852G	87.51	Inf	-Inf	80.03	3	Horizontal	326	2.16	-	31.83	7.21	31.56			
PK	5.9236G	59.19	68.20	-9.01	50.80	3	Horizontal	326	2.16	-	32.55	7.44	31.60			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 73
06-D-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13956G	55.15	74.00	-18.85	47.97	3	Vertical	56	3.00	-	39.94	10.40	43.16			
AV	11.13954G	41.36	54.00	-12.64	34.18	3	Vertical	56	3.00	-	39.94	10.40	43.16			
PK	16.71005G	58.34	68.20	-9.86	47.20	3	Vertical	127	1.64	-	39.96	12.99	41.81			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
Setting 73
06-D-S-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13951G	54.84	74.00	-19.16	47.66	3	Horizontal	321	1.75	-	39.94	10.40	43.16			
AV	11.14015G	41.51	54.00	-12.49	34.33	3	Horizontal	321	1.75	-	39.94	10.40	43.16			
PK	16.70972G	58.21	68.20	-9.99	47.07	3	Horizontal	269	2.90	-	39.96	12.99	41.81			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.09742G	37.01	54.00	-16.99	Horizontal

Mode 1



Mode 1

