


5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6125MHz_TX

EUT_Y_4TX
Setting 34
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.37905G	43.54	83.54	-40.00	40.80	1	Vertical	306	2.85	-	37.67	15.28	50.21			
AV	18.36237G	31.12	63.54	-32.42	28.45	1	Vertical	306	2.85	-	37.57	15.28	50.18			

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TX




EUT_V_4TX
Setting 34
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.3822G	43.93	83.54	-39.61	41.17	1	Horizontal	280	1.29	-	37.69	15.28	50.21				
AV	18.36438G	31.18	63.54	-32.36	28.49	1	Horizontal	280	1.29	-	37.59	15.28	50.18				

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 51
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41453G	64.36	74.00	-9.64	47.14	3	Vertical	345	2.70	-	38.81	11.00	32.59			
AV	12.41504G	51.14	54.00	-2.86	33.92	3	Vertical	345	2.70	-	38.81	11.00	32.59			

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 51
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41672G	64.29	74.00	-9.71	47.08	3	Horizontal	64	2.83	-	38.80	11.00	32.59			
AV	12.40406G	51.01	54.00	-2.99	33.74	3	Horizontal	64	2.83	-	38.88	10.99	32.60			

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 51
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60303G	42.93	83.54	-40.61	40.47	1	Vertical	93	1.30	-	37.71	15.27	50.52			
AV	18.62127G	29.77	63.54	-33.77	27.31	1	Vertical	93	1.30	-	37.74	15.27	50.55			

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6205MHz_TX

EUT_V_4TX
Setting 51
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61281G	43.28	83.54	-40.26	40.82	1	Horizontal	30	2.47	-	37.73	15.27	50.54			
AV	18.6045G	30.19	63.54	-33.35	27.74	1	Horizontal	30	2.47	-	37.71	15.27	50.53			

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 50
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82107G	64.92	88.20	-23.28	46.95	3	Vertical	351	1.85	-	39.34	11.18	32.55			
RMS	12.81804G	51.00	68.20	-17.20	33.03	3	Vertical	351	1.85	-	39.34	11.18	32.55			

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6405MHz_TX

EUT_V_4TX
Setting 50
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82275G	63.85	88.20	-24.35	45.87	3	Horizontal	347	2.34	-	39.35	11.18	32.55			
RMS	12.81468G	50.90	68.20	-17.30	32.94	3	Horizontal	347	2.34	-	39.33	11.18	32.55			

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 50
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21359G	43.03	83.54	-40.51	41.08	1	Vertical	154	2.79	-	37.97	15.24	51.26			
AV	19.2276G	29.99	63.54	-33.55	28.08	1	Vertical	154	2.79	-	37.94	15.24	51.27			

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 50
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21119G	42.64	83.54	-40.90	40.67	1	Horizontal	117	2.45	-	37.98	15.24	51.25			
AV	19.22226G	30.10	63.54	-33.44	28.17	1	Horizontal	117	2.45	-	37.96	15.24	51.27			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6445MHz_TX

EUT_V_4TX
Setting 46
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87608G	53.80	88.20	-34.40	45.91	3	Vertical	152	1.67	-	39.45	11.21	42.77			
RMS	12.87851G	40.98	68.20	-27.22	33.08	3	Vertical	152	1.67	-	39.46	11.21	42.77			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 46
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87623G	54.38	88.20	-33.82	46.49	3	Horizontal	145	1.17	-	39.45	11.21	42.77			
RMS	12.87815G	40.99	68.20	-27.21	33.09	3	Horizontal	145	1.17	-	39.46	11.21	42.77			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 50
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.34229G	43.54	83.54	-40.00	41.89	1	Vertical	2	2.61	-	37.83	15.23	51.41			
AV	19.32258G	29.96	63.54	-33.58	28.21	1	Vertical	2	2.61	-	37.91	15.23	51.39			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 50
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33923G	43.53	83.54	-40.01	41.87	1	Horizontal	348	2.84	-	37.84	15.23	51.41			
AV	19.32831G	30.04	63.54	-33.50	28.31	1	Horizontal	348	2.84	-	37.89	15.23	51.39			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 48
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95515G	54.77	88.20	-33.43	46.72	3	Vertical	111	1.80	-	39.50	11.24	42.69			
RMS	12.95935G	41.19	68.20	-27.01	33.13	3	Vertical	111	1.80	-	39.50	11.25	42.69			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 48
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9568G	55.17	88.20	-33.03	47.11	3	Horizontal	24	2.19	-	39.50	11.25	42.69			
RMS	12.96553G	41.23	68.20	-26.97	33.16	3	Horizontal	24	2.19	-	39.50	11.25	42.68			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 48
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45398G	42.37	83.54	-41.17	40.86	1	Vertical	256	1.65	-	37.82	15.23	51.54			
AV	19.44447G	29.75	63.54	-33.79	28.23	1	Vertical	256	1.65	-	37.82	15.23	51.53			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 48
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.46673G	43.21	83.54	-40.33	41.67	1	Horizontal	156	1.17	-	37.87	15.23	51.56			
AV	19.44177G	29.77	63.54	-33.77	28.24	1	Horizontal	156	1.17	-	37.83	15.23	51.53			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 46
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04739G	54.81	88.20	-33.39	46.77	3	Vertical	70	1.54	-	39.41	11.29	42.66			
RMS	13.05999G	41.91	68.20	-26.29	33.88	3	Vertical	70	1.54	-	39.40	11.29	42.66			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 46
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06437G	55.26	88.20	-32.94	47.23	3	Horizontal	349	2.88	-	39.40	11.29	42.66			
RMS	13.04349G	41.83	68.20	-26.37	33.80	3	Horizontal	349	2.88	-	39.41	11.28	42.66			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 46
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5771G	42.28	83.54	-41.26	40.78	1	Vertical	69	1.65	-	37.94	15.22	51.66			
AV	19.57389G	29.58	63.54	-33.96	28.06	1	Vertical	69	1.65	-	37.96	15.22	51.66			

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 46
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57728G	42.48	83.54	-41.06	40.98	1	Horizontal	240	1.91	-	37.94	15.22	51.66			
AV	19.56G	29.53	63.54	-34.01	27.92	1	Horizontal	240	1.91	-	38.04	15.22	51.65			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 48
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.11902G	54.81	88.20	-33.39	46.66	3	Vertical	107	1.10	-	39.51	11.32	42.68			
RMS	13.1357G	41.83	68.20	-26.37	33.57	3	Vertical	107	1.10	-	39.61	11.33	42.68			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6565MHz_TX

EUT_Y_4TX
Setting 48
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12187G	54.53	88.20	-33.67	46.36	3	Horizontal	174	2.26	-	39.53	11.32	42.68			
RMS	13.13732G	41.70	68.20	-26.50	33.43	3	Horizontal	174	2.26	-	39.62	11.33	42.68			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6565MHz_TX

EUT_V_4TX
Setting 48
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68G	41.88	83.54	-41.66	40.48	1	Vertical	272	1.12	-	37.92	15.22	51.74			
AV	19.68531G	29.15	63.54	-34.39	27.79	1	Vertical	272	1.12	-	37.89	15.22	51.75			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 48
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69638G	42.06	83.54	-41.48	40.78	1	Horizontal	26	1.81	-	37.82	15.22	51.76			
AV	19.6827G	28.94	63.54	-34.60	27.57	1	Horizontal	26	1.81	-	37.90	15.22	51.75			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.35863G	55.32	74.00	-18.68	46.49	3	Vertical	255	1.16	-	40.13	11.43	42.73			
AV	13.38101G	42.69	54.00	-11.31	33.76	3	Vertical	255	1.16	-	40.22	11.44	42.73			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.385G	55.21	74.00	-18.79	46.26	3	Horizontal	115	1.52	-	40.24	11.44	42.73			
AV	13.3805G	42.71	54.00	-11.29	33.78	3	Horizontal	115	1.52	-	40.22	11.44	42.73			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06025G	41.49	83.54	-42.05	40.50	1	Vertical	14	1.30	-	37.74	15.25	52.00			
AV	20.04153G	28.81	63.54	-34.73	27.86	1	Vertical	14	1.30	-	37.72	15.23	52.00			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06277G	42.45	83.54	-41.09	41.45	1	Horizontal	125	2.61	-	37.75	15.25	52.00			
AV	20.04675G	28.84	63.54	-34.70	27.89	1	Horizontal	125	2.61	-	37.71	15.24	52.00			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 51
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76463G	65.53	88.20	-22.67	45.96	3	Vertical	350	1.59	-	40.64	11.61	32.68			
RMS	13.7577G	52.61	68.20	-15.59	33.02	3	Vertical	350	1.59	-	40.67	11.61	32.69			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 51
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7607G	66.37	88.20	-21.83	46.78	3	Horizontal	354	1.65	-	40.66	11.61	32.68			
RMS	13.75509G	52.79	68.20	-15.41	33.19	3	Horizontal	354	1.65	-	40.68	11.61	32.69			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 51
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65191G	43.26	83.54	-40.28	41.70	1	Vertical	246	2.17	-	37.90	15.72	52.06			
AV	20.6412G	29.85	63.54	-33.69	28.28	1	Vertical	246	2.17	-	37.92	15.71	52.06			

6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 51
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.66958G	42.71	83.54	-40.83	41.14	1	Horizontal	48	2.77	-	37.90	15.74	52.07			
AV	20.64171G	29.75	63.54	-33.79	28.18	1	Horizontal	48	2.77	-	37.92	15.71	52.06			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 38
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85429G	65.61	88.20	-22.59	46.08	3	Vertical	47	2.07	-	40.43	11.65	32.55			
RMS	13.86308G	52.68	68.20	-15.52	33.07	3	Vertical	47	2.07	-	40.48	11.66	32.53			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 38
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.86251G	65.24	88.20	-22.96	45.63	3	Horizontal	186	2.71	-	40.48	11.66	32.53			
RMS	13.85789G	52.70	68.20	-15.50	33.13	3	Horizontal	186	2.71	-	40.45	11.66	32.54			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6925MHz_TX

EUT_V_4TX
Setting 38
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77938G	43.06	83.54	-40.48	41.31	1	Vertical	196	2.78	-	38.04	15.82	52.11			
AV	20.77815G	30.44	63.54	-33.10	28.70	1	Vertical	196	2.78	-	38.03	15.82	52.11			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 38
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77776G	44.41	83.54	-39.13	42.68	1	Horizontal	217	1.38	-	38.02	15.82	52.11			
AV	20.76153G	30.78	63.54	-32.76	29.18	1	Horizontal	217	1.38	-	37.89	15.81	52.10			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


7005MHz_TX

EUT_V_4TX
Setting 45
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.002777G	66.41	88.20	-21.79	46.12	3	Vertical	36	1.33	-	40.90	11.72	32.33			
RMS	14.00535G	54.14	68.20	-14.06	33.85	3	Vertical	36	1.33	-	40.90	11.72	32.33			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX


7005MHz_TX

EUT_Y_4TX
Setting 45
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.02164G	67.70	88.20	-20.50	47.41	3	Horizontal	247	2.85	-	40.90	11.73	32.34			
RMS	13.9995G	54.37	68.20	-13.83	34.08	3	Horizontal	247	2.85	-	40.90	11.72	32.33			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 45
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.02277G	42.39	83.54	-41.15	40.44	1	Vertical	148	1.05	-	38.13	16.02	52.20			
AV	21.0285G	29.63	63.54	-33.91	27.62	1	Vertical	148	1.05	-	38.19	16.02	52.20			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 45
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.02532G	42.38	83.54	-41.16	40.41	1	Horizontal	178	1.52	-	38.15	16.02	52.20			
AV	21.02616G	29.45	63.54	-34.09	27.47	1	Horizontal	178	1.52	-	38.16	16.02	52.20			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 44
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0596G	109.54	Inf	-Inf	97.17	3	Vertical	75	1.80	-	35.84	8.21	31.68			
RMS	7.0562G	99.90	Inf	-Inf	87.56	3	Vertical	75	1.80	-	35.82	8.20	31.68			
PK	7.1334G	65.16	88.20	-23.04	52.28	3	Vertical	75	1.80	-	36.20	8.28	31.60			
RMS	7.1396G	55.14	68.20	-13.06	42.21	3	Vertical	75	1.80	-	36.24	8.28	31.59			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 44
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0622G	103.19	Inf	-Inf	95.49	3	Horizontal	147	1.78	-	35.62	7.60	35.52			
RMS	7.06G	93.85	Inf	-Inf	86.16	3	Horizontal	147	1.78	-	35.62	7.60	35.53			
PK	7.1364G	60.11	88.20	-28.09	52.11	3	Horizontal	147	1.78	-	35.85	7.63	35.48			
RMS	7.1408G	50.19	68.20	-18.01	42.18	3	Horizontal	147	1.78	-	35.86	7.63	35.48			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 44
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.07785G	66.93	88.20	-21.27	46.65	3	Vertical	334	1.72	-	40.90	11.76	32.38			
RMS	14.07776G	53.99	88.20	-34.21	33.71	3	Vertical	334	1.72	-	40.90	11.76	32.38			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 44
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.09075G	67.87	88.20	-20.33	47.60	3	Horizontal	170	2.28	-	40.90	11.76	32.39			
RMS	14.07521G	54.04	68.20	-14.16	33.76	3	Horizontal	170	2.28	-	40.90	11.76	32.38			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 44
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.14229G	43.48	83.54	-40.06	41.39	1	Vertical	55	2.24	-	38.18	16.11	52.20			
AV	21.12009G	30.25	63.54	-33.29	28.21	1	Vertical	55	2.24	-	38.14	16.10	52.20			

6.875-7.125GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 44
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.13743G	43.21	83.54	-40.33	41.13	1	Horizontal	37	2.92	-	38.17	16.11	52.20			
AV	21.12345G	30.20	63.54	-33.34	28.15	1	Horizontal	37	2.92	-	38.15	16.10	52.20			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 64
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.897G	60.96	88.20	-27.24	52.09	3	Vertical	278	1.80	-	32.49	7.43	31.05			
RMS	5.907G	50.20	68.20	-18.00	41.31	3	Vertical	278	1.80	-	32.51	7.43	31.05			
PK	6.155G	110.13	Inf	-Inf	100.83	3	Vertical	278	1.80	-	32.73	7.59	31.02			
RMS	6.155G	99.62	Inf	-Inf	90.32	3	Vertical	278	1.80	-	32.73	7.59	31.02			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 64
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	59.06	88.20	-29.14	52.67	3	Horizontal	150	1.80	-	34.53	6.96	35.10			
RMS	5.9015G	50.06	68.20	-18.14	43.69	3	Horizontal	150	1.80	-	34.50	6.96	35.09			
PK	6.153G	107.01	Inf	-Inf	100.06	3	Horizontal	150	1.80	-	34.91	7.12	35.08			
RMS	6.1325G	97.50	Inf	-Inf	90.59	3	Horizontal	150	1.80	-	34.90	7.10	35.09			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6145MHz_TX

EUT_V_4TX
Setting 64
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3005G	64.06	74.00	-9.94	46.81	3	Vertical	231	1.64	-	39.00	10.95	32.70			
AV	12.30188G	50.84	54.00	-3.16	33.59	3	Vertical	231	1.64	-	39.00	10.95	32.70			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_V_4TX
Setting 64
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.27542G	64.04	74.00	-9.96	46.83	3	Horizontal	311	1.54	-	39.00	10.94	32.73			
AV	12.2921G	50.75	54.00	-3.25	33.52	3	Horizontal	311	1.54	-	39.00	10.94	32.71			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_V_4TX
Setting 64
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.4206G	44.64	83.54	-38.90	41.87	1	Vertical	267	1.61	-	37.76	15.28	50.27			
AV	18.42054G	31.35	63.54	-32.19	28.58	1	Vertical	267	1.61	-	37.76	15.28	50.27			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6145MHz_TX

EUT_Y_4TX
Setting 64
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.43776G	45.00	83.54	-38.54	42.30	1	Horizontal	10	2.59	-	37.72	15.28	50.30			
AV	18.42252G	31.48	63.54	-32.06	28.73	1	Horizontal	10	2.59	-	37.75	15.28	50.28			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 67
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44022G	64.30	74.00	-9.70	47.20	3	Vertical	281	2.11	-	38.66	11.01	32.57			
AV	12.43806G	50.89	54.00	-3.11	33.78	3	Vertical	281	2.11	-	38.67	11.01	32.57			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 67
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4374G	63.63	74.00	-10.37	46.51	3	Horizontal	188	2.51	-	38.68	11.01	32.57			
AV	12.44124G	50.79	54.00	-3.21	33.70	3	Horizontal	188	2.51	-	38.65	11.01	32.57			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 67
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68928G	43.30	83.54	-40.24	41.02	1	Vertical	44	1.55	-	37.64	15.27	50.63			
AV	18.66G	30.45	63.54	-33.09	28.01	1	Vertical	44	1.55	-	37.76	15.27	50.59			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 67
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66882G	43.22	83.54	-40.32	40.83	1	Horizontal	186	2.02	-	37.72	15.27	50.60			
AV	18.6603G	30.38	63.54	-33.16	27.94	1	Horizontal	186	2.02	-	37.76	15.27	50.59			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 64
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77462G	63.44	88.20	-24.76	45.67	3	Vertical	257	2.99	-	39.15	11.16	32.54			
RMS	12.76772G	50.78	68.20	-17.42	33.05	3	Vertical	257	2.99	-	39.11	11.16	32.54			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 64
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.75698G	64.05	88.20	-24.15	46.40	3	Horizontal	182	1.71	-	39.04	11.15	32.54			
RMS	12.75674G	50.75	68.20	-17.45	33.10	3	Horizontal	182	1.71	-	39.04	11.15	32.54			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 64
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14654G	42.86	83.54	-40.68	41.09	1	Vertical	49	1.54	-	37.71	15.24	51.18			
AV	19.14012G	30.06	63.54	-33.48	28.25	1	Vertical	49	1.54	-	37.74	15.24	51.17			

5.925-6.425GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 64
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15896G	42.75	83.54	-40.79	40.95	1	Horizontal	218	1.23	-	37.75	15.24	51.19			
AV	19.14G	29.32	63.54	-34.22	27.51	1	Horizontal	218	1.23	-	37.74	15.24	51.17			

6.425-6.525GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 60
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.91668G	64.40	88.20	-23.80	46.23	3	Vertical	248	1.58	-	39.50	11.23	32.56			
RMS	12.94068G	51.30	68.20	-16.90	33.12	3	Vertical	248	1.58	-	39.50	11.24	32.56			

6.425-6.525GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 60
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94098G	64.35	88.20	-23.85	46.17	3	Horizontal	265	2.78	-	39.50	11.24	32.56			
RMS	12.93714G	51.37	68.20	-16.83	33.19	3	Horizontal	265	2.78	-	39.50	11.24	32.56			

6.425-6.525GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 60
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39047G	42.72	83.54	-40.82	41.00	1	Vertical	10	1.66	-	37.96	15.23	51.47			
AV	19.38G	30.01	63.54	-33.53	28.32	1	Vertical	10	1.66	-	37.92	15.23	51.46			

6.425-6.525GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 60
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39206G	43.47	83.54	-40.07	41.74	1	Horizontal	357	2.51	-	37.97	15.23	51.47			
AV	19.38009G	30.29	63.54	-33.25	28.60	1	Horizontal	357	2.51	-	37.92	15.23	51.46			

6.425-6.525GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 70
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08286G	63.98	88.20	-24.22	45.93	3	Vertical	215	2.29	-	39.40	11.30	32.65			
RMS	13.08016G	51.92	68.20	-16.28	33.87	3	Vertical	215	2.29	-	39.40	11.30	32.65			

6.425-6.525GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 70
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07692G	64.60	88.20	-23.60	46.55	3	Horizontal	238	2.27	-	39.40	11.30	32.65			
RMS	13.07557G	51.95	68.20	-16.25	33.90	3	Horizontal	238	2.27	-	39.40	11.30	32.65			

6.425-6.525GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 70
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.64391G	43.26	83.54	-40.28	41.70	1	Vertical	241	1.27	-	38.06	15.22	51.72			
AV	19.64349G	29.41	63.54	-34.13	27.84	1	Vertical	241	1.27	-	38.06	15.22	51.71			

6.425-6.525GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_V_4TX
Setting 70
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.62921G	41.70	83.54	-41.84	40.20	1	Horizontal	256	1.71	-	37.98	15.22	51.70			
AV	19.62384G	29.66	63.54	-33.88	28.20	1	Horizontal	256	1.71	-	37.94	15.22	51.70			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 62
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24748G	65.56	88.20	-22.64	47.21	3	Vertical	253	1.51	-	39.79	11.38	32.82			
RMS	13.23521G	52.27	88.20	-35.93	33.94	3	Vertical	253	1.51	-	39.77	11.37	32.81			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 62
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24628G	65.39	88.20	-22.81	47.04	3	Horizontal	336	1.84	-	39.79	11.38	32.82			
RMS	13.23503G	52.40	68.20	-15.80	34.07	3	Horizontal	336	1.84	-	39.77	11.37	32.81			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 62
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8873G	42.20	83.54	-41.34	41.08	1	Vertical	344	2.94	-	37.82	15.21	51.91			
AV	19.8681G	29.72	63.54	-33.82	28.69	1	Vertical	344	2.94	-	37.71	15.21	51.89			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6625MHz_TX

EUT_V_4TX
Setting 62
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86699G	42.73	83.54	-40.81	41.71	1	Horizontal	63	2.95	-	37.70	15.21	51.89			
AV	19.87101G	30.26	63.54	-33.28	29.22	1	Horizontal	63	2.95	-	37.73	15.21	51.90			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 59
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40073G	65.63	88.20	-22.57	46.85	3	Vertical	134	2.79	-	40.30	11.45	32.97			
RMS	13.42479G	52.64	68.20	-15.56	33.87	3	Vertical	134	2.79	-	40.30	11.46	32.99			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 59
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40355G	65.56	88.20	-22.64	46.78	3	Horizontal	183	2.26	-	40.30	11.45	32.97			
RMS	13.41237G	52.60	68.20	-15.60	33.83	3	Horizontal	183	2.26	-	40.30	11.45	32.98			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6705MHz_TX

EUT_Y_4TX
Setting 59
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10165G	42.18	83.54	-41.36	41.01	1	Vertical	94	1.45	-	37.89	15.28	52.00			
AV	20.10171G	29.33	63.54	-34.21	28.16	1	Vertical	94	1.45	-	37.89	15.28	52.00			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 59
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1123G	42.37	83.54	-41.17	41.25	1	Horizontal	133	2.59	-	37.83	15.29	52.00			
AV	20.10441G	28.76	63.54	-34.78	27.61	1	Horizontal	133	2.59	-	37.87	15.28	52.00			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 60
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57435G	65.55	88.20	-22.65	46.43	3	Vertical	153	2.96	-	40.55	11.53	32.96			
RMS	13.56898G	52.51	68.20	-15.69	33.40	3	Vertical	153	2.96	-	40.56	11.52	32.97			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 60
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57972G	65.22	88.20	-22.98	46.10	3	Horizontal	88	1.86	-	40.54	11.53	32.95			
RMS	13.57513G	52.50	68.20	-15.70	33.38	3	Horizontal	88	1.86	-	40.55	11.53	32.96			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 60
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35683G	44.03	83.54	-39.51	42.45	1	Vertical	300	1.89	-	38.09	15.49	52.00			
AV	20.3403G	30.55	63.54	-32.99	28.96	1	Vertical	300	1.89	-	38.12	15.47	52.00			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 60
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34954G	43.01	83.54	-40.53	41.43	1	Horizontal	8	2.00	-	38.10	15.48	52.00			
AV	20.34G	30.59	63.54	-32.95	29.00	1	Horizontal	8	2.00	-	38.12	15.47	52.00			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 62
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73549G	65.94	88.20	-22.26	46.45	3	Vertical	230	2.82	-	40.61	11.60	32.72			
RMS	13.72214G	53.37	68.20	-14.83	33.99	3	Vertical	230	2.82	-	40.53	11.59	32.74			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 62
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72094G	66.75	88.20	-21.45	47.37	3	Horizontal	337	2.01	-	40.53	11.59	32.74			
RMS	13.71911G	53.38	68.20	-14.82	34.03	3	Horizontal	337	2.01	-	40.51	11.59	32.75			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 62
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.60178G	43.04	83.54	-40.50	41.40	1	Vertical	188	2.21	-	38.00	15.68	52.04			
AV	20.58015G	29.68	63.54	-33.86	28.09	1	Vertical	188	2.21	-	37.96	15.66	52.03			

6.525-6.875GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 62
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59341G	43.24	83.54	-40.30	41.62	1	Horizontal	261	2.97	-	37.99	15.67	52.04			
AV	20.58027G	29.78	63.54	-33.76	28.19	1	Horizontal	261	2.97	-	37.96	15.66	52.03			

6.875-7.125GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 65
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88982G	66.63	88.20	-21.57	46.81	3	Vertical	103	1.90	-	40.64	11.67	32.49			
RMS	13.89276G	53.56	68.20	-14.64	33.72	3	Vertical	103	1.90	-	40.66	11.67	32.49			

6.875-7.125GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6945MHz_TX

EUT_V_4TX
Setting 65
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88541G	66.77	88.20	-21.43	46.99	3	Horizontal	318	2.33	-	40.61	11.67	32.50			
RMS	13.89777G	53.63	68.20	-14.57	33.75	3	Horizontal	318	2.33	-	40.69	11.67	32.48			

6.875-7.125GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 65
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8416G	42.68	83.54	-40.86	40.75	1	Vertical	288	2.03	-	38.20	15.87	52.14			
AV	20.8245G	29.90	63.54	-33.64	27.97	1	Vertical	288	2.03	-	38.20	15.86	52.13			

6.875-7.125GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 65
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82015G	43.27	83.54	-40.27	41.34	1	Horizontal	96	2.88	-	38.20	15.86	52.13			
AV	20.82414G	30.31	63.54	-33.23	28.38	1	Horizontal	96	2.88	-	38.20	15.86	52.13			

6.875-7.125GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 62
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	6.9932G	112.83	Inf	-Inf	100.96	3	Vertical	290	2.62	-	35.47	8.14	31.74				
RMS	6.9932G	102.20	Inf	-Inf	90.33	3	Vertical	290	2.62	-	35.47	8.14	31.74				
PK	7.1255G	66.48	88.20	-21.72	53.66	3	Vertical	290	2.62	-	36.15	8.27	31.60				
RMS	7.1258G	56.99	68.20	-11.21	44.17	3	Vertical	290	2.62	-	36.15	8.27	31.60				

6.875-7.125GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 62
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9902G	106.25	Inf	-Inf	98.62	3	Horizontal	147	1.80	-	35.60	7.58	35.55			
RMS	6.9926G	97.02	Inf	-Inf	89.39	3	Horizontal	147	1.80	-	35.60	7.58	35.55			
PK	7.1267G	61.24	88.20	-26.96	53.30	3	Horizontal	147	1.80	-	35.81	7.62	35.49			
RMS	7.1252G	52.28	68.20	-15.92	44.35	3	Horizontal	147	1.80	-	35.80	7.62	35.49			

6.875-7.125GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 62
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05072G	67.11	88.20	-21.09	46.83	3	Vertical	245	2.23	-	40.90	11.74	32.36			
RMS	14.05555G	54.57	68.20	-13.63	34.29	3	Vertical	245	2.23	-	40.90	11.75	32.37			

6.875-7.125GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 62
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0473G	67.24	88.20	-20.96	46.96	3	Horizontal	294	2.48	-	40.90	11.74	32.36			
RMS	14.03518G	54.56	68.20	-13.64	34.27	3	Horizontal	294	2.48	-	40.90	11.74	32.35			

6.875-7.125GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 62
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08208G	43.22	83.54	-40.32	41.14	1	Vertical	239	1.94	-	38.21	16.07	52.20			
AV	21.06G	30.49	63.54	-33.05	28.30	1	Vertical	239	1.94	-	38.34	16.05	52.20			

6.875-7.125GHz_802.11ax HEW80-BF_Nss2,(MCS0)_4TX


7025MHz_TX

EUT_V_4TX
Setting 62
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07872G	43.43	83.54	-40.11	41.34	1	Horizontal	312	1.68	-	38.23	16.06	52.20			
AV	21.06012G	30.52	63.54	-33.02	28.33	1	Horizontal	312	1.68	-	38.34	16.05	52.20			

5.925-6.425GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 78
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	59.96	88.20	-28.24	51.03	3	Vertical	279	1.72	-	32.54	7.44	31.05			
RMS	5.9084G	50.28	68.20	-17.92	41.38	3	Vertical	279	1.72	-	32.52	7.43	31.05			
PK	6.125G	111.41	Inf	-Inf	102.21	3	Vertical	279	1.72	-	32.65	7.57	31.02			
RMS	6.1562G	101.31	Inf	-Inf	92.00	3	Vertical	279	1.72	-	32.74	7.59	31.02			

5.925-6.425GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 78
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	59.61	88.20	-28.59	53.21	3	Horizontal	170	1.80	-	34.54	6.96	35.10			
RMS	5.9006G	50.04	68.20	-18.16	43.67	3	Horizontal	170	1.80	-	34.50	6.96	35.09			
PK	6.1406G	108.83	Inf	-Inf	101.91	3	Horizontal	170	1.80	-	34.90	7.11	35.09			
RMS	6.1682G	98.43	Inf	-Inf	91.44	3	Horizontal	170	1.80	-	34.94	7.13	35.08			

5.925-6.425GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 78
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37744G	65.95	74.00	-8.05	48.65	3	Vertical	67	1.10	-	38.95	10.98	32.63			
AV	12.37642G	51.85	54.00	-2.15	34.55	3	Vertical	67	1.10	-	38.95	10.98	32.63			

5.925-6.425GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 78
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3766G	65.64	74.00	-8.36	48.34	3	Horizontal	28	2.73	-	38.95	10.98	32.63			
AV	12.35632G	51.53	54.00	-2.47	34.22	3	Horizontal	28	2.73	-	38.99	10.97	32.65			

5.925-6.425GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 78
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54432G	43.59	83.54	-39.95	41.05	1	Vertical	10	1.85	-	37.72	15.27	50.45			
AV	18.54306G	30.81	63.54	-32.73	28.26	1	Vertical	10	1.85	-	37.73	15.27	50.45			

5.925-6.425GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 78
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54174G	43.25	83.54	-40.29	40.70	1	Horizontal	59	2.46	-	37.73	15.27	50.45			
AV	18.54G	30.71	63.54	-32.83	28.15	1	Horizontal	59	2.46	-	37.74	15.27	50.45			

5.925-6.425GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 77
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6933G	64.23	74.00	-9.77	46.72	3	Vertical	14	1.84	-	38.91	11.13	32.53			
AV	12.67638G	51.59	54.00	-2.41	34.05	3	Vertical	14	1.84	-	38.95	11.12	32.53			

5.925-6.425GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 77
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.699G	64.48	74.00	-9.52	46.98	3	Horizontal	20	1.98	-	38.90	11.13	32.53			
AV	12.68184G	51.45	54.00	-2.55	33.92	3	Horizontal	20	1.98	-	38.94	11.12	32.53			

5.925-6.425GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 77
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02906G	43.24	83.54	-40.30	41.12	1	Vertical	57	1.56	-	37.90	15.25	51.03			
AV	19.02G	30.36	63.54	-33.18	28.23	1	Vertical	57	1.56	-	37.90	15.25	51.02			

5.925-6.425GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 77
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04658G	43.41	83.54	-40.13	41.32	1	Horizontal	216	1.16	-	37.90	15.25	51.06			
AV	19.02G	30.86	63.54	-32.68	28.73	1	Horizontal	216	1.16	-	37.90	15.25	51.02			

6.425-6.525GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 77
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.99578G	65.42	88.20	-22.78	47.23	3	Vertical	62	2.90	-	39.50	11.26	32.57			
RMS	13.01318G	52.44	68.20	-15.76	34.28	3	Vertical	62	2.90	-	39.47	11.27	32.58			

6.425-6.525GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 77
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00796G	65.43	88.20	-22.77	47.26	3	Horizontal	91	2.69	-	39.48	11.27	32.58			
RMS	13.0082G	52.37	68.20	-15.83	34.20	3	Horizontal	91	2.69	-	39.48	11.27	32.58			

6.425-6.525GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 77
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51668G	41.86	83.54	-41.68	40.22	1	Vertical	136	1.30	-	38.03	15.22	51.61			
AV	19.5G	29.51	63.54	-34.03	27.89	1	Vertical	136	1.30	-	38.00	15.22	51.60			

6.425-6.525GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 77
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.52196G	42.00	83.54	-41.54	40.36	1	Horizontal	253	1.73	-	38.04	15.22	51.62			
AV	19.50312G	28.96	63.54	-34.58	27.33	1	Horizontal	253	1.73	-	38.01	15.22	51.60			

6.525-6.875GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 78
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32034G	66.51	74.00	-7.49	48.01	3	Vertical	175	2.53	-	39.98	11.41	32.89			
AV	13.34446G	52.83	54.00	-1.17	34.24	3	Vertical	175	2.53	-	40.08	11.42	32.91			

6.525-6.875GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 78
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32364G	66.07	74.00	-7.93	47.56	3	Horizontal	118	1.79	-	39.99	11.41	32.89			
AV	13.34452G	52.92	54.00	-1.08	34.33	3	Horizontal	118	1.79	-	40.08	11.42	32.91			

6.525-6.875GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 78
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00346G	42.06	83.54	-41.48	41.07	1	Vertical	192	1.16	-	37.79	15.20	52.00			
AV	19.98042G	29.64	63.54	-33.90	28.62	1	Vertical	192	1.16	-	37.80	15.20	51.98			

6.525-6.875GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 78
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98438G	41.73	83.54	-41.81	40.72	1	Horizontal	88	1.65	-	37.80	15.20	51.99			
AV	19.98G	29.18	63.54	-34.36	28.16	1	Horizontal	88	1.65	-	37.80	15.20	51.98			

6.525-6.875GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 74
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.66458G	66.33	88.20	-21.87	47.19	3	Vertical	235	1.50	-	40.40	11.57	32.83			
RMS	13.66104G	53.33	68.20	-14.87	34.19	3	Vertical	235	1.50	-	40.40	11.57	32.83			

6.525-6.875GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 74
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64604G	66.27	88.20	-21.93	47.15	3	Horizontal	59	1.17	-	40.41	11.56	32.85			
RMS	13.6506G	53.35	68.20	-14.85	34.24	3	Horizontal	59	1.17	-	40.40	11.56	32.85			

6.525-6.875GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 74
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.46114G	43.09	83.54	-40.45	41.61	1	Vertical	251	2.90	-	37.91	15.57	52.00			
AV	20.46132G	29.63	63.54	-33.91	28.15	1	Vertical	251	2.90	-	37.91	15.57	52.00			

6.525-6.875GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 74
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4882G	42.45	83.54	-41.09	41.17	1	Horizontal	225	1.18	-	37.69	15.59	52.00			
AV	20.46366G	30.16	63.54	-33.38	28.70	1	Horizontal	225	1.18	-	37.89	15.57	52.00			

6.875-7.125GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 78
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0042G	112.14	Inf	-Inf	100.21	3	Vertical	70	1.70	-	35.53	8.15	31.75			
RMS	6.963G	102.46	Inf	-Inf	90.68	3	Vertical	70	1.70	-	35.35	8.12	31.69			
PK	7.125G	79.02	88.20	-9.18	66.21	3	Vertical	70	1.70	-	36.15	8.27	31.61			
RMS	7.1266G	60.26	68.20	-7.94	47.43	3	Vertical	70	1.70	-	36.16	8.27	31.60			

6.875-7.125GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 78
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9634G	108.26	Inf	-Inf	100.61	3	Horizontal	138	1.80	-	35.60	7.57	35.52			
RMS	6.9658G	99.07	Inf	-Inf	91.42	3	Horizontal	138	1.80	-	35.60	7.57	35.52			
PK	7.1378G	66.56	88.20	-21.64	58.56	3	Horizontal	138	1.80	-	35.85	7.63	35.48			
RMS	7.1282G	55.00	68.20	-13.20	47.06	3	Horizontal	138	1.80	-	35.81	7.62	35.49			

6.875-7.125GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6985MHz_TX

EUT_V_4TX
Setting 78
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97708G	66.75	88.20	-21.45	46.59	3	Vertical	172	2.68	-	40.81	11.71	32.36			
RMS	13.98326G	54.11	68.20	-14.09	33.92	3	Vertical	172	2.68	-	40.83	11.71	32.35			

6.875-7.125GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 78
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98488G	67.65	88.20	-20.55	47.45	3	Horizontal	360	1.86	-	40.84	11.71	32.35			
RMS	13.97972G	54.14	68.20	-14.06	33.97	3	Horizontal	360	1.86	-	40.82	11.71	32.36			

6.875-7.125GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 78
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96358G	43.66	83.54	-39.88	41.83	1	Vertical	3	2.97	-	38.05	15.97	52.19			
AV	20.95452G	30.21	63.54	-33.33	28.35	1	Vertical	3	2.97	-	38.08	15.96	52.18			

6.875-7.125GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TX



EUT_V_4TX
Setting 78
06-D-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94912G	43.53	83.54	-40.01	41.65	1	Horizontal	180	2.08	-	38.10	15.96	52.18			
AV	20.94894G	30.21	63.54	-33.33	28.33	1	Horizontal	180	2.08	-	38.10	15.96	52.18			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6115MHz_TX

31/01/2024




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6195MHz_TX

31/01/2024




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6415MHz_TX

31/01/2024




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6435MHz_TX

31/01/2024




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6475MHz_TX

31/01/2024




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6515MHz_TX

31/01/2024




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6535MHz_TX

31/01/2024




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6695MHz_TX

31/01/2024




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6875MHz_TX

31/01/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6895MHz_TX

31/01/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6995MHz_TX

31/01/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

7055MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6115MHz_TX

31/01/2024

CF (Hz)
6.115G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.11575G	-9.93	6.16475G	-53.42	-49.93	-3.49	1
6.113725G	-10.08	6.150725G	-53.52	-50.08	-3.44	2
6.117524G	-10.06	6.164575G	-53.14	-50.06	-3.08	3
6.110076G	-9.44	6.149975G	-53.47	-49.44	-4.03	4


5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

31/01/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.189901G	-10.10	6.22855G	-52.94	-50.10	-2.84	1
6.1965G	-10.73	6.227025G	-53.03	-50.73	-2.30	2
6.197824G	-10.83	6.241625G	-53.37	-50.83	-2.54	3
6.194325G	-9.53	6.23705G	-53.35	-49.53	-3.82	4

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

31/01/2024



6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

31/01/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53375G	-8.98	6.58135G	-52.50	-48.98	-3.52	1
6.537724G	-9.64	6.499275G	-52.58	-49.64	-2.94	2
6.540274G	-9.28	6.490125G	-52.93	-49.28	-3.65	3
6.53625G	-9.08	6.57295G	-52.58	-49.08	-3.50	4

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

31/01/2024

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.695875G	-10.96	6.740025G	-52.64	-50.96	-1.68	1
6.701823G	-10.84	6.730625G	-52.37	-50.84	-1.53	2
6.698049G	-10.90	6.7363G	-52.78	-50.90	-1.88	3
6.700599G	-10.51	6.729325G	-52.83	-50.51	-2.32	4

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

7055MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6125MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

7045MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

31/01/2024



6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

31/01/2024



6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

31/01/2024

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99551G	-6.17	6.9835G	-31.51	-26.17	-5.34	1
6.99571G	-5.82	6.9838G	-31.16	-25.83	-5.33	2
6.98771G	-5.93	6.9823G	-31.92	-26.04	-5.88	3
6.99781G	-5.52	6.9828G	-31.77	-25.58	-6.19	4

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

31/01/2024

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20819G	-0.62	6.4314G	-50.83	-40.62	-10.21	1
6.20799G	-0.84	6.4286G	-50.31	-40.56	-9.75	2
6.21339G	-0.49	6.4352G	-50.35	-40.49	-9.86	3
6.15401G	-0.58	6.4506G	-47.39	-40.58	-6.81	4

5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6115MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW20-BF_Nss2,(MCS0)_4TX

MASK

6195MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW20-BF_Nss2,(MCS0)_4TX

MASK

6415MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax_HEW20-BF_Nss2,(MCS0)_4TX

MASK

6435MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax_HEW20-BF_Nss2,(MCS0)_4TX

MASK

6475MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax_HEW20-BF_Nss2,(MCS0)_4TX

MASK

6515MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW20-BF_Nss2,(MCS0)_4TX

MASK

6535MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW20-BF_Nss2,(MCS0)_4TX

MASK

6695MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW20-BF_Nss2,(MCS0)_4TX

MASK

6875MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6895MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6995MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

7055MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6125MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss2,(MCS0)_4TX

MASK

6205MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss2,(MCS0)_4TX

MASK

6405MHz_TX

31/01/2024



6.425-6.525GHz_802.11ax_HEW40-BF_Nss2,(MCS0)_4TX

MASK

6445MHz_TX

31/01/2024

CF (Hz)
6.445G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.450599G	-5.14	6.4767G	-36.96	-29.08	-7.88	1
6.451448G	-5.41	6.4086G	-39.01	-31.80	-7.21	2
6.439951G	-5.54	6.46625G	-32.33	-25.57	-6.76	3
6.44375G	-5.26	6.41775G	-34.82	-27.58	-7.24	4

6.425-6.525GHz_802.11ax_HEW40-BF_Nss2,(MCS0)_4TX

MASK

6485MHz_TX

31/01/2024

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.490999G	-4.81	6.4638G	-31.90	-24.84	-7.06	1
6.491498G	-5.11	6.50645G	-32.16	-24.91	-7.25	2
6.490999G	-4.83	6.5064G	-31.94	-24.90	-7.04	3
6.492448G	-4.76	6.5162G	-36.19	-28.97	-7.22	4

6.425-6.525GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6525MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6565MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW40-BF_Nss2,(MCS0)_4TX

MASK

6685MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW40-BF_Nss2,(MCS0)_4TX

MASK

6885MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax_HEW40-BF_Nss2,(MCS0)_4TX

MASK

6925MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax_HEW40-BF_Nss2,(MCS0)_4TX

MASK

7005MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax_HEW40-BF_Nss2,(MCS0)_4TX

MASK

7045MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

6145MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

6225MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

6385MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

6465MHz_TX

31/01/2024




6.425-6.525GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

6545MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

6625MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

6705MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

6785MHz_TX

31/01/2024




6.525-6.875GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

6865MHz_TX

31/01/2024



6.875-7.125GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

6945MHz_TX

31/01/2024

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9566G	-1.12	6.9857G	-25.87	-20.92	-4.95	1
6.96G	-1.13	6.9037G	-27.62	-21.14	-6.48	2
6.93G	-0.45	6.9036G	-27.52	-20.46	-7.06	3
6.9597G	-0.75	6.987G	-27.45	-20.79	-6.66	4

6.875-7.125GHz_802.11ax_HEW80-BF_Nss2,(MCS0)_4TX

MASK

7025MHz_TX

31/01/2024

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98951G	-2.38	6.9825G	-29.48	-22.52	-6.96	1
6.99341G	-2.69	6.9838G	-27.99	-22.70	-5.29	2
6.99411G	-2.10	6.9845G	-26.26	-22.10	-4.16	3
6.99561G	-2.32	6.9831G	-28.07	-22.41	-5.66	4

5.925-6.425GHz_802.11ax_HEW160-BF_Nss2,(MCS0)_4TX

MASK

6185MHz_TX

31/01/2024




5.925-6.425GHz_802.11ax_HEW160-BF_Nss2,(MCS0)_4TX

MASK

6345MHz_TX

31/01/2024



6.425-6.525GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6505MHz_TX

31/01/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52979G	2.38	6.7508G	-46.07	-37.56	-8.51	1
6.48081G	2.41	6.752G	-46.63	-37.52	-9.11	2
6.53359G	3.36	6.7496G	-45.33	-36.64	-8.69	3
6.52979G	2.36	6.7486G	-46.19	-37.36	-8.83	4

6.525-6.875GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6665MHz_TX

31/01/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63881G	2.56	6.418G	-46.01	-37.44	-8.57	1
6.63681G	2.42	6.418G	-46.44	-37.58	-8.86	2
6.63981G	3.27	6.9126G	-44.60	-36.73	-7.87	3
6.64261G	2.89	6.4178G	-45.23	-37.11	-8.12	4

6.525-6.875GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6825MHz_TX

31/01/2024




6.875-7.125GHz_802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6985MHz_TX

31/01/2024



Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.71	2.29	-69.01	≤ -62
						Minimal	-67.71	2.29	-70.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-64.71	2.29	-67.02	≤ -62
						Minimal	-65.71	2.29	-68.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-63.71	2.29	-66.03	≤ -62
						Minimal	-64.71	2.29	-67.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-63.71	2.29	-66.01	≤ -62
						Minimal	-64.71	2.29	-67.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-59.71	2.29	-62.03	≤ -62
						Minimal	-60.71	2.29	-63.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
				Center	6185	OFF	-60.71	2.29	-63.08	≤ -62
						Minimal	-61.71	2.29	-64.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
				High edge	6260	OFF	-59.71	2.29	-62.05	≤ -62
						Minimal	-60.71	2.29	-63.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-59.71	2.29	-62.05	≤ -62
						Minimal	-60.71	2.29	-63.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
				Center	6505	OFF	-60.71	2.29	-63.03	≤ -62
						Minimal	-61.71	2.29	-64.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
				High edge	6580	OFF	-59.71	2.29	-62.05	≤ -62
						Minimal	-60.71	2.29	-63.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-59.71	2.29	-62.08	≤ -62
						Minimal	-60.71	2.29	-63.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
				Center	6665	OFF	-59.71	2.29	-62.06	≤ -62
						Minimal	-60.71	2.29	-63.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
				High edge	6740	OFF	-59.71	2.29	-62.07	≤ -62
						Minimal	-60.71	2.29	-63.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62

8	207	160	6985	Low edge	6910	OFF	-60.71	2.29	-63.05	≤ -62
						Minimal	-61.71	2.29	-64.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
				Center	6985	OFF	-60.71	2.29	-63.03	≤ -62
						Minimal	-61.71	2.29	-64.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62
				High edge	7060	OFF	-59.71	2.29	-62.07	≤ -62
						Minimal	-60.71	2.29	-63.00	≤ -62
						ON	-79.71	2.29	-82.00	≤ -62


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-69.01	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-67.02	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-66.03	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-66.01	OFF	10	100	90	PASS

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-62.03	OFF	9	90	90	PASS
				Center	6185	-63.08	OFF	9	90	90	PASS
				High edge	6260	-62.05	OFF	10	100	90	PASS
6	111	160	6505	Low edge	6430	-62.05	OFF	10	100	90	PASS
				Center	6505	-63.03	OFF	9	90	90	PASS
				High edge	6580	-62.05	OFF	9	90	90	PASS
7	143	160	6665	Low edge	6590	-62.08	OFF	10	100	90	PASS
				Center	6665	-62.06	OFF	10	100	90	PASS
				High edge	6740	-62.07	OFF	9	90	90	PASS
8	207	160	6985	Low edge	6910	-63.05	OFF	9	90	90	PASS
				Center	6985	-63.03	OFF	9	90	90	PASS
				High edge	7060	-62.07	OFF	10	100	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz




Frequency (MHz): 7015 MHz




Bandwidth: 160MHz


Frequency (MHz): 6110 MHz




Frequency (MHz): 6185 MHz




Frequency (MHz): 6260 MHz




Frequency (MHz): 6430 MHz




Frequency (MHz): 6505 MHz




Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Frequency (MHz): 6665 MHz




Frequency (MHz): 6740 MHz




Frequency (MHz): 6910 MHz



Frequency (MHz): 6985 MHz




Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 9 JAN. 2024 14:34:00

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 9 JAN. 2024 14:47:52

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 9 JAN. 2024 14:59:26

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 9 JAN. 2024 15:08:46

Note : M1 : Inject AWGN signal

Bandwidth: 160MHz


Test CH 47 ; Incumbent signal 6110 MHz



Date: 9 JAN. 2024 15:37:12

Note : M1 : Inject AWGN signal


Test CH 47 ; Incumbent signal 6185 MHz



Date: 9 JAN. 2024 15:56:44

Note : M1 : Inject AWGN signal


Test CH 47 ; Incumbent signal 6260 MHz



Date: 9 JAN.2024 16:08:51

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6430 MHz



Date: 9 JAN.2024 16:20:33

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6505 MHz



Date: 9 JAN 2024 16:31:32

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6580 MHz



Date: 9 JAN 2024 16:40:49

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6590 MHz



Date: 9 JAN.2024 17:48:28

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6665 MHz



Date: 9 JAN.2024 17:55:55

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6740 MHz



Date: 9 JAN 2024 18:12:05

Note : M1 : Inject AWGN signal


Test CH 207 ; Incumbent signal 6910 MHz



Date: 9 JAN 2024 18:18:39

Note : M1 : Inject AWGN signal


Test CH 207 ; Incumbent signal 6985 MHz



Date: 9 JAN 2024 18:27:10

Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 7060 MHz



Date: 9 JAN 2024 18:31:35

Note : M1 : Inject AWGN signal