


## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 107  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.5915G     | 53.79             | 74.00             | -20.21         | 39.79         | 3           | Horizontal | 61.1           | 1.90          | -       | 39.27      | 7.66       | 32.93      |  |
| AV   | 11.59G       | 39.24             | 54.00             | -14.76         | 25.24         | 3           | Horizontal | 61.1           | 1.90          | -       | 39.27      | 7.66       | 32.93      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.148G       | 68.40             | 74.00             | -5.60          | 61.63         | 3           | Vertical  | 101            | 1.76          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.149G       | 53.87             | 54.00             | -0.13          | 47.10         | 3           | Vertical  | 101            | 1.76          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.205G       | 113.62            | Inf               | -Inf           | 106.70        | 3           | Vertical  | 101            | 1.76          | -       | 33.51      | 5.10       | 31.69      |
| AV   | 5.206G       | 100.81            | Inf               | -Inf           | 93.89         | 3           | Vertical  | 101            | 1.76          | -       | 33.51      | 5.10       | 31.69      |
| PK   | 5.357G       | 59.68             | 74.00             | -14.32         | 52.53         | 3           | Vertical  | 101            | 1.76          | -       | 33.71      | 5.02       | 31.58      |
| AV   | 5.353G       | 47.10             | 54.00             | -6.90          | 39.95         | 3           | Vertical  | 101            | 1.76          | -       | 33.71      | 5.02       | 31.58      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 80  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.4301G     | 51.85             | 68.20             | -16.35         | 38.74         | 3           | Vertical  | 317            | 2.10          | -       | 38.40      | 7.25       | 32.54      |
| PK   | 15.6272G     | 53.94             | 74.00             | -20.06         | 40.17         | 3           | Vertical  | 146            | 1.77          | -       | 37.55      | 9.07       | 32.85      |
| AV   | 15.6244G     | 39.71             | 54.00             | -14.29         | 25.94         | 3           | Vertical  | 146            | 1.77          | -       | 37.55      | 9.07       | 32.85      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.4306G     | 51.26             | 68.20             | -16.94         | 38.15         | 3           | Horizontal | 247            | 2.85          | -       | 38.40      | 7.25       | 32.54      |
| PK   | 15.6385G     | 53.36             | 74.00             | -20.64         | 39.62         | 3           | Horizontal | 347            | 1.71          | -       | 37.52      | 9.07       | 32.85      |
| AV   | 15.6142G     | 39.51             | 54.00             | -14.49         | 25.73         | 3           | Horizontal | 347            | 1.71          | -       | 37.57      | 9.06       | 32.85      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

## 5290MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 82  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.101G       | 59.27             | 74.00             | -14.73         | 52.64         | 3           | Vertical  | 191            | 2.72          | -       | 33.50      | 4.90       | 31.77      |
| AV   | 5.147G       | 46.97             | 54.00             | -7.03          | 40.21         | 3           | Vertical  | 191            | 2.72          | -       | 33.50      | 4.99       | 31.73      |
| PK   | 5.302G       | 113.36            | Inf               | -Inf           | 106.23        | 3           | Vertical  | 191            | 2.72          | -       | 33.70      | 5.05       | 31.62      |
| AV   | 5.277G       | 101.52            | Inf               | -Inf           | 94.45         | 3           | Vertical  | 191            | 2.72          | -       | 33.65      | 5.06       | 31.64      |
| PK   | 5.36G        | 69.24             | 74.00             | -4.76          | 62.07         | 3           | Vertical  | 191            | 2.72          | -       | 33.72      | 5.02       | 31.57      |
| AV   | 5.353G       | 53.86             | 54.00             | -0.14          | 46.71         | 3           | Vertical  | 191            | 2.72          | -       | 33.71      | 5.02       | 31.58      |
| PK   | 5.523G       | 59.67             | 68.20             | -8.53          | 52.12         | 3           | Vertical  | 191            | 2.72          | -       | 33.90      | 5.12       | 31.47      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 82  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.5876G     | 52.37             | 68.20             | -15.83         | 39.16         | 3           | Vertical  | 245            | 2.05          | -       | 38.49      | 7.31       | 32.59      |
| PK   | 15.8885G     | 53.38             | 74.00             | -20.62         | 39.60         | 3           | Vertical  | 214            | 2.93          | -       | 37.49      | 9.16       | 32.87      |
| AV   | 15.8648G     | 40.36             | 54.00             | -13.64         | 26.62         | 3           | Vertical  | 214            | 2.93          | -       | 37.46      | 9.15       | 32.87      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 82  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.5839G     | 52.28             | 68.20             | -15.92         | 39.09         | 3           | Horizontal | 252            | 2.99          | -       | 38.48      | 7.30       | 32.59      |
| PK   | 15.8779G     | 53.27             | 74.00             | -20.73         | 39.50         | 3           | Horizontal | 171            | 1.96          | -       | 37.48      | 9.16       | 32.87      |
| AV   | 15.8755G     | 40.22             | 54.00             | -13.78         | 26.45         | 3           | Horizontal | 171            | 1.96          | -       | 37.48      | 9.16       | 32.87      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

## 5530MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 76  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3412G      | 57.75             | 68.20             | -10.45         | 50.61         | 3           | Vertical  | 210            | 2.16          | -       | 33.70      | 5.03       | 31.59      |
| PK   | 5.4564G      | 67.83             | 74.00             | -6.17          | 60.37         | 3           | Vertical  | 210            | 2.16          | -       | 33.90      | 5.06       | 31.50      |
| AV   | 5.4556G      | 51.27             | 54.00             | -2.73          | 43.81         | 3           | Vertical  | 210            | 2.16          | -       | 33.90      | 5.06       | 31.50      |
| PK   | 5.4628G      | 67.98             | 68.20             | -0.22          | 60.52         | 3           | Vertical  | 210            | 2.16          | -       | 33.90      | 5.06       | 31.50      |
| PK   | 5.5084G      | 113.78            | Inf               | -Inf           | 106.24        | 3           | Vertical  | 210            | 2.16          | -       | 33.90      | 5.11       | 31.47      |
| AV   | 5.5476G      | 100.92            | Inf               | -Inf           | 93.34         | 3           | Vertical  | 210            | 2.16          | -       | 33.90      | 5.15       | 31.47      |
| PK   | 5.726G       | 57.24             | 68.20             | -10.96         | 49.88         | 3           | Vertical  | 210            | 2.16          | -       | 33.75      | 5.07       | 31.46      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.07752G    | 52.11             | 74.00             | -21.89         | 38.84         | 3           | Vertical  | 176            | 1.23          | -       | 38.58      | 7.48       | 32.79      |
| AV   | 11.04144G    | 38.75             | 54.00             | -15.25         | 25.52         | 3           | Vertical  | 176            | 1.23          | -       | 38.54      | 7.46       | 32.77      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-N-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 11.05136G | 52.59    | 74.00    | -21.41 | 39.35  | 3    | Horizontal | 97      | 2.18   | -       | 38.55 | 7.47 | 32.78 |
| AV   | 11.04616G | 38.68    | 54.00    | -15.32 | 25.44  | 3    | Horizontal | 97      | 2.18   | -       | 38.55 | 7.47 | 32.78 |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

## 5610MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 84  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.453G       | 65.89             | 74.00             | -8.11          | 58.44         | 3           | Vertical  | 209            | 2.25          | -       | 33.90      | 5.05       | 31.50      |
| AV   | 5.46G        | 49.95             | 54.00             | -4.05          | 42.49         | 3           | Vertical  | 209            | 2.25          | -       | 33.90      | 5.06       | 31.50      |
| PK   | 5.468G       | 68.01             | 68.20             | -0.19          | 60.53         | 3           | Vertical  | 209            | 2.25          | -       | 33.90      | 5.07       | 31.49      |
| PK   | 5.606G       | 117.62            | Inf               | -Inf           | 110.01        | 3           | Vertical  | 209            | 2.25          | -       | 33.89      | 5.19       | 31.47      |
| AV   | 5.604G       | 104.87            | Inf               | -Inf           | 97.25         | 3           | Vertical  | 209            | 2.25          | -       | 33.89      | 5.20       | 31.47      |
| PK   | 5.743G       | 64.46             | 68.20             | -3.74          | 57.07         | 3           | Vertical  | 209            | 2.25          | -       | 33.79      | 5.06       | 31.46      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 84  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.2206G     | 52.84             | 74.00             | -21.16         | 39.45         | 3           | Vertical  | 175            | 1.45          | -       | 38.70      | 7.53       | 32.84      |  |
| AV   | 11.2154G     | 39.06             | 54.00             | -14.94         | 25.66         | 3           | Vertical  | 175            | 1.45          | -       | 38.70      | 7.53       | 32.83      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 84  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.1981G     | 53.17             | 74.00             | -20.83         | 39.78         | 3           | Horizontal | 270            | 1.42          | -       | 38.70      | 7.52       | 32.83      |
| AV   | 11.2083G     | 38.99             | 54.00             | -15.01         | 25.60         | 3           | Horizontal | 270            | 1.42          | -       | 38.70      | 7.52       | 32.83      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 95  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.448G       | 60.41             | 74.00             | -13.59         | 52.97         | 3           | Vertical  | 110            | 1.80          | -       | 33.90      | 5.05       | 31.51      |
| PK   | 5.462G       | 60.79             | 68.20             | -7.41          | 53.33         | 3           | Vertical  | 110            | 1.80          | -       | 33.90      | 5.06       | 31.50      |
| AV   | 5.459G       | 47.36             | 54.00             | -6.64          | 39.90         | 3           | Vertical  | 110            | 1.80          | -       | 33.90      | 5.06       | 31.50      |
| PK   | 5.659G       | 119.35            | Inf               | -Inf           | 111.89        | 3           | Vertical  | 110            | 1.80          | -       | 33.78      | 5.14       | 31.46      |
| AV   | 5.702G       | 106.00            | Inf               | -Inf           | 98.66         | 3           | Vertical  | 110            | 1.80          | -       | 33.70      | 5.10       | 31.46      |
| PK   | 5.86G        | 68.14             | 68.20             | -0.06          | 60.58         | 3           | Vertical  | 110            | 1.80          | -       | 33.84      | 5.18       | 31.46      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 95  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.3759G     | 55.49             | 74.00             | -18.51         | 42.02         | 3           | Vertical  | 93             | 1.65          | -       | 38.78      | 7.58       | 32.89      |
| AV   | 11.38G       | 41.92             | 54.00             | -12.08         | 28.45         | 3           | Vertical  | 93             | 1.65          | -       | 38.78      | 7.58       | 32.89      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 95  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.3687G     | 52.98             | 74.00             | -21.02         | 39.52         | 3           | Horizontal | 45             | 1.28          | -       | 38.77      | 7.58       | 32.89      |
| AV   | 11.3908G     | 39.24             | 54.00             | -14.76         | 25.75         | 3           | Horizontal | 45             | 1.28          | -       | 38.79      | 7.59       | 32.89      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

## 5775MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 86  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.651G       | 68.16             | 68.94             | -0.78          | 60.67         | 3           | Vertical  | 74             | 1.80          | -       | 33.80      | 5.15       | 31.46      |
| PK   | 5.737G       | 115.74            | Inf               | -Inf           | 108.37        | 3           | Vertical  | 74             | 1.80          | -       | 33.77      | 5.06       | 31.46      |
| AV   | 5.737G       | 102.45            | Inf               | -Inf           | 95.08         | 3           | Vertical  | 74             | 1.80          | -       | 33.77      | 5.06       | 31.46      |
| PK   | 5.928G       | 63.18             | 68.20             | -5.02          | 55.19         | 3           | Vertical  | 74             | 1.80          | -       | 34.06      | 5.38       | 31.45      |
| PK   | 5.651G       | 68.76             | 68.94             | -0.18          | 61.27         | 3           | Vertical  | 74             | 1.80          | -       | 33.80      | 5.15       | 31.46      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 86  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.5384G     | 54.26             | 74.00             | -19.74         | 40.43         | 3           | Vertical  | 100            | 2.82          | -       | 39.12      | 7.64       | 32.93      |
| AV   | 11.5432G     | 39.89             | 54.00             | -14.11         | 26.05         | 3           | Vertical  | 100            | 2.82          | -       | 39.13      | 7.64       | 32.93      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 86  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.5694G     | 53.19             | 74.00             | -20.81         | 39.26         | 3           | Horizontal | 346            | 1.65          | -       | 39.21      | 7.65       | 32.93      |  |
| AV   | 11.5687G     | 39.68             | 54.00             | -14.32         | 25.75         | 3           | Horizontal | 346            | 1.65          | -       | 39.21      | 7.65       | 32.93      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 74  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1428G      | 69.59             | 74.00             | -4.41          | 62.83         | 3           | Vertical  | 338.7          | 1.80          | -       | 33.50      | 4.99       | 31.73      |
| AV   | 5.1316G      | 53.82             | 54.00             | -0.18          | 47.10         | 3           | Vertical  | 338.7          | 1.80          | -       | 33.50      | 4.96       | 31.74      |
| PK   | 5.282G       | 111.93            | Inf               | -Inf           | 104.84        | 3           | Vertical  | 338.7          | 1.80          | -       | 33.66      | 5.06       | 31.63      |
| AV   | 5.2516G      | 100.30            | Inf               | -Inf           | 93.28         | 3           | Vertical  | 338.7          | 1.80          | -       | 33.60      | 5.07       | 31.65      |
| PK   | 5.3716G      | 69.84             | 74.00             | -4.16          | 62.66         | 3           | Vertical  | 338.7          | 1.80          | -       | 33.74      | 5.01       | 31.57      |
| AV   | 5.3556G      | 53.28             | 54.00             | -0.72          | 46.13         | 3           | Vertical  | 338.7          | 1.80          | -       | 33.71      | 5.02       | 31.58      |
| PK   | 5.4628G      | 63.56             | 68.20             | -4.64          | 56.10         | 3           | Vertical  | 338.7          | 1.80          | -       | 33.90      | 5.06       | 31.50      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 74  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.7668G     | 53.14             | 74.00             | -20.86         | 39.48         | 3           | Vertical  | 101            | 2.13          | -       | 37.40      | 9.12       | 32.86      |
| AV   | 15.7617G     | 39.73             | 54.00             | -14.27         | 26.07         | 3           | Vertical  | 101            | 2.13          | -       | 37.40      | 9.12       | 32.86      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 74  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.7565G     | 53.67             | 74.00             | -20.33         | 40.02         | 3           | Horizontal | 298            | 2.44          | -       | 37.40      | 9.11       | 32.86      |
| AV   | 15.7735G     | 39.73             | 54.00             | -14.27         | 26.07         | 3           | Horizontal | 298            | 2.44          | -       | 37.40      | 9.12       | 32.86      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 68  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.322G       | 60.03             | 68.20             | -8.17          | 52.89         | 3           | Vertical  | 336            | 1.72          | -       | 33.70      | 5.04       | 31.60      |
| PK   | 5.421G       | 68.43             | 74.00             | -5.57          | 61.10         | 3           | Vertical  | 336            | 1.72          | -       | 33.84      | 5.02       | 31.53      |
| PK   | 5.4628G      | 67.06             | 68.20             | -1.14          | 59.60         | 3           | Vertical  | 336            | 1.72          | -       | 33.90      | 5.06       | 31.50      |
| AV   | 5.4516G      | 49.37             | 54.00             | -4.63          | 41.93         | 3           | Vertical  | 336            | 1.72          | -       | 33.90      | 5.05       | 31.51      |
| PK   | 5.4932G      | 113.07            | Inf               | -Inf           | 105.56        | 3           | Vertical  | 336            | 1.72          | -       | 33.90      | 5.09       | 31.48      |
| AV   | 5.5876G      | 97.70             | Inf               | -Inf           | 90.08         | 3           | Vertical  | 336            | 1.72          | -       | 33.90      | 5.19       | 31.47      |
| PK   | 5.73G        | 61.78             | 68.20             | -6.42          | 54.41         | 3           | Vertical  | 336            | 1.72          | -       | 33.76      | 5.07       | 31.46      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 68  
02-B-N-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 11.1568G | 52.79    | 74.00    | -21.21 | 39.44  | 3    | Vertical  | 324     | 1.80   | -       | 38.66 | 7.50 | 32.81 |  |
| AV   | 11.141G  | 38.83    | 54.00    | -15.17 | 25.50  | 3    | Vertical  | 324     | 1.80   | -       | 38.64 | 7.50 | 32.81 |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 68  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.1267G     | 51.64             | 74.00             | -22.36         | 38.32         | 3           | Horizontal | 207            | 2.45          | -       | 38.63      | 7.49       | 32.80      |
| AV   | 11.1295G     | 38.65             | 54.00             | -15.35         | 25.32         | 3           | Horizontal | 207            | 2.45          | -       | 38.63      | 7.50       | 32.80      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 89  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1494G      | 71.64             | 74.00             | -2.36          | 64.87         | 3           | Vertical  | 36             | 2.29          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1494G      | 53.77             | 54.00             | -0.23          | 47.00         | 3           | Vertical  | 36             | 2.29          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.177G       | 120.82            | Inf               | -Inf           | 113.98        | 3           | Vertical  | 36             | 2.29          | -       | 33.50      | 5.05       | 31.71      |
| AV   | 5.1762G      | 108.38            | Inf               | -Inf           | 101.54        | 3           | Vertical  | 36             | 2.29          | -       | 33.50      | 5.05       | 31.71      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 89  
02-B-N-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 15.5535G | 53.93    | 74.00    | -20.07 | 39.99  | 3    | Vertical  | 327     | 1.63   | -       | 37.74 | 9.04 | 32.84 |  |
| AV   | 15.5419G | 40.03    | 54.00    | -13.97 | 26.06  | 3    | Vertical  | 327     | 1.63   | -       | 37.77 | 9.04 | 32.84 |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 89  
02-B-N-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 15.5408G | 53.34    | 74.00    | -20.66 | 39.36  | 3    | Horizontal | 187     | 1.23   | -       | 37.78 | 9.04 | 32.84 |  |
| AV   | 15.5155G | 39.52    | 54.00    | -14.48 | 25.48  | 3    | Horizontal | 187     | 1.23   | -       | 37.85 | 9.03 | 32.84 |  |

# 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

## 5200MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 105  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.148G       | 70.00             | 74.00             | -4.00          | 63.23         | 3           | Vertical  | 32             | 2.78          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.15G        | 53.92             | 54.00             | -0.08          | 47.15         | 3           | Vertical  | 32             | 2.78          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2012G      | 124.03            | Inf               | -Inf           | 117.12        | 3           | Vertical  | 32             | 2.78          | -       | 33.50      | 5.10       | 31.69      |
| AV   | 5.2036G      | 111.76            | Inf               | -Inf           | 104.84        | 3           | Vertical  | 32             | 2.78          | -       | 33.51      | 5.10       | 31.69      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 105  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.59184G    | 54.43             | 74.00             | -19.57         | 40.60         | 3           | Vertical  | 264            | 1.54          | -       | 37.62      | 9.06       | 32.85      |
| AV   | 15.59628G    | 40.40             | 54.00             | -13.60         | 26.58         | 3           | Vertical  | 264            | 1.54          | -       | 37.61      | 9.06       | 32.85      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 105  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.59964G    | 53.79             | 74.00             | -20.21         | 39.98         | 3           | Horizontal | 144            | 2.87          | -       | 37.60      | 9.06       | 32.85      |
| AV   | 15.5958G     | 40.04             | 54.00             | -13.96         | 26.22         | 3           | Horizontal | 144            | 2.87          | -       | 37.61      | 9.06       | 32.85      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1494G      | 68.07             | 74.00             | -5.93          | 61.30         | 3           | Vertical  | 338            | 1.84          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.15G        | 53.22             | 54.00             | -0.78          | 46.45         | 3           | Vertical  | 338            | 1.84          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2358G      | 126.56            | Inf               | -Inf           | 119.58        | 3           | Vertical  | 338            | 1.84          | -       | 33.57      | 5.08       | 31.67      |
| AV   | 5.2382G      | 114.29            | Inf               | -Inf           | 107.29        | 3           | Vertical  | 338            | 1.84          | -       | 33.58      | 5.08       | 31.66      |
| PK   | 5.3546G      | 64.74             | 74.00             | -9.26          | 57.59         | 3           | Vertical  | 338            | 1.84          | -       | 33.71      | 5.02       | 31.58      |
| AV   | 5.35G        | 51.47             | 54.00             | -2.53          | 44.33         | 3           | Vertical  | 338            | 1.84          | -       | 33.70      | 5.02       | 31.58      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.4706G     | 52.39             | 68.20             | -15.81         | 39.28         | 3           | Vertical  | 103            | 2.24          | -       | 38.40      | 7.26       | 32.55      |
| PK   | 15.7178G     | 59.30             | 74.00             | -14.70         | 45.66         | 3           | Vertical  | 43             | 1.80          | -       | 37.40      | 9.10       | 32.86      |
| AV   | 15.7184G     | 43.36             | 54.00             | -10.64         | 29.72         | 3           | Vertical  | 43             | 1.80          | -       | 37.40      | 9.10       | 32.86      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.4664G     | 52.22             | 68.20             | -15.98         | 39.11         | 3           | Horizontal | 203            | 2.39          | -       | 38.40      | 7.26       | 32.55      |
| PK   | 15.7243G     | 54.50             | 74.00             | -19.50         | 40.86         | 3           | Horizontal | 145            | 1.93          | -       | 37.40      | 9.10       | 32.86      |
| AV   | 15.7224G     | 40.93             | 54.00             | -13.07         | 27.29         | 3           | Horizontal | 145            | 1.93          | -       | 37.40      | 9.10       | 32.86      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.15G        | 63.83             | 74.00             | -10.17         | 57.06         | 3           | Vertical  | 142            | 2.11          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1496G      | 50.45             | 54.00             | -3.55          | 43.68         | 3           | Vertical  | 142            | 2.11          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2612G      | 127.73            | Inf               | -Inf           | 120.69        | 3           | Vertical  | 142            | 2.11          | -       | 33.62      | 5.07       | 31.65      |
| AV   | 5.2582G      | 115.43            | Inf               | -Inf           | 108.39        | 3           | Vertical  | 142            | 2.11          | -       | 33.62      | 5.07       | 31.65      |
| PK   | 5.35G        | 66.62             | 74.00             | -7.38          | 59.47         | 3           | Vertical  | 142            | 2.11          | -       | 33.70      | 5.03       | 31.58      |
| AV   | 5.35G        | 53.62             | 54.00             | -0.38          | 46.47         | 3           | Vertical  | 142            | 2.11          | -       | 33.70      | 5.03       | 31.58      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 15.7735G | 59.55    | 74.00    | -14.45 | 45.89  | 3    | Vertical  | 305     | 2.76   | -       | 37.40 | 9.12 | 32.86 |  |
| AV   | 15.7733G | 46.14    | 54.00    | -7.86  | 32.48  | 3    | Vertical  | 305     | 2.76   | -       | 37.40 | 9.12 | 32.86 |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.7749G     | 54.26             | 74.00             | -19.74         | 40.60         | 3           | Horizontal | 216            | 2.63          | -       | 37.40      | 9.12       | 32.86      |
| AV   | 15.782G      | 41.47             | 54.00             | -12.53         | 27.81         | 3           | Horizontal | 216            | 2.63          | -       | 37.40      | 9.12       | 32.86      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 104  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.3044G      | 124.33            | Inf               | -Inf           | 117.19        | 3           | Vertical  | 147            | 2.20          | -       | 33.70      | 5.05       | 31.61      |  |
| AV   | 5.3008G      | 111.73            | Inf               | -Inf           | 104.60        | 3           | Vertical  | 147            | 2.20          | -       | 33.70      | 5.05       | 31.62      |  |
| PK   | 5.35G        | 71.33             | 74.00             | -2.67          | 64.18         | 3           | Vertical  | 147            | 2.20          | -       | 33.70      | 5.03       | 31.58      |  |
| AV   | 5.35G        | 53.82             | 54.00             | -0.18          | 46.67         | 3           | Vertical  | 147            | 2.20          | -       | 33.70      | 5.03       | 31.58      |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 104  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.8906G     | 56.07             | 74.00             | -17.93         | 42.29         | 3           | Vertical  | 214            | 1.85          | -       | 37.49      | 9.16       | 32.87      |
| AV   | 15.894G      | 41.58             | 54.00             | -12.42         | 27.80         | 3           | Vertical  | 214            | 1.85          | -       | 37.49      | 9.16       | 32.87      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 104  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.906G      | 54.17             | 74.00             | -19.83         | 40.38         | 3           | Horizontal | 294            | 1.80          | -       | 37.49      | 9.17       | 32.87      |  |
| AV   | 15.8938G     | 39.83             | 54.00             | -14.17         | 26.05         | 3           | Horizontal | 294            | 1.80          | -       | 37.49      | 9.16       | 32.87      |  |

# 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

## 5320MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 89  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3154G      | 120.92            | Inf               | -Inf           | 113.79        | 3           | Vertical  | 337            | 1.80          | -       | 33.70      | 5.04       | 31.61      |
| AV   | 5.3184G      | 107.95            | Inf               | -Inf           | 100.81        | 3           | Vertical  | 337            | 1.80          | -       | 33.70      | 5.04       | 31.60      |
| PK   | 5.3532G      | 71.41             | 74.00             | -2.59          | 64.26         | 3           | Vertical  | 337            | 1.80          | -       | 33.71      | 5.02       | 31.58      |
| AV   | 5.3512G      | 53.82             | 54.00             | -0.18          | 46.68         | 3           | Vertical  | 337            | 1.80          | -       | 33.70      | 5.02       | 31.58      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 89  
02-B-N-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 15.961G  | 53.93    | 74.00    | -20.07 | 40.18  | 3    | Vertical  | 180     | 1.75   | -       | 37.44 | 9.19 | 32.88 |
| AV   | 15.9576G | 40.02    | 54.00    | -13.98 | 26.27  | 3    | Vertical  | 180     | 1.75   | -       | 37.44 | 9.19 | 32.88 |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 89  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.9422G     | 53.02             | 74.00             | -20.98         | 39.26         | 3           | Horizontal | 270            | 2.99          | -       | 37.46      | 9.18       | 32.88      |
| AV   | 15.9353G     | 39.69             | 54.00             | -14.31         | 25.92         | 3           | Horizontal | 270            | 2.99          | -       | 37.46      | 9.18       | 32.87      |

# 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

## 5500MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 80  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4588G      | 63.46             | 74.00             | -10.54         | 56.00         | 3           | Vertical  | 106            | 1.97          | -       | 33.90      | 5.06       | 31.50      |
| AV   | 5.4598G      | 49.05             | 54.00             | -4.95          | 41.59         | 3           | Vertical  | 106            | 1.97          | -       | 33.90      | 5.06       | 31.50      |
| PK   | 5.47G        | 67.96             | 68.20             | -0.24          | 60.48         | 3           | Vertical  | 106            | 1.97          | -       | 33.90      | 5.07       | 31.49      |
| PK   | 5.5024G      | 119.34            | Inf               | -Inf           | 111.81        | 3           | Vertical  | 106            | 1.97          | -       | 33.90      | 5.10       | 31.47      |
| AV   | 5.4956G      | 107.25            | Inf               | -Inf           | 99.72         | 3           | Vertical  | 106            | 1.97          | -       | 33.90      | 5.10       | 31.47      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.0021G     | 52.49             | 74.00             | -21.51         | 39.30         | 3           | Vertical  | 319            | 1.81          | -       | 38.50      | 7.45       | 32.76      |
| AV   | 11.0208G     | 39.02             | 54.00             | -14.98         | 25.81         | 3           | Vertical  | 319            | 1.81          | -       | 38.52      | 7.46       | 32.77      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 80  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.0189G     | 52.72             | 74.00             | -21.28         | 39.51         | 3           | Horizontal | 8              | 1.00          | -       | 38.52      | 7.46       | 32.77      |  |
| AV   | 11.0115G     | 39.15             | 54.00             | -14.85         | 25.95         | 3           | Horizontal | 8              | 1.00          | -       | 38.51      | 7.45       | 32.76      |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.346G       | 60.95             | 68.20             | -7.25          | 53.80         | 3           | Vertical  | 206            | 2.28          | -       | 33.70      | 5.03       | 31.58      |
| AV   | 5.35G        | 48.67             | 54.00             | -5.33          | 41.52         | 3           | Vertical  | 206            | 2.28          | -       | 33.70      | 5.03       | 31.58      |
| PK   | 5.46G        | 65.27             | 74.00             | -8.73          | 57.81         | 3           | Vertical  | 206            | 2.28          | -       | 33.90      | 5.06       | 31.50      |
| AV   | 5.46G        | 52.35             | 54.00             | -1.65          | 44.89         | 3           | Vertical  | 206            | 2.28          | -       | 33.90      | 5.06       | 31.50      |
| PK   | 5.47G        | 66.59             | 68.20             | -1.61          | 59.11         | 3           | Vertical  | 206            | 2.28          | -       | 33.90      | 5.07       | 31.49      |
| PK   | 5.577G       | 128.71            | Inf               | -Inf           | 121.10        | 3           | Vertical  | 206            | 2.28          | -       | 33.90      | 5.18       | 31.47      |
| AV   | 5.578G       | 116.74            | Inf               | -Inf           | 109.13        | 3           | Vertical  | 206            | 2.28          | -       | 33.90      | 5.18       | 31.47      |
| PK   | 5.742G       | 64.29             | 68.20             | -3.91          | 56.91         | 3           | Vertical  | 206            | 2.28          | -       | 33.78      | 5.06       | 31.46      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.15796G    | 57.12             | 74.00             | -16.88         | 43.76         | 3           | Vertical  | 123            | 2.01          | -       | 38.66      | 7.51       | 32.81      |
| AV   | 11.15936G    | 44.48             | 54.00             | -9.52          | 31.12         | 3           | Vertical  | 123            | 2.01          | -       | 38.66      | 7.51       | 32.81      |
| PK   | 16.74252G    | 60.38             | 68.20             | -7.82          | 44.11         | 3           | Vertical  | -0             | 2.59          | -       | 39.96      | 9.27       | 32.96      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.15676G    | 52.52             | 74.00             | -21.48         | 39.17         | 3           | Horizontal | 139            | 1.04          | -       | 38.66      | 7.50       | 32.81      |  |
| AV   | 11.161G      | 39.16             | 54.00             | -14.84         | 25.80         | 3           | Horizontal | 139            | 1.04          | -       | 38.66      | 7.51       | 32.81      |  |
| PK   | 16.74888G    | 55.36             | 68.20             | -12.84         | 39.06         | 3           | Horizontal | 5              | 2.95          | -       | 39.99      | 9.27       | 32.96      |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6952G      | 119.59            | Inf               | -Inf           | 112.24        | 3           | Vertical  | 104            | 2.07          | -       | 33.71      | 5.10       | 31.46      |
| AV   | 5.6974G      | 106.07            | Inf               | -Inf           | 98.72         | 3           | Vertical  | 104            | 2.07          | -       | 33.71      | 5.10       | 31.46      |
| PK   | 5.725G       | 68.09             | 68.20             | -0.11          | 60.72         | 3           | Vertical  | 104            | 2.07          | -       | 33.75      | 5.08       | 31.46      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.40408G    | 52.87             | 74.00             | -21.13         | 39.37         | 3           | Vertical  | 85             | 1.31          | -       | 38.81      | 7.59       | 32.90      |
| AV   | 11.3916G     | 38.78             | 54.00             | -15.22         | 25.29         | 3           | Vertical  | 85             | 1.31          | -       | 38.79      | 7.59       | 32.89      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.39862G    | 52.63             | 74.00             | -21.37         | 39.14         | 3           | Horizontal | 122            | 1.43          | -       | 38.80      | 7.59       | 32.90      |
| AV   | 11.3916G     | 38.85             | 54.00             | -15.15         | 25.36         | 3           | Horizontal | 122            | 1.43          | -       | 38.79      | 7.59       | 32.89      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7112G      | 128.24            | Inf               | -Inf           | 120.89        | 3           | Vertical  | 106            | 2.12          | -       | 33.72      | 5.09       | 31.46      |
| AV   | 5.7208G      | 115.47            | Inf               | -Inf           | 108.11        | 3           | Vertical  | 106            | 2.12          | -       | 33.74      | 5.08       | 31.46      |
| PK   | 5.8504G      | 67.14             | 68.20             | -1.06          | 59.65         | 3           | Vertical  | 106            | 2.12          | -       | 33.80      | 5.15       | 31.46      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.43736G    | 60.72             | 74.00             | -13.28         | 47.16         | 3           | Vertical  | 151            | 2.03          | -       | 38.87      | 7.60       | 32.91      |
| AV   | 11.43406G    | 44.39             | 54.00             | -9.61          | 30.83         | 3           | Vertical  | 151            | 2.03          | -       | 38.87      | 7.60       | 32.91      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 127  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.4337G     | 53.56             | 74.00             | -20.44         | 40.00         | 3           | Horizontal | 224            | 1.00          | -       | 38.87      | 7.60       | 32.91      |
| AV   | 11.44024G    | 39.43             | 54.00             | -14.57         | 25.86         | 3           | Horizontal | 224            | 1.00          | -       | 38.88      | 7.60       | 32.91      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 125  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.651G       | 68.61             | 68.94             | -0.33          | 61.12         | 3           | Vertical  | 178            | 1.02          | -       | 33.80      | 5.15       | 31.46      |
| PK   | 5.736G       | 126.79            | Inf               | -Inf           | 119.42        | 3           | Vertical  | 178            | 1.02          | -       | 33.77      | 5.06       | 31.46      |
| AV   | 5.738G       | 113.43            | Inf               | -Inf           | 106.05        | 3           | Vertical  | 178            | 1.02          | -       | 33.78      | 5.06       | 31.46      |
| PK   | 5.967G       | 61.77             | 68.20             | -6.43          | 53.62         | 3           | Vertical  | 178            | 1.02          | -       | 34.10      | 5.50       | 31.45      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 125  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.4865G     | 59.49             | 74.00             | -14.51         | 45.83         | 3           | Vertical  | 150            | 1.92          | -       | 38.97      | 7.62       | 32.93      |  |
| AV   | 11.48554G    | 42.97             | 54.00             | -11.03         | 29.31         | 3           | Vertical  | 150            | 1.92          | -       | 38.97      | 7.62       | 32.93      |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 125  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.4888G     | 56.62             | 74.00             | -17.38         | 42.95         | 3           | Horizontal | 183.6          | 1.73          | -       | 38.98      | 7.62       | 32.93      |  |
| AV   | 11.4888G     | 41.62             | 54.00             | -12.38         | 27.95         | 3           | Horizontal | 183.6          | 1.73          | -       | 38.98      | 7.62       | 32.93      |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.646G       | 64.49             | 68.20             | -3.71          | 56.99         | 3           | Vertical  | 225            | 1.74          | -       | 33.81      | 5.15       | 31.46      |
| PK   | 5.778G       | 126.63            | Inf               | -Inf           | 119.33        | 3           | Vertical  | 225            | 1.74          | -       | 33.74      | 5.02       | 31.46      |
| AV   | 5.778G       | 114.50            | Inf               | -Inf           | 107.20        | 3           | Vertical  | 225            | 1.74          | -       | 33.74      | 5.02       | 31.46      |
| PK   | 5.936G       | 63.57             | 68.20             | -4.63          | 55.54         | 3           | Vertical  | 225            | 1.74          | -       | 34.07      | 5.41       | 31.45      |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-B-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 11.57144G | 55.93    | 74.00    | -18.07 | 42.00  | 3    | Vertical  | 98      | 1.80   | -       | 39.21 | 7.65 | 32.93 |  |
| AV   | 11.57G    | 41.12    | 54.00    | -12.88 | 27.19  | 3    | Vertical  | 98      | 1.80   | -       | 39.21 | 7.65 | 32.93 |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 127  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.573G      | 54.13             | 74.00             | -19.87         | 40.19         | 3           | Horizontal | 225            | 1.33          | -       | 39.22      | 7.65       | 32.93      |  |
| AV   | 11.57102G    | 39.32             | 54.00             | -14.68         | 25.39         | 3           | Horizontal | 225            | 1.33          | -       | 39.21      | 7.65       | 32.93      |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 126  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.638G       | 62.52             | 68.20             | -5.68          | 55.00         | 3           | Vertical  | 70             | 1.91          | -       | 33.82      | 5.16       | 31.46      |  |
| PK   | 5.826G       | 125.64            | Inf               | -Inf           | 118.27        | 3           | Vertical  | 70             | 1.91          | -       | 33.75      | 5.08       | 31.46      |  |
| AV   | 5.826G       | 113.37            | Inf               | -Inf           | 106.00        | 3           | Vertical  | 70             | 1.91          | -       | 33.75      | 5.08       | 31.46      |  |
| PK   | 5.929G       | 67.49             | 68.20             | -0.71          | 59.49         | 3           | Vertical  | 70             | 1.91          | -       | 34.06      | 5.39       | 31.45      |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 126  
02-B-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.65002G    | 55.11             | 74.00             | -18.89         | 41.01         | 3           | Vertical  | 187            | 2.26          | -       | 39.35      | 7.68       | 32.93      |  |
| AV   | 11.65496G    | 40.57             | 54.00             | -13.43         | 26.47         | 3           | Vertical  | 187            | 2.26          | -       | 39.35      | 7.68       | 32.93      |  |

## 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 126  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.64906G    | 54.12             | 74.00             | -19.88         | 40.02         | 3           | Horizontal | 212            | 1.75          | -       | 39.35      | 7.68       | 32.93      |
| AV   | 11.65214G    | 39.81             | 54.00             | -14.19         | 25.71         | 3           | Horizontal | 212            | 1.75          | -       | 39.35      | 7.68       | 32.93      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.15G        | 73.19             | 74.00             | -0.81          | 66.42         | 3           | Vertical  | 145            | 2.63          | -       | 33.50      | 5.00       | 31.73      |  |
| AV   | 5.15G        | 51.33             | 54.00             | -2.67          | 44.56         | 3           | Vertical  | 145            | 2.63          | -       | 33.50      | 5.00       | 31.73      |  |
| PK   | 5.1736G      | 112.75            | Inf               | -Inf           | 105.91        | 3           | Vertical  | 145            | 2.63          | -       | 33.50      | 5.05       | 31.71      |  |
| AV   | 5.2036G      | 100.81            | Inf               | -Inf           | 93.89         | 3           | Vertical  | 145            | 2.63          | -       | 33.51      | 5.10       | 31.69      |  |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.57004G    | 52.85             | 74.00             | -21.15         | 38.96         | 3           | Vertical  | 299            | 1.06          | -       | 37.69      | 9.05       | 32.85      |
| AV   | 15.56598G    | 39.34             | 54.00             | -14.66         | 25.44         | 3           | Vertical  | 299            | 1.06          | -       | 37.70      | 9.05       | 32.85      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 80  
02-B-B-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 15.57226G | 53.86    | 74.00    | -20.14 | 39.98  | 3    | Horizontal | 228     | 2.21   | -       | 37.68 | 9.05 | 32.85 |
| AV   | 15.57286G | 39.34    | 54.00    | -14.66 | 25.46  | 3    | Horizontal | 228     | 2.21   | -       | 37.68 | 9.05 | 32.85 |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 106  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1328G      | 68.77             | 74.00             | -5.23          | 62.04         | 3           | Vertical  | 18             | 1.80          | -       | 33.50      | 4.97       | 31.74      |
| AV   | 5.1496G      | 53.54             | 54.00             | -0.46          | 46.77         | 3           | Vertical  | 18             | 1.80          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2232G      | 121.45            | Inf               | -Inf           | 114.48        | 3           | Vertical  | 18             | 1.80          | -       | 33.55      | 5.09       | 31.67      |
| AV   | 5.2364G      | 107.96            | Inf               | -Inf           | 100.98        | 3           | Vertical  | 18             | 1.80          | -       | 33.57      | 5.08       | 31.67      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 106  
02-B-B-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 15.6853G  | 52.93    | 74.00    | -21.07 | 39.26  | 3    | Vertical  | 70      | 1.35   | -       | 37.43 | 9.09 | 32.85 |  |
| AV   | 15.68978G | 39.05    | 54.00    | -14.95 | 25.40  | 3    | Vertical  | 70      | 1.35   | -       | 37.42 | 9.09 | 32.86 |  |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 106  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.68774G    | 52.81             | 74.00             | -21.19         | 39.16         | 3           | Horizontal | 169            | 1.87          | -       | 37.42      | 9.09       | 32.86      |
| AV   | 15.69254G    | 39.05             | 54.00             | -14.95         | 25.41         | 3           | Horizontal | 169            | 1.87          | -       | 37.41      | 9.09       | 32.86      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 104  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.254G       | 122.25            | Inf               | -Inf           | 115.22        | 3           | Vertical  | 32             | 1.96          | -       | 33.61      | 5.07       | 31.65      |
| AV   | 5.2728G      | 108.10            | Inf               | -Inf           | 101.03        | 3           | Vertical  | 32             | 1.96          | -       | 33.65      | 5.06       | 31.64      |
| PK   | 5.3524G      | 69.98             | 74.00             | -4.02          | 62.84         | 3           | Vertical  | 32             | 1.96          | -       | 33.70      | 5.02       | 31.58      |
| AV   | 5.35G        | 53.78             | 54.00             | -0.22          | 46.63         | 3           | Vertical  | 32             | 1.96          | -       | 33.70      | 5.03       | 31.58      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 104  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.81004G    | 53.77             | 74.00             | -20.23         | 40.09         | 3           | Vertical  | 255            | 1.37          | -       | 37.41      | 9.13       | 32.86      |
| AV   | 15.8102G     | 39.50             | 54.00             | -14.50         | 25.82         | 3           | Vertical  | 255            | 1.37          | -       | 37.41      | 9.13       | 32.86      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 104  
02-B-B-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 15.81146G | 53.31    | 74.00    | -20.69 | 39.63  | 3    | Horizontal | 59      | 1.77   | -       | 37.41 | 9.13 | 32.86 |  |
| AV   | 15.8062G  | 39.45    | 54.00    | -14.55 | 25.77  | 3    | Horizontal | 59      | 1.77   | -       | 37.41 | 9.13 | 32.86 |  |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 84  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3044G      | 116.45            | Inf               | -Inf           | 109.31        | 3           | Vertical  | 145            | 1.80          | -       | 33.70      | 5.05       | 31.61      |
| AV   | 5.3048G      | 103.12            | Inf               | -Inf           | 95.98         | 3           | Vertical  | 145            | 1.80          | -       | 33.70      | 5.05       | 31.61      |
| PK   | 5.3532G      | 70.35             | 74.00             | -3.65          | 63.20         | 3           | Vertical  | 145            | 1.80          | -       | 33.71      | 5.02       | 31.58      |
| AV   | 5.35G        | 53.90             | 54.00             | -0.10          | 46.75         | 3           | Vertical  | 145            | 1.80          | -       | 33.70      | 5.03       | 31.58      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 84  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.6188G     | 52.67             | 74.00             | -21.33         | 39.47         | 3           | Vertical  | 18             | 132           | -       | 38.48      | 7.32       | 32.60      |
| AV   | 10.61818G    | 38.53             | 54.00             | -15.47         | 25.33         | 3           | Vertical  | 18             | 132           | -       | 38.48      | 7.32       | 32.60      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 84  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 10.6196G     | 52.39             | 74.00             | -21.61         | 39.19         | 3           | Horizontal | 40             | 1.65          | -       | 38.48      | 7.32       | 32.60      |
| AV   | 10.61538G    | 38.46             | 54.00             | -15.54         | 25.26         | 3           | Horizontal | 40             | 1.65          | -       | 38.48      | 7.32       | 32.60      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 74  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4588G      | 63.30             | 74.00             | -10.70         | 55.84         | 3           | Vertical  | 336            | 1.73          | -       | 33.90      | 5.06       | 31.50      |  |
| AV   | 5.4588G      | 49.29             | 54.00             | -4.71          | 41.83         | 3           | Vertical  | 336            | 1.73          | -       | 33.90      | 5.06       | 31.50      |  |
| PK   | 5.4644G      | 67.62             | 68.20             | -0.58          | 60.16         | 3           | Vertical  | 336            | 1.73          | -       | 33.90      | 5.06       | 31.50      |  |
| PK   | 5.498G       | 115.31            | Inf               | -Inf           | 107.78        | 3           | Vertical  | 336            | 1.73          | -       | 33.90      | 5.10       | 31.47      |  |
| AV   | 5.4956G      | 101.83            | Inf               | -Inf           | 94.30         | 3           | Vertical  | 336            | 1.73          | -       | 33.90      | 5.10       | 31.47      |  |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 74  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.02468G    | 52.47             | 74.00             | -21.53         | 39.26         | 3           | Vertical  | 85             | 2.28          | -       | 38.52      | 7.46       | 32.77      |
| AV   | 11.0249G     | 38.92             | 54.00             | -15.08         | 25.71         | 3           | Vertical  | 85             | 2.28          | -       | 38.52      | 7.46       | 32.77      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 74  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.01766G    | 52.57             | 74.00             | -21.43         | 39.36         | 3           | Horizontal | 230            | 2.08          | -       | 38.52      | 7.46       | 32.77      |
| AV   | 11.01862G    | 38.76             | 54.00             | -15.24         | 25.55         | 3           | Horizontal | 230            | 2.08          | -       | 38.52      | 7.46       | 32.77      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 106  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.457G       | 67.45             | 74.00             | -6.55          | 59.99         | 3           | Vertical  | 8              | 2.24          | -       | 33.90      | 5.06       | 31.50      |  |
| AV   | 5.46G        | 51.66             | 54.00             | -2.34          | 44.20         | 3           | Vertical  | 8              | 2.24          | -       | 33.90      | 5.06       | 31.50      |  |
| PK   | 5.463G       | 68.08             | 68.20             | -0.12          | 60.62         | 3           | Vertical  | 8              | 2.24          | -       | 33.90      | 5.06       | 31.50      |  |
| PK   | 5.554G       | 120.41            | Inf               | -Inf           | 112.82        | 3           | Vertical  | 8              | 2.24          | -       | 33.90      | 5.16       | 31.47      |  |
| AV   | 5.554G       | 106.91            | Inf               | -Inf           | 99.32         | 3           | Vertical  | 8              | 2.24          | -       | 33.90      | 5.16       | 31.47      |  |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 106  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.095G      | 52.58             | 74.00             | -21.42         | 39.30         | 3           | Vertical  | 166            | 1.17          | -       | 38.59      | 7.48       | 32.79      |  |
| AV   | 11.09544G    | 38.58             | 54.00             | -15.42         | 25.29         | 3           | Vertical  | 166            | 1.17          | -       | 38.60      | 7.48       | 32.79      |  |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 106  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.10006G    | 53.26             | 74.00             | -20.74         | 39.96         | 3           | Horizontal | 171            | 2.40          | -       | 38.60      | 7.49       | 32.79      |
| AV   | 11.09584G    | 38.59             | 54.00             | -15.41         | 25.30         | 3           | Horizontal | 171            | 2.40          | -       | 38.60      | 7.48       | 32.79      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 85  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6676G      | 119.96            | Inf               | -Inf           | 112.53        | 3           | Vertical  | 75             | 1.80          | -       | 33.76      | 5.13       | 31.46      |
| AV   | 5.664G       | 104.50            | Inf               | -Inf           | 97.05         | 3           | Vertical  | 75             | 1.80          | -       | 33.77      | 5.14       | 31.46      |
| PK   | 5.7288G      | 67.52             | 68.20             | -0.68          | 60.15         | 3           | Vertical  | 75             | 1.80          | -       | 33.76      | 5.07       | 31.46      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 85  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.34394G    | 51.86             | 74.00             | -22.14         | 38.43         | 3           | Vertical  | 227            | 2.30          | -       | 38.74      | 7.57       | 32.88      |
| AV   | 11.3384G     | 38.02             | 54.00             | -15.98         | 24.59         | 3           | Vertical  | 227            | 2.30          | -       | 38.74      | 7.57       | 32.88      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 85  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.33656G    | 52.38             | 74.00             | -21.62         | 38.94         | 3           | Horizontal | 4              | 1.26          | -       | 38.74      | 7.57       | 32.87      |
| AV   | 11.34472G    | 38.20             | 54.00             | -15.80         | 24.77         | 3           | Horizontal | 4              | 1.26          | -       | 38.74      | 7.57       | 32.88      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 114  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6948G      | 121.29            | Inf               | -Inf           | 113.93        | 3           | Vertical  | 11             | 2.04          | -       | 33.71      | 5.11       | 31.46      |
| AV   | 5.6956G      | 108.91            | Inf               | -Inf           | 101.56        | 3           | Vertical  | 11             | 2.04          | -       | 33.71      | 5.10       | 31.46      |
| PK   | 5.8516G      | 67.69             | 68.20             | -0.51          | 60.19         | 3           | Vertical  | 11             | 2.04          | -       | 33.81      | 5.15       | 31.46      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 114  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.4157G     | 55.73             | 74.00             | -18.27         | 42.20         | 3           | Vertical  | 93             | 1.95          | -       | 38.83      | 7.60       | 32.90      |
| AV   | 11.41504G    | 41.42             | 54.00             | -12.58         | 27.89         | 3           | Vertical  | 93             | 1.95          | -       | 38.83      | 7.60       | 32.90      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 114  
02-B-B-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 11.42234G | 53.78    | 74.00    | -20.22 | 40.24  | 3    | Horizontal | 118     | 2.12   | -       | 38.84 | 7.60 | 32.90 |
| AV   | 11.41554G | 39.85    | 54.00    | -14.15 | 26.32  | 3    | Horizontal | 118     | 2.12   | -       | 38.83 | 7.60 | 32.90 |

# 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

## 5755MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 108  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.651G       | 68.66             | 68.94             | -0.28          | 61.17         | 3           | Vertical  | 14             | 1.80          | -       | 33.80      | 5.15       | 31.46      |  |
| PK   | 5.747G       | 120.90            | Inf               | -Inf           | 113.52        | 3           | Vertical  | 14             | 1.80          | -       | 33.79      | 5.05       | 31.46      |  |
| AV   | 5.761G       | 107.71            | Inf               | -Inf           | 100.35        | 3           | Vertical  | 14             | 1.80          | -       | 33.78      | 5.04       | 31.46      |  |
| PK   | 5.932G       | 63.63             | 68.20             | -4.57          | 55.62         | 3           | Vertical  | 14             | 1.80          | -       | 34.06      | 5.40       | 31.45      |  |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 108  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.50616G    | 55.25             | 74.00             | -18.75         | 41.53         | 3           | Vertical  | 149            | 1.80          | -       | 39.02      | 7.63       | 32.93      |
| AV   | 11.50526G    | 40.57             | 54.00             | -13.43         | 26.85         | 3           | Vertical  | 149            | 1.80          | -       | 39.02      | 7.63       | 32.93      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 108  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.50578G    | 52.75             | 74.00             | -21.25         | 39.03         | 3           | Horizontal | 122            | 1.98          | -       | 39.02      | 7.63       | 32.93      |
| AV   | 11.50584G    | 39.41             | 54.00             | -14.59         | 25.69         | 3           | Horizontal | 122            | 1.98          | -       | 39.02      | 7.63       | 32.93      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 109  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.653G       | 65.67             | 70.42             | -4.75          | 58.19         | 3           | Vertical  | 106            | 1.88          | -       | 33.79      | 5.15       | 31.46      |
| PK   | 5.784G       | 122.64            | Inf               | -Inf           | 115.35        | 3           | Vertical  | 106            | 1.88          | -       | 33.73      | 5.02       | 31.46      |
| AV   | 5.78G        | 109.12            | Inf               | -Inf           | 101.82        | 3           | Vertical  | 106            | 1.88          | -       | 33.74      | 5.02       | 31.46      |
| PK   | 5.93G        | 67.72             | 68.20             | -0.48          | 59.72         | 3           | Vertical  | 106            | 1.88          | -       | 34.06      | 5.39       | 31.45      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 109  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.58666G    | 53.49             | 74.00             | -20.51         | 39.50         | 3           | Vertical  | 8.7            | 2.07          | -       | 39.26      | 7.66       | 32.93      |
| AV   | 11.58502G    | 39.87             | 54.00             | -14.13         | 25.89         | 3           | Vertical  | 8.7            | 2.07          | -       | 39.26      | 7.65       | 32.93      |

## 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 109  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.59274G    | 53.11             | 74.00             | -20.89         | 39.10         | 3           | Horizontal | 89             | 1.85          | -       | 39.28      | 7.66       | 32.93      |
| AV   | 11.58586G    | 39.59             | 54.00             | -14.41         | 25.60         | 3           | Horizontal | 89             | 1.85          | -       | 39.26      | 7.66       | 32.93      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 81  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1444G      | 69.82             | 74.00             | -4.18          | 63.06         | 3           | Vertical  | 145            | 2.21          | -       | 33.50      | 4.99       | 31.73      |
| AV   | 5.15G        | 53.76             | 54.00             | -0.24          | 46.99         | 3           | Vertical  | 145            | 2.21          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2196G      | 112.07            | Inf               | -Inf           | 105.12        | 3           | Vertical  | 145            | 2.21          | -       | 33.54      | 5.09       | 31.68      |
| AV   | 5.218G       | 100.24            | Inf               | -Inf           | 93.29         | 3           | Vertical  | 145            | 2.21          | -       | 33.54      | 5.09       | 31.68      |
| PK   | 5.3524G      | 61.07             | 74.00             | -12.93         | 53.93         | 3           | Vertical  | 145            | 2.21          | -       | 33.70      | 5.02       | 31.58      |
| AV   | 5.3508G      | 48.79             | 54.00             | -5.21          | 41.65         | 3           | Vertical  | 145            | 2.21          | -       | 33.70      | 5.02       | 31.58      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 81  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.62744G    | 53.06             | 74.00             | -20.94         | 39.29         | 3           | Vertical  | 78             | 1.20          | -       | 37.55      | 9.07       | 32.85      |
| AV   | 15.63072G    | 39.23             | 54.00             | -14.77         | 25.47         | 3           | Vertical  | 78             | 1.20          | -       | 37.54      | 9.07       | 32.85      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 81  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.634G      | 53.43             | 74.00             | -20.57         | 39.68         | 3           | Horizontal | 302            | 1.52          | -       | 37.53      | 9.07       | 32.85      |
| AV   | 15.62862G    | 39.13             | 54.00             | -14.87         | 25.37         | 3           | Horizontal | 302            | 1.52          | -       | 37.54      | 9.07       | 32.85      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 85  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1396G      | 59.53             | 74.00             | -14.47         | 52.79         | 3           | Vertical  | 316            | 1.80          | -       | 33.50      | 4.98       | 31.74      |
| AV   | 5.15G        | 47.13             | 54.00             | -6.87          | 40.36         | 3           | Vertical  | 316            | 1.80          | -       | 33.50      | 5.00       | 31.73      |
| PK   | 5.2924G      | 111.66            | Inf               | -Inf           | 104.55        | 3           | Vertical  | 316            | 1.80          | -       | 33.68      | 5.05       | 31.62      |
| AV   | 5.2804G      | 99.57             | Inf               | -Inf           | 92.48         | 3           | Vertical  | 316            | 1.80          | -       | 33.66      | 5.06       | 31.63      |
| PK   | 5.3564G      | 69.87             | 74.00             | -4.13          | 62.72         | 3           | Vertical  | 316            | 1.80          | -       | 33.71      | 5.02       | 31.58      |
| AV   | 5.3524G      | 53.11             | 54.00             | -0.89          | 45.97         | 3           | Vertical  | 316            | 1.80          | -       | 33.70      | 5.02       | 31.58      |
| PK   | 5.482G       | 59.92             | 68.20             | -8.28          | 52.42         | 3           | Vertical  | 316            | 1.80          | -       | 33.90      | 5.08       | 31.48      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 85  
02-B-B-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 15.87414G | 53.79    | 74.00    | -20.21 | 40.03  | 3    | Vertical  | 296     | 2.07   | -       | 37.47 | 9.16 | 32.87 |  |
| AV   | 15.86662G | 39.64    | 54.00    | -14.36 | 25.89  | 3    | Vertical  | 296     | 2.07   | -       | 37.47 | 9.15 | 32.87 |  |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 85  
02-B-B-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 15.87118G | 53.78    | 74.00    | -20.22 | 40.03  | 3    | Horizontal | 319     | 2.39   | -       | 37.47 | 9.15 | 32.87 |
| AV   | 15.87492G | 39.62    | 54.00    | -14.38 | 25.86  | 3    | Horizontal | 319     | 2.39   | -       | 37.47 | 9.16 | 32.87 |

# 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

## 5530MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.338G       | 58.54             | 68.20             | -9.66          | 51.40         | 3           | Vertical  | 109            | 2.16          | -       | 33.70      | 5.03       | 31.59      |
| AV   | 5.35G        | 45.58             | 54.00             | -8.42          | 38.43         | 3           | Vertical  | 109            | 2.16          | -       | 33.70      | 5.03       | 31.58      |
| PK   | 5.4468G      | 69.96             | 74.00             | -4.04          | 62.53         | 3           | Vertical  | 109            | 2.16          | -       | 33.89      | 5.05       | 31.51      |
| PK   | 5.4668G      | 67.61             | 68.20             | -0.59          | 60.13         | 3           | Vertical  | 109            | 2.16          | -       | 33.90      | 5.07       | 31.49      |
| AV   | 5.4596G      | 50.98             | 54.00             | -3.02          | 43.52         | 3           | Vertical  | 109            | 2.16          | -       | 33.90      | 5.06       | 31.50      |
| PK   | 5.526G       | 112.79            | Inf               | -Inf           | 105.23        | 3           | Vertical  | 109            | 2.16          | -       | 33.90      | 5.13       | 31.47      |
| AV   | 5.526G       | 100.20            | Inf               | -Inf           | 92.64         | 3           | Vertical  | 109            | 2.16          | -       | 33.90      | 5.13       | 31.47      |
| PK   | 5.73G        | 57.57             | 68.20             | -10.63         | 50.20         | 3           | Vertical  | 109            | 2.16          | -       | 33.76      | 5.07       | 31.46      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.06308G    | 52.40             | 74.00             | -21.60         | 39.15         | 3           | Vertical  | 52             | 1.58          | -       | 38.56      | 7.47       | 32.78      |
| AV   | 11.0555G     | 38.43             | 54.00             | -15.57         | 25.18         | 3           | Vertical  | 52             | 1.58          | -       | 38.56      | 7.47       | 32.78      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 11.057G  | 52.41    | 74.00    | -21.59 | 39.16  | 3    | Horizontal | 163     | 2.47   | -       | 38.56 | 7.47 | 32.78 |  |
| AV   | 11.0561G | 38.47    | 54.00    | -15.53 | 25.22  | 3    | Horizontal | 163     | 2.47   | -       | 38.56 | 7.47 | 32.78 |  |

# 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

## 5610MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 87  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.458G       | 62.55             | 74.00             | -11.45         | 55.09         | 3           | Vertical  | 109            | 1.66          | -       | 33.90      | 5.06       | 31.50      |
| AV   | 5.4588G      | 48.54             | 54.00             | -5.46          | 41.08         | 3           | Vertical  | 109            | 1.66          | -       | 33.90      | 5.06       | 31.50      |
| PK   | 5.4636G      | 66.45             | 68.20             | -1.75          | 58.99         | 3           | Vertical  | 109            | 1.66          | -       | 33.90      | 5.06       | 31.50      |
| PK   | 5.6044G      | 114.85            | Inf               | -Inf           | 107.23        | 3           | Vertical  | 109            | 1.66          | -       | 33.89      | 5.20       | 31.47      |
| AV   | 5.598G       | 102.73            | Inf               | -Inf           | 95.10         | 3           | Vertical  | 109            | 1.66          | -       | 33.90      | 5.20       | 31.47      |
| PK   | 5.7284G      | 67.31             | 68.20             | -0.89          | 59.94         | 3           | Vertical  | 109            | 1.66          | -       | 33.76      | 5.07       | 31.46      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 87  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.22186G    | 52.21             | 74.00             | -21.79         | 38.82         | 3           | Vertical  | 113            | 1.87          | -       | 38.70      | 7.53       | 32.84      |
| AV   | 11.2237G     | 38.41             | 54.00             | -15.59         | 25.02         | 3           | Vertical  | 113            | 1.87          | -       | 38.70      | 7.53       | 32.84      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 87  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.22368G    | 52.23             | 74.00             | -21.77         | 38.84         | 3           | Horizontal | 217            | 1.33          | -       | 38.70      | 7.53       | 32.84      |  |
| AV   | 11.21872G    | 38.48             | 54.00             | -15.52         | 25.08         | 3           | Horizontal | 217            | 1.33          | -       | 38.70      | 7.53       | 32.83      |  |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 96  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6836G      | 116.85            | Inf               | -Inf           | 109.46        | 3           | Vertical  | 8              | 2.08          | -       | 33.73      | 5.12       | 31.46      |
| AV   | 5.6724G      | 104.27            | Inf               | -Inf           | 96.84         | 3           | Vertical  | 8              | 2.08          | -       | 33.76      | 5.13       | 31.46      |
| PK   | 5.85G        | 67.15             | 68.20             | -1.05          | 59.66         | 3           | Vertical  | 8              | 2.08          | -       | 33.80      | 5.15       | 31.46      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 96  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.38404G    | 52.33             | 74.00             | -21.67         | 38.86         | 3           | Vertical  | 165            | 1.81          | -       | 38.78      | 7.58       | 32.89      |
| AV   | 11.37964G    | 38.73             | 54.00             | -15.27         | 25.26         | 3           | Vertical  | 165            | 1.81          | -       | 38.78      | 7.58       | 32.89      |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 96  
02-B-B-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 11.37812G | 52.67    | 74.00    | -21.33 | 39.20  | 3    | Horizontal | 79      | 2.28   | -       | 38.78 | 7.58 | 32.89 |
| AV   | 11.37898G | 38.70    | 54.00    | -15.30 | 25.23  | 3    | Horizontal | 79      | 2.28   | -       | 38.78 | 7.58 | 32.89 |

# 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

## 5775MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 86  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.618G       | 66.58             | 68.20             | -1.62          | 59.01         | 3           | Vertical  | 201            | 2.19          | -       | 33.86      | 5.18       | 31.47      |  |
| PK   | 5.758G       | 114.60            | Inf               | -Inf           | 107.24        | 3           | Vertical  | 201            | 2.19          | -       | 33.78      | 5.04       | 31.46      |  |
| AV   | 5.747G       | 101.95            | Inf               | -Inf           | 94.57         | 3           | Vertical  | 201            | 2.19          | -       | 33.79      | 5.05       | 31.46      |  |
| PK   | 5.937G       | 63.18             | 68.20             | -5.02          | 55.15         | 3           | Vertical  | 201            | 2.19          | -       | 34.07      | 5.41       | 31.45      |  |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT Z\_4TX\_Dipol  
Setting 86  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.5524G     | 52.91             | 74.00             | -21.09         | 39.04         | 3           | Vertical  | 351            | 1.55          | -       | 39.16      | 7.64       | 32.93      |  |
| AV   | 11.5502G     | 38.91             | 54.00             | -15.09         | 25.05         | 3           | Vertical  | 351            | 1.55          | -       | 39.15      | 7.64       | 32.93      |  |

## 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 86  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.55438G    | 53.04             | 74.00             | -20.96         | 39.17         | 3           | Horizontal | 78             | 2.17          | -       | 39.16      | 7.64       | 32.93      |
| AV   | 11.55624G    | 38.94             | 54.00             | -15.06         | 25.06         | 3           | Horizontal | 78             | 2.17          | -       | 39.17      | 7.64       | 32.93      |

# 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

## 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 79  
02-B-B-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1492G      | 73.25             | 74.00             | -0.75          | 66.48         | 3           | Vertical  | 339            | 1.83          | -       | 33.50      | 5.00       | 31.73      |
| AV   | 5.1444G      | 52.50             | 54.00             | -1.50          | 45.74         | 3           | Vertical  | 339            | 1.83          | -       | 33.50      | 4.99       | 31.73      |
| PK   | 5.2572G      | 110.54            | Inf               | -Inf           | 103.51        | 3           | Vertical  | 339            | 1.83          | -       | 33.61      | 5.07       | 31.65      |
| AV   | 5.2476G      | 97.80             | Inf               | -Inf           | 90.78         | 3           | Vertical  | 339            | 1.83          | -       | 33.60      | 5.08       | 31.66      |
| PK   | 5.4096G      | 71.86             | 74.00             | -2.14          | 64.57         | 3           | Vertical  | 339            | 1.83          | -       | 33.82      | 5.01       | 31.54      |
| AV   | 5.4084G      | 51.65             | 54.00             | -2.35          | 44.36         | 3           | Vertical  | 339            | 1.83          | -       | 33.82      | 5.01       | 31.54      |
| PK   | 5.4624G      | 66.96             | 68.20             | -1.24          | 59.50         | 3           | Vertical  | 339            | 1.83          | -       | 33.90      | 5.06       | 31.50      |

## 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 79  
02-B-B-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.74606G    | 53.05             | 74.00             | -20.95         | 39.40         | 3           | Vertical  | 156            | 1.77          | -       | 37.40      | 9.11       | 32.86      |
| AV   | 15.75322G    | 39.26             | 54.00             | -14.74         | 25.61         | 3           | Vertical  | 156            | 1.77          | -       | 37.40      | 9.11       | 32.86      |

## 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 79  
02-B-B-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 15.75406G | 53.56    | 74.00    | -20.44 | 39.91  | 3    | Horizontal | 248     | 1.61   | -       | 37.40 | 9.11 | 32.86 |
| AV   | 15.75272G | 39.22    | 54.00    | -14.78 | 25.57  | 3    | Horizontal | 248     | 1.61   | -       | 37.40 | 9.11 | 32.86 |

# 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

## 5570MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 77  
02-B-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.274G       | 60.98             | 68.20             | -7.22          | 53.91         | 3           | Vertical  | 13             | 1.80          | -       | 33.65      | 5.06       | 31.64      |
| PK   | 5.4532G      | 73.85             | 74.00             | -0.15          | 66.40         | 3           | Vertical  | 13             | 1.80          | -       | 33.90      | 5.05       | 31.50      |
| PK   | 5.4612G      | 63.52             | 68.20             | -4.68          | 56.06         | 3           | Vertical  | 13             | 1.80          | -       | 33.90      | 5.06       | 31.50      |
| AV   | 5.4596G      | 51.62             | 54.00             | -2.38          | 44.16         | 3           | Vertical  | 13             | 1.80          | -       | 33.90      | 5.06       | 31.50      |
| PK   | 5.5444G      | 108.86            | Inf               | -Inf           | 101.29        | 3           | Vertical  | 13             | 1.80          | -       | 33.90      | 5.14       | 31.47      |
| AV   | 5.5652G      | 96.87             | Inf               | -Inf           | 89.27         | 3           | Vertical  | 13             | 1.80          | -       | 33.90      | 5.17       | 31.47      |
| PK   | 5.794G       | 61.76             | 68.20             | -6.44          | 54.50         | 3           | Vertical  | 13             | 1.80          | -       | 33.71      | 5.01       | 31.46      |

## 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 77  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.1377G     | 53.33             | 74.00             | -20.67         | 40.00         | 3           | Vertical  | 213            | 2.95          | -       | 38.64      | 7.50       | 32.81      |  |
| AV   | 11.1581G     | 38.73             | 54.00             | -15.27         | 25.37         | 3           | Vertical  | 213            | 2.95          | -       | 38.66      | 7.51       | 32.81      |  |

## 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TnomVnom



EUT Z\_4TX\_Dipole  
Setting 77  
02-B-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.1489G     | 53.44             | 74.00             | -20.56         | 40.10         | 3           | Horizontal | 118            | 2.03          | -       | 38.65      | 7.50       | 32.81      |
| AV   | 11.131G      | 38.68             | 54.00             | -15.32         | 25.35         | 3           | Horizontal | 118            | 2.03          | -       | 38.63      | 7.50       | 32.80      |