


802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5700MHz_TX




EUT Y_4TX
Setting 78
06-E-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	115.98	Inf	-Inf	110.27	3	Horizontal	225	1.76	-	31.71	5.89	31.89
AV	5.704G	106.64	Inf	-Inf	100.92	3	Horizontal	225	1.76	-	31.72	5.89	31.89
PK	5.7256G	64.82	68.20	-3.38	59.00	3	Horizontal	225	1.76	-	31.80	5.92	31.90

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5700MHz_TX




EUT Y_4TX
Setting 78
06-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39526G	57.41	74.00	-16.59	43.25	3	Vertical	167	2.51	-	39.81	8.09	33.74
AV	11.39544G	44.05	54.00	-9.95	29.89	3	Vertical	167	2.51	-	39.81	8.09	33.74

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5700MHz_TX




EUT Y_4TX
Setting 78
06-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4014G	56.30	74.00	-17.70	42.16	3	Horizontal	57	2.24	-	39.80	8.09	33.75
AV	11.4015G	42.78	54.00	-11.22	28.64	3	Horizontal	57	2.24	-	39.80	8.09	33.75

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
06-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	61.13	74.00	-12.87	55.42	3	Vertical	216	2.00	-	31.70	5.80	31.79
AV	5.4428G	48.72	54.00	-5.28	43.01	3	Vertical	216	2.00	-	31.69	5.80	31.78
PK	5.468G	61.64	68.20	-6.56	55.89	3	Vertical	216	2.00	-	31.74	5.80	31.79
PK	5.7152G	128.54	Inf	-Inf	122.77	3	Vertical	216	2.00	-	31.76	5.91	31.90
AV	5.7152G	118.44	Inf	-Inf	112.67	3	Vertical	216	2.00	-	31.76	5.91	31.90
PK	5.8592G	61.94	68.20	-6.26	55.65	3	Vertical	216	2.00	-	32.28	5.97	31.96

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
06-E-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.13	74.00	-14.87	53.41	3	Horizontal	222	1.60	-	31.71	5.80	31.79
AV	5.4512G	47.06	54.00	-6.94	41.35	3	Horizontal	222	1.60	-	31.70	5.80	31.79
PK	5.4668G	59.44	68.20	-8.76	53.70	3	Horizontal	222	1.60	-	31.73	5.80	31.79
PK	5.7236G	120.79	Inf	-Inf	114.98	3	Horizontal	222	1.60	-	31.79	5.92	31.90
AV	5.7236G	111.56	Inf	-Inf	105.75	3	Horizontal	222	1.60	-	31.79	5.92	31.90
PK	5.8604G	59.61	68.20	-8.59	53.32	3	Horizontal	222	1.60	-	32.28	5.97	31.96

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 100
06-D-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43364G	61.50	74.00	-12.50	47.41	3	Vertical	170	2.68	-	39.75	8.10	33.76
AV	11.43442G	47.88	54.00	-6.12	33.79	3	Vertical	170	2.68	-	39.75	8.10	33.76



802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
06-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43394G	58.48	74.00	-15.52	44.39	3	Horizontal	205	2.30	-	39.75	8.10	33.76
AV	11.43454G	45.06	54.00	-8.94	30.97	3	Horizontal	205	2.30	-	39.75	8.10	33.76

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5745MHz_TX




EUT Y_4TX
Setting 100
06-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	64.60	68.20	-3.60	59.03	3	Vertical	214	1.80	-	31.61	5.81	31.85
PK	5.742G	128.30	Inf	-Inf	122.40	3	Vertical	214	1.80	-	31.87	5.94	31.91
AV	5.741G	118.26	Inf	-Inf	112.37	3	Vertical	214	1.80	-	31.86	5.94	31.91
PK	5.946G	63.02	68.20	-5.18	56.69	3	Vertical	214	1.80	-	32.40	5.93	32.00

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5745MHz_TX




EUT Y_4TX
Setting 100
06-E-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	61.38	68.20	-6.82	55.83	3	Horizontal	219	1.62	-	31.60	5.80	31.85
PK	5.749G	120.44	Inf	-Inf	114.51	3	Horizontal	219	1.62	-	31.90	5.94	31.91
AV	5.749G	111.19	Inf	-Inf	105.26	3	Horizontal	219	1.62	-	31.90	5.94	31.91
PK	5.944G	59.53	68.20	-8.67	53.20	3	Horizontal	219	1.62	-	32.40	5.93	32.00

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5745MHz_TX




EUT Y_4TX
Setting 100
06-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48772G	63.02	74.00	-10.98	49.00	3	Vertical	169	2.73	-	39.67	8.12	33.77
AV	11.48598G	48.62	54.00	-5.38	34.60	3	Vertical	169	2.73	-	39.67	8.12	33.77

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5745MHz_TX




EUT Y_4TX
Setting 100
06-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48502G	59.57	74.00	-14.43	45.55	3	Horizontal	202	1.49	-	39.67	8.12	33.77
AV	11.4861G	45.19	54.00	-8.81	31.17	3	Horizontal	202	1.49	-	39.67	8.12	33.77

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5785MHz_TX




EUT Y_4TX
Setting 100
06-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	64.06	68.20	-4.14	58.48	3	Vertical	213	1.80	-	31.62	5.82	31.86
PK	5.782G	127.72	Inf	-Inf	121.64	3	Vertical	213	1.80	-	32.03	5.98	31.93
AV	5.781G	117.81	Inf	-Inf	111.74	3	Vertical	213	1.80	-	32.02	5.98	31.93
PK	5.974G	63.23	68.20	-4.97	56.93	3	Vertical	213	1.80	-	32.40	5.91	32.01

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5785MHz_TX




EUT Y_4TX
Setting 100
06-E-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	60.91	68.20	-7.29	55.30	3	Horizontal	222	1.64	-	31.64	5.83	31.86
PK	5.79G	120.52	Inf	-Inf	114.41	3	Horizontal	222	1.64	-	32.06	5.99	31.94
AV	5.789G	111.15	Inf	-Inf	105.03	3	Horizontal	222	1.64	-	32.06	5.99	31.93
PK	5.974G	59.16	68.20	-9.04	52.86	3	Horizontal	222	1.64	-	32.40	5.91	32.01

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5785MHz_TX




EUT Y_4TX
Setting 100
06-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56766G	61.49	74.00	-12.51	47.58	3	Vertical	168	2.70	-	39.55	8.15	33.79
AV	11.5676G	47.86	54.00	-6.14	33.95	3	Vertical	168	2.70	-	39.55	8.15	33.79

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5785MHz_TX




EUT Y_4TX
Setting 100
06-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5658G	59.42	74.00	-14.58	45.51	3	Horizontal	164	2.08	-	39.55	8.15	33.79
AV	11.56616G	45.21	54.00	-8.79	31.30	3	Horizontal	164	2.08	-	39.55	8.15	33.79

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5825MHz_TX




EUT Y_4TX
Setting 100
06-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	63.78	68.20	-4.42	58.21	3	Vertical	178	1.80	-	31.61	5.81	31.85
PK	5.822G	126.75	Inf	-Inf	120.54	3	Vertical	178	1.80	-	32.17	5.99	31.95
AV	5.821G	117.22	Inf	-Inf	111.02	3	Vertical	178	1.80	-	32.16	5.99	31.95
PK	5.978G	63.10	68.20	-5.10	56.80	3	Vertical	178	1.80	-	32.40	5.91	32.01

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5825MHz_TX




EUT Y_4TX
Setting 100
06-E-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	61.42	68.20	-6.78	55.87	3	Horizontal	229	1.79	-	31.60	5.80	31.85
PK	5.83G	119.26	Inf	-Inf	113.03	3	Horizontal	229	1.79	-	32.19	5.99	31.95
AV	5.831G	109.83	Inf	-Inf	103.61	3	Horizontal	229	1.79	-	32.19	5.98	31.95
PK	5.947G	59.41	68.20	-8.79	53.08	3	Horizontal	229	1.79	-	32.40	5.93	32.00

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5825MHz_TX




EUT Y_4TX
Setting 100
06-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6482G	61.21	74.00	-12.79	47.42	3	Vertical	170	2.65	-	39.43	8.18	33.82
AV	11.6494G	47.01	54.00	-6.99	33.22	3	Vertical	170	2.65	-	39.43	8.18	33.82

802.11a_Nss1,(6Mbps)_4TX

05/12/2019

5825MHz_TX




EUT Y_4TX
Setting 100
06-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64802G	57.66	74.00	-16.34	43.87	3	Horizontal	166	2.35	-	39.43	8.18	33.82
AV	11.64754G	45.01	54.00	-8.99	31.22	3	Horizontal	166	2.35	-	39.43	8.18	33.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5180MHz_TX




EUT Y_4TX
Setting 88
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	72.83	74.00	-1.17	67.14	3	Vertical	0	2.17	-	34.05	6.61	34.97
AV	5.15G	53.97	54.00	-0.03	48.28	3	Vertical	0	2.17	-	34.05	6.61	34.97
PK	5.1732G	125.57	Inf	-Inf	119.83	3	Vertical	0	2.17	-	34.07	6.65	34.98
AV	5.1714G	112.67	Inf	-Inf	106.93	3	Vertical	0	2.17	-	34.07	6.65	34.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5180MHz_TX




EUT Y_4TX
Setting 88
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	63.13	74.00	-10.87	57.45	3	Horizontal	141	1.72	-	34.05	6.60	34.97
AV	5.1494G	48.81	54.00	-5.19	43.12	3	Horizontal	141	1.72	-	34.05	6.61	34.97
PK	5.1848G	121.11	Inf	-Inf	115.34	3	Horizontal	141	1.72	-	34.08	6.67	34.98
AV	5.1844G	108.31	Inf	-Inf	102.54	3	Horizontal	141	1.72	-	34.08	6.67	34.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5180MHz_TX




EUT Y_4TX
Setting 88
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3444G	53.82	68.20	-14.38	41.21	3	Vertical	15	1.00	-	38.37	9.39	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5180MHz_TX




EUT Y_4TX
Setting 88
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3708G	54.12	68.20	-14.08	41.48	3	Horizontal	328	1.21	-	38.37	9.40	35.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5200MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1432G	66.96	74.00	-7.04	61.29	3	Vertical	5	2.84	-	34.04	6.60	34.97
AV	5.15G	52.16	54.00	-1.84	46.47	3	Vertical	5	2.84	-	34.05	6.61	34.97
PK	5.2036G	127.17	Inf	-Inf	121.34	3	Vertical	5	2.84	-	34.11	6.70	34.98
AV	5.2032G	115.01	Inf	-Inf	109.18	3	Vertical	5	2.84	-	34.11	6.70	34.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5200MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	64.12	74.00	-9.88	58.46	3	Horizontal	360	1.90	-	34.04	6.59	34.97
AV	5.1456G	49.77	54.00	-4.23	44.09	3	Horizontal	360	1.90	-	34.05	6.60	34.97
PK	5.1948G	121.58	Inf	-Inf	115.78	3	Horizontal	360	1.90	-	34.09	6.69	34.98
AV	5.1932G	109.88	Inf	-Inf	104.08	3	Horizontal	360	1.90	-	34.09	6.69	34.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5200MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.396G	53.43	68.20	-14.77	40.76	3	Vertical	46	2.06	-	38.38	9.40	35.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5200MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3976G	53.75	68.20	-14.45	41.08	3	Horizontal	12	2.68	-	38.38	9.40	35.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5240MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	61.28	74.00	-12.72	55.62	3	Vertical	329	2.77	-	34.04	6.59	34.97
AV	5.1452G	48.90	54.00	-5.10	43.22	3	Vertical	329	2.77	-	34.05	6.60	34.97
PK	5.2418G	126.67	Inf	-Inf	120.79	3	Vertical	329	2.77	-	34.18	6.68	34.98
AV	5.2448G	114.06	Inf	-Inf	108.17	3	Vertical	329	2.77	-	34.19	6.68	34.98
PK	5.3648G	62.28	74.00	-11.72	56.29	3	Vertical	329	2.77	-	34.36	6.62	34.99
AV	5.3576G	49.88	54.00	-4.12	43.89	3	Vertical	329	2.77	-	34.36	6.62	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5240MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	59.91	74.00	-14.09	54.22	3	Horizontal	143	1.66	-	34.05	6.61	34.97
AV	5.1476G	47.67	54.00	-6.33	41.98	3	Horizontal	143	1.66	-	34.05	6.61	34.97
PK	5.2316G	123.51	Inf	-Inf	117.65	3	Horizontal	143	1.66	-	34.16	6.68	34.98
AV	5.2322G	112.10	Inf	-Inf	106.24	3	Horizontal	143	1.66	-	34.16	6.68	34.98
PK	5.3516G	60.36	74.00	-13.64	54.38	3	Horizontal	143	1.66	-	34.35	6.62	34.99
AV	5.3588G	48.41	54.00	-5.59	42.42	3	Horizontal	143	1.66	-	34.36	6.62	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5240MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4813G	54.35	68.20	-13.85	41.57	3	Vertical	78	2.30	-	38.40	9.43	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5240MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4664G	53.52	68.20	-14.68	40.77	3	Horizontal	242	2.78	-	38.39	9.42	35.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5260MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	62.20	74.00	-11.80	56.54	3	Vertical	325	2.80	-	34.04	6.59	34.97
AV	5.131G	49.24	54.00	-4.76	43.60	3	Vertical	325	2.80	-	34.03	6.58	34.97
PK	5.2546G	126.01	Inf	-Inf	120.11	3	Vertical	325	2.80	-	34.21	6.67	34.98
AV	5.2546G	113.16	Inf	-Inf	107.26	3	Vertical	325	2.80	-	34.21	6.67	34.98
PK	5.3818G	62.84	74.00	-11.16	56.84	3	Vertical	325	2.80	-	34.38	6.61	34.99
AV	5.3548G	50.47	54.00	-3.53	44.49	3	Vertical	325	2.80	-	34.35	6.62	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5260MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.54	74.00	-13.46	54.85	3	Horizontal	140	1.77	-	34.05	6.61	34.97
AV	5.1442G	47.79	54.00	-6.21	42.12	3	Horizontal	140	1.77	-	34.04	6.60	34.97
PK	5.2564G	124.15	Inf	-Inf	118.25	3	Horizontal	140	1.77	-	34.21	6.67	34.98
AV	5.2534G	112.61	Inf	-Inf	106.71	3	Horizontal	140	1.77	-	34.21	6.67	34.98
PK	5.3806G	60.82	74.00	-13.18	54.82	3	Horizontal	140	1.77	-	34.38	6.61	34.99
AV	5.407G	48.74	54.00	-5.26	42.71	3	Horizontal	140	1.77	-	34.41	6.61	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5260MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5283G	54.29	68.20	-13.91	41.46	3	Vertical	101	2.55	-	38.41	9.44	35.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5260MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5194G	54.92	68.20	-13.28	42.11	3	Horizontal	127	2.36	-	38.40	9.44	35.03

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5300MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3052G	126.62	Inf	-Inf	120.64	3	Vertical	313	3.00	-	34.31	6.65	34.98
AV	5.3072G	114.95	Inf	-Inf	108.97	3	Vertical	313	3.00	-	34.31	6.65	34.98
PK	5.3584G	70.61	74.00	-3.39	64.62	3	Vertical	313	3.00	-	34.36	6.62	34.99
AV	5.3504G	53.26	54.00	-0.74	47.28	3	Vertical	313	3.00	-	34.35	6.62	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5300MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2932G	125.07	Inf	-Inf	119.11	3	Horizontal	136	1.83	-	34.29	6.65	34.98
AV	5.2928G	112.42	Inf	-Inf	106.46	3	Horizontal	136	1.83	-	34.29	6.65	34.98
PK	5.3528G	64.73	74.00	-9.27	58.75	3	Horizontal	136	1.83	-	34.35	6.62	34.99
AV	5.3508G	49.56	54.00	-4.44	43.58	3	Horizontal	136	1.83	-	34.35	6.62	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5300MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6198G	54.04	74.00	-19.96	41.12	3	Vertical	316	1.55	-	38.42	9.46	34.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5300MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5829G	53.63	68.20	-14.57	40.74	3	Horizontal	11	2.98	-	38.42	9.45	34.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5320MHz_TX




EUT Y_4TX
Setting 81
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3128G	124.04	Inf	-Inf	118.07	3	Vertical	35	3.00	-	34.31	6.64	34.98
AV	5.3112G	111.65	Inf	-Inf	105.68	3	Vertical	35	3.00	-	34.31	6.64	34.98
PK	5.3508G	71.00	74.00	-3.00	65.02	3	Vertical	35	3.00	-	34.35	6.62	34.99
AV	5.3508G	53.67	54.00	-0.33	47.69	3	Vertical	35	3.00	-	34.35	6.62	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5320MHz_TX




EUT Y_4TX
Setting 81
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	118.58	Inf	-Inf	112.61	3	Horizontal	355	1.99	-	34.31	6.64	34.98
AV	5.3176G	106.14	Inf	-Inf	100.16	3	Horizontal	355	1.99	-	34.32	6.64	34.98
PK	5.35G	63.97	74.00	-10.03	57.98	3	Horizontal	355	1.99	-	34.35	6.62	34.98
AV	5.3504G	48.78	54.00	-5.22	42.80	3	Horizontal	355	1.99	-	34.35	6.62	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5320MHz_TX




EUT Y_4TX
Setting 81
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.629G	53.47	74.00	-20.53	40.53	3	Vertical	63	2.86	-	38.43	9.46	34.95
AV	10.6377G	40.70	54.00	-13.30	27.75	3	Vertical	63	2.86	-	38.43	9.47	34.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5320MHz_TX




EUT Y_4TX
Setting 81
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6419G	53.56	74.00	-20.44	40.60	3	Horizontal	109	2.23	-	38.43	9.47	34.94
AV	10.6278G	40.79	54.00	-13.21	27.85	3	Horizontal	109	2.23	-	38.43	9.46	34.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5500MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.24	74.00	-10.76	57.08	3	Vertical	139	2.56	-	34.46	6.69	34.99
AV	5.4596G	50.92	54.00	-3.08	44.75	3	Vertical	139	2.56	-	34.46	6.70	34.99
PK	5.468G	67.79	68.20	-0.41	61.60	3	Vertical	139	2.56	-	34.47	6.71	34.99
PK	5.492G	124.83	Inf	-Inf	118.58	3	Vertical	139	2.56	-	34.49	6.75	34.99
AV	5.4916G	112.79	Inf	-Inf	106.54	3	Vertical	139	2.56	-	34.49	6.75	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5500MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.70	74.00	-12.30	55.53	3	Horizontal	138	1.84	-	34.46	6.70	34.99
AV	5.46G	48.95	54.00	-5.05	42.78	3	Horizontal	138	1.84	-	34.46	6.70	34.99
PK	5.47G	66.22	68.20	-1.98	60.03	3	Horizontal	138	1.84	-	34.47	6.71	34.99
PK	5.492G	122.38	Inf	-Inf	116.13	3	Horizontal	138	1.84	-	34.49	6.75	34.99
AV	5.4912G	110.12	Inf	-Inf	103.87	3	Horizontal	138	1.84	-	34.49	6.75	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5500MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.988G	54.27	74.00	-19.73	40.92	3	Vertical	12	1.84	-	38.50	9.56	34.71
AV	10.9896G	41.46	54.00	-12.54	28.11	3	Vertical	12	1.84	-	38.50	9.56	34.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5500MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9993G	54.22	74.00	-19.78	40.86	3	Horizontal	208	1.44	-	38.50	9.56	34.70
AV	11.0117G	41.46	54.00	-12.54	28.09	3	Horizontal	208	1.44	-	38.51	9.56	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5580MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.12	74.00	-11.88	55.95	3	Vertical	229	2.44	-	34.46	6.70	34.99
AV	5.4568G	50.08	54.00	-3.92	43.92	3	Vertical	229	2.44	-	34.46	6.69	34.99
PK	5.4688G	62.55	68.20	-5.65	56.36	3	Vertical	229	2.44	-	34.47	6.71	34.99
PK	5.5864G	127.18	Inf	-Inf	120.89	3	Vertical	229	2.44	-	34.41	6.88	35.00
AV	5.588G	115.17	Inf	-Inf	108.88	3	Vertical	229	2.44	-	34.41	6.88	35.00
PK	5.7304G	62.22	68.20	-5.98	56.11	3	Vertical	229	2.44	-	34.30	6.83	35.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5580MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	60.40	74.00	-13.60	54.24	3	Horizontal	141	1.78	-	34.46	6.69	34.99
AV	5.4552G	48.35	54.00	-5.65	42.19	3	Horizontal	141	1.78	-	34.46	6.69	34.99
PK	5.4688G	60.82	68.20	-7.38	54.63	3	Horizontal	141	1.78	-	34.47	6.71	34.99
PK	5.5744G	124.97	Inf	-Inf	118.68	3	Horizontal	141	1.78	-	34.43	6.86	35.00
AV	5.572G	113.24	Inf	-Inf	106.95	3	Horizontal	141	1.78	-	34.43	6.86	35.00
PK	5.7448G	60.61	68.20	-7.59	54.50	3	Horizontal	141	1.78	-	34.30	6.83	35.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5580MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1524G	53.99	74.00	-20.01	40.50	3	Vertical	97	2.88	-	38.61	9.60	34.72
AV	11.1512G	41.19	54.00	-12.81	27.70	3	Vertical	97	2.88	-	38.61	9.60	34.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5580MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1376G	55.12	74.00	-18.88	41.65	3	Horizontal	321	2.69	-	38.60	9.59	34.72
AV	11.1433G	40.99	54.00	-13.01	27.52	3	Horizontal	321	2.69	-	38.60	9.59	34.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5700MHz_TX




EUT Y_4TX
Setting 73
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	122.40	Inf	-Inf	116.68	3	Vertical	147	2.31	-	31.72	5.89	31.89
AV	5.7064G	110.22	Inf	-Inf	104.48	3	Vertical	147	2.31	-	31.73	5.90	31.89
PK	5.7268G	68.03	68.20	-0.17	62.20	3	Vertical	147	2.31	-	31.81	5.92	31.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5700MHz_TX




EUT Y_4TX
Setting 73
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6916G	116.46	Inf	-Inf	110.78	3	Horizontal	226	3.00	-	31.69	5.88	31.89
AV	5.698G	103.93	Inf	-Inf	98.23	3	Horizontal	226	3.00	-	31.70	5.89	31.89
PK	5.7252G	64.15	68.20	-4.05	58.33	3	Horizontal	226	3.00	-	31.80	5.92	31.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5700MHz_TX




EUT Y_4TX
Setting 73
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.38842G	55.23	74.00	-18.77	41.06	3	Vertical	310	2.97	-	39.82	8.09	33.74	
AV	11.3982G	41.72	54.00	-12.28	27.58	3	Vertical	310	2.97	-	39.80	8.09	33.75	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5700MHz_TX




EUT Y_4TX
Setting 73
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39262G	54.80	74.00	-19.20	40.64	3	Horizontal	174	1.59	-	39.81	8.09	33.74
AV	11.39502G	42.13	54.00	-11.87	27.97	3	Horizontal	174	1.59	-	39.81	8.09	33.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	129.13	Inf	-Inf	123.00	3	Vertical	185	2.15	-	34.30	6.84	35.01
AV	5.716G	119.14	Inf	-Inf	113.01	3	Vertical	185	2.15	-	34.30	6.84	35.01
PK	5.8856G	61.85	68.20	-6.35	55.58	3	Vertical	185	2.15	-	34.47	6.84	35.04

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 100
03-C-A-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7256G	125.84	Inf	-Inf	119.72	3	Horizontal	219	1.73	-	34.30	6.84	35.02
AV	5.7248G	113.70	Inf	-Inf	107.57	3	Horizontal	219	1.73	-	34.30	6.84	35.01
PK	5.916G	60.17	68.20	-8.03	53.80	3	Horizontal	219	1.73	-	34.55	6.86	35.04



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 100
03-C-A-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4529G	55.20	74.00	-18.80	41.48	3	Vertical	168	2.60	-	38.82	9.67	34.77	
AV	11.4342G	42.56	54.00	-11.44	28.87	3	Vertical	168	2.60	-	38.80	9.66	34.77	



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4596G	55.17	74.00	-18.83	41.45	3	Horizontal	296	2.96	-	38.82	9.67	34.77	
AV	11.4381G	42.85	54.00	-11.15	29.14	3	Horizontal	296	2.96	-	38.81	9.67	34.77	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5745MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	63.73	68.20	-4.47	57.47	3	Vertical	143	1.80	-	34.37	6.89	35.00
PK	5.75G	129.00	Inf	-Inf	122.90	3	Vertical	143	1.80	-	34.30	6.82	35.02
AV	5.753G	117.26	Inf	-Inf	111.16	3	Vertical	143	1.80	-	34.30	6.82	35.02
PK	5.959G	61.94	68.20	-6.26	55.43	3	Vertical	143	1.80	-	34.68	6.88	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5745MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	61.04	68.20	-7.16	54.77	3	Horizontal	150	2.31	-	34.38	6.89	35.00
PK	5.737G	124.96	Inf	-Inf	118.85	3	Horizontal	150	2.31	-	34.30	6.83	35.02
AV	5.737G	112.61	Inf	-Inf	106.50	3	Horizontal	150	2.31	-	34.30	6.83	35.02
PK	5.963G	59.67	68.20	-8.53	53.15	3	Horizontal	150	2.31	-	34.69	6.88	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5745MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4773G	54.28	74.00	-19.72	40.56	3	Vertical	225	2.11	-	38.83	9.67	34.78
AV	11.5044G	41.96	54.00	-12.04	28.21	3	Vertical	225	2.11	-	38.85	9.68	34.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5745MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5027G	54.50	74.00	-19.50	40.75	3	Horizontal	154	1.19	-	38.85	9.68	34.78
AV	11.5121G	41.73	54.00	-12.27	27.97	3	Horizontal	154	1.19	-	38.86	9.68	34.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5785MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	63.85	68.20	-4.35	57.56	3	Vertical	182	2.10	-	34.42	6.87	35.00
PK	5.777G	128.35	Inf	-Inf	122.27	3	Vertical	182	2.10	-	34.30	6.81	35.03
AV	5.787G	116.02	Inf	-Inf	109.94	3	Vertical	182	2.10	-	34.30	6.81	35.03
PK	5.979G	63.74	68.20	-4.46	57.16	3	Vertical	182	2.10	-	34.74	6.89	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5785MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	60.71	68.20	-7.49	54.41	3	Horizontal	128	1.71	-	34.41	6.89	35.00
PK	5.776G	123.24	Inf	-Inf	117.16	3	Horizontal	128	1.71	-	34.30	6.81	35.03
AV	5.776G	112.44	Inf	-Inf	106.36	3	Horizontal	128	1.71	-	34.30	6.81	35.03
PK	5.959G	59.46	68.20	-8.74	52.95	3	Horizontal	128	1.71	-	34.68	6.88	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5785MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5549G	54.84	74.00	-19.16	41.05	3	Vertical	351	2.79	-	38.89	9.69	34.79
AV	11.594G	42.22	54.00	-11.78	28.40	3	Vertical	351	2.79	-	38.92	9.70	34.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5785MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5932G	54.63	74.00	-19.37	40.80	3	Horizontal	157	2.94	-	38.92	9.70	34.79
AV	11.5698G	42.36	54.00	-11.64	28.55	3	Horizontal	157	2.94	-	38.90	9.70	34.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5825MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	62.18	68.20	-6.02	55.88	3	Vertical	189	1.81	-	34.41	6.89	35.00
PK	5.829G	126.02	Inf	-Inf	119.88	3	Vertical	189	1.81	-	34.36	6.81	35.03
AV	5.831G	114.68	Inf	-Inf	108.53	3	Vertical	189	1.81	-	34.36	6.82	35.03
PK	5.988G	62.67	68.20	-5.53	56.07	3	Vertical	189	1.81	-	34.76	6.89	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5825MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	60.75	68.20	-7.45	54.46	3	Horizontal	140	1.80	-	34.42	6.87	35.00
PK	5.821G	121.80	Inf	-Inf	115.68	3	Horizontal	140	1.80	-	34.34	6.81	35.03
AV	5.826G	110.69	Inf	-Inf	104.56	3	Horizontal	140	1.80	-	34.35	6.81	35.03
PK	5.942G	60.07	68.20	-8.13	53.61	3	Horizontal	140	1.80	-	34.63	6.87	35.04

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5825MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6392G	55.10	74.00	-18.90	41.24	3	Vertical	131	1.36	-	38.95	9.71	34.80	
AV	11.6355G	41.96	54.00	-12.04	28.11	3	Vertical	131	1.36	-	38.94	9.71	34.80	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

05/12/2019

5825MHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6317G	54.07	74.00	-19.93	40.22	3	Horizontal	301	1.21	-	38.94	9.71	34.80
AV	11.6419G	41.88	54.00	-12.12	28.02	3	Horizontal	301	1.21	-	38.95	9.71	34.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5190MHz_TX




EUT Y_4TX
Setting 81
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	72.09	74.00	-1.91	66.37	3	Vertical	29	1.93	-	31.75	5.60	31.63
AV	5.15G	53.87	54.00	-0.13	48.15	3	Vertical	29	1.93	-	31.75	5.60	31.63
PK	5.196G	119.93	Inf	-Inf	114.47	3	Vertical	29	1.93	-	31.52	5.60	31.66
AV	5.1944G	107.62	Inf	-Inf	102.15	3	Vertical	29	1.93	-	31.53	5.60	31.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5190MHz_TX




EUT Y_4TX
Setting 81
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	67.55	74.00	-6.45	61.82	3	Horizontal	159	1.79	-	31.76	5.60	31.63
AV	5.148G	49.81	54.00	-4.19	44.08	3	Horizontal	159	1.79	-	31.76	5.60	31.63
PK	5.182G	114.75	Inf	-Inf	109.21	3	Horizontal	159	1.79	-	31.59	5.60	31.65
AV	5.1832G	102.06	Inf	-Inf	96.53	3	Horizontal	159	1.79	-	31.58	5.60	31.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5190MHz_TX




EUT_Y_4TX
Setting 81
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58092G	57.35	74.00	-16.65	43.36	3	Vertical	69	1.60	-	38.97	8.74	33.72
AV	15.576G	43.40	54.00	-10.60	29.40	3	Vertical	69	1.60	-	38.98	8.74	33.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5190MHz_TX




EUT Y_4TX
Setting 81
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57864G	55.28	74.00	-18.72	41.29	3	Horizontal	348	1.49	-	38.97	8.74	33.72
AV	15.58218G	42.02	54.00	-11.98	28.04	3	Horizontal	348	1.49	-	38.96	8.74	33.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5230MHz_TX




EUT Y_4TX
Setting 92
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	72.84	74.00	-1.16	67.15	3	Vertical	226	2.85	-	34.05	6.61	34.97
AV	5.1484G	53.80	54.00	-0.20	48.11	3	Vertical	226	2.85	-	34.05	6.61	34.97
PK	5.2444G	124.61	Inf	-Inf	118.72	3	Vertical	226	2.85	-	34.19	6.68	34.98
AV	5.224G	113.20	Inf	-Inf	107.34	3	Vertical	226	2.85	-	34.15	6.69	34.98
PK	5.3782G	62.62	74.00	-11.38	56.62	3	Vertical	226	2.85	-	34.38	6.61	34.99
AV	5.356G	50.21	54.00	-3.79	44.22	3	Vertical	226	2.85	-	34.36	6.62	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5230MHz_TX




EUT Y_4TX
Setting 92
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	61.41	74.00	-12.59	55.75	3	Horizontal	146	1.76	-	34.04	6.59	34.97
AV	5.1454G	47.80	54.00	-6.20	42.12	3	Horizontal	146	1.76	-	34.05	6.60	34.97
PK	5.2456G	118.87	Inf	-Inf	112.98	3	Horizontal	146	1.76	-	34.19	6.68	34.98
AV	5.2426G	107.16	Inf	-Inf	101.27	3	Horizontal	146	1.76	-	34.19	6.68	34.98
PK	5.3674G	60.99	74.00	-13.01	54.99	3	Horizontal	146	1.76	-	34.37	6.62	34.99
AV	5.3788G	48.50	54.00	-5.50	42.50	3	Horizontal	146	1.76	-	34.38	6.61	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5230MHz_TX




EUT Y_4TX
Setting 92
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4718G	54.20	68.20	-14.00	41.45	3	Vertical	13	1.82	-	38.39	9.42	35.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5230MHz_TX




EUT Y_4TX
Setting 92
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4664G	54.06	68.20	-14.14	41.31	3	Horizontal	39	1.53	-	38.39	9.42	35.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5270MHz_TX




EUT Y_4TX
Setting 98
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	65.86	74.00	-8.14	60.18	3	Vertical	333	1.77	-	34.05	6.60	34.97
AV	5.1452G	50.80	54.00	-3.20	45.12	3	Vertical	333	1.77	-	34.05	6.60	34.97
PK	5.2694G	123.66	Inf	-Inf	117.73	3	Vertical	333	1.77	-	34.24	6.67	34.98
AV	5.2676G	111.71	Inf	-Inf	105.78	3	Vertical	333	1.77	-	34.24	6.67	34.98
PK	5.3504G	68.82	74.00	-5.18	62.84	3	Vertical	333	1.77	-	34.35	6.62	34.99
AV	5.35G	53.97	54.00	-0.03	47.99	3	Vertical	333	1.77	-	34.35	6.62	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5270MHz_TX




EUT Y_4TX
Setting 98
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	60.87	74.00	-13.13	55.20	3	Horizontal	142	1.62	-	34.04	6.60	34.97
AV	5.1434G	48.18	54.00	-5.82	42.51	3	Horizontal	142	1.62	-	34.04	6.60	34.97
PK	5.2802G	120.62	Inf	-Inf	114.68	3	Horizontal	142	1.62	-	34.26	6.66	34.98
AV	5.2826G	108.14	Inf	-Inf	102.19	3	Horizontal	142	1.62	-	34.27	6.66	34.98
PK	5.35G	66.95	74.00	-7.05	60.97	3	Horizontal	142	1.62	-	34.35	6.62	34.99
AV	5.35G	51.57	54.00	-2.43	45.59	3	Horizontal	142	1.62	-	34.35	6.62	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5270MHz_TX




EUT Y_4TX
Setting 98
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5284G	55.86	68.20	-12.34	43.03	3	Vertical	242	1.31	-	38.41	9.44	35.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5270MHz_TX




EUT Y_4TX
Setting 98
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5453G	54.98	68.20	-13.22	42.14	3	Horizontal	222	1.31	-	38.41	9.44	35.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5310MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	119.34	Inf	-Inf	113.36	3	Vertical	34	1.80	-	34.31	6.65	34.98
AV	5.308G	106.45	Inf	-Inf	100.47	3	Vertical	34	1.80	-	34.31	6.65	34.98
PK	5.354G	73.16	74.00	-0.84	67.18	3	Vertical	34	1.80	-	34.35	6.62	34.99
AV	5.3528G	53.02	54.00	-0.98	47.04	3	Vertical	34	1.80	-	34.35	6.62	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5310MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2948G	118.51	Inf	-Inf	112.55	3	Horizontal	138	1.83	-	34.29	6.65	34.98
AV	5.294G	104.69	Inf	-Inf	98.73	3	Horizontal	138	1.83	-	34.29	6.65	34.98
PK	5.3532G	70.89	74.00	-3.11	64.91	3	Horizontal	138	1.83	-	34.35	6.62	34.99
AV	5.35G	49.93	54.00	-4.07	43.94	3	Horizontal	138	1.83	-	34.35	6.62	34.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5310MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6294G	54.16	74.00	-19.84	41.22	3	Vertical	125	2.60	-	38.43	9.46	34.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5310MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6174G	54.01	74.00	-19.99	41.09	3	Horizontal	322	2.95	-	38.42	9.46	34.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5510MHz_TX




EUT Y_4TX
Setting 77
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	62.37	74.00	-11.63	56.64	3	Vertical	131	2.47	-	31.72	5.80	31.79
AV	5.4588G	49.04	54.00	-4.96	43.31	3	Vertical	131	2.47	-	31.72	5.80	31.79
PK	5.47G	68.01	68.20	-0.19	62.26	3	Vertical	131	2.47	-	31.74	5.80	31.79
PK	5.524G	119.36	Inf	-Inf	113.63	3	Vertical	131	2.47	-	31.75	5.80	31.82
AV	5.5232G	106.25	Inf	-Inf	100.52	3	Vertical	131	2.47	-	31.75	5.80	31.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5510MHz_TX




EUT Y_4TX
Setting 77
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	60.97	74.00	-13.03	55.24	3	Horizontal	128	1.80	-	31.72	5.80	31.79
AV	5.458G	47.38	54.00	-6.62	41.65	3	Horizontal	128	1.80	-	31.72	5.80	31.79
PK	5.4696G	67.14	68.20	-1.06	61.39	3	Horizontal	128	1.80	-	31.74	5.80	31.79
PK	5.5164G	115.00	Inf	-Inf	109.25	3	Horizontal	128	1.80	-	31.77	5.80	31.82
AV	5.5168G	102.61	Inf	-Inf	96.86	3	Horizontal	128	1.80	-	31.77	5.80	31.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5510MHz_TX




EUT Y_4TX
Setting 77
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02444G	53.90	74.00	-20.10	39.22	3	Vertical	215	2.78	-	40.36	7.96	33.64
AV	11.02536G	41.16	54.00	-12.84	26.48	3	Vertical	215	2.78	-	40.36	7.96	33.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5510MHz_TX




EUT Y_4TX
Setting 77
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0221G	53.97	74.00	-20.03	39.28	3	Horizontal	237	1.10	-	40.37	7.96	33.64
AV	11.0253G	41.18	54.00	-12.82	26.50	3	Horizontal	237	1.10	-	40.36	7.96	33.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5550MHz_TX




EUT Y_4TX
Setting 91
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.73	74.00	-7.27	60.57	3	Vertical	139	2.48	-	34.46	6.69	34.99
AV	5.4582G	51.43	54.00	-2.57	45.27	3	Vertical	139	2.48	-	34.46	6.69	34.99
PK	5.4696G	67.37	68.20	-0.83	61.18	3	Vertical	139	2.48	-	34.47	6.71	34.99
PK	5.5638G	124.35	Inf	-Inf	118.06	3	Vertical	139	2.48	-	34.44	6.85	35.00
AV	5.565G	112.54	Inf	-Inf	106.25	3	Vertical	139	2.48	-	34.44	6.85	35.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5550MHz_TX




EUT Y_4TX
Setting 91
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4588G	61.69	74.00	-12.31	55.53	3	Horizontal	133	1.77	-	34.46	6.69	34.99	
AV	5.4564G	48.92	54.00	-5.08	42.76	3	Horizontal	133	1.77	-	34.46	6.69	34.99	
PK	5.47G	65.92	68.20	-2.28	59.73	3	Horizontal	133	1.77	-	34.47	6.71	34.99	
PK	5.568G	121.40	Inf	-Inf	115.11	3	Horizontal	133	1.77	-	34.43	6.86	35.00	
AV	5.5644G	109.43	Inf	-Inf	103.14	3	Horizontal	133	1.77	-	34.44	6.85	35.00	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5550MHz_TX




EUT Y_4TX
Setting 91
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1031G	54.94	74.00	-19.06	41.51	3	Vertical	245	2.26	-	38.57	9.58	34.72
AV	11.1086G	42.17	54.00	-11.83	28.72	3	Vertical	245	2.26	-	38.58	9.59	34.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5550MHz_TX




EUT Y_4TX
Setting 91
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1183G	55.94	74.00	-18.06	42.49	3	Horizontal	352	2.87	-	38.58	9.59	34.72
AV	11.0999G	42.18	54.00	-11.82	28.75	3	Horizontal	352	2.87	-	38.57	9.58	34.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5670MHz_TX




EUT Y_4TX
Setting 80
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6568G	120.44	Inf	-Inf	114.80	3	Vertical	182	2.36	-	31.66	5.85	31.87
AV	5.6568G	108.07	Inf	-Inf	102.43	3	Vertical	182	2.36	-	31.66	5.85	31.87
PK	5.7268G	68.09	68.20	-0.11	62.26	3	Vertical	182	2.36	-	31.81	5.92	31.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5670MHz_TX




EUT Y_4TX
Setting 80
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6808G	115.39	Inf	-Inf	109.72	3	Horizontal	219	1.89	-	31.68	5.87	31.88
AV	5.6832G	103.27	Inf	-Inf	97.60	3	Horizontal	219	1.89	-	31.68	5.87	31.88
PK	5.7272G	63.41	68.20	-4.79	57.58	3	Horizontal	219	1.89	-	31.81	5.92	31.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5670MHz_TX




EUT Y_4TX
Setting 80
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33208G	53.02	74.00	-20.98	38.78	3	Vertical	301	1.71	-	39.90	8.07	33.73
AV	11.33472G	43.04	54.00	-10.96	28.80	3	Vertical	301	1.71	-	39.90	8.07	33.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5670MHz_TX




EUT Y_4TX
Setting 80
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3451G	52.92	74.00	-21.08	38.70	3	Horizontal	203	1.41	-	39.88	8.07	33.73
AV	11.34484G	42.70	54.00	-11.30	28.48	3	Horizontal	203	1.41	-	39.88	8.07	33.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.726G	128.09	Inf	-Inf	121.97	3	Vertical	221	2.16	-	34.30	6.84	35.02
AV	5.7268G	115.60	Inf	-Inf	109.48	3	Vertical	221	2.16	-	34.30	6.84	35.02
PK	5.8732G	64.50	68.20	-3.70	58.25	3	Vertical	221	2.16	-	34.45	6.84	35.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	122.62	Inf	-Inf	116.47	3	Horizontal	218	1.80	-	34.31	6.85	35.01
AV	5.6916G	109.81	Inf	-Inf	103.66	3	Horizontal	218	1.80	-	34.31	6.85	35.01
PK	5.8572G	61.03	68.20	-7.17	54.83	3	Horizontal	218	1.80	-	34.41	6.83	35.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4206G	54.49	74.00	-19.51	40.81	3	Vertical	115	1.11	-	38.79	9.66	34.77
AV	11.4207G	42.09	54.00	-11.91	28.41	3	Vertical	115	1.11	-	38.79	9.66	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4428G	55.36	74.00	-18.64	41.65	3	Horizontal	198	2.44	-	38.81	9.67	34.77
AV	11.4217G	41.90	54.00	-12.10	28.21	3	Horizontal	198	2.44	-	38.80	9.66	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5755MHz_TX




EUT Y_4TX
Setting 98
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.05	68.20	-0.15	62.43	3	Vertical	145	2.29	-	31.65	5.84	31.87
PK	5.754G	124.15	Inf	-Inf	118.20	3	Vertical	145	2.29	-	31.92	5.95	31.92
AV	5.753G	111.62	Inf	-Inf	105.68	3	Vertical	145	2.29	-	31.91	5.95	31.92
PK	5.94G	62.11	68.20	-6.09	55.78	3	Vertical	145	2.29	-	32.40	5.93	32.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5755MHz_TX




EUT Y_4TX
Setting 98
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	62.60	70.42	-7.82	56.97	3	Horizontal	221	1.75	-	31.65	5.85	31.87
PK	5.761G	119.21	Inf	-Inf	113.23	3	Horizontal	221	1.75	-	31.94	5.96	31.92
AV	5.763G	106.69	Inf	-Inf	100.70	3	Horizontal	221	1.75	-	31.95	5.96	31.92
PK	5.985G	58.89	68.20	-9.31	52.59	3	Horizontal	221	1.75	-	32.40	5.91	32.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5755MHz_TX




EUT Y_4TX
Setting 98
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52488G	52.35	74.00	-21.65	38.39	3	Vertical	337	1.93	-	39.61	8.13	33.78
AV	11.50604G	42.29	54.00	-11.71	28.30	3	Vertical	337	1.93	-	39.64	8.13	33.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5755MHz_TX




EUT Y_4TX
Setting 98
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52416G	52.53	74.00	-21.47	38.57	3	Horizontal	155	1.28	-	39.61	8.13	33.78
AV	11.5226G	42.37	54.00	-11.63	28.40	3	Horizontal	155	1.28	-	39.62	8.13	33.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5795MHz_TX




EUT Y_4TX
Setting 98
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	64.12	68.20	-4.08	57.83	3	Vertical	185	2.04	-	34.39	6.90	35.00
PK	5.786G	125.15	Inf	-Inf	119.07	3	Vertical	185	2.04	-	34.30	6.81	35.03
AV	5.787G	112.83	Inf	-Inf	106.75	3	Vertical	185	2.04	-	34.30	6.81	35.03
PK	5.931G	68.09	68.20	-0.11	61.67	3	Vertical	185	2.04	-	34.59	6.87	35.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5795MHz_TX




EUT Y_4TX
Setting 98
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	61.96	68.20	-6.24	55.67	3	Horizontal	139	1.69	-	34.42	6.87	35.00
PK	5.777G	121.96	Inf	-Inf	115.88	3	Horizontal	139	1.69	-	34.30	6.81	35.03
AV	5.777G	109.99	Inf	-Inf	103.91	3	Horizontal	139	1.69	-	34.30	6.81	35.03
PK	5.948G	60.22	68.20	-7.98	53.75	3	Horizontal	139	1.69	-	34.64	6.87	35.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5795MHz_TX




EUT Y_4TX
Setting 98
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5823G	55.45	74.00	-18.55	41.63	3	Vertical	84	1.70	-	38.91	9.70	34.79
AV	11.5905G	42.13	54.00	-11.87	28.31	3	Vertical	84	1.70	-	38.91	9.70	34.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

05/12/2019

5795MHz_TX




EUT Y_4TX
Setting 98
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5911G	55.32	74.00	-18.68	41.50	3	Horizontal	303	1.85	-	38.91	9.70	34.79
AV	11.6026G	42.17	54.00	-11.83	28.35	3	Horizontal	303	1.85	-	38.92	9.70	34.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5210MHz_TX




EUT Y_4TX
Setting 80
03-C-Z-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	70.80	74.00	-3.20	65.13	3	Vertical	38	2.71	-	34.04	6.60	34.97
AV	5.146G	53.14	54.00	-0.86	47.46	3	Vertical	38	2.71	-	34.05	6.60	34.97
PK	5.218G	120.83	Inf	-Inf	114.98	3	Vertical	38	2.71	-	34.14	6.69	34.98
AV	5.218G	109.51	Inf	-Inf	103.66	3	Vertical	38	2.71	-	34.14	6.69	34.98
PK	5.362G	62.78	74.00	-11.22	56.79	3	Vertical	38	2.71	-	34.36	6.62	34.99
AV	5.355G	50.54	54.00	-3.46	44.56	3	Vertical	38	2.71	-	34.35	6.62	34.99

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5210MHz_TX




EUT Y_4TX
Setting 80
03-C-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	64.73	74.00	-9.27	59.07	3	Horizontal	3	1.68	-	34.04	6.59	34.97
AV	5.15G	50.81	54.00	-3.19	45.12	3	Horizontal	3	1.68	-	34.05	6.61	34.97
PK	5.232G	110.75	Inf	-Inf	104.89	3	Horizontal	3	1.68	-	34.16	6.68	34.98
AV	5.23G	97.81	Inf	-Inf	91.94	3	Horizontal	3	1.68	-	34.16	6.69	34.98
PK	5.384G	61.17	74.00	-12.83	55.17	3	Horizontal	3	1.68	-	34.38	6.61	34.99
AV	5.357G	47.80	54.00	-6.20	41.81	3	Horizontal	3	1.68	-	34.36	6.62	34.99

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5210MHz_TX




EUT Y_4TX
Setting 80
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.444G	53.52	68.20	-14.68	40.79	3	Vertical	295	1.71	-	38.39	9.42	35.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5210MHz_TX




EUT Y_4TX
Setting 80
03-C-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.421G	54.13	68.20	-14.07	41.43	3	Horizontal	250	2.57	-	38.38	9.41	35.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5290MHz_TX




EUT Y_4TX
Setting 80
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	59.77	74.00	-14.23	54.01	3	Vertical	24	2.88	-	31.79	5.60	31.63
AV	5.15G	46.85	54.00	-7.15	41.13	3	Vertical	24	2.88	-	31.75	5.60	31.63
PK	5.305G	117.90	Inf	-Inf	112.78	3	Vertical	24	2.88	-	31.12	5.71	31.71
AV	5.304G	105.35	Inf	-Inf	100.24	3	Vertical	24	2.88	-	31.12	5.70	31.71
PK	5.35G	73.91	74.00	-0.09	68.54	3	Vertical	24	2.88	-	31.35	5.75	31.73
AV	5.35G	52.86	54.00	-1.14	47.49	3	Vertical	24	2.88	-	31.35	5.75	31.73
PK	5.53G	59.13	68.20	-9.07	53.41	3	Vertical	24	2.88	-	31.74	5.80	31.82

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5290MHz_TX




EUT Y_4TX
Setting 80
06-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	58.38	74.00	-15.62	52.50	3	Horizontal	131	1.79	-	31.90	5.60	31.62
AV	5.146G	45.44	54.00	-8.56	39.70	3	Horizontal	131	1.79	-	31.77	5.60	31.63
PK	5.288G	111.60	Inf	-Inf	106.46	3	Horizontal	131	1.79	-	31.15	5.69	31.70
AV	5.277G	99.03	Inf	-Inf	93.86	3	Horizontal	131	1.79	-	31.19	5.68	31.70
PK	5.351G	70.12	74.00	-3.88	64.75	3	Horizontal	131	1.79	-	31.36	5.75	31.74
AV	5.351G	50.09	54.00	-3.91	44.72	3	Horizontal	131	1.79	-	31.36	5.75	31.74
PK	5.486G	58.61	68.20	-9.59	52.84	3	Horizontal	131	1.79	-	31.77	5.80	31.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5290MHz_TX




EUT Y_4TX
Setting 80
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88428G	52.90	74.00	-21.10	40.06	3	Vertical	242	1.14	-	37.91	8.71	33.78
AV	15.85734G	42.53	54.00	-11.47	29.59	3	Vertical	242	1.14	-	38.00	8.71	33.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5290MHz_TX




EUT Y_4TX
Setting 80
06-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86238G	52.51	74.00	-21.49	39.60	3	Horizontal	253	2.18	-	37.98	8.71	33.78
AV	15.85692G	42.60	54.00	-11.40	29.66	3	Horizontal	253	2.18	-	38.00	8.71	33.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5530MHz_TX




EUT Y_4TX
Setting 74
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	60.80	68.20	-7.40	54.81	3	Vertical	215	2.33	-	34.34	6.63	34.98
PK	5.458G	65.62	74.00	-8.38	59.46	3	Vertical	215	2.33	-	34.46	6.69	34.99
AV	5.456G	51.10	54.00	-2.90	44.94	3	Vertical	215	2.33	-	34.46	6.69	34.99
PK	5.464G	68.01	68.20	-0.19	61.84	3	Vertical	215	2.33	-	34.46	6.70	34.99
PK	5.564G	119.23	Inf	-Inf	112.94	3	Vertical	215	2.33	-	34.44	6.85	35.00
AV	5.566G	107.23	Inf	-Inf	100.95	3	Vertical	215	2.33	-	34.43	6.85	35.00
PK	5.725G	62.44	68.20	-5.76	56.32	3	Vertical	215	2.33	-	34.30	6.84	35.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5530MHz_TX




EUT Y_4TX
Setting 74
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.289G	59.05	68.20	-9.15	53.09	3	Horizontal	133	1.80	-	34.28	6.66	34.98
PK	5.459G	63.98	74.00	-10.02	57.82	3	Horizontal	133	1.80	-	34.46	6.69	34.99
AV	5.46G	49.47	54.00	-4.53	43.30	3	Horizontal	133	1.80	-	34.46	6.70	34.99
PK	5.47G	65.20	68.20	-3.00	59.01	3	Horizontal	133	1.80	-	34.47	6.71	34.99
PK	5.52G	113.57	Inf	-Inf	107.29	3	Horizontal	133	1.80	-	34.48	6.79	34.99
AV	5.517G	100.74	Inf	-Inf	94.47	3	Horizontal	133	1.80	-	34.48	6.78	34.99
PK	5.739G	59.33	68.20	-8.87	53.22	3	Horizontal	133	1.80	-	34.30	6.83	35.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5530MHz_TX




EUT Y_4TX
Setting 74
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0407G	54.66	74.00	-19.34	41.27	3	Vertical	354	1.05	-	38.53	9.57	34.71
AV	11.0799G	41.40	54.00	-12.60	27.97	3	Vertical	354	1.05	-	38.56	9.58	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5530MHz_TX




EUT Y_4TX
Setting 74
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0558G	55.03	74.00	-18.97	41.63	3	Horizontal	106	2.26	-	38.54	9.57	34.71
AV	11.0723G	41.34	54.00	-12.66	27.92	3	Horizontal	106	2.26	-	38.55	9.58	34.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5610MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.67	74.00	-10.33	57.51	3	Vertical	139	2.41	-	34.46	6.69	34.99
AV	5.457G	50.51	54.00	-3.49	44.35	3	Vertical	139	2.41	-	34.46	6.69	34.99
PK	5.467G	65.00	68.20	-3.20	58.81	3	Vertical	139	2.41	-	34.47	6.71	34.99
PK	5.591G	118.66	Inf	-Inf	112.36	3	Vertical	139	2.41	-	34.41	6.89	35.00
AV	5.595G	106.33	Inf	-Inf	100.03	3	Vertical	139	2.41	-	34.41	6.89	35.00
PK	5.726G	68.05	68.20	-0.15	61.93	3	Vertical	139	2.41	-	34.30	6.84	35.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5610MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	61.13	74.00	-12.87	54.97	3	Horizontal	135	1.45	-	34.46	6.69	34.99
AV	5.458G	47.65	54.00	-6.35	41.49	3	Horizontal	135	1.45	-	34.46	6.69	34.99
PK	5.469G	60.72	68.20	-7.48	54.53	3	Horizontal	135	1.45	-	34.47	6.71	34.99
PK	5.581G	113.71	Inf	-Inf	107.42	3	Horizontal	135	1.45	-	34.42	6.87	35.00
AV	5.617G	101.49	Inf	-Inf	95.22	3	Horizontal	135	1.45	-	34.38	6.89	35.00
PK	5.726G	62.34	68.20	-5.86	56.22	3	Horizontal	135	1.45	-	34.30	6.84	35.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5610MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2302G	54.09	74.00	-19.91	40.55	3	Vertical	218	2.85	-	38.66	9.62	34.74
AV	11.2445G	40.94	54.00	-13.06	27.39	3	Vertical	218	2.85	-	38.67	9.62	34.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5610MHz_TX




EUT Y_4TX
Setting 82
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2047G	54.01	74.00	-19.99	40.49	3	Horizontal	65	1.20	-	38.64	9.61	34.73
AV	11.1967G	40.83	54.00	-13.17	27.31	3	Horizontal	65	1.20	-	38.64	9.61	34.73

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 95
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4404G	60.98	74.00	-13.02	54.87	3	Vertical	222	2.26	-	34.44	6.66	34.99
PK	5.47G	61.23	68.20	-6.97	55.04	3	Vertical	222	2.26	-	34.47	6.71	34.99
AV	5.4596G	48.91	54.00	-5.09	42.74	3	Vertical	222	2.26	-	34.46	6.70	34.99
PK	5.7176G	119.61	Inf	-Inf	113.48	3	Vertical	222	2.26	-	34.30	6.84	35.01
AV	5.7164G	111.17	Inf	-Inf	105.04	3	Vertical	222	2.26	-	34.30	6.84	35.01
PK	5.8532G	68.06	68.20	-0.14	61.86	3	Vertical	222	2.26	-	34.41	6.83	35.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 95
03-C-A-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	60.40	74.00	-13.60	54.26	3	Horizontal	211	1.66	-	34.45	6.68	34.99
AV	5.4536G	47.62	54.00	-6.38	41.47	3	Horizontal	211	1.66	-	34.45	6.69	34.99
PK	5.4656G	60.32	68.20	-7.88	54.14	3	Horizontal	211	1.66	-	34.47	6.70	34.99
PK	5.696G	118.11	Inf	-Inf	111.97	3	Horizontal	211	1.66	-	34.30	6.85	35.01
AV	5.696G	104.98	Inf	-Inf	98.84	3	Horizontal	211	1.66	-	34.30	6.85	35.01
PK	5.8556G	65.31	68.20	-2.89	59.11	3	Horizontal	211	1.66	-	34.41	6.83	35.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 95
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3956G	54.00	74.00	-20.00	40.33	3	Vertical	179	2.26	-	38.78	9.65	34.76
AV	11.3811G	41.07	54.00	-12.93	27.41	3	Vertical	179	2.26	-	38.77	9.65	34.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 95
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3998G	53.89	74.00	-20.11	40.21	3	Horizontal	222	1.06	-	38.78	9.66	34.76	
AV	11.3556G	41.49	54.00	-12.51	27.85	3	Horizontal	222	1.06	-	38.75	9.65	34.76	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5775MHz_TX




EUT Y_4TX
Setting 86
03-C-Z-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	67.96	68.20	-0.24	61.69	3	Vertical	183	2.06	-	34.38	6.89	35.00
PK	5.81G	120.67	Inf	-Inf	114.58	3	Vertical	183	2.06	-	34.32	6.80	35.03
AV	5.811G	109.28	Inf	-Inf	103.18	3	Vertical	183	2.06	-	34.32	6.81	35.03
PK	5.926G	67.94	68.20	-0.26	61.54	3	Vertical	183	2.06	-	34.58	6.86	35.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5775MHz_TX




EUT Y_4TX
Setting 86
03-C-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	64.56	68.20	-3.64	58.29	3	Horizontal	36	1.61	-	34.38	6.89	35.00
PK	5.74G	116.64	Inf	-Inf	110.53	3	Horizontal	36	1.61	-	34.30	6.83	35.02
AV	5.737G	103.43	Inf	-Inf	97.32	3	Horizontal	36	1.61	-	34.30	6.83	35.02
PK	5.928G	59.78	68.20	-8.42	53.38	3	Horizontal	36	1.61	-	34.58	6.86	35.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5775MHz_TX




EUT Y_4TX
Setting 86
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5572G	55.08	74.00	-18.92	41.29	3	Vertical	294	1.10	-	38.89	9.69	34.79
AV	11.5484G	41.75	54.00	-12.25	27.97	3	Vertical	294	1.10	-	38.88	9.69	34.79

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/12/2019

5775MHz_TX




EUT Y_4TX
Setting 86
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5341G	54.44	74.00	-19.56	40.67	3	Horizontal	343	2.95	-	38.87	9.69	34.79
AV	11.5657G	41.73	54.00	-12.27	27.92	3	Horizontal	343	2.95	-	38.90	9.70	34.79

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/12/2019

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 78
03-C-Z-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	68.58	74.00	-5.42	62.93	3	Vertical	38	2.73	-	34.04	6.58	34.97
AV	5.1468G	52.42	54.00	-1.58	46.74	3	Vertical	38	2.73	-	34.05	6.60	34.97
PK	5.2692G	115.08	Inf	-Inf	109.15	3	Vertical	38	2.73	-	34.24	6.67	34.98
AV	5.2668G	103.96	Inf	-Inf	98.04	3	Vertical	38	2.73	-	34.23	6.67	34.98
PK	5.3748G	73.91	74.00	-0.09	67.92	3	Vertical	38	2.73	-	34.37	6.61	34.99
AV	5.3568G	52.09	54.00	-1.91	46.10	3	Vertical	38	2.73	-	34.36	6.62	34.99
PK	5.4756G	63.84	68.20	-4.36	57.63	3	Vertical	38	2.73	-	34.48	6.72	34.99

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/12/2019

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 78
03-C-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1312G	66.62	74.00	-7.38	60.98	3	Horizontal	215	1.51	-	34.03	6.58	34.97
AV	5.1348G	49.02	54.00	-4.98	43.38	3	Horizontal	215	1.51	-	34.03	6.58	34.97
PK	5.2404G	106.58	Inf	-Inf	100.70	3	Horizontal	215	1.51	-	34.18	6.68	34.98
AV	5.244G	94.57	Inf	-Inf	88.68	3	Horizontal	215	1.51	-	34.19	6.68	34.98
PK	5.3676G	68.68	74.00	-5.32	62.68	3	Horizontal	215	1.51	-	34.37	6.62	34.99
AV	5.4528G	47.85	54.00	-6.15	41.71	3	Horizontal	215	1.51	-	34.45	6.68	34.99
PK	5.4732G	60.46	68.20	-7.74	54.26	3	Horizontal	215	1.51	-	34.47	6.72	34.99

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/12/2019

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 78
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5212G	53.77	68.20	-14.43	40.96	3	Vertical	84	2.37	-	38.40	9.44	35.03

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/12/2019

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 78
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5186G	54.48	68.20	-13.72	41.68	3	Horizontal	208	1.69	-	38.40	9.43	35.03

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/12/2019

5570MHz_TX




EUT Y_4TX
Setting 73
03-C-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	60.91	68.20	-7.29	54.93	3	Vertical	218	2.26	-	34.32	6.64	34.98
PK	5.458G	67.15	74.00	-6.85	60.99	3	Vertical	218	2.26	-	34.46	6.69	34.99
AV	5.458G	50.69	54.00	-3.31	44.53	3	Vertical	218	2.26	-	34.46	6.69	34.99
PK	5.466G	68.17	68.20	-0.03	61.98	3	Vertical	218	2.26	-	34.47	6.71	34.99
PK	5.554G	119.19	Inf	-Inf	112.90	3	Vertical	218	2.26	-	34.45	6.84	35.00
AV	5.5684G	102.96	Inf	-Inf	96.67	3	Vertical	218	2.26	-	34.43	6.86	35.00
PK	5.7268G	67.50	68.20	-0.70	61.38	3	Vertical	218	2.26	-	34.30	6.84	35.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/12/2019

5570MHz_TX




EUT Y_4TX
Setting 73
03-C-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2324G	59.30	68.20	-8.90	53.44	3	Horizontal	132	1.85	-	34.16	6.68	34.98
PK	5.4436G	65.32	74.00	-8.68	59.20	3	Horizontal	132	1.85	-	34.44	6.67	34.99
PK	5.4644G	66.58	68.20	-1.62	60.41	3	Horizontal	132	1.85	-	34.46	6.70	34.99
AV	5.4564G	49.36	54.00	-4.64	43.20	3	Horizontal	132	1.85	-	34.46	6.69	34.99
PK	5.5796G	109.73	Inf	-Inf	103.44	3	Horizontal	132	1.85	-	34.42	6.87	35.00
AV	5.5796G	97.41	Inf	-Inf	91.12	3	Horizontal	132	1.85	-	34.42	6.87	35.00
PK	5.762G	66.55	68.20	-1.65	60.45	3	Horizontal	132	1.85	-	34.30	6.82	35.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/12/2019

5570MHz_TX




EUT Y_4TX
Setting 73
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1221G	54.63	74.00	-19.37	41.17	3	Vertical	236	1.75	-	38.59	9.59	34.72
AV	11.1153G	41.22	54.00	-12.78	27.77	3	Vertical	236	1.75	-	38.58	9.59	34.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

05/12/2019

5570MHz_TX



EUT Y_4TX
Setting 73
03-C-A-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1573G	54.76	74.00	-19.24	41.28	3	Horizontal	234	2.92	-	38.61	9.60	34.73
AV	11.1187G	41.25	54.00	-12.75	27.80	3	Horizontal	234	2.92	-	38.58	9.59	34.72


**For Nss2 (Only 5775MHz):****Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	PK	5.64G	67.99	68.20	-0.21	3	Vertical	183	1.68	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

20/01/2020

5775MHz_TX




EUT Y_4TX
Setting 94
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	67.99	68.20	-0.21	62.38	3	Vertical	183	1.68	-	31.64	5.84	31.87
PK	5.771G	116.08	Inf	-Inf	110.06	3	Vertical	183	1.68	-	31.98	5.97	31.93
AV	5.768G	104.28	Inf	-Inf	98.27	3	Vertical	183	1.68	-	31.97	5.96	31.92
PK	5.926G	67.85	68.20	-0.35	61.50	3	Vertical	183	1.68	-	32.40	5.94	31.99

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

20/01/2020

5775MHz_TX




EUT Y_4TX
Setting 94
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	66.10	68.20	-2.10	60.48	3	Horizontal	229	1.80	-	31.65	5.84	31.87
PK	5.77G	112.60	Inf	-Inf	106.58	3	Horizontal	229	1.80	-	31.98	5.97	31.93
AV	5.782G	99.12	Inf	-Inf	93.04	3	Horizontal	229	1.80	-	32.03	5.98	31.93
PK	5.932G	60.98	68.20	-7.22	54.64	3	Horizontal	229	1.80	-	32.40	5.93	31.99

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

20/01/2020

5775MHz_TX




EUT Y_4TX
Setting 94
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55284G	50.88	74.00	-23.12	36.96	3	Vertical	340	1.80	-	39.57	8.14	33.79
AV	11.54996G	38.11	54.00	-15.89	24.18	3	Vertical	340	1.80	-	39.58	8.14	33.79

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


20/01/2020

5775MHz_TX



EUT Y_4TX
Setting 94
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54852G	53.00	74.00	-21.00	39.07	3	Horizontal	313	1.80	-	39.58	8.14	33.79
AV	11.54996G	39.09	54.00	-14.91	25.16	3	Horizontal	313	1.80	-	39.58	8.14	33.79





RSE Co-location Result

Appendix F

