


5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 83
05-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	82.71	88.20	-5.49	75.98	3	Vertical	130	1.90	-	34.20	8.11	35.58			
RMS	5.925G	67.37	68.20	-0.83	60.64	3	Vertical	130	1.90	-	34.20	8.11	35.58			
PK	5.951G	120.11	Inf	-Inf	113.37	3	Vertical	130	1.90	-	34.20	8.13	35.59			
RMS	5.995G	107.83	Inf	-Inf	101.17	3	Vertical	130	1.90	-	34.11	8.16	35.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 83
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96166G	54.67	74.00	-19.33	70.14	3	Vertical	98	1.83	-	38.65	11.05	65.17			
AV	11.9559G	42.59	54.00	-11.41	58.09	3	Vertical	98	1.83	-	38.62	11.05	65.17			
PK	17.96778G	60.00	74.00	-14.00	67.06	3	Vertical	267	1.74	-	42.54	13.35	62.95			
AV	17.95866G	48.10	54.00	-5.90	55.23	3	Vertical	267	1.74	-	42.47	13.34	62.94			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 83
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9733G	54.83	74.00	-19.17	70.26	3	Horizontal	229	1.51	-	38.69	11.06	65.18			
AV	11.95536G	42.56	54.00	-11.44	58.06	3	Horizontal	229	1.51	-	38.62	11.05	65.17			
PK	17.95842G	59.95	74.00	-14.05	67.08	3	Horizontal	31	1.70	-	42.47	13.34	62.94			
AV	17.95842G	48.06	54.00	-5.94	55.19	3	Horizontal	31	1.70	-	42.47	13.34	62.94			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 83
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94G	62.92	83.54	-20.62	57.07	1	Vertical	50.8	1.53	-	38.88	17.38	50.41			
AV	23.94567G	49.19	63.54	-14.35	43.33	1	Vertical	50.8	1.53	-	38.89	17.38	50.41			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 83
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.95152G	55.96	83.54	-27.58	50.07	1	Horizontal	58.7	1.52	-	38.91	17.39	50.41			
AV	23.94888G	43.47	63.54	-20.07	37.60	1	Horizontal	58.7	1.52	-	38.90	17.38	50.41			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44004G	58.58	74.00	-15.42	41.52	3	Vertical	42	1.92	-	38.82	11.22	32.98			
AV	12.4371G	45.55	54.00	-8.45	28.49	3	Vertical	42	1.92	-	38.83	11.22	32.99			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46476G	57.61	74.00	-16.39	40.54	3	Horizontal	350	1.80	-	38.80	11.23	32.96			
AV	12.43596G	45.55	54.00	-8.45	28.49	3	Horizontal	350	1.80	-	38.83	11.22	32.99			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67284G	51.56	83.54	-31.98	49.19	1	Vertical	326	1.76	-	37.71	15.27	50.61			
AV	18.66279G	39.22	63.54	-24.32	36.80	1	Vertical	326	1.76	-	37.75	15.27	50.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6225MHz_TX

EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.66669G	51.70	83.54	-31.84	49.30	1	Horizontal	247	1.74	-	37.73	15.27	50.60			
AV	18.67173G	39.20	63.54	-24.34	36.83	1	Horizontal	247	1.74	-	37.71	15.27	50.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76304G	58.65	88.20	-29.55	41.07	3	Vertical	292	1.72	-	39.53	11.33	33.28			
RMS	12.78308G	45.95	68.20	-22.25	28.34	3	Vertical	292	1.72	-	39.57	11.34	33.30			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7793G	58.12	88.20	-30.08	40.52	3	Horizontal	292	1.68	-	39.56	11.34	33.30			
RMS	12.78332G	45.86	68.20	-22.34	28.26	3	Horizontal	292	1.68	-	39.57	11.34	33.31			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15341G	52.45	83.54	-31.09	50.67	1	Vertical	90	1.55	-	37.72	15.24	51.18			
AV	19.14069G	39.71	63.54	-23.83	37.90	1	Vertical	90	1.55	-	37.74	15.24	51.17			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15494G	52.12	83.54	-31.42	50.34	1	Horizontal	184	1.84	-	37.73	15.24	51.19			
AV	19.15416G	39.55	63.54	-23.99	37.77	1	Horizontal	184	1.84	-	37.72	15.24	51.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25364G	58.58	74.00	-15.42	40.58	3	Vertical	186	1.51	-	39.99	11.50	33.49			
AV	13.25956G	46.53	54.00	-7.47	28.54	3	Vertical	186	1.51	-	39.98	11.50	33.49			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25648G	58.65	74.00	-15.35	40.65	3	Horizontal	209	1.57	-	39.99	11.50	33.49			
AV	13.2629G	46.56	54.00	-7.44	28.57	3	Horizontal	209	1.57	-	39.97	11.51	33.49			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86558G	50.75	83.54	-32.79	49.74	1	Vertical	112	1.70	-	37.69	15.21	51.89			
AV	19.8789G	38.54	63.54	-25.00	37.46	1	Vertical	112	1.70	-	37.77	15.21	51.90			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.88865G	50.33	83.54	-33.21	49.20	1	Horizontal	56	1.68	-	37.83	15.21	51.91			
AV	19.86894G	38.55	63.54	-24.99	37.53	1	Horizontal	56	1.68	-	37.71	15.21	51.90			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40502G	59.25	88.20	-28.95	40.84	3	Vertical	95	1.85	-	40.29	11.55	33.43			
RMS	13.40442G	46.47	68.20	-21.73	28.06	3	Vertical	95	1.85	-	40.29	11.55	33.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4028G	58.53	88.20	-29.67	40.12	3	Horizontal	334	1.67	-	40.29	11.55	33.43			
RMS	13.41512G	46.63	68.20	-21.57	28.23	3	Horizontal	334	1.67	-	40.27	11.56	33.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1114G	50.87	83.54	-32.67	49.75	1	Vertical	16	1.58	-	37.83	15.29	52.00			
AV	20.12979G	38.59	63.54	-24.95	37.57	1	Vertical	16	1.58	-	37.72	15.30	52.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.12649G	51.22	83.54	-32.32	50.18	1	Horizontal	190	1.46	-	37.74	15.30	52.00			
AV	20.11194G	38.49	63.54	-25.05	37.37	1	Horizontal	190	1.46	-	37.83	15.29	52.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.55782G	58.89	88.20	-29.31	40.12	3	Vertical	24	1.76	-	40.57	11.61	33.41			
RMS	13.5715G	46.76	68.20	-21.44	28.05	3	Vertical	24	1.76	-	40.51	11.61	33.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.576G	59.28	88.20	-28.92	40.58	3	Horizontal	3	1.61	-	40.50	11.61	33.41			
RMS	13.57084G	46.70	68.20	-21.50	27.98	3	Horizontal	3	1.61	-	40.52	11.61	33.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34291G	52.13	83.54	-31.41	50.55	1	Vertical	173	1.56	-	38.11	15.47	52.00			
AV	20.34888G	39.08	63.54	-24.46	37.50	1	Vertical	173	1.56	-	38.10	15.48	52.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34171G	51.83	83.54	-31.71	50.24	1	Horizontal	144	1.57	-	38.12	15.47	52.00			
AV	20.34444G	39.20	63.54	-24.34	37.61	1	Horizontal	144	1.57	-	38.11	15.48	52.00			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 84
05-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	80.31	88.20	-7.89	73.58	3	Vertical	80	1.79	-	34.20	8.11	35.58			
RMS	5.925G	68.08	68.20	-0.12	61.35	3	Vertical	80	1.79	-	34.20	8.11	35.58			
PK	6.0458G	116.91	Inf	-Inf	110.16	3	Vertical	80	1.79	-	34.10	8.17	35.52			
RMS	6.0386G	105.73	Inf	-Inf	98.99	3	Vertical	80	1.79	-	34.10	8.17	35.53			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 84
05-H-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04328G	57.04	74.00	-16.96	40.47	3	Vertical	4	1.72	-	38.89	11.08	33.40			
AV	12.0485G	45.06	54.00	-8.94	28.47	3	Vertical	4	1.72	-	38.90	11.09	33.40			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 84
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04844G	57.04	74.00	-16.96	40.45	3	Horizontal	93	1.61	-	38.90	11.09	33.40			
AV	12.05006G	44.99	54.00	-9.01	28.40	3	Horizontal	93	1.61	-	38.90	11.09	33.40			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 84
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08901G	62.75	83.54	-20.79	59.63	1	Vertical	68.6	1.56	-	37.56	15.30	49.74			
AV	18.08916G	50.19	63.54	-13.35	47.07	1	Vertical	68.6	1.56	-	37.56	15.30	49.74			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 84
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08922G	62.60	83.54	-20.94	59.48	1	Horizontal	45.7	1.51	-	37.56	15.30	49.74			
AV	18.08964G	47.49	63.54	-16.05	44.37	1	Horizontal	45.7	1.51	-	37.56	15.30	49.74			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38116G	57.91	74.00	-16.09	40.86	3	Vertical	143	1.06	-	38.90	11.20	33.05			
AV	12.38206G	45.58	54.00	-8.42	28.53	3	Vertical	143	1.06	-	38.90	11.20	33.05			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3742G	57.70	74.00	-16.30	40.65	3	Horizontal	313	1.80	-	38.90	11.20	33.05			
AV	12.38386G	45.61	54.00	-8.39	28.55	3	Horizontal	313	1.80	-	38.90	11.20	33.04			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5466G	61.79	83.54	-21.75	59.27	1	Vertical	270	1.68	-	37.71	15.27	50.46			
AV	18.54459G	49.78	63.54	-13.76	47.24	1	Vertical	270	1.68	-	37.72	15.27	50.45			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54072G	62.62	83.54	-20.92	60.06	1	Horizontal	174	1.70	-	37.74	15.27	50.45			
AV	18.54549G	49.83	63.54	-13.71	47.29	1	Horizontal	174	1.70	-	37.72	15.27	50.45			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68664G	57.54	74.00	-16.46	40.03	3	Vertical	322	1.73	-	39.37	11.31	33.17			
AV	12.67512G	45.57	54.00	-8.43	28.08	3	Vertical	322	1.73	-	39.35	11.30	33.16			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.6864G	57.73	74.00	-16.27	40.22	3	Horizontal	338	1.73	-	39.37	11.31	33.17			
AV	12.67518G	45.57	54.00	-8.43	28.08	3	Horizontal	338	1.73	-	39.35	11.30	33.16			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03113G	61.28	83.54	-22.26	59.17	1	Vertical	201	1.51	-	37.90	15.25	51.04			
AV	19.02222G	49.56	63.54	-13.98	47.44	1	Vertical	201	1.51	-	37.90	15.25	51.03			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0377G	62.30	83.54	-21.24	60.20	1	Horizontal	35	1.85	-	37.90	15.25	51.05			
AV	19.02648G	48.58	63.54	-14.96	46.46	1	Horizontal	35	1.85	-	37.90	15.25	51.03			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32802G	58.90	74.00	-15.10	40.82	3	Vertical	13	1.83	-	40.01	11.53	33.46			
AV	13.3351G	46.62	54.00	-7.38	28.51	3	Vertical	13	1.83	-	40.04	11.53	33.46			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33906G	58.39	74.00	-15.61	40.26	3	Horizontal	102	1.74	-	40.06	11.53	33.46			
AV	13.34212G	46.49	54.00	-7.51	28.35	3	Horizontal	102	1.74	-	40.07	11.53	33.46			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.98819G	60.89	83.54	-22.65	59.88	1	Vertical	136	1.61	-	37.80	15.20	51.99			
AV	19.99953G	50.40	63.54	-13.14	49.40	1	Vertical	136	1.61	-	37.80	15.20	52.00			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99965G	60.69	83.54	-22.85	59.69	1	Horizontal	226	1.44	-	37.80	15.20	52.00			
AV	19.99962G	48.40	63.54	-15.14	47.40	1	Horizontal	226	1.44	-	37.80	15.20	52.00			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 87
05-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4202G	57.38	74.00	-16.62	52.39	3	Vertical	215	1.77	-	32.86	7.57	35.44			
AV	5.4042G	48.60	54.00	-5.40	43.61	3	Vertical	215	1.77	-	32.89	7.55	35.45			
PK	5.9226G	82.93	88.20	-5.27	76.20	3	Vertical	215	1.77	-	34.20	8.11	35.58			
RMS	5.9242G	67.89	68.20	-0.31	61.16	3	Vertical	215	1.77	-	34.20	8.11	35.58			
PK	6.2138G	112.54	Inf	-Inf	105.14	3	Vertical	215	1.77	-	34.36	8.23	35.19			
RMS	6.2074G	102.74	Inf	-Inf	95.38	3	Vertical	215	1.77	-	34.33	8.23	35.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 87
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2094G	56.34	74.00	-17.66	39.53	3	Vertical	152	1.85	-	38.90	11.14	33.23			
AV	12.198G	44.95	54.00	-9.05	28.15	3	Vertical	152	1.85	-	38.90	11.14	33.24			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 87
05-H-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1983G	56.23	74.00	-17.77	39.43	3	Horizontal	199	1.47	-	38.90	11.14	33.24			
AV	12.19812G	44.88	54.00	-9.12	28.08	3	Horizontal	199	1.47	-	38.90	11.14	33.24			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 87
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.318G	57.66	83.54	-25.88	54.99	1	Vertical	100.5	1.60	-	37.50	15.28	50.11			
AV	18.32928G	44.72	63.54	-18.82	42.07	1	Vertical	100.5	1.60	-	37.50	15.28	50.13			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT_Z_4TX
Setting 87
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.30903G	55.18	83.54	-28.36	52.49	1	Horizontal	67.9	1.51	-	37.50	15.28	50.09			
AV	18.32397G	41.79	63.54	-21.75	39.13	1	Horizontal	67.9	1.51	-	37.50	15.28	50.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6265MHz_TX

EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.51818G	57.42	74.00	-16.58	40.27	3	Vertical	90	1.69	-	38.84	11.25	32.94			
AV	12.5153G	45.51	54.00	-8.49	28.37	3	Vertical	90	1.69	-	38.83	11.25	32.94			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5423G	57.74	74.00	-16.26	40.58	3	Horizontal	-0	2.68	-	38.88	11.26	32.98			
AV	12.51536G	45.35	54.00	-8.65	28.21	3	Horizontal	-0	2.68	-	38.83	11.25	32.94			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6265MHz_TX

EUT_Z_4TX
Setting 103
05-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.78087G	56.31	83.54	-27.23	53.99	1	Vertical	255	1.42	-	37.80	15.26	50.74			
AV	18.79299G	44.82	63.54	-18.72	42.51	1	Vertical	255	1.42	-	37.80	15.26	50.75			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX

EUT_Z_4TX
Setting 103
05-H-E-2


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.78369G	57.00	83.54	-26.54	54.68	1	Horizontal	108	1.85	-	37.80	15.26	50.74			
AV	18.78936G	45.00	63.54	-18.54	42.69	1	Horizontal	108	1.85	-	37.80	15.26	50.75			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

08/03/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.418349G	7.48	6.4002G	-16.44	-12.76	-3.68	1
6.420324G	7.76	6.399125G	-16.34	-12.43	-3.91	2
6.409726G	8.11	6.3946G	-17.34	-12.85	-4.49	3
6.411351G	8.00	6.39805G	-16.00	-12.13	-3.87	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

09/03/2024

CF (Hz)
6.595G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.601123G	7.92	6.57285G	-20.55	-12.32	-8.23	1
6.590776G	7.65	6.5717G	-22.45	-12.35	-10.10	2
6.588377G	7.73	6.618475G	-24.02	-12.34	-11.68	3
6.599824G	7.11	6.574675G	-20.99	-12.95	-8.04	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6735MHz_TX

09/03/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

09/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

08/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

09/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6725MHz_TX

09/03/2024

CF (Hz)
6.725G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.738197G	7.45	6.75755G	-18.93	-13.07	-5.86	1
6.736147G	7.54	6.6951G	-20.31	-13.30	-7.01	2
6.739196G	7.04	6.79295G	-38.03	-32.96	-5.07	3
6.727399G	6.87	6.6878G	-25.19	-17.75	-7.44	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

09/03/2024

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.841051G	7.49	6.8039G	-22.03	-12.70	-9.33	1
6.849099G	7.31	6.8029G	-20.72	-13.06	-7.66	2
6.8465G	7.08	6.80555G	-20.75	-13.20	-7.55	3
6.849049G	7.01	6.80955G	-19.98	-13.38	-6.60	4


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

08/03/2024

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9939G	4.89	6.1061G	-40.61	-34.91	-5.70	1
5.9998G	4.44	6.1041G	-40.19	-35.25	-4.94	2
6.0012G	4.69	6.1023G	-39.74	-34.18	-5.56	3
5.995G	4.80	6.1067G	-40.10	-35.20	-4.90	4


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

08/03/2024

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2154G	7.11	6.1482G	-23.31	-17.57	-5.74	1
6.2119G	8.08	6.1614G	-17.97	-12.20	-5.77	2
6.2119G	7.41	6.29G	-18.29	-14.34	-3.95	3
6.2132G	7.30	6.1286G	-27.41	-25.51	-1.90	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

08/03/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

09/03/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

09/03/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

09/03/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

08/03/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08379G	6.58	6.2858G	-38.23	-33.42	-4.81	1
6.00021G	6.89	6.1292G	-18.86	-14.23	-4.63	2
6.08419G	6.13	6.1348G	-22.78	-14.31	-8.47	3
6.10098G	6.15	6.3014G	-39.86	-33.49	-6.37	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

08/03/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21119G	7.43	6.048G	-19.12	-12.68	-6.44	1
6.15521G	7.43	6.338G	-20.94	-12.62	-8.32	2
6.20819G	7.13	6.0514G	-19.01	-12.89	-6.12	3
6.21159G	7.00	6.0294G	-22.86	-17.32	-5.54	4


Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

08/03/2024




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

09/03/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

09/03/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

5955MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6195MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6415MHz_TX

08/03/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409726G	7.47	6.39835G	-18.51	-12.76	-5.75	1
6.411351G	7.63	6.395825G	-19.28	-12.40	-6.88	2
6.411201G	8.01	6.39145G	-20.44	-12.01	-8.43	3
6.417G	7.75	6.3936G	-20.70	-12.39	-8.31	4


6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6595MHz_TX

09/03/2024

CF (Hz)
6.595G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60099G	11.37	6.5703G	-17.46	-8.64	-8.82	1
6.597649G	11.16	6.570725G	-17.09	-8.84	-8.25	2
6.599474G	11.00	6.619875G	-19.15	-9.00	-10.15	3
6.597424G	10.68	6.57265G	-15.39	-9.55	-5.84	4

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6735MHz_TX

09/03/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6855MHz_TX

09/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

5965MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6205MHz_TX

08/03/2024



5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6405MHz_TX

08/03/2024

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.387304G	10.45	6.3664G	-15.95	-9.57	-6.38	1
6.396452G	10.99	6.36545G	-13.71	-8.91	-4.80	2
6.399701G	11.11	6.36155G	-12.68	-9.08	-3.60	3
6.391303G	10.76	6.36515G	-14.19	-9.46	-4.73	4

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6605MHz_TX

09/03/2024

CF (Hz)
6.605G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.621646G	12.17	6.5546G	-15.13	-7.84	-7.29	1
6.610849G	11.96	6.6571G	-16.90	-8.20	-8.70	2
6.608199G	12.00	6.6547G	-16.73	-8.24	-8.49	3
6.620596G	11.66	6.6525G	-16.18	-8.35	-7.83	4

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6725MHz_TX

09/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6845MHz_TX

09/03/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

5985MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6225MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6385MHz_TX

08/03/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6625MHz_TX

09/03/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6705MHz_TX

09/03/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6785MHz_TX

09/03/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6025MHz_TX

08/03/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6185MHz_TX

09/03/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6345MHz_TX

09/03/2024

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6665MHz_TX

09/03/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

MASK

6105MHz_TX

09/03/2024



5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

MASK

6265MHz_TX

09/03/2024

