


5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 98
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91112G	55.13	74.00	-18.87	48.87	3	Horizontal	94	2.26	-	38.72	10.77	43.23			
AV	11.91472G	41.18	54.00	-12.82	34.91	3	Horizontal	94	2.26	-	38.73	10.77	43.23			
PK	17.86988G	61.47	74.00	-12.53	41.77	3	Horizontal	112	1.80	-	47.58	13.51	41.39			
AV	17.87252G	48.05	54.00	-5.95	28.26	3	Horizontal	112	1.80	-	47.67	13.51	41.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 98
02-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.817G	52.72	83.54	-30.82	43.55	1	Vertical	185	2.04	-	39.00	17.35	47.18			
AV	23.81792G	39.08	63.54	-24.46	29.92	1	Vertical	185	2.04	-	38.99	17.35	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 98
02-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.818G	52.73	83.54	-30.81	43.57	1	Horizontal	178	2.36	-	38.99	17.35	47.18			
AV	23.8124G	39.03	63.54	-24.51	29.84	1	Horizontal	178	2.36	-	39.03	17.34	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3894G	56.05	74.00	-17.95	49.31	3	Vertical	207	2.04	-	38.92	10.99	43.17			
AV	12.38616G	42.19	54.00	-11.81	35.44	3	Vertical	207	2.04	-	38.93	10.99	43.17			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38932G	57.03	74.00	-16.97	50.29	3	Horizontal	202	2.13	-	38.92	10.99	43.17			
AV	12.39074G	42.30	54.00	-11.70	35.56	3	Horizontal	202	2.13	-	38.92	10.99	43.17			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59418G	63.45	83.54	-20.09	60.10	1	Vertical	174	2.03	-	37.70	15.27	49.62			
AV	18.59748G	45.00	63.54	-18.54	41.64	1	Vertical	174	2.03	-	37.70	15.27	49.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59964G	66.66	83.54	-16.88	63.30	1	Horizontal	27	2.08	-	37.70	15.27	49.61			
AV	18.59784G	47.87	63.54	-15.67	44.51	1	Horizontal	27	2.08	-	37.70	15.27	49.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8322G	56.21	88.20	-31.99	48.48	3	Vertical	122	1.04	-	39.36	11.19	42.82			
RMS	12.83014G	42.24	68.20	-25.96	34.51	3	Vertical	122	1.04	-	39.36	11.19	42.82			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82906G	55.59	88.20	-32.61	47.86	3	Horizontal	127	2.70	-	39.36	11.19	42.82			
RMS	12.83426G	42.15	68.20	-26.05	34.41	3	Horizontal	127	2.70	-	39.37	11.19	42.82			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24176G	66.64	83.54	-16.90	62.98	1	Vertical	39	1.99	-	37.92	15.24	49.50			
AV	19.23468G	44.29	63.54	-19.25	40.62	1	Vertical	39	1.99	-	37.93	15.24	49.50			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2303G	68.72	83.54	-14.82	65.04	1	Horizontal	275	1.14	-	37.94	15.24	49.50			
AV	19.23414G	45.32	63.54	-18.22	41.65	1	Horizontal	275	1.14	-	37.93	15.24	49.50			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0692G	56.32	88.20	-31.88	48.29	3	Vertical	124	1.46	-	39.40	11.30	42.67			
RMS	13.07498G	43.19	68.20	-25.01	35.16	3	Vertical	124	1.46	-	39.40	11.30	42.67			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07246G	56.37	88.20	-31.83	48.34	3	Horizontal	324	1.46	-	39.40	11.30	42.67			
RMS	13.066G	43.14	68.20	-25.06	35.10	3	Horizontal	324	1.46	-	39.40	11.30	42.66			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59516G	67.89	83.54	-15.65	64.44	1	Vertical	138	1.88	-	37.83	15.22	49.60			
AV	19.61856G	44.87	63.54	-18.67	41.32	1	Vertical	138	1.88	-	37.91	15.22	49.58			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59138G	68.49	83.54	-15.05	65.03	1	Horizontal	69	1.20	-	37.85	15.22	49.61			
AV	19.6041G	44.84	63.54	-18.70	41.39	1	Horizontal	69	1.20	-	37.82	15.22	49.59			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39362G	58.36	74.00	-15.64	49.39	3	Vertical	342	1.73	-	40.27	11.44	42.74			
AV	13.3875G	44.49	54.00	-9.51	35.54	3	Vertical	342	1.73	-	40.25	11.44	42.74			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39333G	58.56	74.00	-15.44	49.59	3	Horizontal	222	1.51	-	40.27	11.44	42.74			
AV	13.39362G	44.45	54.00	-9.55	35.48	3	Horizontal	222	1.51	-	40.27	11.44	42.74			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09796G	69.89	83.54	-13.65	65.96	1	Vertical	224	2.37	-	37.89	15.28	49.24			
AV	20.08254G	45.59	63.54	-17.95	41.74	1	Vertical	224	2.37	-	37.83	15.27	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0739G	68.70	83.54	-14.84	64.89	1	Horizontal	337	1.83	-	37.80	15.26	49.25			
AV	20.07228G	44.63	63.54	-18.91	40.83	1	Horizontal	337	1.83	-	37.79	15.26	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
02-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70854G	62.12	88.20	-26.08	43.94	3	Vertical	316	1.20	-	40.93	9.53	32.28			
RMS	13.7087G	48.34	68.20	-19.86	30.16	3	Vertical	316	1.20	-	40.93	9.53	32.28			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71434G	61.71	88.20	-26.49	43.49	3	Horizontal	134	1.40	-	40.96	9.54	32.28			
RMS	13.717G	48.35	68.20	-19.85	30.12	3	Horizontal	134	1.40	-	40.97	9.54	32.28			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 108
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55672G	49.79	83.54	-33.75	45.34	1	Vertical	131	1.42	-	37.91	15.65	49.11			
AV	20.5556G	36.63	63.54	-26.91	32.19	1	Vertical	131	1.42	-	37.91	15.64	49.11			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 108
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56514G	49.68	83.54	-33.86	45.21	1	Horizontal	45	1.42	-	37.93	15.65	49.11			
AV	20.55866G	36.57	63.54	-26.97	32.11	1	Horizontal	45	1.42	-	37.92	15.65	49.11			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 85
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	81.20	88.20	-7.00	72.81	3	Vertical	69	1.43	-	32.55	7.44	31.60			
RMS	5.9244G	67.83	68.20	-0.37	59.44	3	Vertical	69	1.43	-	32.55	7.44	31.60			
PK	5.951G	118.64	Inf	-Inf	110.19	3	Vertical	69	1.43	-	32.60	7.45	31.60			
RMS	5.9704G	107.75	Inf	-Inf	99.34	3	Vertical	69	1.43	-	32.56	7.46	31.61			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 85
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	84.10	88.20	-4.10	75.71	3	Horizontal	208	1.62	-	32.55	7.44	31.60			
RMS	5.9246G	67.22	68.20	-0.98	58.83	3	Horizontal	208	1.62	-	32.55	7.44	31.60			
PK	5.9806G	117.91	Inf	-Inf	109.52	3	Horizontal	208	1.62	-	32.54	7.46	31.61			
RMS	5.9678G	106.48	Inf	-Inf	98.07	3	Horizontal	208	1.62	-	32.56	7.46	31.61			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 85
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92872G	54.87	74.00	-19.13	48.56	3	Vertical	201	1.05	-	38.76	10.78	43.23			
AV	11.93442G	41.46	54.00	-12.54	35.14	3	Vertical	201	1.05	-	38.77	10.78	43.23			
PK	17.89732G	62.23	74.00	-11.77	41.55	3	Vertical	319	2.50	-	48.51	13.52	41.35			
AV	17.905G	48.80	54.00	-5.20	27.86	3	Vertical	319	2.50	-	48.75	13.53	41.34			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 85
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92708G	55.01	74.00	-18.99	48.71	3	Horizontal	72	2.00	-	38.75	10.78	43.23			
AV	11.9339G	41.55	54.00	-12.45	35.23	3	Horizontal	72	2.00	-	38.77	10.78	43.23			
PK	17.89672G	61.87	74.00	-12.13	41.21	3	Horizontal	260	1.52	-	48.49	13.52	41.35			
AV	17.90336G	48.93	54.00	-5.07	28.04	3	Horizontal	260	1.52	-	48.70	13.53	41.34			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 85
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85256G	52.58	83.54	-30.96	43.58	1	Vertical	133	1.19	-	38.80	17.36	47.16			
AV	23.86754G	39.05	63.54	-24.49	30.05	1	Vertical	133	1.19	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 85
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85938G	53.49	83.54	-30.05	44.49	1	Horizontal	312	1.00	-	38.80	17.36	47.16			
AV	23.85664G	39.21	63.54	-24.33	30.21	1	Horizontal	312	1.00	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40924G	55.25	74.00	-18.75	48.57	3	Vertical	224	1.43	-	38.84	11.00	43.16			
AV	12.41414G	41.64	54.00	-12.36	34.98	3	Vertical	224	1.43	-	38.82	11.00	43.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40848G	55.61	74.00	-18.39	48.92	3	Horizontal	110	2.31	-	38.85	11.00	43.16			
AV	12.40598G	41.64	54.00	-12.36	34.95	3	Horizontal	110	2.31	-	38.86	10.99	43.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.62136G	67.93	83.54	-15.61	64.52	1	Vertical	177	2.43	-	37.74	15.27	49.60			
AV	18.60972G	45.76	63.54	-17.78	42.38	1	Vertical	177	2.43	-	37.72	15.27	49.61			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61146G	67.67	83.54	-15.87	64.28	1	Horizontal	113	2.74	-	37.72	15.27	49.60			
AV	18.60198G	44.70	63.54	-18.84	41.34	1	Horizontal	113	2.74	-	37.70	15.27	49.61			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81242G	55.63	88.20	-32.57	47.97	3	Vertical	132	1.02	-	39.32	11.18	42.84			
RMS	12.81288G	41.77	68.20	-26.43	34.10	3	Vertical	132	1.02	-	39.33	11.18	42.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80886G	56.11	88.20	-32.09	48.45	3	Horizontal	286	1.58	-	39.32	11.18	42.84			
RMS	12.81202G	41.64	68.20	-26.56	33.98	3	Horizontal	286	1.58	-	39.32	11.18	42.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX



EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22268G	64.61	83.54	-18.93	60.91	1	Vertical	183	1.23	-	37.95	15.24	49.49			
AV	19.21164G	47.67	63.54	-15.87	43.93	1	Vertical	183	1.23	-	37.98	15.24	49.48			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.20888G	66.45	83.54	-17.09	62.71	1	Horizontal	63	2.64	-	37.98	15.24	49.48			
AV	19.22016G	45.15	63.54	-18.39	41.44	1	Horizontal	63	2.64	-	37.96	15.24	49.49			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13352G	56.88	88.20	-31.32	48.63	3	Vertical	287	2.09	-	39.60	11.33	42.68			
RMS	13.13316G	43.31	68.20	-24.89	35.06	3	Vertical	287	2.09	-	39.60	11.33	42.68			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13246G	57.66	88.20	-30.54	49.42	3	Horizontal	257	2.88	-	39.59	11.33	42.68			
RMS	13.13392G	43.30	68.20	-24.90	35.05	3	Horizontal	257	2.88	-	39.60	11.33	42.68			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70766G	68.68	83.54	-14.86	65.16	1	Vertical	309	1.18	-	37.82	15.21	49.51			
AV	19.707G	44.87	63.54	-18.67	41.36	1	Vertical	309	1.18	-	37.81	15.21	49.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7013G	67.02	83.54	-16.52	63.52	1	Horizontal	42	2.93	-	37.80	15.21	49.51			
AV	19.68378G	45.24	63.54	-18.30	41.65	1	Horizontal	42	2.93	-	37.90	15.22	49.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3673G	58.39	74.00	-15.61	49.52	3	Vertical	40	2.41	-	40.17	11.43	42.73			
AV	13.37178G	44.41	54.00	-9.59	35.52	3	Vertical	40	2.41	-	40.19	11.43	42.73			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36526G	57.79	74.00	-16.21	48.93	3	Horizontal	297	1.00	-	40.16	11.43	42.73			
AV	13.37198G	44.33	54.00	-9.67	35.44	3	Horizontal	297	1.00	-	40.19	11.43	42.73			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06592G	67.53	83.54	-16.01	63.77	1	Vertical	208	2.57	-	37.76	15.25	49.25			
AV	20.0442G	44.51	63.54	-19.03	40.82	1	Vertical	208	2.57	-	37.71	15.24	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06508G	66.57	83.54	-16.97	62.81	1	Horizontal	27	2.88	-	37.76	15.25	49.25			
AV	20.06862G	45.47	63.54	-18.07	41.70	1	Horizontal	27	2.88	-	37.77	15.25	49.25			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 108
02-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.69646G	61.41	88.20	-26.79	43.27	3	Vertical	190	1.63	-	40.89	9.53	32.28				
RMS	13.69922G	48.28	68.20	-19.92	30.13	3	Vertical	190	1.63	-	40.90	9.53	32.28				

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
02-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69636G	61.70	88.20	-26.50	43.56	3	Horizontal	347	1.57	-	40.89	9.53	32.28			
RMS	13.69788G	48.24	68.20	-19.96	30.10	3	Horizontal	347	1.57	-	40.89	9.53	32.28			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54296G	49.63	83.54	-33.91	45.26	1	Vertical	325	1.59	-	37.86	15.63	49.12			
AV	20.54204G	36.40	63.54	-27.14	32.04	1	Vertical	325	1.59	-	37.85	15.63	49.12			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 108
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5418G	50.05	83.54	-33.49	45.69	1	Horizontal	290	2.23	-	37.85	15.63	49.12			
AV	20.54126G	36.64	63.54	-26.90	32.28	1	Horizontal	290	2.23	-	37.85	15.63	49.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 87
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9114G	82.30	88.20	-5.90	73.95	3	Vertical	288	1.64	-	32.52	7.43	31.60			
AV	5.9238G	67.07	68.20	-1.13	58.68	3	Vertical	288	1.64	-	32.55	7.44	31.60			
PK	5.9794G	115.45	Inf	-Inf	107.06	3	Vertical	288	1.64	-	32.54	7.46	31.61			
AV	5.9738G	104.94	Inf	-Inf	96.54	3	Vertical	288	1.64	-	32.55	7.46	31.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 87
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	80.30	88.20	-7.90	71.91	3	Horizontal	221	1.74	-	32.55	7.44	31.60			
AV	5.925G	67.47	68.20	-0.73	59.08	3	Horizontal	221	1.74	-	32.55	7.44	31.60			
PK	5.9714G	114.50	Inf	-Inf	106.09	3	Horizontal	221	1.74	-	32.56	7.46	31.61			
AV	5.9698G	104.36	Inf	-Inf	95.95	3	Horizontal	221	1.74	-	32.56	7.46	31.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 87
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9713G	55.02	74.00	-18.98	48.51	3	Vertical	268	2.98	-	38.93	10.80	43.22			
AV	11.966G	41.98	54.00	-12.02	35.52	3	Vertical	268	2.98	-	38.90	10.79	43.23			
PK	17.96396G	64.75	74.00	-9.25	41.60	3	Vertical	357	2.20	-	50.85	13.55	41.25			
AV	17.96472G	51.52	54.00	-2.48	28.33	3	Vertical	357	2.20	-	50.89	13.55	41.25			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 87
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96514G	55.26	74.00	-18.74	48.81	3	Horizontal	91	1.25	-	38.89	10.79	43.23			
AV	11.97048G	42.02	54.00	-11.98	35.52	3	Horizontal	91	1.25	-	38.92	10.80	43.22			
PK	17.962G	64.71	74.00	-9.29	41.66	3	Horizontal	251	1.81	-	50.75	13.55	41.25			
AV	17.96408G	51.89	54.00	-2.11	28.73	3	Horizontal	251	1.81	-	50.86	13.55	41.25			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 87
02-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94958G	53.35	83.54	-30.19	44.19	1	Vertical	359	1.84	-	38.90	17.38	47.12			
AV	23.94174G	39.94	63.54	-23.60	30.80	1	Vertical	359	1.84	-	38.88	17.38	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 87
02-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94712G	52.40	83.54	-31.14	43.25	1	Horizontal	35	1.68	-	38.89	17.38	47.12			
AV	23.9323G	39.84	63.54	-23.70	30.72	1	Horizontal	35	1.68	-	38.86	17.38	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44936G	54.19	74.00	-19.81	47.74	3	Vertical	171	2.01	-	38.60	11.01	43.16			
AV	12.44586G	41.52	54.00	-12.48	35.05	3	Vertical	171	2.01	-	38.62	11.01	43.16			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44926G	54.12	74.00	-19.88	47.67	3	Horizontal	290	2.60	-	38.60	11.01	43.16			
AV	12.44518G	41.55	54.00	-12.45	35.07	3	Horizontal	290	2.60	-	38.63	11.01	43.16			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.66582G	67.66	83.54	-15.88	64.22	1	Vertical	176	3.00	-	37.74	15.27	49.57			
AV	18.67698G	45.15	63.54	-18.39	41.75	1	Vertical	176	3.00	-	37.69	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.66498G	67.99	83.54	-15.55	64.55	1	Horizontal	219	1.15	-	37.74	15.27	49.57			
AV	18.6804G	45.20	63.54	-18.34	41.81	1	Horizontal	219	1.15	-	37.68	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.769G	55.27	88.20	-32.93	47.88	3	Vertical	164	2.77	-	39.11	11.16	42.88			
RMS	12.76884G	42.25	68.20	-25.95	34.86	3	Vertical	164	2.77	-	39.11	11.16	42.88			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76834G	54.84	88.20	-33.36	47.45	3	Horizontal	88	1.42	-	39.11	11.16	42.88			
RMS	12.771G	42.14	68.20	-26.06	34.73	3	Horizontal	88	1.42	-	39.13	11.16	42.88			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1592G	68.21	83.54	-15.33	64.66	1	Vertical	115	1.64	-	37.76	15.24	49.45			
AV	19.1673G	45.30	63.54	-18.24	41.71	1	Vertical	115	1.64	-	37.80	15.24	49.45			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.16244G	67.85	83.54	-15.69	64.29	1	Horizontal	272	2.84	-	37.77	15.24	49.45			
AV	19.16256G	45.40	63.54	-18.14	41.83	1	Horizontal	272	2.84	-	37.78	15.24	49.45			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2451G	56.91	88.20	-31.29	48.44	3	Vertical	244	2.17	-	39.79	11.38	42.70			
RMS	13.2477G	43.75	68.20	-24.45	35.27	3	Vertical	244	2.17	-	39.80	11.38	42.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6625MHz_TX

EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24924G	56.98	88.20	-31.22	48.50	3	Horizontal	28	2.54	-	39.80	11.38	42.70			
RMS	13.24744G	43.81	68.20	-24.39	35.34	3	Horizontal	28	2.54	-	39.79	11.38	42.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87698G	68.81	83.54	-14.73	65.21	1	Vertical	115	1.33	-	37.76	15.21	49.37			
AV	19.87308G	46.16	63.54	-17.38	42.58	1	Vertical	115	1.33	-	37.74	15.21	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87098G	69.08	83.54	-14.46	65.52	1	Horizontal	337	2.21	-	37.73	15.21	49.38			
AV	19.88868G	46.26	63.54	-17.28	42.58	1	Horizontal	337	2.21	-	37.83	15.21	49.36			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40876G	57.92	88.20	-30.28	48.91	3	Vertical	349	1.85	-	40.30	11.45	42.74			
RMS	13.41076G	44.94	68.20	-23.26	35.93	3	Vertical	349	1.85	-	40.30	11.45	42.74			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41436G	58.12	88.20	-30.08	49.11	3	Horizontal	94	2.66	-	40.30	11.45	42.74			
RMS	13.41168G	44.93	68.20	-23.27	35.92	3	Horizontal	94	2.66	-	40.30	11.45	42.74			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11578G	67.79	83.54	-15.75	63.93	1	Vertical	224	2.94	-	37.81	15.29	49.24			
AV	20.11392G	46.12	63.54	-17.42	42.25	1	Vertical	224	2.94	-	37.82	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10462G	68.93	83.54	-14.61	65.02	1	Horizontal	316	1.44	-	37.87	15.28	49.24			
AV	20.11344G	45.83	63.54	-17.71	41.96	1	Horizontal	316	1.44	-	37.82	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57338G	57.37	88.20	-30.83	48.01	3	Vertical	231	2.36	-	40.55	11.53	42.72			
RMS	13.56538G	44.71	68.20	-23.49	35.34	3	Vertical	231	2.36	-	40.57	11.52	42.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56832G	57.85	88.20	-30.35	48.49	3	Horizontal	149	2.26	-	40.56	11.52	42.72			
RMS	13.56816G	44.60	68.20	-23.60	35.24	3	Horizontal	149	2.26	-	40.56	11.52	42.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX



EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.36214G	68.33	83.54	-15.21	63.94	1	Vertical	320	2.27	-	38.08	15.49	49.18			
AV	20.35692G	47.89	63.54	-15.65	43.49	1	Vertical	320	2.27	-	38.09	15.49	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34318G	67.28	83.54	-16.26	62.88	1	Horizontal	245	1.44	-	38.11	15.47	49.18			
AV	20.35764G	46.83	63.54	-16.71	42.44	1	Horizontal	245	1.44	-	38.08	15.49	49.18			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 90
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	79.28	88.20	-8.92	70.90	3	Vertical	94.9	1.45	-	32.54	7.44	31.60			
RMS	5.9242G	67.80	68.20	-0.40	59.41	3	Vertical	94.9	1.45	-	32.55	7.44	31.60			
PK	6.0874G	113.59	Inf	-Inf	104.87	3	Vertical	94.9	1.45	-	32.60	7.54	31.42			
RMS	6.0442G	103.56	Inf	-Inf	94.97	3	Vertical	94.9	1.45	-	32.59	7.51	31.51			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 90
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	77.93	88.20	-10.27	69.56	3	Horizontal	211	1.89	-	32.53	7.44	31.60			
RMS	5.925G	66.89	68.20	-1.31	58.50	3	Horizontal	211	1.89	-	32.55	7.44	31.60			
PK	6.081G	112.44	Inf	-Inf	103.74	3	Horizontal	211	1.89	-	32.60	7.53	31.43			
RMS	6.0586G	102.04	Inf	-Inf	93.40	3	Horizontal	211	1.89	-	32.60	7.52	31.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 90
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04578G	55.30	74.00	-18.70	48.49	3	Vertical	326	2.19	-	39.19	10.83	43.21			
AV	12.05384G	41.81	54.00	-12.19	34.98	3	Vertical	326	2.19	-	39.21	10.83	43.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 90
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05042G	55.17	74.00	-18.83	48.35	3	Horizontal	30	2.66	-	39.20	10.83	43.21			
AV	12.0477G	41.80	54.00	-12.20	34.98	3	Horizontal	30	2.66	-	39.20	10.83	43.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 90
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0657G	67.65	83.54	-15.89	64.36	1	Vertical	203	2.08	-	37.46	15.30	49.47			
AV	18.08952G	45.74	63.54	-17.80	42.36	1	Vertical	203	2.08	-	37.56	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 90
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08988G	68.13	83.54	-15.41	64.75	1	Horizontal	343	1.99	-	37.56	15.30	49.48			
AV	18.06156G	44.54	63.54	-19.00	41.26	1	Horizontal	343	1.99	-	37.45	15.30	49.47			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36872G	55.63	74.00	-18.37	48.86	3	Vertical	198	2.28	-	38.96	10.98	43.17			
AV	12.37344G	41.95	54.00	-12.05	35.19	3	Vertical	198	2.28	-	38.95	10.98	43.17			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37102G	55.15	74.00	-18.85	48.38	3	Horizontal	130	1.80	-	38.96	10.98	43.17			
AV	12.37494G	42.01	54.00	-11.99	35.25	3	Horizontal	130	1.80	-	38.95	10.98	43.17			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5646G	66.81	83.54	-16.73	63.48	1	Vertical	71	2.20	-	37.70	15.27	49.64			
AV	18.54738G	45.46	63.54	-18.08	42.13	1	Vertical	71	2.20	-	37.71	15.27	49.65			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5436G	67.81	83.54	-15.73	64.46	1	Horizontal	98	1.54	-	37.73	15.27	49.65			
AV	18.5436G	45.04	63.54	-18.50	41.69	1	Horizontal	98	1.54	-	37.73	15.27	49.65			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69492G	55.65	74.00	-18.35	48.57	3	Vertical	331	2.10	-	38.91	11.13	42.96			
AV	12.68644G	41.70	54.00	-12.30	34.61	3	Vertical	331	2.10	-	38.93	11.12	42.96			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.6905G	55.44	74.00	-18.56	48.36	3	Horizontal	57	1.48	-	38.92	11.12	42.96			
AV	12.68658G	41.66	54.00	-12.34	34.57	3	Horizontal	57	1.48	-	38.93	11.12	42.96			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03536G	68.43	83.54	-15.11	64.64	1	Vertical	263	1.80	-	37.90	15.25	49.36			
AV	19.04802G	45.05	63.54	-18.49	41.27	1	Vertical	263	1.80	-	37.90	15.25	49.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03764G	67.59	83.54	-15.95	63.81	1	Horizontal	60	2.56	-	37.90	15.25	49.37			
AV	19.04916G	44.99	63.54	-18.55	41.21	1	Horizontal	60	2.56	-	37.90	15.25	49.37			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32772G	58.22	74.00	-15.78	49.52	3	Vertical	200	2.53	-	40.01	11.41	42.72			
AV	13.32904G	44.09	54.00	-9.91	35.38	3	Vertical	200	2.53	-	40.02	11.41	42.72			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33426G	58.15	74.00	-15.85	49.41	3	Horizontal	37	1.99	-	40.04	11.42	42.72			
AV	13.32756G	44.11	54.00	-9.89	35.41	3	Horizontal	37	1.99	-	40.01	11.41	42.72			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 108
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9821G	68.99	83.54	-14.55	65.27	1	Vertical	98	1.90	-	37.80	15.20	49.28			
AV	19.98624G	44.18	63.54	-19.36	40.46	1	Vertical	98	1.90	-	37.80	15.20	49.28			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00148G	67.24	83.54	-16.30	63.51	1	Horizontal	324	1.65	-	37.80	15.20	49.27			
AV	20.00364G	45.24	63.54	-18.30	41.52	1	Horizontal	324	1.65	-	37.79	15.20	49.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 93
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	79.87	88.20	-8.33	71.49	3	Vertical	80.8	1.40	-	32.54	7.44	31.60			
RMS	5.925G	67.85	68.20	-0.35	59.46	3	Vertical	80.8	1.40	-	32.55	7.44	31.60			
PK	6.2042G	110.86	Inf	-Inf	101.38	3	Vertical	80.8	1.40	-	33.01	7.63	31.16			
RMS	6.2098G	102.28	Inf	-Inf	92.78	3	Vertical	80.8	1.40	-	33.02	7.63	31.15			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 93
06-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	81.09	88.20	-7.11	72.70	3	Horizontal	220.2	1.72	-	32.55	7.44	31.60			
RMS	5.9242G	68.06	68.20	-0.14	59.67	3	Horizontal	220.2	1.72	-	32.55	7.44	31.60			
PK	6.1914G	111.32	Inf	-Inf	101.94	3	Horizontal	220.2	1.72	-	32.95	7.62	31.19			
RMS	6.149G	101.34	Inf	-Inf	92.33	3	Horizontal	220.2	1.72	-	32.70	7.59	31.28			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 93
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20806G	55.00	74.00	-19.00	48.29	3	Vertical	250	2.09	-	39.00	10.90	43.19			
AV	12.21144G	42.34	54.00	-11.66	35.62	3	Vertical	250	2.09	-	39.00	10.91	43.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX



EUT_V_4TX
Setting 93
06-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20814G	54.81	74.00	-19.19	48.10	3	Horizontal	258	1.11	-	39.00	10.90	43.19			
AV	12.2109G	42.31	54.00	-11.69	35.59	3	Horizontal	258	1.11	-	39.00	10.91	43.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 93
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.30744G	67.63	83.54	-15.91	64.44	1	Vertical	279	2.44	-	37.50	15.28	49.59			
AV	18.31128G	45.18	63.54	-18.36	41.99	1	Vertical	279	2.44	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 93
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.30276G	66.88	83.54	-16.66	63.69	1	Horizontal	99	1.76	-	37.50	15.28	49.59			
AV	18.32784G	45.69	63.54	-17.85	42.51	1	Horizontal	99	1.76	-	37.50	15.28	49.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.528G	54.90	74.00	-19.10	48.41	3	Vertical	6	1.17	-	38.56	11.05	43.12			
AV	12.52926G	41.55	54.00	-12.45	35.06	3	Vertical	6	1.17	-	38.56	11.05	43.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 108
06-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53354G	54.05	74.00	-19.95	47.55	3	Horizontal	52	1.71	-	38.57	11.05	43.12			
AV	12.5263G	41.82	54.00	-12.18	35.34	3	Horizontal	52	1.71	-	38.55	11.05	43.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79758G	68.01	83.54	-15.53	64.43	1	Vertical	222	3.00	-	37.80	15.26	49.48			
AV	18.78726G	44.52	63.54	-19.02	40.94	1	Vertical	222	3.00	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX



EUT_V_4TX
Setting 108
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.7815G	68.37	83.54	-15.17	64.80	1	Horizontal	196	2.80	-	37.80	15.26	49.49			
AV	18.79584G	45.52	63.54	-18.02	41.94	1	Horizontal	196	2.80	-	37.80	15.26	49.48			


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

5955MHz_TX

07/06/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.955825G	8.86	5.97425G	-21.80	-11.44	-10.36	1
5.960549G	7.66	5.9709G	-21.56	-12.72	-8.84	2
5.961223G	8.53	5.975525G	-22.26	-11.49	-10.77	3
5.960349G	7.77	5.972225G	-21.25	-12.30	-8.95	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6195MHz_TX

07/06/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.191851G	7.51	6.226875G	-38.91	-32.34	-6.57	1
6.198699G	6.35	6.22675G	-43.28	-33.65	-9.63	2
6.198949G	7.76	6.180575G	-21.83	-13.42	-8.41	3
6.199949G	6.63	6.22645G	-41.27	-32.74	-8.53	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6415MHz_TX

07/06/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.414325G	8.05	6.39935G	-22.54	-13.15	-9.39	1
6.417474G	5.93	6.401825G	-25.22	-14.37	-10.85	2
6.4137G	6.63	6.432475G	-24.99	-14.34	-10.65	3
6.4162G	7.41	6.432475G	-24.66	-14.14	-10.52	4


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6535MHz_TX

07/06/2024

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.541198G	7.13	6.56715G	-41.47	-32.66	-8.81	1
6.542123G	5.85	6.5656G	-44.69	-32.31	-12.38	2
6.532476G	7.09	6.56445G	-40.50	-30.91	-9.59	3
6.537799G	6.17	6.56595G	-43.06	-33.00	-10.06	4


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6695MHz_TX

07/06/2024

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697424G	7.32	6.67875G	-22.99	-12.98	-10.01	1
6.691451G	5.62	6.6809G	-26.09	-16.60	-9.49	2
6.702423G	7.28	6.70935G	-21.38	-12.88	-8.50	3
6.69335G	6.19	6.679175G	-24.22	-14.81	-9.41	4


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6855MHz_TX

07/06/2024

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.848952G	6.84	6.839G	-22.90	-13.38	-9.52	1
6.857724G	5.61	6.839625G	-25.98	-16.75	-9.23	2
6.852101G	6.61	6.83955G	-23.03	-14.94	-8.09	3
6.857399G	6.22	6.839075G	-25.03	-13.90	-11.13	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

07/06/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

07/06/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

07/06/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422473G	7.03	6.43165G	-23.92	-13.91	-10.01	1
6.412726G	5.17	6.44735G	-41.96	-34.56	-7.40	2
6.419499G	5.90	6.396525G	-25.40	-14.81	-10.59	3
6.421173G	6.16	6.4469G	-38.35	-33.84	-4.51	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

07/06/2024

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.539874G	6.94	6.56525G	-36.87	-30.91	-5.96	1
6.538649G	5.38	6.567175G	-44.26	-34.44	-9.82	2
6.542498G	6.61	6.566475G	-40.11	-32.61	-7.50	3
6.527477G	5.40	6.568525G	-43.09	-34.60	-8.49	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

07/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

07/06/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

07/06/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

07/06/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.420046G	8.26	6.32455G	-39.79	-31.74	-8.05	1
6.4039G	6.95	6.35815G	-29.98	-24.98	-5.00	2
6.398152G	7.45	6.37315G	-20.71	-14.31	-6.40	3
6.402001G	8.26	6.37055G	-20.63	-12.89	-7.74	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

07/06/2024

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.552553G	7.63	6.6258G	-37.11	-32.22	-4.89	1
6.552603G	6.77	6.6278G	-40.97	-33.23	-7.74	2
6.552953G	7.40	6.62395G	-37.17	-31.36	-5.81	3
6.551503G	6.67	6.6274G	-40.13	-33.33	-6.80	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

07/06/2024

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688749G	7.58	6.64965G	-23.99	-16.03	-7.96	1
6.669054G	6.39	6.6468G	-28.69	-20.12	-8.57	2
6.690499G	7.48	6.649G	-23.62	-17.01	-6.61	3
6.671603G	6.81	6.6434G	-27.80	-21.99	-5.81	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

07/06/2024

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.840151G	7.47	6.80655G	-24.26	-19.39	-4.87	1
6.840001G	6.51	6.8053G	-26.28	-20.77	-5.51	2
6.848249G	7.57	6.80875G	-22.69	-16.13	-6.56	3
6.851748G	7.01	6.80745G	-25.33	-18.79	-6.54	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

07/06/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

07/06/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

07/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

07/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

07/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

07/06/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

07/06/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04859G	5.95	6.2684G	-36.89	-33.64	-3.25	1
6.05179G	4.90	6.2684G	-39.59	-34.89	-4.70	2
6.08279G	5.68	6.2706G	-38.04	-34.24	-3.80	3
6.08798G	4.71	6.2684G	-39.70	-35.08	-4.62	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

07/06/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24578G	8.24	6.4596G	-35.05	-31.51	-3.54	1
6.21339G	7.04	6.4332G	-36.79	-32.96	-3.83	2
6.16281G	7.68	6.0388G	-22.82	-14.55	-8.27	3
6.24339G	7.00	6.4806G	-37.67	-33.00	-4.67	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

07/06/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

07/06/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

5955MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6195MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6415MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6535MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6695MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6855MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

5965MHz_TX

08/06/2024

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.968349G	4.52	6.02425G	-41.46	-34.70	-6.76	1
5.971448G	4.24	6.02605G	-42.75	-35.76	-6.99	2
5.960001G	4.47	6.024G	-40.69	-34.51	-6.18	3
5.971248G	4.14	6.02425G	-42.11	-35.08	-7.03	4


5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6205MHz_TX

08/06/2024

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198852G	10.15	6.2383G	-16.63	-9.95	-6.68	1
6.218347G	8.37	6.2675G	-34.23	-31.63	-2.60	2
6.216197G	9.41	6.23945G	-18.11	-10.69	-7.42	3
6.222846G	8.46	6.2401G	-22.41	-12.09	-10.32	4

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6405MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6565MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6685MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6845MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

5985MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6225MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6385MHz_TX

08/06/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3973G	12.24	6.3021G	-14.51	-7.79	-6.72	1
6.3811G	10.76	6.294G	-18.82	-9.37	-9.45	2
6.3703G	11.58	6.2986G	-14.84	-8.55	-6.29	3
6.3704G	11.85	6.2921G	-19.27	-8.27	-11.00	4


6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6625MHz_TX

08/06/2024

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6375G	9.78	6.5517G	-18.45	-10.30	-8.15	1
6.6356G	8.06	6.5616G	-20.48	-12.75	-7.73	2
6.6134G	9.53	6.5504G	-17.55	-10.47	-7.08	3
6.6126G	8.48	6.5508G	-18.52	-12.57	-5.95	4

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6705MHz_TX

08/06/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6785MHz_TX

08/06/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6025MHz_TX

08/06/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08818G	6.10	6.271G	-36.54	-33.90	-2.64	1
6.05139G	5.43	6.2666G	-38.53	-34.00	-4.53	2
6.05219G	5.86	6.268G	-37.19	-33.77	-3.42	3
6.045G	5.20	6.2686G	-38.14	-34.80	-3.34	4


5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6185MHz_TX

08/06/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24578G	11.61	6.3336G	-15.19	-8.45	-6.74	1
6.21059G	10.03	6.0352G	-19.07	-10.62	-8.45	2
6.16381G	11.22	6.0168G	-16.66	-8.78	-7.88	3
6.24658G	10.22	6.0376G	-16.06	-9.96	-6.10	4


5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6345MHz_TX

08/06/2024

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31881G	7.84	6.2026G	-20.21	-12.58	-7.63	1
6.28561G	7.11	6.2058G	-21.22	-12.97	-8.25	2
6.28242G	7.92	6.1958G	-18.50	-12.23	-6.27	3
6.28262G	7.33	6.6354G	-38.20	-32.19	-6.01	4


6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6665MHz_TX

08/06/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69239G	9.46	6.509G	-17.93	-10.79	-7.14	1
6.60601G	7.97	6.5454G	-18.38	-12.57	-5.81	2
6.63861G	10.06	6.4998G	-16.63	-10.02	-6.61	3
6.60402G	8.74	6.5214G	-16.34	-11.35	-4.99	4

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

MASK

6105MHz_TX

08/06/2024



5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

MASK

6265MHz_TX

08/06/2024

