


5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 70
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.459G	67.45	74.00	-6.55	57.13	3	Vertical	262.6	2.17	-	33.92	7.15	30.75			
AV	5.4592G	47.85	54.00	-6.15	37.52	3	Vertical	262.6	2.17	-	33.92	7.16	30.75			
PK	5.4692G	67.02	68.20	-1.18	56.64	3	Vertical	262.6	2.17	-	33.94	7.19	30.75			
PK	5.5018G	110.89	Inf	-Inf	100.32	3	Vertical	262.6	2.17	-	34.00	7.30	30.73			
AV	5.4946G	97.99	Inf	-Inf	87.46	3	Vertical	262.6	2.17	-	33.99	7.27	30.73			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 70
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4374G	59.64	74.00	-14.36	49.43	3	Horizontal	34	2.06	-	33.90	7.08	30.77			
AV	5.4382G	47.41	54.00	-6.59	37.18	3	Horizontal	34	2.06	-	33.90	7.09	30.76			
PK	5.4678G	63.95	68.20	-4.25	53.58	3	Horizontal	34	2.06	-	33.94	7.18	30.75			
PK	5.5226G	102.73	Inf	-Inf	92.04	3	Horizontal	34	2.06	-	34.05	7.36	30.72			
AV	5.5034G	90.53	Inf	-Inf	79.95	3	Horizontal	34	2.06	-	34.01	7.30	30.73			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 70
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02396G	57.16	74.00	-16.84	37.74	3	Vertical	275	1.68	-	38.45	11.46	30.49			
AV	11.0328G	43.80	54.00	-10.20	24.36	3	Vertical	275	1.68	-	38.47	11.47	30.50			
PK	16.52452G	59.63	68.20	-8.57	40.61	3	Vertical	154	2.19	-	38.95	12.12	32.05			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 70
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02932G	56.56	74.00	-17.44	37.13	3	Horizontal	77	2.84	-	38.46	11.46	30.49			
AV	11.03964G	43.91	54.00	-10.09	24.46	3	Horizontal	77	2.84	-	38.48	11.47	30.50			
PK	16.532G	59.48	68.20	-8.72	40.42	3	Horizontal	74	2.78	-	38.99	12.12	32.05			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 97
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4558G	65.27	74.00	-8.73	54.97	3	Vertical	126	1.80	-	33.91	7.14	30.75			
AV	5.4594G	49.69	54.00	-4.31	39.36	3	Vertical	126	1.80	-	33.92	7.16	30.75			
PK	5.4678G	66.60	68.20	-1.60	56.23	3	Vertical	126	1.80	-	33.94	7.18	30.75			
PK	5.5461G	115.04	Inf	-Inf	104.23	3	Vertical	126	1.80	-	34.09	7.44	30.72			
AV	5.5377G	102.77	Inf	-Inf	92.00	3	Vertical	126	1.80	-	34.08	7.41	30.72			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 97
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4114G	61.02	74.00	-12.98	50.90	3	Horizontal	33	2.18	-	33.90	7.00	30.78			
PK	5.4663G	60.63	68.20	-7.57	50.27	3	Horizontal	33	2.18	-	33.93	7.18	30.75			
AV	5.4573G	47.93	54.00	-6.07	37.62	3	Horizontal	33	2.18	-	33.91	7.15	30.75			
PK	5.5371G	107.08	Inf	-Inf	96.32	3	Horizontal	33	2.18	-	34.07	7.41	30.72			
AV	5.5455G	93.96	Inf	-Inf	83.15	3	Horizontal	33	2.18	-	34.09	7.44	30.72			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 97
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08876G	57.41	74.00	-16.59	37.85	3	Vertical	73	2.97	-	38.58	11.50	30.52			
AV	11.10588G	44.15	54.00	-9.85	24.58	3	Vertical	73	2.97	-	38.59	11.51	30.53			
PK	16.64252G	63.53	68.20	-4.67	43.66	3	Vertical	323	1.05	-	39.76	12.18	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
Setting 97
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0958G	57.44	74.00	-16.56	37.86	3	Horizontal	160	2.50	-	38.59	11.51	30.52			
AV	11.08784G	44.11	54.00	-9.89	24.55	3	Horizontal	160	2.50	-	38.58	11.50	30.52			
PK	16.66448G	61.55	68.20	-6.65	41.60	3	Horizontal	179	2.96	-	39.83	12.19	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 80
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6586G	113.97	Inf	-Inf	102.99	3	Vertical	80	2.62	-	34.00	7.67	30.69			
AV	5.6523G	101.19	Inf	-Inf	90.21	3	Vertical	80	2.62	-	34.00	7.67	30.69			
PK	5.7435G	66.99	68.20	-1.21	55.91	3	Vertical	80	2.62	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 80
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6577G	104.64	Inf	-Inf	93.66	3	Horizontal	39	1.98	-	34.00	7.67	30.69			
AV	5.6757G	91.99	Inf	-Inf	80.99	3	Horizontal	39	1.98	-	34.00	7.69	30.69			
PK	5.7438G	63.00	68.20	-5.20	51.92	3	Horizontal	39	1.98	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 80
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34268G	57.47	74.00	-16.53	37.76	3	Vertical	98	1.07	-	38.69	11.66	30.64			
AV	11.35464G	44.49	54.00	-9.51	24.76	3	Vertical	98	1.07	-	38.70	11.67	30.64			
PK	17.00276G	62.25	68.20	-5.95	40.81	3	Vertical	61	1.93	-	41.21	12.35	32.12			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 80
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35448G	57.55	74.00	-16.45	37.82	3	Horizontal	148	2.25	-	38.70	11.67	30.64			
AV	11.35728G	44.45	54.00	-9.55	24.72	3	Horizontal	148	2.25	-	38.70	11.67	30.64			
PK	17.01288G	63.10	68.20	-5.10	41.64	3	Horizontal	150	2.86	-	41.23	12.35	32.12			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7112G	116.72	Inf	-Inf	105.68	3	Vertical	91.1	2.94	-	34.00	7.72	30.68			
AV	5.7076G	105.12	Inf	-Inf	94.08	3	Vertical	91.1	2.94	-	34.00	7.72	30.68			
PK	5.858G	63.34	68.20	-4.86	52.21	3	Vertical	91.1	2.94	-	33.93	7.84	30.64			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7208G	108.91	Inf	-Inf	97.86	3	Horizontal	355	2.36	-	34.00	7.73	30.68			
AV	5.7076G	96.24	Inf	-Inf	85.20	3	Horizontal	355	2.36	-	34.00	7.72	30.68			
PK	5.9068G	60.43	68.20	-7.77	49.08	3	Horizontal	355	2.36	-	34.11	7.87	30.63			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 106
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43208G	57.82	74.00	-16.18	38.02	3	Vertical	91	2.26	-	38.76	11.72	30.68			
AV	11.4016G	44.54	54.00	-9.46	24.80	3	Vertical	91	2.26	-	38.70	11.70	30.66			
PK	17.13204G	65.87	68.20	-2.33	44.10	3	Vertical	327	1.00	-	41.53	12.41	32.17			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 106
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43264G	57.72	74.00	-16.28	37.91	3	Horizontal	146	2.14	-	38.77	11.72	30.68			
AV	11.40784G	44.50	54.00	-9.50	24.75	3	Horizontal	146	2.14	-	38.72	11.70	30.67			
PK	17.11996G	62.24	68.20	-5.96	40.52	3	Horizontal	67	1.57	-	41.48	12.40	32.16			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6455G	64.67	68.20	-3.53	53.71	3	Vertical	68.9	1.78	-	34.00	7.66	30.70			
PK	5.7475G	119.02	Inf	-Inf	107.94	3	Vertical	68.9	1.78	-	34.00	7.75	30.67			
AV	5.7505G	105.73	Inf	-Inf	94.64	3	Vertical	68.9	1.78	-	34.00	7.76	30.67			
PK	5.931G	63.70	68.20	-4.50	52.28	3	Vertical	68.9	1.78	-	34.16	7.89	30.63			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.554G	61.61	68.20	-6.59	50.77	3	Horizontal	28.8	1.89	-	34.09	7.47	30.72			
PK	5.7385G	106.29	Inf	-Inf	95.22	3	Horizontal	28.8	1.89	-	34.00	7.74	30.67			
AV	5.738G	94.95	Inf	-Inf	83.88	3	Horizontal	28.8	1.89	-	34.00	7.74	30.67			
PK	5.9805G	61.55	68.20	-6.65	49.98	3	Horizontal	28.8	1.89	-	34.26	7.92	30.61			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 90
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49364G	58.04	74.00	-15.96	38.02	3	Vertical	290	1.04	-	38.97	11.76	30.71			
AV	11.52856G	44.59	54.00	-9.41	24.48	3	Vertical	290	1.04	-	39.06	11.78	30.73			
PK	17.26208G	65.94	68.20	-2.26	43.48	3	Vertical	322	1.03	-	42.20	12.47	32.21			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 90
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51912G	57.24	74.00	-16.76	37.16	3	Horizontal	181	2.60	-	39.04	11.77	30.73			
AV	11.5168G	44.50	54.00	-9.50	24.42	3	Horizontal	181	2.60	-	39.03	11.77	30.72			
PK	17.26092G	63.24	68.20	-4.96	40.79	3	Horizontal	4	2.61	-	42.19	12.47	32.21			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 106
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.632G	62.83	68.20	-5.37	51.88	3	Vertical	88	2.53	-	34.00	7.65	30.70				
PK	5.777G	116.75	Inf	-Inf	105.63	3	Vertical	88	2.53	-	34.00	7.78	30.66				
AV	5.777G	105.05	Inf	-Inf	93.93	3	Vertical	88	2.53	-	34.00	7.78	30.66				
PK	5.9375G	66.54	68.20	-1.66	55.09	3	Vertical	88	2.53	-	34.18	7.89	30.62				

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 106
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.62G	60.84	68.20	-7.36	49.90	3	Horizontal	105	2.20	-	34.00	7.64	30.70			
PK	5.807G	107.01	Inf	-Inf	95.88	3	Horizontal	105	2.20	-	33.99	7.80	30.66			
AV	5.8085G	95.92	Inf	-Inf	84.79	3	Horizontal	105	2.20	-	33.98	7.81	30.66			
PK	6.0005G	61.36	68.20	-6.84	49.74	3	Horizontal	105	2.20	-	34.30	7.93	30.61			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 88
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57904G	58.14	74.00	-15.86	37.95	3	Vertical	258	1.11	-	39.16	11.81	30.78			
AV	11.57876G	44.68	54.00	-9.32	24.49	3	Vertical	258	1.11	-	39.16	11.81	30.78			
PK	17.36752G	66.11	68.20	-2.09	42.87	3	Vertical	320	1.07	-	42.97	12.52	32.25			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 88
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59304G	58.01	74.00	-15.99	37.79	3	Horizontal	207	1.65	-	39.19	11.82	30.79			
AV	11.59364G	44.69	54.00	-9.31	24.47	3	Horizontal	207	1.65	-	39.19	11.82	30.79			
PK	17.40264G	64.91	68.20	-3.29	41.51	3	Horizontal	297	1.12	-	43.12	12.54	32.26			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 77
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1348G	72.07	74.00	-1.93	62.46	3	Vertical	357.8	1.99	-	33.57	6.97	30.93			
AV	5.1444G	50.79	54.00	-3.21	41.16	3	Vertical	357.8	1.99	-	33.59	6.97	30.93			
PK	5.184G	111.04	Inf	-Inf	101.28	3	Vertical	357.8	1.99	-	33.67	7.00	30.91			
AV	5.1964G	95.29	Inf	-Inf	85.49	3	Vertical	357.8	1.99	-	33.69	7.01	30.90			
PK	5.3796G	60.09	74.00	-13.91	50.02	3	Vertical	357.8	1.99	-	33.90	6.97	30.80			
AV	5.4036G	47.51	54.00	-6.49	37.42	3	Vertical	357.8	1.99	-	33.90	6.97	30.78			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 77
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1212G	63.46	74.00	-10.54	53.90	3	Horizontal	18.9	2.14	-	33.54	6.96	30.94			
AV	5.1444G	47.93	54.00	-6.07	38.30	3	Horizontal	18.9	2.14	-	33.59	6.97	30.93			
PK	5.1808G	102.87	Inf	-Inf	93.12	3	Horizontal	18.9	2.14	-	33.66	7.00	30.91			
AV	5.1768G	89.00	Inf	-Inf	79.27	3	Horizontal	18.9	2.14	-	33.65	6.99	30.91			
PK	5.3828G	59.81	74.00	-14.19	49.75	3	Horizontal	18.9	2.14	-	33.90	6.96	30.80			
AV	5.4056G	47.23	54.00	-6.77	37.13	3	Horizontal	18.9	2.14	-	33.90	6.98	30.78			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 77
02-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42608G	56.91	68.20	-11.29	38.09	3	Vertical	306	1.80	-	38.25	11.08	30.51			
PK	15.64016G	59.69	74.00	-14.31	42.12	3	Vertical	295	1.88	-	37.72	11.85	32.00			
AV	15.64592G	46.60	54.00	-7.40	29.04	3	Vertical	295	1.88	-	37.71	11.85	32.00			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 77
02-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43192G	57.52	68.20	-10.68	38.71	3	Horizontal	116	1.77	-	38.24	11.08	30.51			
PK	15.61036G	60.26	74.00	-13.74	42.61	3	Horizontal	333	1.80	-	37.78	11.85	31.98			
AV	15.64656G	47.02	54.00	-6.98	29.46	3	Horizontal	333	1.80	-	37.71	11.85	32.00			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 77
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1036G	59.54	74.00	-14.46	50.03	3	Vertical	135	1.80	-	33.51	6.95	30.95			
AV	5.106G	46.97	54.00	-7.03	37.46	3	Vertical	135	1.80	-	33.51	6.95	30.95			
PK	5.298G	107.98	Inf	-Inf	98.03	3	Vertical	135	1.80	-	33.80	6.99	30.84			
AV	5.2644G	96.83	Inf	-Inf	86.97	3	Vertical	135	1.80	-	33.73	6.99	30.86			
PK	5.3508G	68.80	74.00	-5.20	58.74	3	Vertical	135	1.80	-	33.90	6.97	30.81			
AV	5.3528G	52.58	54.00	-1.42	42.52	3	Vertical	135	1.80	-	33.90	6.97	30.81			
PK	5.484G	60.28	68.20	-7.92	49.81	3	Vertical	135	1.80	-	33.97	7.24	30.74			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 77
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1312G	59.14	74.00	-14.86	49.55	3	Horizontal	29	1.80	-	33.56	6.97	30.94			
AV	5.1476G	46.60	54.00	-7.40	36.95	3	Horizontal	29	1.80	-	33.60	6.98	30.93			
PK	5.2592G	100.72	Inf	-Inf	90.86	3	Horizontal	29	1.80	-	33.72	7.00	30.86			
AV	5.298G	86.41	Inf	-Inf	76.46	3	Horizontal	29	1.80	-	33.80	6.99	30.84			
PK	5.3588G	66.90	74.00	-7.10	56.84	3	Horizontal	29	1.80	-	33.90	6.97	30.81			
AV	5.35G	49.22	54.00	-4.78	39.16	3	Horizontal	29	1.80	-	33.90	6.97	30.81			
PK	5.4756G	59.42	68.20	-8.78	49.00	3	Horizontal	29	1.80	-	33.95	7.21	30.74			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 77
02-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.564G	57.81	68.20	-10.39	38.80	3	Vertical	112	1.75	-	38.33	11.17	30.49			
PK	15.885G	59.01	74.00	-14.99	41.67	3	Vertical	190	1.80	-	37.64	11.86	32.16			
AV	15.8666G	45.95	54.00	-8.05	28.66	3	Vertical	190	1.80	-	37.57	11.86	32.14			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Y_2TX
Setting 77
02-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57896G	57.43	68.20	-10.77	38.38	3	Horizontal	11	2.76	-	38.36	11.18	30.49			
PK	15.87856G	59.56	74.00	-14.44	42.24	3	Horizontal	163	1.80	-	37.61	11.86	32.15			
AV	15.87276G	46.05	54.00	-7.95	28.75	3	Horizontal	163	1.80	-	37.59	11.86	32.15			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 72
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3428G	59.29	68.20	-8.91	49.25	3	Vertical	87	1.99	-	33.89	6.97	30.82
AV	5.35G	47.11	54.00	-6.89	37.05	3	Vertical	87	1.99	-	33.90	6.97	30.81
PK	5.46G	65.45	74.00	-8.55	55.12	3	Vertical	87	1.99	-	33.92	7.16	30.75
AV	5.46G	48.62	54.00	-5.38	38.29	3	Vertical	87	1.99	-	33.92	7.16	30.75
PK	5.4688G	66.72	68.20	-1.48	56.34	3	Vertical	87	1.99	-	33.94	7.19	30.75
PK	5.5196G	108.05	Inf	-Inf	97.39	3	Vertical	87	1.99	-	34.04	7.35	30.73
AV	5.5256G	94.90	Inf	-Inf	84.20	3	Vertical	87	1.99	-	34.05	7.37	30.72
PK	5.7288G	61.80	68.20	-6.40	50.74	3	Vertical	87	1.99	-	34.00	7.74	30.68

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 72
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3464G	58.65	68.20	-9.55	48.61	3	Horizontal	35	2.01	-	33.89	6.97	30.82			
AV	5.35G	46.75	54.00	-7.25	36.69	3	Horizontal	35	2.01	-	33.90	6.97	30.81			
PK	5.3944G	59.87	74.00	-14.13	49.80	3	Horizontal	35	2.01	-	33.90	6.96	30.79			
PK	5.4696G	60.92	68.20	-7.28	50.54	3	Horizontal	35	2.01	-	33.94	7.19	30.75			
AV	5.4596G	47.43	54.00	-6.57	37.10	3	Horizontal	35	2.01	-	33.92	7.16	30.75			
PK	5.4924G	102.04	Inf	-Inf	91.53	3	Horizontal	35	2.01	-	33.98	7.26	30.73			
AV	5.5004G	86.19	Inf	-Inf	75.63	3	Horizontal	35	2.01	-	34.00	7.29	30.73			
PK	5.7252G	59.73	68.20	-8.47	48.68	3	Horizontal	35	2.01	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 72
02-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05172G	58.13	74.00	-15.87	38.65	3	Vertical	287	1.80	-	38.50	11.48	30.50			
AV	11.07912G	44.87	54.00	-9.13	25.33	3	Vertical	287	1.80	-	38.56	11.50	30.52			
PK	16.5766G	61.15	68.20	-7.05	41.76	3	Vertical	322	2.15	-	39.31	12.14	32.06			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 72
02-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04916G	58.32	74.00	-15.68	38.84	3	Horizontal	328	1.71	-	38.50	11.48	30.50			
AV	11.061G	44.88	54.00	-9.12	25.39	3	Horizontal	328	1.71	-	38.52	11.48	30.51			
PK	16.57052G	61.28	68.20	-6.92	41.94	3	Horizontal	124	1.01	-	39.26	12.14	32.06			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 82
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.82	74.00	-8.18	55.49	3	Vertical	71	2.46	-	33.92	7.16	30.75
AV	5.4572G	47.93	54.00	-6.07	37.62	3	Vertical	71	2.46	-	33.91	7.15	30.75
PK	5.4672G	61.47	68.20	-6.73	51.11	3	Vertical	71	2.46	-	33.93	7.18	30.75
PK	5.5996G	112.31	Inf	-Inf	101.40	3	Vertical	71	2.46	-	34.00	7.62	30.71
AV	5.58G	98.60	Inf	-Inf	87.72	3	Vertical	71	2.46	-	34.04	7.55	30.71
PK	5.738G	67.00	68.20	-1.20	55.93	3	Vertical	71	2.46	-	34.00	7.74	30.67

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 82
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.434G	59.67	74.00	-14.33	49.47	3	Horizontal	349	2.23	-	33.90	7.07	30.77			
AV	5.412G	47.34	54.00	-6.66	37.22	3	Horizontal	349	2.23	-	33.90	7.00	30.78			
PK	5.4692G	59.39	68.20	-8.81	49.01	3	Horizontal	349	2.23	-	33.94	7.19	30.75			
PK	5.5944G	102.85	Inf	-Inf	91.95	3	Horizontal	349	2.23	-	34.01	7.60	30.71			
AV	5.5776G	91.90	Inf	-Inf	81.02	3	Horizontal	349	2.23	-	34.04	7.55	30.71			
PK	5.7728G	61.50	68.20	-6.70	50.38	3	Horizontal	349	2.23	-	34.00	7.78	30.66			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 82
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22924G	58.00	74.00	-16.00	38.50	3	Vertical	221	2.76	-	38.50	11.59	30.59			
AV	11.20604G	44.59	54.00	-9.41	25.08	3	Vertical	221	2.76	-	38.50	11.58	30.57			
PK	16.8446G	63.44	68.20	-4.76	42.88	3	Vertical	325	1.09	-	40.39	12.27	32.10			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 82
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2048G	57.57	74.00	-16.43	38.06	3	Horizontal	325	1.80	-	38.50	11.58	30.57			
AV	11.21608G	44.49	54.00	-9.51	24.99	3	Horizontal	325	1.80	-	38.50	11.58	30.58			
PK	16.81636G	63.33	68.20	-4.87	42.83	3	Horizontal	320	1.79	-	40.33	12.26	32.09			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 102
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6732G	114.91	Inf	-Inf	103.91	3	Vertical	254	2.70	-	34.00	7.69	30.69			
AV	5.6644G	102.15	Inf	-Inf	91.16	3	Vertical	254	2.70	-	34.00	7.68	30.69			
PK	5.8572G	66.69	68.20	-1.51	55.56	3	Vertical	254	2.70	-	33.93	7.84	30.64			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 102
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6628G	107.16	Inf	-Inf	96.17	3	Horizontal	29	1.81	-	34.00	7.68	30.69			
AV	5.6668G	94.48	Inf	-Inf	83.49	3	Horizontal	29	1.81	-	34.00	7.68	30.69			
PK	5.8512G	61.83	68.20	-6.37	50.75	3	Horizontal	29	1.81	-	33.90	7.83	30.65			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 102
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39992G	59.37	74.00	-14.63	39.63	3	Vertical	257	1.68	-	38.70	11.70	30.66			
AV	11.37348G	45.01	54.00	-8.99	25.28	3	Vertical	257	1.68	-	38.70	11.68	30.65			
PK	17.07908G	64.93	68.20	-3.27	43.34	3	Vertical	327	1.02	-	41.36	12.38	32.15			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 102
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39264G	58.28	74.00	-15.72	38.55	3	Horizontal	24	1.80	-	38.70	11.69	30.66			
AV	11.37344G	45.07	54.00	-8.93	25.34	3	Horizontal	24	1.80	-	38.70	11.68	30.65			
PK	17.05596G	63.27	68.20	-4.93	41.73	3	Horizontal	297	1.82	-	41.31	12.37	32.14			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 91
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6435G	67.05	68.20	-1.15	56.09	3	Vertical	78	2.00	-	34.00	7.66	30.70				
PK	5.7485G	115.18	Inf	-Inf	104.10	3	Vertical	78	2.00	-	34.00	7.75	30.67				
AV	5.7465G	98.41	Inf	-Inf	87.33	3	Vertical	78	2.00	-	34.00	7.75	30.67				
PK	5.9315G	65.95	68.20	-2.25	54.53	3	Vertical	78	2.00	-	34.16	7.89	30.63				

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 91
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.636G	61.58	68.20	-6.62	50.63	3	Horizontal	350	2.46	-	34.00	7.65	30.70			
PK	5.7425G	107.11	Inf	-Inf	96.03	3	Horizontal	350	2.46	-	34.00	7.75	30.67			
AV	5.764G	91.06	Inf	-Inf	79.96	3	Horizontal	350	2.46	-	34.00	7.77	30.67			
PK	6.016G	61.29	68.20	-6.91	49.64	3	Horizontal	350	2.46	-	34.33	7.95	30.63			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 91
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56384G	58.46	74.00	-15.54	38.29	3	Vertical	123	1.82	-	39.13	11.80	30.76			
AV	11.55704G	45.44	54.00	-8.56	25.29	3	Vertical	123	1.82	-	39.11	11.80	30.76			
PK	17.31168G	65.49	68.20	-2.71	42.64	3	Vertical	305	1.80	-	42.59	12.49	32.23			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 91
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55688G	58.76	74.00	-15.24	38.61	3	Horizontal	9	1.80	-	39.11	11.80	30.76			
AV	11.56228G	45.48	54.00	-8.52	25.32	3	Horizontal	9	1.80	-	39.12	11.80	30.76			
PK	17.33544G	65.67	68.20	-2.53	42.63	3	Horizontal	94	2.15	-	42.78	12.50	32.24			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 78
02-D-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1228G	64.79	74.00	-9.21	55.22	3	Vertical	5	2.06	-	33.55	6.96	30.94
AV	5.1308G	52.92	54.00	-1.08	43.33	3	Vertical	5	2.06	-	33.56	6.97	30.94
PK	5.1788G	102.44	Inf	-Inf	92.69	3	Vertical	5	2.06	-	33.66	7.00	30.91
AV	5.1732G	96.32	Inf	-Inf	86.59	3	Vertical	5	2.06	-	33.65	6.99	30.91
PK	5.35G	65.08	74.00	-8.92	55.02	3	Vertical	5	2.06	-	33.90	6.97	30.81
AV	5.35G	51.20	54.00	-2.80	41.14	3	Vertical	5	2.06	-	33.90	6.97	30.81
PK	5.6188G	60.71	68.20	-7.49	49.77	3	Vertical	5	2.06	-	34.00	7.64	30.70

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 78
02-D-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1452G	60.78	74.00	-13.22	51.15	3	Horizontal	31	2.26	-	33.59	6.97	30.93				
AV	5.1412G	48.57	54.00	-5.43	38.95	3	Horizontal	31	2.26	-	33.58	6.97	30.93				
PK	5.2212G	98.40	Inf	-Inf	88.59	3	Horizontal	31	2.26	-	33.70	7.00	30.89				
AV	5.1836G	90.27	Inf	-Inf	80.51	3	Horizontal	31	2.26	-	33.67	7.00	30.91				
PK	5.35G	66.06	74.00	-7.94	56.00	3	Horizontal	31	2.26	-	33.90	6.97	30.81				
AV	5.35G	48.86	54.00	-5.14	38.80	3	Horizontal	31	2.26	-	33.90	6.97	30.81				
PK	5.5852G	60.77	68.20	-7.43	49.88	3	Horizontal	31	2.26	-	34.03	7.57	30.71				

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 78
02-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.7312G	60.59	74.00	-13.41	43.25	3	Vertical	195	1.29	-	37.54	11.86	32.06			
AV	15.7382G	46.50	54.00	-7.50	29.18	3	Vertical	195	1.29	-	37.52	11.86	32.06			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 78
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.75708G	59.73	74.00	-14.27	42.45	3	Horizontal	275	1.80	-	37.49	11.86	32.07			
AV	15.73256G	46.50	54.00	-7.50	29.17	3	Horizontal	275	1.80	-	37.53	11.86	32.06			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 76
02-D-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	60.02	68.20	-8.18	50.07	3	Vertical	158	1.80	-	33.80	6.99	30.84
AV	5.35G	47.29	54.00	-6.71	37.23	3	Vertical	158	1.80	-	33.90	6.97	30.81
PK	5.4396G	65.74	74.00	-8.26	55.51	3	Vertical	158	1.80	-	33.90	7.09	30.76
PK	5.462G	64.69	68.20	-3.51	54.36	3	Vertical	158	1.80	-	33.92	7.16	30.75
AV	5.4588G	50.73	54.00	-3.27	40.41	3	Vertical	158	1.80	-	33.92	7.15	30.75
PK	5.4964G	110.20	Inf	-Inf	99.66	3	Vertical	158	1.80	-	33.99	7.28	30.73
AV	5.4948G	94.31	Inf	-Inf	83.78	3	Vertical	158	1.80	-	33.99	7.27	30.73
PK	5.726G	66.75	68.20	-1.45	55.70	3	Vertical	158	1.80	-	34.00	7.73	30.68

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 76
02-D-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2268G	61.89	68.20	-6.31	52.07	3	Horizontal	32	2.06	-	33.70	7.00	30.88			
PK	5.4572G	60.82	74.00	-13.18	50.51	3	Horizontal	32	2.06	-	33.91	7.15	30.75			
AV	5.35G	47.06	54.00	-6.94	37.00	3	Horizontal	32	2.06	-	33.90	6.97	30.81			
AV	5.4572G	48.19	54.00	-5.81	37.88	3	Horizontal	32	2.06	-	33.91	7.15	30.75			
PK	5.4676G	61.08	68.20	-7.12	50.71	3	Horizontal	32	2.06	-	33.94	7.18	30.75			
PK	5.5804G	98.29	Inf	-Inf	87.40	3	Horizontal	32	2.06	-	34.04	7.56	30.71			
AV	5.5444G	85.98	Inf	-Inf	75.17	3	Horizontal	32	2.06	-	34.09	7.44	30.72			
PK	5.726G	61.41	68.20	-6.79	50.36	3	Horizontal	32	2.06	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 76
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13888G	57.72	74.00	-16.28	38.21	3	Vertical	347	1.80	-	38.52	11.53	30.54			
AV	11.12772G	44.46	54.00	-9.54	24.93	3	Vertical	347	1.80	-	38.54	11.53	30.54			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX

EUT_Y_2TX
Setting 76
02-D-E-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14796G	57.49	74.00	-16.51	38.00	3	Horizontal	292	1.00	-	38.50	11.54	30.55			
AV	11.12616G	44.51	54.00	-9.49	24.97	3	Horizontal	292	1.00	-	38.55	11.53	30.54			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.702G	23.51	54.00	-30.49	Horizontal

Mode 1



Mode 1

