


5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44469G	55.23	74.00	-18.77	70.13	3	Vertical	274	1.72	-	38.79	12.51	66.20			
AV	11.44323G	41.35	54.00	-12.65	56.25	3	Vertical	274	1.72	-	38.79	12.51	66.20			
PK	17.15777G	60.73	68.20	-7.47	68.31	3	Vertical	200	1.05	-	41.63	15.07	64.28			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44456G	55.04	74.00	-18.96	69.94	3	Horizontal	316	1.44	-	38.79	12.51	66.20			
AV	11.44253G	41.28	54.00	-12.72	56.18	3	Horizontal	316	1.44	-	38.79	12.51	66.20			
PK	17.15647G	59.96	68.20	-8.24	67.54	3	Horizontal	9	2.55	-	41.63	15.07	64.28			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

5745MHz_TX




EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5815G	60.60	68.20	-7.60	48.99	3	Vertical	284	1.78	-	34.04	7.85	30.28			
PK	5.743G	129.44	Inf	-Inf	117.55	3	Vertical	284	1.78	-	34.00	8.11	30.22			
AV	5.741G	117.14	Inf	-Inf	105.25	3	Vertical	284	1.78	-	34.00	8.11	30.22			
PK	5.9815G	58.41	68.20	-9.79	46.16	3	Vertical	284	1.78	-	34.26	8.13	30.14			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5745MHz_TX

EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6505G	58.57	68.57	-10.00	46.88	3	Horizontal	324	2.38	-	34.00	7.95	30.26			
PK	5.7435G	121.51	Inf	-Inf	109.62	3	Horizontal	324	2.38	-	34.00	8.11	30.22			
AV	5.7435G	109.61	Inf	-Inf	97.72	3	Horizontal	324	2.38	-	34.00	8.11	30.22			
PK	5.932G	58.09	68.20	-10.11	45.93	3	Horizontal	324	2.38	-	34.16	8.15	30.15			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5745MHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48654G	55.09	74.00	-18.91	69.81	3	Vertical	278	1.02	-	38.95	12.53	66.20			
AV	11.49172G	41.35	54.00	-12.65	56.05	3	Vertical	278	1.02	-	38.97	12.53	66.20			
PK	17.23131G	59.71	68.20	-8.49	66.92	3	Vertical	107	1.62	-	41.99	15.08	64.28			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5745MHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49408G	55.04	74.00	-18.96	69.73	3	Horizontal	92	2.88	-	38.98	12.53	66.20			
AV	11.49175G	41.36	54.00	-12.64	56.06	3	Horizontal	92	2.88	-	38.97	12.53	66.20			
PK	17.2306G	60.65	68.20	-7.55	67.87	3	Horizontal	59	2.99	-	41.98	15.08	64.28			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5785MHz_TX

EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6185G	60.96	68.20	-7.24	49.34	3	Vertical	215	1.63	-	34.00	7.89	30.27			
PK	5.7845G	128.96	Inf	-Inf	116.99	3	Vertical	215	1.63	-	34.00	8.18	30.21			
AV	5.784G	117.29	Inf	-Inf	105.32	3	Vertical	215	1.63	-	34.00	8.18	30.21			
PK	5.943G	61.00	68.20	-7.20	48.81	3	Vertical	215	1.63	-	34.19	8.15	30.15			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5785MHz_TX

EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6315G	58.41	68.20	-9.79	46.75	3	Horizontal	116	2.10	-	34.00	7.92	30.26			
PK	5.783G	120.38	Inf	-Inf	108.41	3	Horizontal	116	2.10	-	34.00	8.18	30.21			
AV	5.784G	109.06	Inf	-Inf	97.09	3	Horizontal	116	2.10	-	34.00	8.18	30.21			
PK	6.0065G	58.64	68.20	-9.56	46.34	3	Horizontal	116	2.10	-	34.31	8.12	30.13			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5785MHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57277G	54.89	74.00	-19.11	69.30	3	Vertical	106	1.54	-	39.15	12.57	66.13			
AV	11.56969G	41.42	54.00	-12.58	55.85	3	Vertical	106	1.54	-	39.14	12.57	66.14			
PK	17.35827G	62.26	68.20	-5.94	68.49	3	Vertical	185	1.61	-	42.93	15.11	64.27			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5785MHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.57282G	55.52	74.00	-18.48	69.93	3	Horizontal	31	2.88	-	39.15	12.57	66.13				
AV	11.56917G	41.40	54.00	-12.60	55.83	3	Horizontal	31	2.88	-	39.14	12.57	66.14				
PK	17.35206G	62.38	68.20	-5.82	68.63	3	Horizontal	162	2.92	-	42.91	15.11	64.27				

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

5825MHz_TX




EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.586G	59.40	68.20	-8.80	47.80	3	Vertical	70	1.94	-	34.03	7.85	30.28				
PK	5.8265G	129.58	Inf	-Inf	117.62	3	Vertical	70	1.94	-	33.95	8.20	30.19				
AV	5.826G	116.60	Inf	-Inf	104.64	3	Vertical	70	1.94	-	33.95	8.20	30.19				
PK	5.9855G	60.46	68.20	-7.74	48.20	3	Vertical	70	1.94	-	34.27	8.13	30.14				

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5825MHz_TX

EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.635G	58.37	68.20	-9.83	46.71	3	Horizontal	232	2.95	-	34.00	7.92	30.26				
PK	5.83G	122.84	Inf	-Inf	110.89	3	Horizontal	232	2.95	-	33.94	8.20	30.19				
AV	5.8265G	111.54	Inf	-Inf	99.58	3	Horizontal	232	2.95	-	33.95	8.20	30.19				
PK	6.0605G	59.13	68.20	-9.07	46.77	3	Horizontal	232	2.95	-	34.42	8.09	30.15				

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5825MHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65232G	55.04	74.00	-18.96	69.19	3	Vertical	85	2.48	-	39.30	12.61	66.06			
AV	11.64575G	41.25	54.00	-12.75	55.42	3	Vertical	85	2.48	-	39.29	12.61	66.07			
PK	17.47011G	62.16	68.20	-6.04	67.63	3	Vertical	194	1.59	-	43.66	15.13	64.26			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX


5825MHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65349G	55.56	74.00	-18.44	69.69	3	Horizontal	245	2.30	-	39.31	12.62	66.06			
AV	11.645G	41.34	54.00	-12.66	55.51	3	Horizontal	245	2.30	-	39.29	12.61	66.07			
PK	17.47277G	62.12	68.20	-6.08	67.57	3	Horizontal	276	2.07	-	43.68	15.13	64.26			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5190MHz_TX




EUT_Z_3TX
Setting 37
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	65.10	74.00	-8.90	54.05	3	Vertical	210	1.84	-	33.60	7.58	30.13			
AV	5.15G	52.21	54.00	-1.79	41.16	3	Vertical	210	1.84	-	33.60	7.58	30.13			
PK	5.1974G	119.47	Inf	-Inf	108.34	3	Vertical	210	1.84	-	33.69	7.59	30.15			
AV	5.1954G	106.94	Inf	-Inf	95.81	3	Vertical	210	1.84	-	33.69	7.59	30.15			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5190MHz_TX




EUT_Z_3TX
Setting 37
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1234G	58.22	74.00	-15.78	47.21	3	Horizontal	55	2.26	-	33.55	7.57	30.11			
AV	5.1498G	46.17	54.00	-7.83	35.12	3	Horizontal	55	2.26	-	33.60	7.58	30.13			
PK	5.1916G	111.04	Inf	-Inf	99.92	3	Horizontal	55	2.26	-	33.68	7.59	30.15			
AV	5.1944G	99.26	Inf	-Inf	88.13	3	Horizontal	55	2.26	-	33.69	7.59	30.15			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5190MHz_TX




EUT_Z_3TX
Setting 37
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37786G	54.34	68.20	-13.86	70.71	3	Vertical	153	2.11	-	38.34	11.97	66.68			
PK	15.56564G	56.11	74.00	-17.89	67.62	3	Vertical	246	2.93	-	37.87	14.45	63.83			
AV	15.57207G	43.31	54.00	-10.69	54.83	3	Vertical	246	2.93	-	37.86	14.46	63.84			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5190MHz_TX




EUT_Z_3TX
Setting 37
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37693G	54.01	68.20	-14.19	70.37	3	Horizontal	20	1.80	-	38.35	11.97	66.68			
PK	15.57446G	56.43	74.00	-17.57	67.96	3	Horizontal	79	1.88	-	37.85	14.46	63.84			
AV	15.57187G	42.99	54.00	-11.01	54.51	3	Horizontal	79	1.88	-	37.86	14.46	63.84			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5230MHz_TX

EUT_Z_3TX
Setting 43
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1481G	68.18	74.00	-5.82	57.13	3	Vertical	169	1.96	-	33.60	7.58	30.13			
AV	5.1496G	51.76	54.00	-2.24	40.71	3	Vertical	169	1.96	-	33.60	7.58	30.13			
PK	5.2387G	124.23	Inf	-Inf	113.08	3	Vertical	169	1.96	-	33.70	7.62	30.17			
AV	5.2318G	112.69	Inf	-Inf	101.55	3	Vertical	169	1.96	-	33.70	7.61	30.17			
PK	5.3515G	59.82	74.00	-14.18	48.45	3	Vertical	169	1.96	-	33.90	7.70	30.23			
AV	5.3767G	47.23	54.00	-6.77	35.86	3	Vertical	169	1.96	-	33.90	7.72	30.25			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5230MHz_TX

EUT_Z_3TX
Setting 43
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	59.02	74.00	-14.98	47.98	3	Horizontal	54	2.86	-	33.59	7.58	30.13			
AV	5.1472G	45.96	54.00	-8.04	34.92	3	Horizontal	54	2.86	-	33.59	7.58	30.13			
PK	5.2276G	112.36	Inf	-Inf	101.22	3	Horizontal	54	2.86	-	33.70	7.61	30.17			
AV	5.2324G	101.08	Inf	-Inf	89.94	3	Horizontal	54	2.86	-	33.70	7.61	30.17			
PK	5.3761G	57.78	74.00	-16.22	46.41	3	Horizontal	54	2.86	-	33.90	7.72	30.25			
AV	5.3701G	46.01	54.00	-7.99	34.63	3	Horizontal	54	2.86	-	33.90	7.72	30.24			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5230MHz_TX




EUT_Z_3TX
Setting 43
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45615G	54.18	68.20	-14.02	70.67	3	Vertical	68	1.02	-	38.21	12.01	66.71			
PK	15.68728G	56.23	74.00	-17.77	67.92	3	Vertical	251	1.01	-	37.63	14.56	63.88			
AV	15.68526G	42.90	54.00	-11.10	54.59	3	Vertical	251	1.01	-	37.63	14.56	63.88			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5230MHz_TX




EUT_Z_3TX
Setting 43
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46335G	53.91	68.20	-14.29	70.38	3	Horizontal	330	1.93	-	38.23	12.01	66.71			
PK	15.68757G	56.30	74.00	-17.70	68.00	3	Horizontal	25	2.50	-	37.62	14.56	63.88			
AV	15.68937G	42.94	54.00	-11.06	54.64	3	Horizontal	25	2.50	-	37.62	14.56	63.88			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5270MHz_TX




EUT_Z_3TX
Setting 46
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1491G	59.14	74.00	-14.86	48.09	3	Vertical	179	2.91	-	33.60	7.58	30.13			
AV	5.1497G	46.99	54.00	-7.01	35.94	3	Vertical	179	2.91	-	33.60	7.58	30.13			
PK	5.2673G	124.25	Inf	-Inf	113.07	3	Vertical	179	2.91	-	33.73	7.64	30.19			
AV	5.2691G	112.43	Inf	-Inf	101.24	3	Vertical	179	2.91	-	33.74	7.64	30.19			
PK	5.357G	70.34	74.00	-3.66	58.97	3	Vertical	179	2.91	-	33.90	7.71	30.24			
AV	5.351G	52.88	54.00	-1.12	41.51	3	Vertical	179	2.91	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5270MHz_TX




EUT_Z_3TX
Setting 46
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1434G	57.62	74.00	-16.38	46.57	3	Horizontal	324	2.81	-	33.59	7.58	30.12			
AV	5.147G	45.52	54.00	-8.48	34.48	3	Horizontal	324	2.81	-	33.59	7.58	30.13			
PK	5.2655G	116.80	Inf	-Inf	105.62	3	Horizontal	324	2.81	-	33.73	7.64	30.19			
AV	5.2661G	105.18	Inf	-Inf	94.00	3	Horizontal	324	2.81	-	33.73	7.64	30.19			
PK	5.3513G	63.44	74.00	-10.56	52.07	3	Horizontal	324	2.81	-	33.90	7.70	30.23			
AV	5.35G	47.96	54.00	-6.04	36.59	3	Horizontal	324	2.81	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5270MHz_TX




EUT_Z_3TX
Setting 46
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54034G	54.25	68.20	-13.95	70.59	3	Vertical	233	2.21	-	38.30	12.05	66.69			
PK	15.81079G	57.28	74.00	-16.72	69.12	3	Vertical	198	2.61	-	37.42	14.67	63.93			
AV	15.80763G	42.88	54.00	-11.12	54.73	3	Vertical	198	2.61	-	37.42	14.66	63.93			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5270MHz_TX




EUT_Z_3TX
Setting 46
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54156G	54.53	68.20	-13.67	70.87	3	Horizontal	7	1.29	-	38.30	12.05	66.69			
PK	15.80788G	55.93	74.00	-18.07	67.78	3	Horizontal	226	2.03	-	37.42	14.66	63.93			
AV	15.81048G	42.76	54.00	-11.24	54.60	3	Horizontal	226	2.03	-	37.42	14.67	63.93			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5310MHz_TX




EUT_Z_3TX
Setting 35
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3163G	118.67	Inf	-Inf	107.37	3	Vertical	167	1.82	-	33.83	7.68	30.21			
AV	5.3217G	105.99	Inf	-Inf	94.69	3	Vertical	167	1.82	-	33.84	7.68	30.22			
PK	5.3556G	67.66	74.00	-6.34	56.28	3	Vertical	167	1.82	-	33.90	7.71	30.23			
AV	5.35G	52.27	54.00	-1.73	40.90	3	Vertical	167	1.82	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5310MHz_TX

EUT_Z_3TX
Setting 35
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3031G	111.71	Inf	-Inf	100.44	3	Horizontal	332	2.77	-	33.81	7.67	30.21			
AV	5.3082G	99.51	Inf	-Inf	88.23	3	Horizontal	332	2.77	-	33.82	7.67	30.21			
PK	5.3505G	58.22	74.00	-15.78	46.85	3	Horizontal	332	2.77	-	33.90	7.70	30.23			
AV	5.3502G	46.30	54.00	-7.70	34.93	3	Horizontal	332	2.77	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5310MHz_TX




EUT_Z_3TX
Setting 35
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6224G	53.96	74.00	-20.04	70.07	3	Vertical	303	2.12	-	38.40	12.09	66.60			
AV	10.62046G	40.78	54.00	-13.22	56.89	3	Vertical	303	2.12	-	38.40	12.09	66.60			
PK	15.9349G	56.66	74.00	-17.34	68.31	3	Vertical	296	2.67	-	37.56	14.77	63.98			
AV	15.93142G	43.23	54.00	-10.77	54.86	3	Vertical	296	2.67	-	37.57	14.77	63.97			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5310MHz_TX




EUT_Z_3TX
Setting 35
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62206G	54.28	74.00	-19.72	70.39	3	Horizontal	319	1.24	-	38.40	12.09	66.60			
AV	10.61771G	40.65	54.00	-13.35	56.76	3	Horizontal	319	1.24	-	38.40	12.09	66.60			
PK	15.92572G	56.58	74.00	-17.42	68.18	3	Horizontal	164	2.95	-	37.60	14.77	63.97			
AV	15.93037G	43.22	54.00	-10.78	54.84	3	Horizontal	164	2.95	-	37.58	14.77	63.97			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5510MHz_TX




EUT_Z_3TX
Setting 40
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4593G	59.17	74.00	-14.83	47.76	3	Vertical	182	1.72	-	33.92	7.78	30.29			
AV	5.4596G	47.52	54.00	-6.48	36.11	3	Vertical	182	1.72	-	33.92	7.78	30.29			
PK	5.4698G	66.98	68.20	-1.22	55.55	3	Vertical	182	1.72	-	33.94	7.78	30.29			
PK	5.5007G	119.28	Inf	-Inf	107.79	3	Vertical	182	1.72	-	34.00	7.80	30.31			
AV	5.5019G	107.01	Inf	-Inf	95.52	3	Vertical	182	1.72	-	34.00	7.80	30.31			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5510MHz_TX




EUT_Z_3TX
Setting 40
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3723G	58.42	74.00	-15.58	47.04	3	Horizontal	342	2.50	-	33.90	7.72	30.24			
AV	5.3681G	45.82	54.00	-8.18	34.44	3	Horizontal	342	2.50	-	33.90	7.72	30.24			
PK	5.4698G	60.43	68.20	-7.77	49.00	3	Horizontal	342	2.50	-	33.94	7.78	30.29			
PK	5.4986G	112.26	Inf	-Inf	100.77	3	Horizontal	342	2.50	-	34.00	7.80	30.31			
AV	5.5022G	100.54	Inf	-Inf	89.05	3	Horizontal	342	2.50	-	34.00	7.80	30.31			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5510MHz_TX




EUT_Z_3TX
Setting 40
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0208G	55.10	74.00	-18.90	70.55	3	Vertical	30	1.42	-	38.44	12.30	66.19			
AV	11.02228G	41.44	54.00	-12.56	56.89	3	Vertical	30	1.42	-	38.44	12.30	66.19			
PK	16.52709G	57.10	68.20	-11.10	66.97	3	Vertical	12	1.74	-	38.96	14.94	63.77			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5510MHz_TX




EUT_Z_3TX
Setting 40
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02291G	54.83	74.00	-19.17	70.27	3	Horizontal	303	2.63	-	38.45	12.30	66.19			
AV	11.02255G	41.43	54.00	-12.57	56.87	3	Horizontal	303	2.63	-	38.45	12.30	66.19			
PK	16.53222G	57.47	68.20	-10.73	67.32	3	Horizontal	323	2.28	-	38.99	14.94	63.78			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5550MHz_TX




EUT_Z_3TX
Setting 43
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	65.13	74.00	-8.87	53.72	3	Vertical	162	1.75	-	33.92	7.78	30.29			
AV	5.46G	49.12	54.00	-4.88	37.71	3	Vertical	162	1.75	-	33.92	7.78	30.29			
PK	5.4681G	66.95	68.20	-1.25	55.52	3	Vertical	162	1.75	-	33.94	7.78	30.29			
PK	5.5491G	125.16	Inf	-Inf	113.52	3	Vertical	162	1.75	-	34.10	7.83	30.29			
AV	5.5521G	112.80	Inf	-Inf	101.16	3	Vertical	162	1.75	-	34.10	7.83	30.29			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5550MHz_TX




EUT_Z_3TX
Setting 43
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4168G	57.89	74.00	-16.11	46.51	3	Horizontal	262	2.95	-	33.90	7.75	30.27			
PK	5.4681G	57.94	68.20	-10.26	46.51	3	Horizontal	262	2.95	-	33.94	7.78	30.29			
AV	5.4525G	45.66	54.00	-8.34	34.27	3	Horizontal	262	2.95	-	33.91	7.77	30.29			
PK	5.5521G	116.12	Inf	-Inf	104.48	3	Horizontal	262	2.95	-	34.10	7.83	30.29			
AV	5.5515G	104.38	Inf	-Inf	92.74	3	Horizontal	262	2.95	-	34.10	7.83	30.29			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5550MHz_TX




EUT_Z_3TX
Setting 43
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1019G	54.84	74.00	-19.16	70.09	3	Vertical	190	2.39	-	38.60	12.34	66.19			
AV	11.09565G	41.33	54.00	-12.67	56.60	3	Vertical	190	2.39	-	38.59	12.33	66.19			
PK	16.65329G	58.73	68.20	-9.47	67.87	3	Vertical	203	2.57	-	39.81	14.96	63.91			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5550MHz_TX




EUT_Z_3TX
Setting 43
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09565G	55.09	74.00	-18.91	70.36	3	Horizontal	60	1.53	-	38.59	12.33	66.19			
AV	11.09635G	41.18	54.00	-12.82	56.45	3	Horizontal	60	1.53	-	38.59	12.33	66.19			
PK	16.6451G	58.76	68.20	-9.44	67.93	3	Horizontal	174	2.47	-	39.77	14.96	63.90			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5670MHz_TX




EUT_Z_3TX
Setting 40
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.676G	119.76	Inf	-Inf	108.02	3	Vertical	213	1.78	-	34.00	7.99	30.25			
AV	5.6745G	108.27	Inf	-Inf	96.53	3	Vertical	213	1.78	-	34.00	7.99	30.25			
PK	5.7258G	66.22	68.20	-1.98	54.37	3	Vertical	213	1.78	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5670MHz_TX




EUT_Z_3TX
Setting 40
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6766G	114.44	Inf	-Inf	102.70	3	Horizontal	191	2.48	-	34.00	7.99	30.25			
AV	5.6751G	102.64	Inf	-Inf	90.90	3	Horizontal	191	2.48	-	34.00	7.99	30.25			
PK	5.7255G	61.57	68.20	-6.63	49.72	3	Horizontal	191	2.48	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5670MHz_TX




EUT_Z_3TX
Setting 40
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33504G	55.14	74.00	-18.86	70.22	3	Vertical	255	2.70	-	38.67	12.45	66.20			
AV	11.34315G	41.82	54.00	-12.18	56.87	3	Vertical	255	2.70	-	38.69	12.46	66.20			
PK	17.01226G	59.18	68.20	-9.02	67.21	3	Vertical	13	2.71	-	41.22	15.04	64.29			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5670MHz_TX




EUT_Z_3TX
Setting 40
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34469G	55.11	74.00	-18.89	70.16	3	Horizontal	162	1.84	-	38.69	12.46	66.20			
AV	11.34052G	41.77	54.00	-12.23	56.83	3	Horizontal	162	1.84	-	38.68	12.46	66.20			
PK	17.00649G	58.95	68.20	-9.25	66.99	3	Horizontal	186	1.27	-	41.21	15.04	64.29			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.72G	125.79	Inf	-Inf	113.95	3	Vertical	153	1.60	-	34.00	8.07	30.23			
AV	5.7208G	114.14	Inf	-Inf	102.30	3	Vertical	153	1.60	-	34.00	8.07	30.23			
PK	5.8568G	65.78	68.20	-2.42	53.85	3	Vertical	153	1.60	-	33.93	8.18	30.18			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7032G	117.11	Inf	-Inf	105.31	3	Horizontal	194	2.26	-	34.00	8.04	30.24			
AV	5.7092G	105.48	Inf	-Inf	93.66	3	Horizontal	194	2.26	-	34.00	8.05	30.23			
PK	5.8744G	58.29	68.20	-9.91	46.29	3	Horizontal	194	2.26	-	34.00	8.18	30.18			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41987G	55.72	74.00	-18.28	70.68	3	Vertical	265	2.27	-	38.74	12.50	66.20			
AV	11.41729G	41.87	54.00	-12.13	56.84	3	Vertical	265	2.27	-	38.73	12.50	66.20			
PK	17.12969G	60.37	68.20	-7.83	68.07	3	Vertical	18	1.05	-	41.52	15.06	64.28			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42145G	55.20	74.00	-18.80	70.16	3	Horizontal	174	1.20	-	38.74	12.50	66.20			
AV	11.41867G	41.82	54.00	-12.18	56.78	3	Horizontal	174	1.20	-	38.74	12.50	66.20			
PK	17.12953G	60.38	68.20	-7.82	68.08	3	Horizontal	344	2.37	-	41.52	15.06	64.28			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5755MHz_TX




EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	65.63	68.20	-2.57	53.95	3	Vertical	215	2.82	-	34.00	7.94	30.26
PK	5.7575G	126.21	Inf	-Inf	114.29	3	Vertical	215	2.82	-	34.00	8.14	30.22
AV	5.759G	114.35	Inf	-Inf	102.43	3	Vertical	215	2.82	-	34.00	8.14	30.22
PK	5.9285G	59.00	68.20	-9.20	46.85	3	Vertical	215	2.82	-	34.16	8.15	30.16

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5755MHz_TX

EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	61.70	68.94	-7.24	50.01	3	Horizontal	116	2.13	-	34.00	7.95	30.26			
PK	5.7685G	117.84	Inf	-Inf	105.90	3	Horizontal	116	2.13	-	34.00	8.15	30.21			
AV	5.754G	106.23	Inf	-Inf	94.32	3	Horizontal	116	2.13	-	34.00	8.13	30.22			
PK	5.93G	58.93	68.20	-9.27	46.78	3	Horizontal	116	2.13	-	34.16	8.15	30.16			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5755MHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50775G	55.58	74.00	-18.42	70.21	3	Vertical	233	2.35	-	39.02	12.54	66.19			
AV	11.51492G	41.88	54.00	-12.12	56.49	3	Vertical	233	2.35	-	39.03	12.55	66.19			
PK	17.26761G	60.90	68.20	-7.30	67.84	3	Vertical	121	2.55	-	42.24	15.09	64.27			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5755MHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5141G	55.22	74.00	-18.78	69.84	3	Horizontal	120	2.76	-	39.03	12.54	66.19			
AV	11.50821G	41.95	54.00	-12.05	56.58	3	Horizontal	120	2.76	-	39.02	12.54	66.19			
PK	17.26567G	61.17	68.20	-7.03	68.12	3	Horizontal	162	2.48	-	42.23	15.09	64.27			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

5795MHz_TX




EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6455G	60.73	68.20	-7.47	49.05	3	Vertical	169	2.88	-	34.00	7.94	30.26
PK	5.793G	125.21	Inf	-Inf	113.21	3	Vertical	169	2.88	-	34.00	8.20	30.20
AV	5.7925G	113.46	Inf	-Inf	101.46	3	Vertical	169	2.88	-	34.00	8.20	30.20
PK	5.924G	62.34	68.94	-6.60	50.20	3	Vertical	169	2.88	-	34.15	8.15	30.16

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5795MHz_TX

EUT_Z_3TX
Setting 50
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5725G	57.94	68.20	-10.26	46.33	3	Horizontal	116	2.15	-	34.05	7.84	30.28			
PK	5.797G	117.79	Inf	-Inf	105.79	3	Horizontal	116	2.15	-	34.00	8.20	30.20			
AV	5.7965G	106.46	Inf	-Inf	94.46	3	Horizontal	116	2.15	-	34.00	8.20	30.20			
PK	5.961G	59.10	68.20	-9.10	46.88	3	Horizontal	116	2.15	-	34.22	8.14	30.14			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5795MHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59226G	55.05	74.00	-18.95	69.41	3	Vertical	98	2.52	-	39.18	12.58	66.12			
AV	11.5927G	41.95	54.00	-12.05	56.30	3	Vertical	98	2.52	-	39.19	12.58	66.12			
PK	17.38096G	62.20	68.20	-6.00	68.34	3	Vertical	119	1.22	-	43.02	15.11	64.27			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX


5795MHz_TX

EUT_Z_3TX
Setting 50
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58922G	55.23	74.00	-18.77	69.59	3	Horizontal	94	2.18	-	39.18	12.58	66.12			
AV	11.5912G	42.13	54.00	-11.87	56.49	3	Horizontal	94	2.18	-	39.18	12.58	66.12			
PK	17.38555G	61.62	68.20	-6.58	67.74	3	Horizontal	287	2.62	-	43.04	15.11	64.27			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5210MHz_TX




EUT_Z_3TX
Setting 36
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1325G	63.44	74.00	-10.56	52.41	3	Vertical	210	1.80	-	33.57	7.58	30.12			
AV	5.149G	52.06	54.00	-1.94	41.01	3	Vertical	210	1.80	-	33.60	7.58	30.13			
PK	5.202G	116.37	Inf	-Inf	105.24	3	Vertical	210	1.80	-	33.70	7.59	30.16			
AV	5.2045G	104.94	Inf	-Inf	93.81	3	Vertical	210	1.80	-	33.70	7.59	30.16			
PK	5.4315G	58.26	74.00	-15.74	46.87	3	Vertical	210	1.80	-	33.90	7.76	30.27			
AV	5.367G	47.54	54.00	-6.46	36.16	3	Vertical	210	1.80	-	33.90	7.72	30.24			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5210MHz_TX




EUT_Z_3TX
Setting 36
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	59.48	74.00	-14.52	48.44	3	Horizontal	194	2.63	-	33.59	7.58	30.13			
AV	5.15G	47.64	54.00	-6.36	36.59	3	Horizontal	194	2.63	-	33.60	7.58	30.13			
PK	5.2125G	108.06	Inf	-Inf	96.92	3	Horizontal	194	2.63	-	33.70	7.60	30.16			
AV	5.211G	96.75	Inf	-Inf	85.61	3	Horizontal	194	2.63	-	33.70	7.60	30.16			
PK	5.374G	58.71	74.00	-15.29	47.33	3	Horizontal	194	2.63	-	33.90	7.72	30.24			
AV	5.3885G	46.81	54.00	-7.19	35.43	3	Horizontal	194	2.63	-	33.90	7.73	30.25			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5210MHz_TX




EUT_Z_3TX
Setting 36
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42148G	54.94	68.20	-13.26	71.39	3	Vertical	299	2.18	-	38.26	11.99	66.70			
PK	15.63166G	56.15	74.00	-17.85	67.76	3	Vertical	110	1.65	-	37.74	14.51	63.86			
AV	15.63289G	43.42	54.00	-10.58	55.04	3	Vertical	110	1.65	-	37.73	14.51	63.86			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5210MHz_TX




EUT_Z_3TX
Setting 36
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42039G	54.92	68.20	-13.28	71.37	3	Horizontal	354	2.60	-	38.26	11.99	66.70			
PK	15.63289G	55.82	74.00	-18.18	67.44	3	Horizontal	321	2.73	-	37.73	14.51	63.86			
AV	15.63006G	43.42	54.00	-10.58	55.03	3	Horizontal	321	2.73	-	37.74	14.51	63.86			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5290MHz_TX




EUT_Z_3TX
Setting 32
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1035G	58.93	74.00	-15.07	47.95	3	Vertical	148	1.92	-	33.51	7.57	30.10			
AV	5.0975G	46.46	54.00	-7.54	35.50	3	Vertical	148	1.92	-	33.49	7.57	30.10			
PK	5.2915G	115.14	Inf	-Inf	103.90	3	Vertical	148	1.92	-	33.78	7.66	30.20			
AV	5.291G	104.48	Inf	-Inf	93.24	3	Vertical	148	1.92	-	33.78	7.66	30.20			
PK	5.3535G	63.38	74.00	-10.62	52.00	3	Vertical	148	1.92	-	33.90	7.71	30.23			
AV	5.35G	52.55	54.00	-1.45	41.18	3	Vertical	148	1.92	-	33.90	7.70	30.23			
PK	5.4615G	58.54	68.20	-9.66	47.13	3	Vertical	148	1.92	-	33.92	7.78	30.29			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5290MHz_TX




EUT_Z_3TX
Setting 32
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0495G	57.14	74.00	-16.86	46.26	3	Horizontal	199	2.74	-	33.40	7.56	30.08
AV	5.126G	46.08	54.00	-7.92	35.07	3	Horizontal	199	2.74	-	33.55	7.58	30.12
PK	5.2785G	105.59	Inf	-Inf	94.37	3	Horizontal	199	2.74	-	33.76	7.65	30.19
AV	5.288G	94.86	Inf	-Inf	83.62	3	Horizontal	199	2.74	-	33.78	7.66	30.20
PK	5.3585G	59.28	74.00	-14.72	47.91	3	Horizontal	199	2.74	-	33.90	7.71	30.24
AV	5.364G	47.66	54.00	-6.34	36.29	3	Horizontal	199	2.74	-	33.90	7.71	30.24
PK	5.5265G	57.42	68.20	-10.78	45.85	3	Horizontal	199	2.74	-	34.05	7.82	30.30

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5290MHz_TX




EUT_Z_3TX
Setting 32
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58285G	54.92	68.20	-13.28	71.12	3	Vertical	353	1.13	-	38.37	12.07	66.64			
PK	15.87081G	57.09	74.00	-16.91	68.74	3	Vertical	298	2.44	-	37.58	14.72	63.95			
AV	15.87344G	44.01	54.00	-9.99	55.65	3	Vertical	298	2.44	-	37.59	14.72	63.95			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5290MHz_TX




EUT_Z_3TX
Setting 32
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58292G	54.70	68.20	-13.50	70.90	3	Horizontal	283	1.99	-	38.37	12.07	66.64			
PK	15.8652G	57.22	74.00	-16.78	68.90	3	Horizontal	261	2.68	-	37.56	14.71	63.95			
AV	15.86535G	44.24	54.00	-9.76	55.92	3	Horizontal	261	2.68	-	37.56	14.71	63.95			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5530MHz_TX




EUT_Z_3TX
Setting 35
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.336G	59.18	68.20	-9.02	47.84	3	Vertical	154	1.75	-	33.87	7.69	30.22			
PK	5.4525G	64.09	74.00	-9.91	52.70	3	Vertical	154	1.75	-	33.91	7.77	30.29			
PK	5.464G	65.48	68.20	-2.72	54.06	3	Vertical	154	1.75	-	33.93	7.78	30.29			
AV	5.4595G	52.08	54.00	-1.92	40.67	3	Vertical	154	1.75	-	33.92	7.78	30.29			
PK	5.5285G	118.78	Inf	-Inf	107.20	3	Vertical	154	1.75	-	34.06	7.82	30.30			
AV	5.5265G	106.54	Inf	-Inf	94.97	3	Vertical	154	1.75	-	34.05	7.82	30.30			
PK	5.757G	59.25	68.20	-8.95	47.34	3	Vertical	154	1.75	-	34.00	8.13	30.22			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5530MHz_TX




EUT_Z_3TX
Setting 35
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.304G	57.88	68.20	-10.32	46.61	3	Horizontal	238	1.54	-	33.81	7.67	30.21			
PK	5.464G	57.04	68.20	-11.16	45.62	3	Horizontal	238	1.54	-	33.93	7.78	30.29			
AV	5.4515G	46.46	54.00	-7.54	35.07	3	Horizontal	238	1.54	-	33.90	7.77	30.28			
PK	5.533G	106.27	Inf	-Inf	94.68	3	Horizontal	238	1.54	-	34.07	7.82	30.30			
AV	5.5345G	95.46	Inf	-Inf	83.87	3	Horizontal	238	1.54	-	34.07	7.82	30.30			
PK	5.764G	58.82	68.20	-9.38	46.88	3	Horizontal	238	1.54	-	34.00	8.15	30.21			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5530MHz_TX




EUT_Z_3TX
Setting 35
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06019G	55.58	74.00	-18.42	70.93	3	Vertical	134	2.57	-	38.52	12.32	66.19			
AV	11.06173G	42.27	54.00	-11.73	57.62	3	Vertical	134	2.57	-	38.52	12.32	66.19			
PK	16.59487G	58.75	68.20	-9.45	68.18	3	Vertical	31	1.14	-	39.46	14.95	63.84			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5530MHz_TX




EUT_Z_3TX
Setting 35
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06077G	55.33	74.00	-18.67	70.68	3	Horizontal	250	1.23	-	38.52	12.32	66.19			
AV	11.05909G	42.20	54.00	-11.80	57.56	3	Horizontal	250	1.23	-	38.52	12.31	66.19			
PK	16.59076G	58.05	68.20	-10.15	67.51	3	Horizontal	13	2.30	-	39.43	14.95	63.84			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5610MHz_TX




EUT_Z_3TX
Setting 35
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4315G	62.66	74.00	-11.34	51.27	3	Vertical	164	2.94	-	33.90	7.76	30.27			
PK	5.462G	67.08	68.20	-1.12	55.67	3	Vertical	164	2.94	-	33.92	7.78	30.29			
AV	5.452G	48.52	54.00	-5.48	37.14	3	Vertical	164	2.94	-	33.90	7.77	30.29			
PK	5.6085G	121.41	Inf	-Inf	109.81	3	Vertical	164	2.94	-	34.00	7.87	30.27			
AV	5.609G	110.06	Inf	-Inf	98.45	3	Vertical	164	2.94	-	34.00	7.88	30.27			
PK	5.7295G	66.00	68.20	-2.20	54.14	3	Vertical	164	2.94	-	34.00	8.09	30.23			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5610MHz_TX




EUT_Z_3TX
Setting 35
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.389G	58.18	74.00	-15.82	46.80	3	Horizontal	192	2.08	-	33.90	7.73	30.25
AV	5.411G	46.66	54.00	-7.34	35.27	3	Horizontal	192	2.08	-	33.90	7.75	30.26
PK	5.4615G	59.07	68.20	-9.13	47.66	3	Horizontal	192	2.08	-	33.92	7.78	30.29
PK	5.615G	111.85	Inf	-Inf	100.23	3	Horizontal	192	2.08	-	34.00	7.89	30.27
AV	5.614G	100.42	Inf	-Inf	88.81	3	Horizontal	192	2.08	-	34.00	7.88	30.27
PK	5.725G	60.26	68.20	-7.94	48.41	3	Horizontal	192	2.08	-	34.00	8.08	30.23

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5610MHz_TX




EUT_Z_3TX
Setting 35
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21646G	54.75	74.00	-19.25	70.05	3	Vertical	274	1.29	-	38.50	12.39	66.19			
AV	11.21607G	41.94	54.00	-12.06	57.24	3	Vertical	274	1.29	-	38.50	12.39	66.19			
PK	16.83478G	58.98	68.20	-9.22	67.72	3	Vertical	210	2.05	-	40.37	15.00	64.11			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5610MHz_TX




EUT_Z_3TX
Setting 35
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21895G	54.35	74.00	-19.65	69.64	3	Horizontal	155	2.95	-	38.50	12.40	66.19			
AV	11.21991G	42.10	54.00	-11.90	57.39	3	Horizontal	155	2.95	-	38.50	12.40	66.19			
PK	16.83315G	59.54	68.20	-8.66	68.28	3	Horizontal	205	2.17	-	40.37	15.00	64.11			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_3TX
Setting 44
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	60.38	74.00	-13.62	48.97	3	Vertical	197	1.80	-	33.92	7.78	30.29			
AV	5.4585G	47.82	54.00	-6.18	36.41	3	Vertical	197	1.80	-	33.92	7.78	30.29			
PK	5.4625G	61.92	68.20	-6.28	50.51	3	Vertical	197	1.80	-	33.92	7.78	30.29			
PK	5.6855G	121.58	Inf	-Inf	109.81	3	Vertical	197	1.80	-	34.00	8.01	30.24			
AV	5.692G	110.27	Inf	-Inf	98.49	3	Vertical	197	1.80	-	34.00	8.02	30.24			
PK	5.85G	67.09	68.20	-1.11	55.18	3	Vertical	197	1.80	-	33.90	8.19	30.18			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_3TX
Setting 44
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.44G	56.59	74.00	-17.41	45.21	3	Horizontal	266	2.84	-	33.90	7.76	30.28			
AV	5.4535G	45.99	54.00	-8.01	34.60	3	Horizontal	266	2.84	-	33.91	7.77	30.29			
PK	5.469G	57.04	68.20	-11.16	45.61	3	Horizontal	266	2.84	-	33.94	7.78	30.29			
PK	5.6745G	116.19	Inf	-Inf	104.45	3	Horizontal	266	2.84	-	34.00	7.99	30.25			
AV	5.691G	103.75	Inf	-Inf	91.97	3	Horizontal	266	2.84	-	34.00	8.02	30.24			
PK	5.8935G	59.52	68.20	-8.68	47.45	3	Horizontal	266	2.84	-	34.07	8.17	30.17			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_3TX
Setting 44
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38312G	55.11	74.00	-18.89	70.13	3	Vertical	106	1.61	-	38.70	12.48	66.20			
AV	11.37887G	42.66	54.00	-11.34	57.68	3	Vertical	106	1.61	-	38.70	12.48	66.20			
PK	17.07033G	59.98	68.20	-8.22	67.88	3	Vertical	283	2.24	-	41.34	15.05	64.29			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_3TX
Setting 44
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37514G	54.84	74.00	-19.16	69.87	3	Horizontal	29	1.30	-	38.70	12.47	66.20			
AV	11.37559G	42.76	54.00	-11.24	57.79	3	Horizontal	29	1.30	-	38.70	12.47	66.20			
PK	17.06655G	60.00	68.20	-8.20	67.91	3	Horizontal	359	1.45	-	41.33	15.05	64.29			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX


5775MHz_TX

EUT_Z_3TX
Setting 46
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6375G	67.14	68.20	-1.06	55.47	3	Vertical	154	1.52	-	34.00	7.93	30.26			
PK	5.776G	118.11	Inf	-Inf	106.15	3	Vertical	154	1.52	-	34.00	8.17	30.21			
AV	5.773G	106.84	Inf	-Inf	94.89	3	Vertical	154	1.52	-	34.00	8.16	30.21			
PK	5.937G	64.93	68.20	-3.27	52.76	3	Vertical	154	1.52	-	34.17	8.15	30.15			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX


5775MHz_TX

EUT_Z_3TX
Setting 46
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.61G	59.19	68.20	-9.01	47.58	3	Horizontal	124	1.94	-	34.00	7.88	30.27			
PK	5.7725G	109.46	Inf	-Inf	97.51	3	Horizontal	124	1.94	-	34.00	8.16	30.21			
AV	5.779G	97.70	Inf	-Inf	85.74	3	Horizontal	124	1.94	-	34.00	8.17	30.21			
PK	5.998G	59.14	68.20	-9.06	46.85	3	Horizontal	124	1.94	-	34.30	8.12	30.13			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX


5775MHz_TX

EUT_Z_3TX
Setting 46
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55469G	55.07	74.00	-18.93	69.54	3	Vertical	191	1.07	-	39.11	12.57	66.15			
AV	11.56029G	42.79	54.00	-11.21	57.25	3	Vertical	191	1.07	-	39.12	12.57	66.15			
PK	17.34735G	62.22	68.20	-5.98	68.50	3	Vertical	124	1.94	-	42.88	15.11	64.27			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

5775MHz_TX




EUT_Z_3TX
Setting 46
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52501G	54.50	74.00	-19.50	69.08	3	Horizontal	179	1.34	-	39.05	12.55	66.18			
AV	11.55679G	42.92	54.00	-11.08	57.39	3	Horizontal	179	1.34	-	39.11	12.57	66.15			
PK	17.3452G	62.25	68.20	-5.95	68.55	3	Horizontal	42	1.33	-	42.86	15.11	64.27			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_3TX
Setting 33
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1156G	59.55	74.00	-14.45	48.56	3	Vertical	148	2.04	-	33.53	7.57	30.11
AV	5.112G	47.73	54.00	-6.27	36.75	3	Vertical	148	2.04	-	33.52	7.57	30.11
PK	5.2452G	106.85	Inf	-Inf	95.71	3	Vertical	148	2.04	-	33.70	7.62	30.18
AV	5.2542G	94.97	Inf	-Inf	83.81	3	Vertical	148	2.04	-	33.71	7.63	30.18
PK	5.3844G	64.45	74.00	-9.55	53.07	3	Vertical	148	2.04	-	33.90	7.73	30.25
AV	5.3532G	52.17	54.00	-1.83	40.80	3	Vertical	148	2.04	-	33.90	7.70	30.23
PK	5.5086G	57.88	68.20	-10.32	46.36	3	Vertical	148	2.04	-	34.02	7.81	30.31

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_3TX
Setting 33
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0232G	57.35	74.00	-16.65	46.46	3	Horizontal	328	2.15	-	33.40	7.55	30.06			
PK	5.2434G	98.84	Inf	-Inf	87.70	3	Horizontal	328	2.15	-	33.70	7.62	30.18			
AV	5.1438G	45.54	54.00	-8.46	34.49	3	Horizontal	328	2.15	-	33.59	7.58	30.12			
AV	5.2518G	86.22	Inf	-Inf	75.07	3	Horizontal	328	2.15	-	33.70	7.63	30.18			
PK	5.3532G	59.52	74.00	-14.48	48.15	3	Horizontal	328	2.15	-	33.90	7.70	30.23			
AV	5.3526G	47.73	54.00	-6.27	36.36	3	Horizontal	328	2.15	-	33.90	7.70	30.23			
PK	5.4816G	57.26	68.20	-10.94	45.81	3	Horizontal	328	2.15	-	33.96	7.79	30.30			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_3TX
Setting 33
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50224G	54.21	68.20	-13.99	70.61	3	Vertical	173	1.58	-	38.30	12.03	66.73			
PK	15.74847G	56.10	74.00	-17.90	67.89	3	Vertical	73	1.93	-	37.50	14.61	63.90			
AV	15.74504G	43.44	54.00	-10.56	55.22	3	Vertical	73	1.93	-	37.51	14.61	63.90			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_3TX
Setting 33
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50418G	54.05	68.20	-14.15	70.45	3	Horizontal	173	2.54	-	38.30	12.03	66.73			
PK	15.74559G	56.26	74.00	-17.74	68.04	3	Horizontal	82	2.29	-	37.51	14.61	63.90			
AV	15.74505G	43.66	54.00	-10.34	55.44	3	Horizontal	82	2.29	-	37.51	14.61	63.90			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

5570MHz_TX




EUT_Z_3TX
Setting 37
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3438G	58.13	68.20	-10.07	46.77	3	Vertical	154	1.80	-	33.89	7.70	30.23			
PK	5.459G	60.55	74.00	-13.45	49.14	3	Vertical	154	1.80	-	33.92	7.78	30.29			
AV	5.4326G	48.63	54.00	-5.37	37.24	3	Vertical	154	1.80	-	33.90	7.76	30.27			
PK	5.4614G	59.07	68.20	-9.13	47.66	3	Vertical	154	1.80	-	33.92	7.78	30.29			
PK	5.5814G	108.70	Inf	-Inf	97.09	3	Vertical	154	1.80	-	34.04	7.85	30.28			
AV	5.576G	96.84	Inf	-Inf	85.22	3	Vertical	154	1.80	-	34.05	7.85	30.28			
PK	5.7254G	67.06	68.20	-1.14	55.21	3	Vertical	154	1.80	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX


5570MHz_TX

EUT_Z_3TX
Setting 37
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2916G	58.15	68.20	-10.05	46.91	3	Horizontal	159	2.05	-	33.78	7.66	30.20
PK	5.3696G	58.06	74.00	-15.94	46.68	3	Horizontal	159	2.05	-	33.90	7.72	30.24
PK	5.4656G	57.19	68.20	-11.01	45.77	3	Horizontal	159	2.05	-	33.93	7.78	30.29
AV	5.4422G	46.66	54.00	-7.34	35.27	3	Horizontal	159	2.05	-	33.90	7.77	30.28
PK	5.5748G	96.79	Inf	-Inf	85.18	3	Horizontal	159	2.05	-	34.05	7.84	30.28
AV	5.5718G	85.97	Inf	-Inf	74.35	3	Horizontal	159	2.05	-	34.06	7.84	30.28
PK	5.7422G	58.97	68.20	-9.23	47.08	3	Horizontal	159	2.05	-	34.00	8.11	30.22

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX


5570MHz_TX

EUT_Z_3TX
Setting 37
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14352G	54.54	74.00	-19.46	69.86	3	Vertical	71	1.53	-	38.51	12.36	66.19			
AV	11.14265G	42.36	54.00	-11.64	57.68	3	Vertical	71	1.53	-	38.51	12.36	66.19			
PK	16.7102G	59.28	68.20	-8.92	68.35	3	Vertical	53	1.71	-	39.92	14.98	63.97			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

5570MHz_TX

EUT_Z_3TX
Setting 37
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13904G	55.08	74.00	-18.92	70.39	3	Horizontal	7	2.19	-	38.52	12.36	66.19			
AV	11.14298G	42.33	54.00	-11.67	57.65	3	Horizontal	7	2.19	-	38.51	12.36	66.19			
PK	16.71315G	59.26	68.20	-8.94	68.32	3	Horizontal	253	2.11	-	39.93	14.98	63.97			