Photographs of EUT Setup and Antenna Location

The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet



Antenna	To Top Side (mm)	To Bottom Side (mm)	To Left Side (mm)	To Right Side (mm)
WLAN Main Ant 0	7.00	194.60	213.10	52.20
WLAN/BT Aux Ant 1	7.00	194.60	42.10	223.20

<Right Side View> Tablet



Antenna	To Front Side (mm)	To Rear Side (mm)
WLAN Main Ant 0	4.60	17.30
WLAN/BT Aux Ant 1	4.60	17.30

<Front Face View>Laptop Mode (180°)



Antenna	To Top Side (mm)	To Baseline (mm)	To Left Side (mm)	To Right Side (mm)
WLAN Main Ant 0	7.00	179.74	213.10	52.20
WLAN/BT Aux Ant 1	7.00	179.74	42.10	223.20

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face (mm)
WLAN Main Ant 0	197.04
WLAN/BT Aux Ant 1	197.04

<Photographs of Bottom Body SAR Test Setup>

Bottom of Laptop Tested at 0 mm

<Photographs of Bystander SAR Test Setup>

Back of Panel Tested at 25 mm



Top of Panel Tested at 25 mm

<Photographs of Body SAR Test Setup>

Rear Face of EUT Tested at 0 mm

Left Side of EUT Tested at 0 mm

Right Side of EUT Tested at 0 mm

Top Side of EUT Tested at 0 mm

Bottom Side of EUT Tested at 0 mm