









WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE20 Full CH233 7115MHz																																																																							
7+8	Vertical	Fundamental																																																																						
Peak	 Site : 030H05-KS Condition : WIFI 6E PEAK @ 3317.5M 75957 VERTICAL Project : RSM-1000-0000Hz VSM-3000-0000Hz SMT-Auto Mode : (FR)241808 Plane : 55 Z : 2 Single-directivity : Single-directivity ME1 : #62 Powersetting : -5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7125.00</td><td>71.80</td><td>-16.50</td><td>88.30</td><td>60.48</td><td>35.82</td><td>12.61</td><td>37.11</td><td>100</td><td>26 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	1 7125.00	71.80	-16.50	88.30	60.48	35.82	12.61	37.11	100	26 Peak	VERTICAL	 Site : 030H05-KS Condition : WIFI 6E PEAK @ 3317.5M 75957 VERTICAL Project : RSM-1000-0000Hz VSM-3000-0000Hz SMT-Auto Mode : (FR)241808 Plane : 55 Z : 2 Single-directivity : Single-directivity ME1 : #62 Powersetting : -5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7120.00</td><td>85.72</td><td>-2.58</td><td>88.30</td><td>74.40</td><td>35.82</td><td>12.61</td><td>37.11</td><td>100</td><td>26 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	1 7120.00	85.72	-2.58	88.30	74.40	35.82	12.61	37.11	100	26 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm																																																																	
1 7125.00	71.80	-16.50	88.30	60.48	35.82	12.61	37.11	100	26 Peak	VERTICAL																																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm																																																																	
1 7120.00	85.72	-2.58	88.30	74.40	35.82	12.61	37.11	100	26 Peak	VERTICAL																																																														
Avg.	 Site : 030H05-KS Condition : WIFI 6E (AVG) @ 3317.5M 75957 VERTICAL Project : RSM-1000-0000Hz VSM-3000-0000Hz SMT-Auto Mode : (FR)241808 Plane : 55 Z : 2 Single-directivity : Single-directivity ME1 : #62 Powersetting : -5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7125.00</td><td>65.05</td><td>-3.25</td><td>68.30</td><td>53.73</td><td>35.82</td><td>12.61</td><td>37.11</td><td>100</td><td>26 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	1 7125.00	65.05	-3.25	68.30	53.73	35.82	12.61	37.11	100	26 Peak	VERTICAL	 Site : 030H05-KS Condition : WIFI 6E (AVG) @ 3317.5M 75957 VERTICAL Project : RSM-1000-0000Hz VSM-3000-0000Hz SMT-Auto Mode : (FR)241808 Plane : 55 Z : 2 Single-directivity : Single-directivity ME1 : #62 Powersetting : -5 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7120.00</td><td>77.46</td><td>9.16</td><td>68.30</td><td>66.14</td><td>35.82</td><td>12.61</td><td>37.11</td><td>100</td><td>26 Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	1 7120.00	77.46	9.16	68.30	66.14	35.82	12.61	37.11	100	26 Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm																																																																	
1 7125.00	65.05	-3.25	68.30	53.73	35.82	12.61	37.11	100	26 Peak	VERTICAL																																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm																																																																	
1 7120.00	77.46	9.16	68.30	66.14	35.82	12.61	37.11	100	26 Average	VERTICAL																																																														







WIFI 802.11ax HE20 Full&Part 27M LTE B7 BW_20M (Harmonic @ 3m)





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH233 7115 MHz																																																																			
7+8	Horizontal	Vertical																																																																		
Peak Avg.	 Site : 020602-PS Condition : WIFI DE PEAK 3m 3317 SN 75957 HORIZONTAL Project : RM-1000 000MHz VSW-3000 000MHz SWT.Auto Model : (FR)241808 Mode : S2 Plane : Z Single-directivity : Single-directivity IME1 : #52 Powersetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14330.00</td><td>46.02</td><td>-42.28</td><td>88.30</td><td>53.73</td><td>39.02</td><td>18.19</td><td>64.92</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 14330.00	46.02	-42.28	88.30	53.73	39.02	18.19	64.92	300	0 Peak	HORIZONTAL	 Site : 020602-PS Condition : WIFI DE PEAK 3m 3317 SN 75957 VERTICAL Project : RM-1000 000MHz VSW-3000 000MHz SWT.Auto Model : (FR)241808 Mode : S2 Plane : Z Single-directivity : Single-directivity IME1 : #52 Powersetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14330.00</td><td>45.92</td><td>-42.38</td><td>88.30</td><td>53.63</td><td>39.02</td><td>18.19</td><td>64.92</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 14330.00	45.92	-42.38	88.30	53.63	39.02	18.19	64.92	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 14330.00	46.02	-42.28	88.30	53.73	39.02	18.19	64.92	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 14330.00	45.92	-42.38	88.30	53.63	39.02	18.19	64.92	100	0 Peak	VERTICAL																																																										



WIFI 802.11ax HE20 Full & Part 27M LTE B7 BW_20M&&BLE_CH00 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																											
ANT	802.11ax HE20 Full CH233 7115MHz																																																																											
7+8	Horizontal					Fundamental																																																																						
Peak	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3317.5M 75957 HORIZONTAL Project : RRM-1000.000KHz VBM-0.010KHz SMT-Auto Bode : (F8)241808 Mode : S6 Plane : Z Single-directivity : Single-directivity IME1 : #62 Powersetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.00</td><td>69.22</td><td>-19.08</td><td>88.30</td><td>57.90</td><td>35.82</td><td>12.61</td><td>37.11</td><td>370</td><td>290 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3317.5M 75957 HORIZONTAL Project : RRM-1000.000KHz VBM-0.010KHz SMT-Auto Bode : (F8)241808 Mode : S6 Plane : Z Single-directivity : Single-directivity IME1 : #62 Powersetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7120.00</td><td>81.91</td><td>-6.39</td><td>88.30</td><td>70.59</td><td>35.82</td><td>12.61</td><td>37.11</td><td>370</td><td>290 Peak</td><td>HORIZONTAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 7125.00	69.22	-19.08	88.30	57.90	35.82	12.61	37.11	370	290 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 7120.00	81.91	-6.39	88.30	70.59	35.82	12.61	37.11	370	290 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																		
1 7125.00	69.22	-19.08	88.30	57.90	35.82	12.61	37.11	370	290 Peak	HORIZONTAL																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																		
1 7120.00	81.91	-6.39	88.30	70.59	35.82	12.61	37.11	370	290 Peak	HORIZONTAL																																																																		
Avg.	 Site : 03DH05-KS Condition : WIFI 6E AVERAGE 3m 3317.5M 75957 HORIZONTAL Project : RRM-1000.000KHz VBM-0.010KHz SMT-Auto Bode : (F8)241808 Mode : S6 Plane : Z Single-directivity : Single-directivity IME1 : #62 Powersetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.00</td><td>64.38</td><td>-3.92</td><td>68.30</td><td>53.66</td><td>35.82</td><td>12.61</td><td>37.11</td><td>370</td><td>290 Average</td><td>HORIZONTAL</td></tr></table>  Site : 03DH05-KS Condition : WIFI 6E AVERAGE 3m 3317.5M 75957 HORIZONTAL Project : RRM-1000.000KHz VBM-0.010KHz SMT-Auto Bode : (F8)241808 Mode : S6 Plane : Z Single-directivity : Single-directivity IME1 : #62 Powersetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7111.00</td><td>73.40</td><td>5.10</td><td>68.30</td><td>62.08</td><td>35.82</td><td>12.61</td><td>37.11</td><td>370</td><td>290 Average</td><td>HORIZONTAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 7125.00	64.38	-3.92	68.30	53.66	35.82	12.61	37.11	370	290 Average	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 7111.00	73.40	5.10	68.30	62.08	35.82	12.61	37.11	370	290 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																		
1 7125.00	64.38	-3.92	68.30	53.66	35.82	12.61	37.11	370	290 Average	HORIZONTAL																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																		
1 7111.00	73.40	5.10	68.30	62.08	35.82	12.61	37.11	370	290 Average	HORIZONTAL																																																																		



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																							
ANT	802.11ax HE20 Full CH233 7115MHz																																																							
7+8	Vertical	Fundamental																																																						
Peak	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3317.5M 75957 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR241808 Mode : 5A Plane : Z Single-directivity : #52 IMEI : #62 Powersetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.00</td><td>72.34</td><td>-15.96</td><td>88.30</td><td>61.02</td><td>35.82</td><td>12.61</td><td>37.11</td><td>100 25 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 7125.00	72.34	-15.96	88.30	61.02	35.82	12.61	37.11	100 25 Peak VERTICAL	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3317.5M 75957 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR241808 Mode : 5A Plane : Z Single-directivity : #52 IMEI : #62 Powersetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7111.00</td><td>85.43</td><td>-2.87</td><td>88.30</td><td>74.11</td><td>35.82</td><td>12.61</td><td>37.11</td><td>100 25 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 7111.00	85.43	-2.87	88.30	74.11	35.82	12.61	37.11	100 25 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 7125.00	72.34	-15.96	88.30	61.02	35.82	12.61	37.11	100 25 Peak VERTICAL																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 7111.00	85.43	-2.87	88.30	74.11	35.82	12.61	37.11	100 25 Peak VERTICAL																																																
Avg.	 Site : 030H05-KS Condition : WIFI 6E (AVG) 3m 3317.5M 75957 VERTICAL Project : RSM 1000.000KHz VSW 0.010KHz SMT Auto FR241808 Mode : 5A Plane : Z Single-directivity : #52 IMEI : #62 Powersetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.00</td><td>65.64</td><td>-2.66</td><td>68.30</td><td>54.32</td><td>35.82</td><td>12.61</td><td>37.11</td><td>100 25 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 7125.00	65.64	-2.66	68.30	54.32	35.82	12.61	37.11	100 25 Average VERTICAL	 Site : 030H05-KS Condition : WIFI 6E (AVG) 3m 3317.5M 75957 VERTICAL Project : RSM 1000.000KHz VSW 0.010KHz SMT Auto FR241808 Mode : 5A Plane : Z Single-directivity : #52 IMEI : #62 Powersetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7120.00</td><td>76.94</td><td>8.64</td><td>68.30</td><td>65.62</td><td>35.82</td><td>12.61</td><td>37.11</td><td>100 25 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 7120.00	76.94	8.64	68.30	65.62	35.82	12.61	37.11	100 25 Average VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 7125.00	65.64	-2.66	68.30	54.32	35.82	12.61	37.11	100 25 Average VERTICAL																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 7120.00	76.94	8.64	68.30	65.62	35.82	12.61	37.11	100 25 Average VERTICAL																																																



WIFI 802.11ax HE20 Full &Part 27M LTE B7 BW_20M&&BLE_CH00 (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH233 7115 MHz																																																																			
7+8	Horizontal	Vertical																																																																		
Peak Avg.	Site : 030605-K5 Condition : WIFI DE PEAK 3m 3317.5M 75957 HORIZONTAL Project : RM-1000 0000KHz YBR-3000 0000KHz SWT-Auto Bode : 5A Plane : 2 Polarization : Single-directivity IME1 : 862 PowerSetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14332.00</td><td>45.02</td><td>-43.28</td><td>88.30</td><td>52.73</td><td>39.02</td><td>18.19</td><td>64.92</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 14332.00	45.02	-43.28	88.30	52.73	39.02	18.19	64.92	300	0 Peak	HORIZONTAL	Site : 030605-K5 Condition : WIFI DE PEAK 3m 3317.5M 75957 VERTICAL Project : RM-1000 0000KHz YBR-3000 0000KHz SWT-Auto Bode : 5A Plane : 2 Polarization : Single-directivity IME1 : 862 PowerSetting : -5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14332.00</td><td>44.92</td><td>-43.38</td><td>88.30</td><td>52.63</td><td>39.02</td><td>18.19</td><td>64.92</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 14332.00	44.92	-43.38	88.30	52.63	39.02	18.19	64.92	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 14332.00	45.02	-43.28	88.30	52.73	39.02	18.19	64.92	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 14332.00	44.92	-43.38	88.30	52.63	39.02	18.19	64.92	100	0 Peak	VERTICAL																																																										



WIFI 802.11ax HE20 Full &Part 27M LTE B7 BW_20M&&BLE_CH00 (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	BLE CH00 2402MHz																																																													
7+8	Horizontal	Fundamental																																																												
Peak	Level (dBV/m) Frequency (MHz) Site : 030905-KS Condition : FCC PART 15C 3m 3317 SN 75957 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz SMT Auto Mode : S6 Plane : Z Single-directivity : IME1 : #62 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.13</td><td>50.43</td><td>-23.57</td><td>74.00</td><td>47.31</td><td>32.88</td><td>7.10</td><td>36.86</td><td>165</td><td>203 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg		1	2388.13	50.43	-23.57	74.00	47.31	32.88	7.10	36.86	165	203 Peak	HORIZONTAL	Level (dBV/m) Frequency (MHz) Site : 030905-KS Condition : FCC PART 15C 3m 3317 SN 75957 HORIZONTAL Project : RBW 1000.000kHz VBW 3000.000kHz SMT Auto Mode : S6 Plane : Z Single-directivity : IME1 : #62 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>98.33</td><td>24.33</td><td>74.00</td><td>95.18</td><td>32.88</td><td>7.13</td><td>36.86</td><td>165</td><td>203 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg		1	2402.00	98.33	24.33	74.00	95.18	32.88	7.13	36.86	165	203 Peak	HORIZONTAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																							
1	2388.13	50.43	-23.57	74.00	47.31	32.88	7.10	36.86	165	203 Peak	HORIZONTAL																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																							
1	2402.00	98.33	24.33	74.00	95.18	32.88	7.13	36.86	165	203 Peak	HORIZONTAL																																																			
Avg.	Level (dBV/m) Frequency (MHz) Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 75957 HORIZONTAL Project : RBW 1000.000kHz VBW 2.700kHz SMT Auto Mode : S6 Plane : Z Single-directivity : IME1 : #62 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2384.88</td><td>40.72</td><td>-13.28</td><td>54.00</td><td>37.63</td><td>32.86</td><td>7.10</td><td>36.87</td><td>165</td><td>203 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg		1	2384.88	40.72	-13.28	54.00	37.63	32.86	7.10	36.87	165	203 Average	HORIZONTAL	Level (dBV/m) Frequency (MHz) Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 75957 HORIZONTAL Project : RBW 1000.000kHz VBW 2.700kHz SMT Auto Mode : S6 Plane : Z Single-directivity : IME1 : #62 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>97.74</td><td>43.74</td><td>54.00</td><td>94.59</td><td>32.88</td><td>7.13</td><td>36.86</td><td>165</td><td>203 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg		1	2402.00	97.74	43.74	54.00	94.59	32.88	7.13	36.86	165	203 Average	HORIZONTAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																							
1	2384.88	40.72	-13.28	54.00	37.63	32.86	7.10	36.87	165	203 Average	HORIZONTAL																																																			
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																							
1	2402.00	97.74	43.74	54.00	94.59	32.88	7.13	36.86	165	203 Average	HORIZONTAL																																																			



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																			
ANT	BLE CH00 2402MHz																																																																																			
7+8	Vertical						Fundamental																																																																													
Peak	Site : 030905-KS Condition : FCC PART 15C 3m 3317 5W 75957 VERTICAL Project : RSM-1000 0000Hz VSW:3000 0000Hz SRT:Auto Model : FR241808 Plane : 50 Polarization : Z Single-directivity : #02 <table><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2372.79</td><td>50.35</td><td>-23.65</td><td>74.00</td><td>47.29</td><td>32.86</td><td>7.07</td><td>36.87</td><td>271</td><td>69 Peak</td><td>VERTICAL</td></tr></table>						IME1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2372.79	50.35	-23.65	74.00	47.29	32.86	7.07	36.87	271	69 Peak	VERTICAL	Site : 030905-KS Condition : FCC PART 15C 3m 3317 5W 75957 VERTICAL Project : RSM-1000 0000Hz VSW:3000 0000Hz SRT:Auto Model : FR241808 Plane : 50 Polarization : Z Single-directivity : #02 <table><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2402.00</td><td>100.59</td><td>26.59</td><td>74.00</td><td>97.44</td><td>32.88</td><td>7.13</td><td>36.86</td><td>271</td><td>69 Peak</td><td>VERTICAL</td></tr></table>						IME1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2402.00	100.59	26.59	74.00	97.44	32.88	7.13	36.86	271	69 Peak	VERTICAL
	IME1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																											
1	2372.79	50.35	-23.65	74.00	47.29	32.86	7.07	36.87	271	69 Peak	VERTICAL																																																																									
IME1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																											
1	2402.00	100.59	26.59	74.00	97.44	32.88	7.13	36.86	271	69 Peak	VERTICAL																																																																									
Avg	Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3317 5W 75957 VERTICAL Project : RSM-1000 0000Hz VSW:3.7000Hz SRT:Auto Model : FR241808 Plane : 50 Polarization : Z Single-directivity : #02 <table><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2383.45</td><td>40.81</td><td>-13.19</td><td>54.00</td><td>37.72</td><td>32.86</td><td>7.10</td><td>36.87</td><td>271</td><td>69 Average</td><td>VERTICAL</td></tr></table>						IME1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2383.45	40.81	-13.19	54.00	37.72	32.86	7.10	36.87	271	69 Average	VERTICAL	Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3317 5W 75957 VERTICAL Project : RSM-1000 0000Hz VSW:3.7000Hz SRT:Auto Model : FR241808 Plane : 50 Polarization : Z Single-directivity : #02 <table><tr><th>IME1</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2402.00</td><td>100.03</td><td>46.03</td><td>54.00</td><td>96.88</td><td>32.88</td><td>7.13</td><td>36.86</td><td>271</td><td>69 Average</td><td>VERTICAL</td></tr></table>						IME1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2402.00	100.03	46.03	54.00	96.88	32.88	7.13	36.86	271	69 Average	VERTICAL
	IME1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																											
1	2383.45	40.81	-13.19	54.00	37.72	32.86	7.10	36.87	271	69 Average	VERTICAL																																																																									
IME1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																											
1	2402.00	100.03	46.03	54.00	96.88	32.88	7.13	36.86	271	69 Average	VERTICAL																																																																									




WIFI 802.11ax HE20 Full &Part 27M LTE B7 BW_20M&&BLE_CH00 (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																	
ANT	BLE CH00 2402MHz																																																																	
7+8	Horizontal	Vertical																																																																
Peak Avg.	Site : 030H00-KS Condition : FCC PART 15C 3m 3317 SN 75957 HORIZONTAL Power : 1000.000000 WBR 3000.000000 SRT Auto Project : (FR)241808 Mode : 2 Plane : Z Single-directivity IMEI : 862 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4804.00</td><td>40.31</td><td>-33.69</td><td>74.00</td><td>61.29</td><td>34.19</td><td>10.20</td><td>65.37</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	4804.00	40.31	-33.69	74.00	61.29	34.19	10.20	65.37	300	0 Peak	HORIZONTAL	Site : 030H00-KS Condition : FCC PART 15C 3m 3317 SN 75957 VERTICAL Power : 1000.000000 WBR 3000.000000 SRT Auto Project : (FR)241808 Mode : 2 Plane : Z Single-directivity IMEI : 862 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4804.00</td><td>39.35</td><td>-34.65</td><td>74.00</td><td>60.33</td><td>34.19</td><td>10.20</td><td>65.37</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	4804.00	39.35	-34.65	74.00	60.33	34.19	10.20	65.37	100	0 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	4804.00	40.31	-33.69	74.00	61.29	34.19	10.20	65.37	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	4804.00	39.35	-34.65	74.00	60.33	34.19	10.20	65.37	100	0 Peak	VERTICAL																																																							

Appendix E. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1/2	802.11a	98.97	-	-	10Hz
1/2	802.11ax HE20	100	-	-	10Hz
1/2	802.11ax HE40	100	-	-	10Hz
1/2	802.11ax HE80	100	-	-	10Hz
1/2	802.11ax HE160	100	-	-	10Hz

802.11a







802.11ax HE20



802.11ax HE40



802.11ax HE80



802.11ax HE160

