















		72																																																																																										
Mode		Band Edge																																																																																										
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_①_6025MHz																																																																																										
ANT		CDD 5+4																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>73.64</td><td>88.20</td><td>-14.56</td><td>59.39</td><td>35.39</td><td>11.40</td><td>32.54</td><td>316</td><td>224 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.96	73.64	88.20	-14.56	59.39	35.39	11.40	32.54	316	224 PEAK	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>96.40</td><td>-----</td><td>-----</td><td>81.98</td><td>35.53</td><td>11.49</td><td>32.60</td><td>316</td><td>224 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	96.40	-----	-----	81.98	35.53	11.49	32.60	316	224 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5924.96	73.64	88.20	-14.56	59.39	35.39	11.40	32.54	316	224 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	96.40	-----	-----	81.98	35.53	11.49	32.60	316	224 PEAK																																																																																		
Avg	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>55.52</td><td>68.20</td><td>-12.68</td><td>41.27</td><td>35.39</td><td>11.40</td><td>32.54</td><td>316</td><td>224 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.96	55.52	68.20	-12.68	41.27	35.39	11.40	32.54	316	224 AVERAGE	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>86.94</td><td>-----</td><td>-----</td><td>72.67</td><td>35.51</td><td>11.36</td><td>32.60</td><td>316</td><td>224 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	86.94	-----	-----	72.67	35.51	11.36	32.60	316	224 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5924.96	55.52	68.20	-12.68	41.27	35.39	11.40	32.54	316	224 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	86.94	-----	-----	72.67	35.51	11.36	32.60	316	224 AVERAGE																																																																																		



Mode	72																																																																																														
	Band Edge																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_①_6025MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.84</td><td>74.19</td><td>88.20</td><td>-14.01</td><td>59.93</td><td>35.39</td><td>11.41</td><td>32.54</td><td>400</td><td>253</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5923.84	74.19	88.20	-14.01	59.93	35.39	11.41	32.54	400	253	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>97.32</td><td>-----</td><td>-----</td><td>82.90</td><td>35.53</td><td>11.49</td><td>32.60</td><td>400</td><td>253</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.32	-----	-----	82.90	35.53	11.49	32.60	400	253
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5923.84	74.19	88.20	-14.01	59.93	35.39	11.41	32.54	400	253	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6025.00	97.32	-----	-----	82.90	35.53	11.49	32.60	400	253	PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>56.36</td><td>68.20</td><td>-11.84</td><td>42.11</td><td>35.39</td><td>11.40</td><td>32.54</td><td>400</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.96	56.36	68.20	-11.84	42.11	35.39	11.40	32.54	400	253	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>88.17</td><td>-----</td><td>-----</td><td>73.84</td><td>35.52</td><td>11.41</td><td>32.60</td><td>400</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.17	-----	-----	73.84	35.52	11.41	32.60	400	253
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.96	56.36	68.20	-11.84	42.11	35.39	11.40	32.54	400	253	AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6025.00	88.17	-----	-----	73.84	35.52	11.41	32.60	400	253	AVERAGE																																																																																				







Mode	73																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_3_6985MHz																																																																																																		
ANT	CDD 5+4																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7152.50</td><td>67.64</td><td>88.20</td><td>-20.56</td><td>51.08</td><td>36.26</td><td>12.83</td><td>32.53</td><td>365 82 PEAK</td></tr><tr><td>2</td><td>7252.50</td><td>56.21</td><td>74.00</td><td>-17.79</td><td>39.47</td><td>36.30</td><td>13.04</td><td>32.60</td><td>365 82 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7152.50	67.64	88.20	-20.56	51.08	36.26	12.83	32.53	365 82 PEAK	2	7252.50	56.21	74.00	-17.79	39.47	36.30	13.04	32.60	365 82 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>96.23</td><td>-----</td><td>-----</td><td>80.16</td><td>36.19</td><td>12.28</td><td>32.40</td><td>365 82 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	96.23	-----	-----	80.16	36.19	12.28	32.40
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7152.50	67.64	88.20	-20.56	51.08	36.26	12.83	32.53	365 82 PEAK																																																																																										
2	7252.50	56.21	74.00	-17.79	39.47	36.30	13.04	32.60	365 82 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	96.23	-----	-----	80.16	36.19	12.28	32.40	365 82 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7135.00</td><td>55.37</td><td>68.20</td><td>-12.83</td><td>38.86</td><td>36.25</td><td>12.77</td><td>32.51</td><td>365 82 AVERAGE</td></tr><tr><td>2</td><td>7254.38</td><td>47.31</td><td>54.00</td><td>-6.69</td><td>30.58</td><td>36.30</td><td>13.04</td><td>32.61</td><td>365 82 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7135.00	55.37	68.20	-12.83	38.86	36.25	12.77	32.51	365 82 AVERAGE	2	7254.38	47.31	54.00	-6.69	30.58	36.30	13.04	32.61	365 82 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>88.62</td><td>-----</td><td>-----</td><td>72.55</td><td>36.19</td><td>12.28</td><td>32.40</td><td>365 82 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	88.62	-----	-----	72.55	36.19	12.28	32.40
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7135.00	55.37	68.20	-12.83	38.86	36.25	12.77	32.51	365 82 AVERAGE																																																																																										
2	7254.38	47.31	54.00	-6.69	30.58	36.30	13.04	32.61	365 82 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	88.62	-----	-----	72.55	36.19	12.28	32.40	365 82 AVERAGE																																																																																										







		73																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_3_6985MHz																																																																																												
ANT		CDD 5+4																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2023-12-05 PEAK_BE(U)NI, 6E					Level (dBuV/m) Date: 2023-12-05 PEAK_BE(U)NI, 6E																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7135.00	68.96	88.20	-19.24	52.45	36.25	12.77	32.51	350 28 PEAK	2	7300.00	57.58	74.00	-16.42	40.83	36.32	13.07	32.64	350 28 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	98.97	-----	-----	82.92	36.19	12.27	32.41	350 28 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7135.00	68.96	88.20	-19.24	52.45	36.25	12.77	32.51	350 28 PEAK																																																																																					
2	7300.00	57.58	74.00	-16.42	40.83	36.32	13.07	32.64	350 28 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6985.00	98.97	-----	-----	82.92	36.19	12.27	32.41	350 28 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2023-12-05 AVG_BE(U)NI, 6E					Level (dBuV/m) Date: 2023-12-05 AVG_BE(U)NI, 6E																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7143.13	55.55	68.20	-12.65	39.01	36.26	12.80	32.52	350 28 AVERAGE	2	7261.25	47.62	54.00	-6.38	30.89	36.30	13.04	32.61	350 28 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	89.70	-----	-----	73.65	36.19	12.27	32.41	350 28 AVERAGE				
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7143.13	55.55	68.20	-12.65	39.01	36.26	12.80	32.52	350 28 AVERAGE																																																																																					
2	7261.25	47.62	54.00	-6.38	30.89	36.30	13.04	32.61	350 28 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6985.00	89.70	-----	-----	73.65	36.19	12.27	32.41	350 28 AVERAGE																																																																																					







Mode	74																																																																																			
	Band Edge - L																																																																																			
	U-NII-5 5.925-6.425 802.11be EHT320_CH31_Large RU 996*2+484 ⑥ 6025MHz																																																																																			
ANT	CDD 5+4																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.46</td><td>66.96</td><td>88.20</td><td>-21.24</td><td>52.59</td><td>34.98</td><td>11.70</td><td>32.31</td><td>214</td><td>65 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5625.46	66.96	88.20	-21.24	52.59	34.98	11.70	32.31	214	65 PEAK	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>93.61</td><td>-----</td><td>-----</td><td>78.89</td><td>35.58</td><td>11.74</td><td>32.60</td><td>214</td><td>65 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.61	-----	-----	78.89	35.58	11.74	32.60	214	65 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5625.46	66.96	88.20	-21.24	52.59	34.98	11.70	32.31	214	65 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	93.61	-----	-----	78.89	35.58	11.74	32.60	214	65 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.70</td><td>50.00</td><td>68.20</td><td>-18.20</td><td>35.64</td><td>34.97</td><td>11.70</td><td>32.31</td><td>214</td><td>65 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5624.70	50.00	68.20	-18.20	35.64	34.97	11.70	32.31	214	65 AVERAGE	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>84.86</td><td>-----</td><td>-----</td><td>70.28</td><td>35.56</td><td>11.62</td><td>32.60</td><td>214</td><td>65 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.86	-----	-----	70.28	35.56	11.62	32.60	214	65 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5624.70	50.00	68.20	-18.20	35.64	34.97	11.70	32.31	214	65 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	84.86	-----	-----	70.28	35.56	11.62	32.60	214	65 AVERAGE																																																																										







		74																																																																																									
Mode		Band Edge - L																																																																																									
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484_⑥_6025MHz																																																																																									
ANT		CDD 5+4																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.46</td><td>64.59</td><td>88.20</td><td>-23.61</td><td>50.22</td><td>34.98</td><td>11.70</td><td>32.31</td><td>302</td><td>105 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5625.46	64.59	88.20	-23.61	50.22	34.98	11.70	32.31	302	105 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>90.73</td><td>-----</td><td>-----</td><td>76.53</td><td>35.45</td><td>11.33</td><td>32.58</td><td>302</td><td>105 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	90.73	-----	-----	76.53	35.45	11.33	32.58	302
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5625.46	64.59	88.20	-23.61	50.22	34.98	11.70	32.31	302	105 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	90.73	-----	-----	76.53	35.45	11.33	32.58	302	105 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.70</td><td>47.88</td><td>68.20</td><td>-20.32</td><td>33.52</td><td>34.97</td><td>11.70</td><td>32.31</td><td>302</td><td>105 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5624.70	47.88	68.20	-20.32	33.52	34.97	11.70	32.31	302	105 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>81.42</td><td>-----</td><td>-----</td><td>67.22</td><td>35.45</td><td>11.33</td><td>32.58</td><td>302</td><td>105 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	81.42	-----	-----	67.22	35.45	11.33	32.58	302
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5624.70	47.88	68.20	-20.32	33.52	34.97	11.70	32.31	302	105 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	81.42	-----	-----	67.22	35.45	11.33	32.58	302	105 AVERAGE																																																																																	



		75																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*2+484_6_6905MHz																																																																																												
ANT		CDD 5+4																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	 Date: 2023-12-05 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E					 Date: 2023-12-05 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7235.66	55.67	88.20	-32.53	38.95	36.29	13.02	32.59	377 71 PEAK	2	7302.21	55.18	74.00	-18.82	38.43	36.32	13.07	32.64	377 71	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>90.25</td><td>-----</td><td>-----</td><td>74.42</td><td>36.13</td><td>12.14</td><td>32.44</td><td>377 71 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	90.25	-----	-----	74.42	36.13	12.14	32.44
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7235.66	55.67	88.20	-32.53	38.95	36.29	13.02	32.59	377 71 PEAK																																																																																					
2	7302.21	55.18	74.00	-18.82	38.43	36.32	13.07	32.64	377 71																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	90.25	-----	-----	74.42	36.13	12.14	32.44	377 71 PEAK																																																																																					
Avg	 Date: 2023-12-05 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E					 Date: 2023-12-05 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7234.45	46.85	68.20	-21.35	30.13	36.29	13.02	32.59	377 71 AVERAGE	2	7284.66	46.88	54.00	-7.12	30.14	36.31	13.06	32.63	377 71 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>82.07</td><td>-----</td><td>-----</td><td>66.24</td><td>36.13</td><td>12.14</td><td>32.44</td><td>377 71 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.07	-----	-----	66.24	36.13	12.14	32.44
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7234.45	46.85	68.20	-21.35	30.13	36.29	13.02	32.59	377 71 AVERAGE																																																																																					
2	7284.66	46.88	54.00	-7.12	30.14	36.31	13.06	32.63	377 71 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	82.07	-----	-----	66.24	36.13	12.14	32.44	377 71 AVERAGE																																																																																					



		75																																																																																															
Mode		Band Edge																																																																																															
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*2+484_6_6905MHz																																																																																															
ANT		CDD 5+4																																																																																															
Pol.		Vertical					Fundamental																																																																																										
Peak	 Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the signal and a red line representing the limit. The signal is below the limit across the frequency range. PEAK_BE(UNII_6E)					 Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the signal and a red line representing the limit. The signal is below the limit across the frequency range. PEAK_BE(UNII_6E)																																																																																											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7244.73	55.71	88.20	-32.49	38.98	36.30	13.03	32.60	345	27 PEAK	2	7258.65	56.05	74.00	-17.95	39.32	36.30	13.04	32.61	345	27 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.93	-----	-----	76.06	36.14	12.17	32.44	345	27 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7244.73	55.71	88.20	-32.49	38.98	36.30	13.03	32.60	345	27 PEAK																																																																																							
2	7258.65	56.05	74.00	-17.95	39.32	36.30	13.04	32.61	345	27 PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6905.00	91.93	-----	-----	76.06	36.14	12.17	32.44	345	27 PEAK																																																																																							
Avg	 Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the signal and a red line representing the limit. The signal is below the limit across the frequency range. AVG_BE(UNII_6E)					 Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the signal and a red line representing the limit. The signal is below the limit across the frequency range. AVG_BE(UNII_6E)																																																																																											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7210.25	46.95	68.20	-21.25	30.23	36.28	13.01	32.57	345	27 AVERAGE	2	7336.69	46.80	54.00	-7.20	30.04	36.33	13.10	32.67	345	27 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.65	-----	-----	67.79	36.14	12.16	32.44	345	27 AVERAGE				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7210.25	46.95	68.20	-21.25	30.23	36.28	13.01	32.57	345	27 AVERAGE																																																																																							
2	7336.69	46.80	54.00	-7.20	30.04	36.33	13.10	32.67	345	27 AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6905.00	83.65	-----	-----	67.79	36.14	12.16	32.44	345	27 AVERAGE																																																																																							



Mode	76																																																																									
	Band Edge - L																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_④_6025MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U11)_6E 1 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5870.26</td><td>55.49</td><td>88.20</td><td>-32.71</td><td>41.17</td><td>35.32</td><td>11.50</td><td>32.50</td><td>216 65 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5870.26	55.49	88.20	-32.71	41.17	35.32	11.50	32.50	216 65 PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U11)_6E 1 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>92.60</td><td>-----</td><td>-----</td><td>77.72</td><td>35.61</td><td>11.87</td><td>32.60</td><td>216 65 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 6105.00	92.60	-----	-----	77.72	35.61	11.87	32.60	216 65 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5870.26	55.49	88.20	-32.71	41.17	35.32	11.50	32.50	216 65 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	92.60	-----	-----	77.72	35.61	11.87	32.60	216 65 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U11)_6E 1 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5906.98</td><td>45.10</td><td>68.20</td><td>-23.10</td><td>30.83</td><td>35.37</td><td>11.43</td><td>32.53</td><td>216 65 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5906.98	45.10	68.20	-23.10	30.83	35.37	11.43	32.53	216 65 AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U11)_6E 1 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>84.10</td><td>-----</td><td>-----</td><td>69.52</td><td>35.56</td><td>11.62</td><td>32.60</td><td>216 65 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 6105.00	84.10	-----	-----	69.52	35.56	11.62	32.60	216 65 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5906.98	45.10	68.20	-23.10	30.83	35.37	11.43	32.53	216 65 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	84.10	-----	-----	69.52	35.56	11.62	32.60	216 65 AVERAGE																																																																		



Mode	76	
	Band Edge - L	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_ ④_6025MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	<	







	77																																																																																													
Mode	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3_4_6905MHz																																																																																													
ANT	CDD 5+4																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Date: 2023-12-05 Level (dBuV/m) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a blue signal line with a red limit line. Two peaks are marked with vertical lines and labeled 1 and 2. The peak levels are approximately 55.40 dBuV/m and 55.47 dBuV/m respectively. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7200.57</td><td>55.40</td><td>88.20</td><td>-32.80</td><td>38.68</td><td>36.28</td><td>13.00</td><td>32.56</td><td>384</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>7296.16</td><td>55.47</td><td>74.00</td><td>-18.53</td><td>38.72</td><td>36.32</td><td>13.07</td><td>32.64</td><td>384</td><td>67</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7200.57	55.40	88.20	-32.80	38.68	36.28	13.00	32.56	384	67	PEAK	2	7296.16	55.47	74.00	-18.53	38.72	36.32	13.07	32.64	384	67	PEAK	Date: 2023-12-05 Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a blue signal line with a red limit line. A peak is marked with a vertical line and labeled 1. The peak level is approximately 88.17 dBuV/m. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>88.17</td><td>-----</td><td>-----</td><td>72.53</td><td>36.08</td><td>12.04</td><td>32.48</td><td>384</td><td>67</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	88.17	-----	-----	72.53	36.08	12.04	32.48	384	67	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7200.57	55.40	88.20	-32.80	38.68	36.28	13.00	32.56	384	67	PEAK																																																																																			
2	7296.16	55.47	74.00	-18.53	38.72	36.32	13.07	32.64	384	67	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	88.17	-----	-----	72.53	36.08	12.04	32.48	384	67	PEAK																																																																																			
Avg	Date: 2023-12-05 Level (dBuV/m) vs Frequency (MHz) plot for Avg Horizontal. The plot shows a blue signal line with a red limit line. Two peaks are marked with vertical lines and labeled 1 and 2. The peak levels are approximately 46.99 dBuV/m and 47.06 dBuV/m respectively. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.48</td><td>46.99</td><td>68.20</td><td>-21.21</td><td>30.26</td><td>36.29</td><td>13.01</td><td>32.57</td><td>384</td><td>67</td><td>AVERAGE</td></tr><tr><td>2</td><td>7265.30</td><td>47.06</td><td>54.00</td><td>-6.94</td><td>30.31</td><td>36.31</td><td>13.05</td><td>32.61</td><td>384</td><td>67</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7214.48	46.99	68.20	-21.21	30.26	36.29	13.01	32.57	384	67	AVERAGE	2	7265.30	47.06	54.00	-6.94	30.31	36.31	13.05	32.61	384	67	AVERAGE	Date: 2023-12-05 Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a blue signal line with a red limit line. A peak is marked with a vertical line and labeled 1. The peak level is approximately 79.95 dBuV/m. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>79.95</td><td>-----</td><td>-----</td><td>64.02</td><td>36.16</td><td>12.20</td><td>32.43</td><td>384</td><td>67</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.95	-----	-----	64.02	36.16	12.20	32.43	384	67	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7214.48	46.99	68.20	-21.21	30.26	36.29	13.01	32.57	384	67	AVERAGE																																																																																			
2	7265.30	47.06	54.00	-6.94	30.31	36.31	13.05	32.61	384	67	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	79.95	-----	-----	64.02	36.16	12.20	32.43	384	67	AVERAGE																																																																																			



Mode	77																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3_4_6905MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Date: 2023-12-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7221.14</td><td>55.57</td><td>88.20</td><td>-32.63</td><td>38.85</td><td>36.29</td><td>13.01</td><td>32.58</td><td>100 34 PEAK</td></tr><tr><td>2</td><td>7262.28</td><td>54.95</td><td>74.00</td><td>-19.05</td><td>38.22</td><td>36.30</td><td>13.04</td><td>32.61</td><td>100 34 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7221.14	55.57	88.20	-32.63	38.85	36.29	13.01	32.58	100 34 PEAK	2	7262.28	54.95	74.00	-19.05	38.22	36.30	13.04	32.61	100 34 PEAK	Date: 2023-12-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>91.75</td><td>-----</td><td>-----</td><td>75.89</td><td>36.14</td><td>12.16</td><td>32.44</td><td>100 34 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.75	-----	-----	75.89	36.14	12.16	32.44	100 34 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7221.14	55.57	88.20	-32.63	38.85	36.29	13.01	32.58	100 34 PEAK																																																																																			
2	7262.28	54.95	74.00	-19.05	38.22	36.30	13.04	32.61	100 34 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	91.75	-----	-----	75.89	36.14	12.16	32.44	100 34 PEAK																																																																																			
Avg	Date: 2023-12-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7208.43</td><td>46.99</td><td>68.20</td><td>-21.21</td><td>30.27</td><td>36.28</td><td>13.01</td><td>32.57</td><td>100 34 AVERAGE</td></tr><tr><td>2</td><td>7317.94</td><td>46.86</td><td>54.00</td><td>-7.14</td><td>30.11</td><td>36.33</td><td>13.08</td><td>32.66</td><td>100 34 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7208.43	46.99	68.20	-21.21	30.27	36.28	13.01	32.57	100 34 AVERAGE	2	7317.94	46.86	54.00	-7.14	30.11	36.33	13.08	32.66	100 34 AVERAGE	Date: 2023-12-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>83.47</td><td>-----</td><td>-----</td><td>67.61</td><td>36.14</td><td>12.16</td><td>32.44</td><td>100 34 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.47	-----	-----	67.61	36.14	12.16	32.44	100 34 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7208.43	46.99	68.20	-21.21	30.27	36.28	13.01	32.57	100 34 AVERAGE																																																																																			
2	7317.94	46.86	54.00	-7.14	30.11	36.33	13.08	32.66	100 34 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	83.47	-----	-----	67.61	36.14	12.16	32.44	100 34 AVERAGE																																																																																			







		78																																																																										
Mode		Band Edge - L																																																																										
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484 ⑧_6025MHz																																																																										
ANT		CDD 5+4																																																																										
Pol.		Horizontal					Fundamental																																																																					
Peak	 Level (dBuV/m) Date: 2023-11-08 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5625.46</td><td>60.95</td><td>88.20</td><td>-27.25</td><td>46.58</td><td>34.98</td><td>11.70</td><td>32.31</td><td>216</td><td>65 PEAK</td></tr></tbody></table>					Freq	Level	Line	(dB)	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5625.46	60.95	88.20	-27.25	46.58	34.98	11.70	32.31	216	65 PEAK	 Level (dBuV/m) Date: 2023-11-08 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>93.12</td><td>-----</td><td>78.58</td><td>35.55</td><td>11.59</td><td>32.60</td><td>216</td><td>65</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Line	(dB)	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	6105.00	93.12	-----	78.58	35.55	11.59	32.60	216	65	PEAK
	Freq	Level	Line	(dB)	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5625.46	60.95	88.20	-27.25	46.58	34.98	11.70	32.31	216	65 PEAK																																																																		
Freq	Level	Line	(dB)	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	6105.00	93.12	-----	78.58	35.55	11.59	32.60	216	65	PEAK																																																																		
Avg	 Level (dBuV/m) Date: 2023-11-08 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5797.59</td><td>49.33</td><td>68.20</td><td>-18.87</td><td>34.93</td><td>35.22</td><td>11.62</td><td>32.44</td><td>216</td><td>65 AVERAGE</td></tr></tbody></table>					Freq	Level	Line	(dB)	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5797.59	49.33	68.20	-18.87	34.93	35.22	11.62	32.44	216	65 AVERAGE	 Level (dBuV/m) Date: 2023-11-08 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>84.46</td><td>-----</td><td>605.37-500.00</td><td>11.69</td><td>32.60</td><td>216</td><td>65</td><td></td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Line	(dB)	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	6105.00	84.46	-----	605.37-500.00	11.69	32.60	216	65		AVERAGE
	Freq	Level	Line	(dB)	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5797.59	49.33	68.20	-18.87	34.93	35.22	11.62	32.44	216	65 AVERAGE																																																																		
Freq	Level	Line	(dB)	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	6105.00	84.46	-----	605.37-500.00	11.69	32.60	216	65		AVERAGE																																																																		



Mode	78																																																																									
	Band Edge - L																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_⑧_6025MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U)NII_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5624.70</td><td>70.17</td><td>88.20</td><td>-18.03</td><td>55.81</td><td>34.97</td><td>11.70</td><td>32.31</td><td>302 105 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1 5624.70	70.17	88.20	-18.03	55.81	34.97	11.70	32.31	302 105 PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U)NII_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6105.00</td><td>90.91</td><td>-----</td><td>-----</td><td>76.46</td><td>35.54</td><td>11.51</td><td>32.60</td><td>302 105 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1 6105.00	90.91	-----	-----	76.46	35.54	11.51	32.60	302 105 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																		
1 5624.70	70.17	88.20	-18.03	55.81	34.97	11.70	32.31	302 105 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																		
1 6105.00	90.91	-----	-----	76.46	35.54	11.51	32.60	302 105 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U)NII_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5789.17</td><td>52.99</td><td>68.20</td><td>-15.21</td><td>38.61</td><td>35.20</td><td>11.62</td><td>32.44</td><td>302 105 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1 5789.17	52.99	68.20	-15.21	38.61	35.20	11.62	32.44	302 105 AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U)NII_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6105.00</td><td>82.39</td><td>-----</td><td>-----</td><td>67.85</td><td>35.55</td><td>11.59</td><td>32.60</td><td>302 105 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1 6105.00	82.39	-----	-----	67.85	35.55	11.59	32.60	302 105 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																		
1 5789.17	52.99	68.20	-15.21	38.61	35.20	11.62	32.44	302 105 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																		
1 6105.00	82.39	-----	-----	67.85	35.55	11.59	32.60	302 105 AVERAGE																																																																		



Mode	79																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484_5_6905MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2023-12-05  PEAK_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6745 6866 6987 7108 7229 7350 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7220.53</td><td>55.86</td><td>88.20</td><td>-32.34</td><td>39.14</td><td>36.29</td><td>13.01</td><td>32.58</td><td>384 65 PEAK</td></tr><tr><td>2</td><td>7266.51</td><td>55.73</td><td>74.00</td><td>-18.27</td><td>38.98</td><td>36.31</td><td>13.05</td><td>32.61</td><td>384 65 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7220.53	55.86	88.20	-32.34	39.14	36.29	13.01	32.58	384 65 PEAK	2	7266.51	55.73	74.00	-18.27	38.98	36.31	13.05	32.61	384 65 PEAK	Level (dBuV/m) Date: 2023-12-05  PEAK_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>88.61</td><td>-----</td><td>-----</td><td>72.97</td><td>36.08</td><td>12.04</td><td>32.48</td><td>384 65 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	88.61	-----	-----	72.97	36.08	12.04	32.48	384 65 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7220.53	55.86	88.20	-32.34	39.14	36.29	13.01	32.58	384 65 PEAK																																																																																			
2	7266.51	55.73	74.00	-18.27	38.98	36.31	13.05	32.61	384 65 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	88.61	-----	-----	72.97	36.08	12.04	32.48	384 65 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2023-12-05  AVG_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6745 6866 6987 7108 7229 7350 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7212.06</td><td>47.25</td><td>68.20</td><td>-20.95</td><td>30.53</td><td>36.28</td><td>13.01</td><td>32.57</td><td>384 65 AVERAGE</td></tr><tr><td>2</td><td>7289.50</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>30.21</td><td>36.32</td><td>13.06</td><td>32.63</td><td>384 65 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7212.06	47.25	68.20	-20.95	30.53	36.28	13.01	32.57	384 65 AVERAGE	2	7289.50	46.96	54.00	-7.04	30.21	36.32	13.06	32.63	384 65 AVERAGE	Level (dBuV/m) Date: 2023-12-05  AVG_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>80.25</td><td>-----</td><td>-----</td><td>64.27</td><td>36.17</td><td>12.23</td><td>32.42</td><td>384 65 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	80.25	-----	-----	64.27	36.17	12.23	32.42	384 65 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7212.06	47.25	68.20	-20.95	30.53	36.28	13.01	32.57	384 65 AVERAGE																																																																																			
2	7289.50	46.96	54.00	-7.04	30.21	36.32	13.06	32.63	384 65 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	80.25	-----	-----	64.27	36.17	12.23	32.42	384 65 AVERAGE																																																																																			







Mode	79																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484_5_6905MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2023-12-05 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.63</td><td>56.47</td><td>88.20</td><td>-31.73</td><td>39.75</td><td>36.29</td><td>13.02</td><td>32.59</td><td>100 28 PEAK</td></tr><tr><td>2</td><td>7346.98</td><td>56.11</td><td>74.00</td><td>-17.89</td><td>39.35</td><td>36.34</td><td>13.10</td><td>32.68</td><td>100 28 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7232.63	56.47	88.20	-31.73	39.75	36.29	13.02	32.59	100 28 PEAK	2	7346.98	56.11	74.00	-17.89	39.35	36.34	13.10	32.68	100 28 PEAK	Level (dBuV/m) Date: 2023-12-05 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>91.35</td><td>-----</td><td>75.49</td><td>36.14</td><td>12.16</td><td>32.44</td><td>100</td><td>28 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.35	-----	75.49	36.14	12.16	32.44	100	28 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7232.63	56.47	88.20	-31.73	39.75	36.29	13.02	32.59	100 28 PEAK																																																																																			
2	7346.98	56.11	74.00	-17.89	39.35	36.34	13.10	32.68	100 28 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	91.35	-----	75.49	36.14	12.16	32.44	100	28 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2023-12-05 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7223.56</td><td>47.24</td><td>68.20</td><td>-20.96</td><td>30.51</td><td>36.29</td><td>13.02</td><td>32.58</td><td>100 28 AVERAGE</td></tr><tr><td>2</td><td>7282.85</td><td>47.63</td><td>54.00</td><td>-6.37</td><td>30.89</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100 28 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7223.56	47.24	68.20	-20.96	30.51	36.29	13.02	32.58	100 28 AVERAGE	2	7282.85	47.63	54.00	-6.37	30.89	36.31	13.06	32.63	100 28 AVERAGE	Level (dBuV/m) Date: 2023-12-05 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>82.60</td><td>-----</td><td>66.74</td><td>36.14</td><td>12.16</td><td>32.44</td><td>100</td><td>28 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.60	-----	66.74	36.14	12.16	32.44	100	28 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7223.56	47.24	68.20	-20.96	30.51	36.29	13.02	32.58	100 28 AVERAGE																																																																																			
2	7282.85	47.63	54.00	-6.37	30.89	36.31	13.06	32.63	100 28 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	82.60	-----	66.74	36.14	12.16	32.44	100	28 AVERAGE																																																																																			



Mode	80																																																																			
	Band Edge																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M_①_5985MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	Date: 2023-11-08 PEAK_BE(UIN)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5917.80</td><td>65.19</td><td>88.20</td><td>-23.01</td><td>50.93</td><td>35.38</td><td>11.42</td><td>32.54</td><td>400</td><td>132</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5917.80	65.19	88.20	-23.01	50.93	35.38	11.42	32.54	400	132	PEAK	Date: 2023-11-08 PEAK_BE(UIN)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5985.00</td><td>95.63</td><td>-----</td><td>-----</td><td>81.39</td><td>35.43</td><td>11.37</td><td>32.56</td><td>400</td><td>132</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5985.00	95.63	-----	-----	81.39	35.43	11.37	32.56	400	132	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5917.80	65.19	88.20	-23.01	50.93	35.38	11.42	32.54	400	132	PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5985.00	95.63	-----	-----	81.39	35.43	11.37	32.56	400	132	PEAK																																																										
Avg	Date: 2023-11-08 AVG_BE(UIN)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5923.08</td><td>49.51</td><td>68.20</td><td>-18.69</td><td>35.25</td><td>35.39</td><td>11.41</td><td>32.54</td><td>400</td><td>132</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5923.08	49.51	68.20	-18.69	35.25	35.39	11.41	32.54	400	132	AVERAGE	Date: 2023-11-08 AVG_BE(UIN)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5985.00</td><td>85.72</td><td>-----</td><td>-----</td><td>71.48</td><td>35.43</td><td>11.37</td><td>32.56</td><td>400</td><td>132</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5985.00	85.72	-----	-----	71.48	35.43	11.37	32.56	400	132	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5923.08	49.51	68.20	-18.69	35.25	35.39	11.41	32.54	400	132	AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5985.00	85.72	-----	-----	71.48	35.43	11.37	32.56	400	132	AVERAGE																																																										



Mode	80																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M_①_5985MHz																																																																																									
ANT	CDD 5+4																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5917.32</td><td>67.01</td><td>88.20</td><td>-21.19</td><td>52.75</td><td>35.38</td><td>11.42</td><td>32.54</td><td>100</td><td>325 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5917.32	67.01	88.20	-21.19	52.75	35.38	11.42	32.54	100	325 PEAK	 Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>97.69</td><td>-----</td><td>-----</td><td>83.47</td><td>35.44</td><td>11.35</td><td>32.57</td><td>100</td><td>325 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	97.69	-----	-----	83.47	35.44	11.35	32.57	100	325 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5917.32	67.01	88.20	-21.19	52.75	35.38	11.42	32.54	100	325 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	97.69	-----	-----	83.47	35.44	11.35	32.57	100	325 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5923.40</td><td>52.56</td><td>68.20</td><td>-15.64</td><td>38.30</td><td>35.39</td><td>11.41</td><td>32.54</td><td>100</td><td>325 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5923.40	52.56	68.20	-15.64	38.30	35.39	11.41	32.54	100	325 AVERAGE	 Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>88.98</td><td>-----</td><td>-----</td><td>74.76</td><td>35.44</td><td>11.35</td><td>32.57</td><td>100</td><td>325 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	88.98	-----	-----	74.76	35.44	11.35	32.57	100	325 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5923.40	52.56	68.20	-15.64	38.30	35.39	11.41	32.54	100	325 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	88.98	-----	-----	74.76	35.44	11.35	32.57	100	325 AVERAGE																																																																																	



	81																																																																																		
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_1_7025MHz																																																																																		
ANT	CDD 5+4																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Date: 2023-12-05 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue trace with a red limit line. Two peaks are identified: Peak 1 at 7128.81 MHz and Peak 2 at 7303.65 MHz. The red limit line is labeled PEAK_BE(U)NII_6E. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7128.81</td><td>70.98</td><td>88.20</td><td>-17.22</td><td>54.50</td><td>36.25</td><td>12.74</td><td>32.51</td><td>394 103 PEAK</td></tr><tr><td>2 7303.65</td><td>56.61</td><td>74.00</td><td>-17.39</td><td>39.86</td><td>36.32</td><td>13.07</td><td>32.64</td><td>394 103 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7128.81	70.98	88.20	-17.22	54.50	36.25	12.74	32.51	394 103 PEAK	2 7303.65	56.61	74.00	-17.39	39.86	36.32	13.07	32.64	394 103 PEAK	Date: 2023-12-05 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue trace with a red limit line. One peak is identified: Peak 1 at 7025.00 MHz. The red limit line is labeled PEAK_BE(U)NII_6E. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>99.16</td><td>-----</td><td>-----</td><td>83.05</td><td>36.20</td><td>12.32</td><td>32.41</td><td>394 103 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	99.16	-----	-----	83.05	36.20	12.32	32.41	394 103 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7128.81	70.98	88.20	-17.22	54.50	36.25	12.74	32.51	394 103 PEAK																																																																											
2 7303.65	56.61	74.00	-17.39	39.86	36.32	13.07	32.64	394 103 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7025.00	99.16	-----	-----	83.05	36.20	12.32	32.41	394 103 PEAK																																																																											
Avg	Date: 2023-12-05 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue trace with a red limit line. Two peaks are identified: Peak 1 at 7128.81 MHz and Peak 2 at 7250.36 MHz. The red limit line is labeled AVG_BE(U)NII_6E. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7128.81</td><td>58.11</td><td>68.20</td><td>-10.09</td><td>41.63</td><td>36.25</td><td>12.74</td><td>32.51</td><td>394 103 AVERAGE</td></tr><tr><td>2 7250.36</td><td>46.44</td><td>54.00</td><td>-7.56</td><td>29.70</td><td>36.30</td><td>13.04</td><td>32.60</td><td>394 103 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7128.81	58.11	68.20	-10.09	41.63	36.25	12.74	32.51	394 103 AVERAGE	2 7250.36	46.44	54.00	-7.56	29.70	36.30	13.04	32.60	394 103 AVERAGE	Date: 2023-12-05 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue trace with a red limit line. One peak is identified: Peak 1 at 7025.00 MHz. The red limit line is labeled AVG_BE(U)NII_6E. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>88.67</td><td>-----</td><td>-----</td><td>72.56</td><td>36.20</td><td>12.32</td><td>32.41</td><td>394 103 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	88.67	-----	-----	72.56	36.20	12.32	32.41	394 103 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7128.81	58.11	68.20	-10.09	41.63	36.25	12.74	32.51	394 103 AVERAGE																																																																											
2 7250.36	46.44	54.00	-7.56	29.70	36.30	13.04	32.60	394 103 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7025.00	88.67	-----	-----	72.56	36.20	12.32	32.41	394 103 AVERAGE																																																																											







Mode	81																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_1_7025MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Date: 2023-12-05 PEAK_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.72</td><td>70.44</td><td>88.20</td><td>-17.76</td><td>53.96</td><td>36.25</td><td>12.74</td><td>32.51</td><td>197 307 PEAK</td></tr><tr><td>2</td><td>7252.55</td><td>57.60</td><td>74.00</td><td>-16.40</td><td>40.86</td><td>36.30</td><td>13.04</td><td>32.60</td><td>197 307 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7127.72	70.44	88.20	-17.76	53.96	36.25	12.74	32.51	197 307 PEAK	2	7252.55	57.60	74.00	-16.40	40.86	36.30	13.04	32.60	197 307 PEAK	Date: 2023-12-05 PEAK_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>99.40</td><td>-----</td><td>-----</td><td>83.25</td><td>36.21</td><td>12.36</td><td>32.42</td><td>197 307 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	99.40	-----	-----	83.25	36.21	12.36	32.42	197 307 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7127.72	70.44	88.20	-17.76	53.96	36.25	12.74	32.51	197 307 PEAK																																																																																			
2	7252.55	57.60	74.00	-16.40	40.86	36.30	13.04	32.60	197 307 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	99.40	-----	-----	83.25	36.21	12.36	32.42	197 307 PEAK																																																																																			
Avg	Date: 2023-12-05 AVG_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.89</td><td>58.57</td><td>68.20</td><td>-9.63</td><td>42.09</td><td>36.25</td><td>12.73</td><td>32.50</td><td>197 307 AVERAGE</td></tr><tr><td>2</td><td>7250.36</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>30.45</td><td>36.30</td><td>13.04</td><td>32.60</td><td>197 307 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.89	58.57	68.20	-9.63	42.09	36.25	12.73	32.50	197 307 AVERAGE	2	7250.36	47.19	54.00	-6.81	30.45	36.30	13.04	32.60	197 307 AVERAGE	Date: 2023-12-05 AVG_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>88.93</td><td>-----</td><td>-----</td><td>72.69</td><td>36.22</td><td>12.47</td><td>32.45</td><td>197 307 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	88.93	-----	-----	72.69	36.22	12.47	32.45	197 307 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.89	58.57	68.20	-9.63	42.09	36.25	12.73	32.50	197 307 AVERAGE																																																																																			
2	7250.36	47.19	54.00	-6.81	30.45	36.30	13.04	32.60	197 307 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	88.93	-----	-----	72.69	36.22	12.47	32.45	197 307 AVERAGE																																																																																			



Mode	82									
	Band Edge									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M_①_6025MHz									
ANT	CDD 5+4									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-08 </									



Mode	82																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M_④_6025MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Vertical					Fundamental																																																																						
Peak	 Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UIN)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5881.28</td><td>75.54</td><td>88.20</td><td>-12.66</td><td>61.24</td><td>35.33</td><td>11.48</td><td>32.51</td><td>100</td><td>325</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5881.28	75.54	88.20	-12.66	61.24	35.33	11.48	32.51	100	325	PEAK	 Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UIN)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6025.00</td><td>96.50</td><td>-----</td><td>-----</td><td>82.28</td><td>35.44</td><td>11.35</td><td>32.57</td><td>100</td><td>325</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6025.00	96.50	-----	-----	82.28	35.44	11.35	32.57	100	325	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5881.28	75.54	88.20	-12.66	61.24	35.33	11.48	32.51	100	325	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 6025.00	96.50	-----	-----	82.28	35.44	11.35	32.57	100	325	PEAK																																																																		
Avg	 Level (dBuV/m) Date: 2023-11-08 AVG_BE(UIN)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5881.00</td><td>58.35</td><td>68.20</td><td>-9.85</td><td>44.05</td><td>35.33</td><td>11.48</td><td>32.51</td><td>100</td><td>325</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5881.00	58.35	68.20	-9.85	44.05	35.33	11.48	32.51	100	325	AVERAGE	 Level (dBuV/m) Date: 2023-11-08 AVG_BE(UIN)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6025.00</td><td>86.29</td><td>-----</td><td>-----</td><td>72.08</td><td>35.50</td><td>11.31</td><td>32.60</td><td>100</td><td>325</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6025.00	86.29	-----	-----	72.08	35.50	11.31	32.60	100	325	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5881.00	58.35	68.20	-9.85	44.05	35.33	11.48	32.51	100	325	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 6025.00	86.29	-----	-----	72.08	35.50	11.31	32.60	100	325	AVERAGE																																																																		



	83																																																																																		
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_1_6985MHz																																																																																		
ANT	CDD 5+4																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Date: 2023-12-05 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7138.75</td><td>64.81</td><td>88.20</td><td>-23.39</td><td>48.28</td><td>36.26</td><td>12.78</td><td>32.51</td><td>400 86 PEAK</td></tr><tr><td>2 7340.63</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>38.56</td><td>36.34</td><td>13.10</td><td>32.67</td><td>400 86 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7138.75	64.81	88.20	-23.39	48.28	36.26	12.78	32.51	400 86 PEAK	2 7340.63	55.33	74.00	-18.67	38.56	36.34	13.10	32.67	400 86 PEAK	Date: 2023-12-05 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>94.47</td><td>-----</td><td>-----</td><td>78.37</td><td>36.20</td><td>12.30</td><td>32.40</td><td>400 86 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	94.47	-----	-----	78.37	36.20	12.30	32.40	400 86 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7138.75	64.81	88.20	-23.39	48.28	36.26	12.78	32.51	400 86 PEAK																																																																											
2 7340.63	55.33	74.00	-18.67	38.56	36.34	13.10	32.67	400 86 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 6985.00	94.47	-----	-----	78.37	36.20	12.30	32.40	400 86 PEAK																																																																											
Avg	Date: 2023-12-05 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7130.63</td><td>52.23</td><td>68.20</td><td>-15.97</td><td>35.74</td><td>36.25</td><td>12.75</td><td>32.51</td><td>400 86 AVERAGE</td></tr><tr><td>2 7251.88</td><td>46.29</td><td>54.00</td><td>-7.71</td><td>29.55</td><td>36.30</td><td>13.04</td><td>32.60</td><td>400 86 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7130.63	52.23	68.20	-15.97	35.74	36.25	12.75	32.51	400 86 AVERAGE	2 7251.88	46.29	54.00	-7.71	29.55	36.30	13.04	32.60	400 86 AVERAGE	Date: 2023-12-05 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>85.56</td><td>-----</td><td>-----</td><td>69.54</td><td>36.18</td><td>12.25</td><td>32.41</td><td>400 86 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	85.56	-----	-----	69.54	36.18	12.25	32.41	400 86 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7130.63	52.23	68.20	-15.97	35.74	36.25	12.75	32.51	400 86 AVERAGE																																																																											
2 7251.88	46.29	54.00	-7.71	29.55	36.30	13.04	32.60	400 86 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 6985.00	85.56	-----	-----	69.54	36.18	12.25	32.41	400 86 AVERAGE																																																																											



		83																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_1_6985MHz																																																																																																		
ANT		CDD 5+4																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	Date: 2023-12-05 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6725 6850 6975 7100 7225 7350 PEAK_BE(UNII)_6E 1 2 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7136.88</td><td>67.18</td><td>88.20</td><td>-21.02</td><td>50.67</td><td>36.25</td><td>12.77</td><td>32.51</td><td>200 308 PEAK</td></tr><tr><td>2</td><td>7293.75</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>39.32</td><td>36.32</td><td>13.07</td><td>32.64</td><td>200 308 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7136.88	67.18	88.20	-21.02	50.67	36.25	12.77	32.51	200 308 PEAK	2	7293.75	56.07	74.00	-17.93	39.32	36.32	13.07	32.64	200 308 PEAK	Date: 2023-12-05 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 PEAK_BE(UNII)_6E 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>94.08</td><td>-----</td><td>-----</td><td>78.03</td><td>36.19</td><td>12.27</td><td>32.41</td><td>200 308 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	94.08	-----	-----	78.03	36.19	12.27	32.41	200 308 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7136.88	67.18	88.20	-21.02	50.67	36.25	12.77	32.51	200 308 PEAK																																																																																											
2	7293.75	56.07	74.00	-17.93	39.32	36.32	13.07	32.64	200 308 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	94.08	-----	-----	78.03	36.19	12.27	32.41	200 308 PEAK																																																																																											
Avg	Date: 2023-12-05 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6725 6850 6975 7100 7225 7350 AVG_BE(UNII)_6E 1 2 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7130.63</td><td>53.25</td><td>68.20</td><td>-14.95</td><td>36.76</td><td>36.25</td><td>12.75</td><td>32.51</td><td>200 308 AVERAGE</td></tr><tr><td>2</td><td>7250.63</td><td>46.73</td><td>54.00</td><td>-7.27</td><td>29.99</td><td>36.30</td><td>13.04</td><td>32.60</td><td>200 308 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7130.63	53.25	68.20	-14.95	36.76	36.25	12.75	32.51	200 308 AVERAGE	2	7250.63	46.73	54.00	-7.27	29.99	36.30	13.04	32.60	200 308 AVERAGE	Date: 2023-12-05 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 AVG_BE(UNII)_6E 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>84.74</td><td>-----</td><td>-----</td><td>68.64</td><td>36.20</td><td>12.30</td><td>32.40</td><td>200 308 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	84.74	-----	-----	68.64	36.20	12.30	32.40	200 308 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7130.63	53.25	68.20	-14.95	36.76	36.25	12.75	32.51	200 308 AVERAGE																																																																																											
2	7250.63	46.73	54.00	-7.27	29.99	36.30	13.04	32.60	200 308 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	84.74	-----	-----	68.64	36.20	12.30	32.40	200 308 AVERAGE																																																																																											





		84									
Mode		Band Edge									
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_⑧_6025MHz									
ANT		CDD 5+4									
Pol.		Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-08 <										







Mode	84	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_⑧_6025MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	</	







Mode	84																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_⑧_6025MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal										Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2023-11-19  PEAK_BE(UNIT)_GE AVG_BE(UNIT)_GE Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12050.00</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>45.10</td><td>40.21</td><td>15.14</td><td>50.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12050.00	50.03	74.00	-23.97	45.10	40.21	15.14	50.42	--	--	Peak	Level (dBuV/m) Date: 2023-11-19  PEAK_BE(UNIT)_GE AVG_BE(UNIT)_GE Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12050.00</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>44.43</td><td>40.21</td><td>15.14</td><td>50.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12050.00	49.36	74.00	-24.64	44.43	40.21	15.14	50.42	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 12050.00	50.03	74.00	-23.97	45.10	40.21	15.14	50.42	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 12050.00	49.36	74.00	-24.64	44.43	40.21	15.14	50.42	--	--	Peak																																																																																							



		85																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_1_6985MHz																																																																																																				
ANT		CDD 5+4																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2023-12-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7141.25</td><td>72.55</td><td>88.20</td><td>-15.65</td><td>56.02</td><td>36.26</td><td>12.79</td><td>32.52</td><td>400</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>7264.38</td><td>56.01</td><td>74.00</td><td>-17.99</td><td>39.26</td><td>36.31</td><td>13.05</td><td>32.61</td><td>400</td><td>76</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7141.25	72.55	88.20	-15.65	56.02	36.26	12.79	32.52	400	76	PEAK	2	7264.38	56.01	74.00	-17.99	39.26	36.31	13.05	32.61	400	76	PEAK	 Level (dBuV/m) Date: 2023-12-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>96.07</td><td>-----</td><td>-----</td><td>80.07</td><td>36.17</td><td>12.24</td><td>32.41</td><td>400</td><td>76</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	96.07	-----	-----	80.07	36.17	12.24	32.41	400	76	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7141.25	72.55	88.20	-15.65	56.02	36.26	12.79	32.52	400	76	PEAK																																																																																											
2	7264.38	56.01	74.00	-17.99	39.26	36.31	13.05	32.61	400	76	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	96.07	-----	-----	80.07	36.17	12.24	32.41	400	76	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2023-12-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7141.25</td><td>56.46</td><td>68.20</td><td>-11.74</td><td>39.93</td><td>36.26</td><td>12.79</td><td>32.52</td><td>400</td><td>76</td><td>AVERAGE</td></tr><tr><td>2</td><td>7250.63</td><td>47.05</td><td>54.00</td><td>-6.95</td><td>30.31</td><td>36.30</td><td>13.04</td><td>32.60</td><td>400</td><td>76</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7141.25	56.46	68.20	-11.74	39.93	36.26	12.79	32.52	400	76	AVERAGE	2	7250.63	47.05	54.00	-6.95	30.31	36.30	13.04	32.60	400	76	AVERAGE	 Level (dBuV/m) Date: 2023-12-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>85.44</td><td>-----</td><td>-----</td><td>69.42</td><td>36.18</td><td>12.25</td><td>32.41</td><td>400</td><td>76</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	85.44	-----	-----	69.42	36.18	12.25	32.41	400	76	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7141.25	56.46	68.20	-11.74	39.93	36.26	12.79	32.52	400	76	AVERAGE																																																																																											
2	7250.63	47.05	54.00	-6.95	30.31	36.30	13.04	32.60	400	76	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	85.44	-----	-----	69.42	36.18	12.25	32.41	400	76	AVERAGE																																																																																											







		85																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_1_6985MHz																																																																																																		
ANT		CDD 5+4																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak																																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7141.88</td><td>72.86</td><td>88.20</td><td>-15.34</td><td>56.33</td><td>36.26</td><td>12.79</td><td>32.52</td><td>200 314 PEAK</td></tr><tr><td>2</td><td>7251.88</td><td>58.61</td><td>74.00</td><td>-15.39</td><td>41.87</td><td>36.30</td><td>13.04</td><td>32.60</td><td>200 314 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7141.88	72.86	88.20	-15.34	56.33	36.26	12.79	32.52	200 314 PEAK	2	7251.88	58.61	74.00	-15.39	41.87	36.30	13.04	32.60	200 314 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>94.50</td><td>-----</td><td>-----</td><td>78.45</td><td>36.19</td><td>12.27</td><td>32.41</td><td>200 314 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	94.50	-----	-----	78.45	36.19	12.27	32.41
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7141.88	72.86	88.20	-15.34	56.33	36.26	12.79	32.52	200 314 PEAK																																																																																											
2	7251.88	58.61	74.00	-15.39	41.87	36.30	13.04	32.60	200 314 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	94.50	-----	-----	78.45	36.19	12.27	32.41	200 314 PEAK																																																																																											
Avg																																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7140.63</td><td>58.20</td><td>68.20</td><td>-10.00</td><td>41.67</td><td>36.26</td><td>12.79</td><td>32.52</td><td>200 314 AVERAGE</td></tr><tr><td>2</td><td>7253.13</td><td>47.56</td><td>54.00</td><td>-6.44</td><td>30.82</td><td>36.30</td><td>13.04</td><td>32.60</td><td>200 314 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7140.63	58.20	68.20	-10.00	41.67	36.26	12.79	32.52	200 314 AVERAGE	2	7253.13	47.56	54.00	-6.44	30.82	36.30	13.04	32.60	200 314 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>85.25</td><td>-----</td><td>-----</td><td>69.22</td><td>36.18</td><td>12.26</td><td>32.41</td><td>200 314 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	85.25	-----	-----	69.22	36.18	12.26	32.41
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7140.63	58.20	68.20	-10.00	41.67	36.26	12.79	32.52	200 314 AVERAGE																																																																																											
2	7253.13	47.56	54.00	-6.44	30.82	36.30	13.04	32.60	200 314 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	85.25	-----	-----	69.22	36.18	12.26	32.41	200 314 AVERAGE																																																																																											







Mode	86									
	Band Edge									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_5_6105MHz									
ANT	CDD 5+4									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-08 <									



Mode	86																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_5_6105MHz																																																																																																		
ANT	CDD 5+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th colspan="2">Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5624.70</td><td>66.62</td><td>88.20</td><td>-21.58</td><td>52.26</td><td>34.97</td><td>11.70</td><td>32.31</td><td>302</td><td>102 PEAK</td></tr></table>						Limit		Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5624.70	66.62	88.20	-21.58	52.26	34.97	11.70	32.31	302	102 PEAK	<table><tr><th colspan="2">Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6105.00</td><td>89.88</td><td>-----</td><td>-----</td><td>75.40</td><td>35.54</td><td>11.54</td><td>32.60</td><td>302</td><td>102 PEAK</td></tr></table>						Limit		Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6105.00	89.88	-----	-----	75.40	35.54	11.54	32.60	302
Limit		Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5624.70	66.62	88.20	-21.58	52.26	34.97	11.70	32.31	302	102 PEAK																																																																																									
Limit		Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6105.00	89.88	-----	-----	75.40	35.54	11.54	32.60	302	102 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th colspan="2">Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5624.70</td><td>49.78</td><td>68.20</td><td>-18.42</td><td>35.42</td><td>34.97</td><td>11.70</td><td>32.31</td><td>302</td><td>102 AVERAGE</td></tr></table>						Limit		Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5624.70	49.78	68.20	-18.42	35.42	34.97	11.70	32.31	302	102 AVERAGE	<table><tr><th colspan="2">Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6105.00</td><td>81.20</td><td>-----</td><td>-----</td><td>66.48</td><td>35.58</td><td>11.74</td><td>32.60</td><td>302</td><td>102 AVERAGE</td></tr></table>						Limit		Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6105.00	81.20	-----	-----	66.48	35.58	11.74	32.60	302
Limit		Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5624.70	49.78	68.20	-18.42	35.42	34.97	11.70	32.31	302	102 AVERAGE																																																																																									
Limit		Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6105.00	81.20	-----	-----	66.48	35.58	11.74	32.60	302	102 AVERAGE																																																																																									



		87																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M+40M_8_6905MHz																																																																																																	
ANT		CDD 5+4																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7170.32</td><td>56.40</td><td>88.20</td><td>-31.80</td><td>39.78</td><td>36.27</td><td>12.89</td><td>32.54</td><td>379</td><td>61 PEAK</td></tr><tr><td>2 7261.07</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>38.63</td><td>36.30</td><td>13.04</td><td>32.61</td><td>379</td><td>61 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7170.32	56.40	88.20	-31.80	39.78	36.27	12.89	32.54	379	61 PEAK	2 7261.07	55.36	74.00	-18.64	38.63	36.30	13.04	32.61	379	61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>86.91</td><td>-----</td><td>-----</td><td>70.91</td><td>36.17</td><td>12.24</td><td>32.41</td><td>379</td><td>61 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6905.00	86.91	-----	-----	70.91	36.17	12.24	32.41	379
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7170.32	56.40	88.20	-31.80	39.78	36.27	12.89	32.54	379	61 PEAK																																																																																										
2 7261.07	55.36	74.00	-18.64	38.63	36.30	13.04	32.61	379	61 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 6905.00	86.91	-----	-----	70.91	36.17	12.24	32.41	379	61 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7159.43</td><td>46.85</td><td>68.20</td><td>-21.35</td><td>30.27</td><td>36.26</td><td>12.85</td><td>32.53</td><td>379</td><td>61 AVERAGE</td></tr><tr><td>2 7276.80</td><td>46.78</td><td>54.00</td><td>-7.22</td><td>30.04</td><td>36.31</td><td>13.05</td><td>32.62</td><td>379</td><td>61 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7159.43	46.85	68.20	-21.35	30.27	36.26	12.85	32.53	379	61 AVERAGE	2 7276.80	46.78	54.00	-7.22	30.04	36.31	13.05	32.62	379	61 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>79.35</td><td>-----</td><td>-----</td><td>63.58</td><td>36.12</td><td>12.11</td><td>32.46</td><td>379</td><td>61 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6905.00	79.35	-----	-----	63.58	36.12	12.11	32.46	379
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7159.43	46.85	68.20	-21.35	30.27	36.26	12.85	32.53	379	61 AVERAGE																																																																																										
2 7276.80	46.78	54.00	-7.22	30.04	36.31	13.05	32.62	379	61 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 6905.00	79.35	-----	-----	63.58	36.12	12.11	32.46	379	61 AVERAGE																																																																																										



Mode	87																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M+40M_8_6905MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Date: 2023-12-05 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7169.71</td><td>55.73</td><td>88.20</td><td>-32.47</td><td>39.11</td><td>36.27</td><td>12.89</td><td>32.54</td><td>100</td><td>33 PEAK</td></tr><tr><td>2 7288.90</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>39.24</td><td>36.32</td><td>13.06</td><td>32.63</td><td>100</td><td>33 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7169.71	55.73	88.20	-32.47	39.11	36.27	12.89	32.54	100	33 PEAK	2 7288.90	55.99	74.00	-18.01	39.24	36.32	13.06	32.63	100	33 PEAK	Date: 2023-12-05 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>91.24</td><td>-----</td><td>-----</td><td>75.33</td><td>36.15</td><td>12.19</td><td>32.43</td><td>100</td><td>33 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6905.00	91.24	-----	-----	75.33	36.15	12.19	32.43	100	33 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7169.71	55.73	88.20	-32.47	39.11	36.27	12.89	32.54	100	33 PEAK																																																																																			
2 7288.90	55.99	74.00	-18.01	39.24	36.32	13.06	32.63	100	33 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 6905.00	91.24	-----	-----	75.33	36.15	12.19	32.43	100	33 PEAK																																																																																			
Avg	Date: 2023-12-05 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7169.71</td><td>46.80</td><td>68.20</td><td>-21.40</td><td>30.18</td><td>36.27</td><td>12.89</td><td>32.54</td><td>100</td><td>33 AVERAGE</td></tr><tr><td>2 7285.87</td><td>46.81</td><td>54.00</td><td>-7.19</td><td>30.07</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100</td><td>33 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7169.71	46.80	68.20	-21.40	30.18	36.27	12.89	32.54	100	33 AVERAGE	2 7285.87	46.81	54.00	-7.19	30.07	36.31	13.06	32.63	100	33 AVERAGE	Date: 2023-12-05 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>81.46</td><td>-----</td><td>-----</td><td>65.77</td><td>36.10</td><td>12.06</td><td>32.47</td><td>100</td><td>33 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6905.00	81.46	-----	-----	65.77	36.10	12.06	32.47	100	33 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7169.71	46.80	68.20	-21.40	30.18	36.27	12.89	32.54	100	33 AVERAGE																																																																																			
2 7285.87	46.81	54.00	-7.19	30.07	36.31	13.06	32.63	100	33 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 6905.00	81.46	-----	-----	65.77	36.10	12.06	32.47	100	33 AVERAGE																																																																																			







Mode	88									
	Band Edge									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M_④_6105MHz									
ANT	CDD 5+4									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-08									



		88																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M_④_6105MHz																																																																																
ANT		CDD 5+4																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak	Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5625.46</td><td>70.96</td><td>88.20</td><td>-17.24</td><td>56.59</td><td>34.98</td><td>11.70</td><td>32.31</td><td>200 329 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5625.46	70.96	88.20	-17.24	56.59	34.98	11.70	32.31	200 329 PEAK	Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>92.86</td><td>-----</td><td>-----</td><td>78.14</td><td>35.58</td><td>11.74</td><td>32.60</td><td>200 329 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 6105.00	92.86	-----	-----	78.14	35.58	11.74	32.60	200 329 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1 5625.46	70.96	88.20	-17.24	56.59	34.98	11.70	32.31	200 329 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1 6105.00	92.86	-----	-----	78.14	35.58	11.74	32.60	200 329 PEAK																																																																										
Avg	Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5624.70</td><td>53.51</td><td>68.20</td><td>-14.69</td><td>39.15</td><td>34.97</td><td>11.70</td><td>32.31</td><td>200 329 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5624.70	53.51	68.20	-14.69	39.15	34.97	11.70	32.31	200 329 AVERAGE	Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>81.95</td><td>-----</td><td>-----</td><td>67.29</td><td>35.57</td><td>11.69</td><td>32.60</td><td>200 329 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 6105.00	81.95	-----	-----	67.29	35.57	11.69	32.60	200 329 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1 5624.70	53.51	68.20	-14.69	39.15	34.97	11.70	32.31	200 329 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1 6105.00	81.95	-----	-----	67.29	35.57	11.69	32.60	200 329 AVERAGE																																																																										







Mode	89																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M_1_6905MHz																																																																																																			
ANT	CDD 5+4																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	Date: 2023-12-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7129.18</td><td>57.84</td><td>88.20</td><td>-30.36</td><td>41.35</td><td>36.25</td><td>12.75</td><td>32.51</td><td>379 74 PEAK</td></tr><tr><td>2</td><td>7327.01</td><td>56.45</td><td>74.00</td><td>-17.55</td><td>39.69</td><td>36.33</td><td>13.09</td><td>32.66</td><td>379 74 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7129.18	57.84	88.20	-30.36	41.35	36.25	12.75	32.51	379 74 PEAK	2	7327.01	56.45	74.00	-17.55	39.69	36.33	13.09	32.66	379 74 PEAK	Date: 2023-12-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>87.55</td><td>-----</td><td>-----</td><td>71.71</td><td>36.13</td><td>12.15</td><td>32.44</td><td>379 74 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	87.55	-----	-----	71.71	36.13	12.15	32.44	379 74 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7129.18	57.84	88.20	-30.36	41.35	36.25	12.75	32.51	379 74 PEAK																																																																																											
2	7327.01	56.45	74.00	-17.55	39.69	36.33	13.09	32.66	379 74 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	87.55	-----	-----	71.71	36.13	12.15	32.44	379 74 PEAK																																																																																											
Avg	Date: 2023-12-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7138.25</td><td>47.14</td><td>68.20</td><td>-21.06</td><td>30.61</td><td>36.26</td><td>12.78</td><td>32.51</td><td>379 74 AVERAGE</td></tr><tr><td>2</td><td>7293.74</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>30.21</td><td>36.32</td><td>13.07</td><td>32.64</td><td>379 74 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7138.25	47.14	68.20	-21.06	30.61	36.26	12.78	32.51	379 74 AVERAGE	2	7293.74	46.96	54.00	-7.04	30.21	36.32	13.07	32.64	379 74 AVERAGE	Date: 2023-12-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>79.37</td><td>-----</td><td>-----</td><td>63.53</td><td>36.13</td><td>12.15</td><td>32.44</td><td>379 74 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.37	-----	-----	63.53	36.13	12.15	32.44	379 74 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7138.25	47.14	68.20	-21.06	30.61	36.26	12.78	32.51	379 74 AVERAGE																																																																																											
2	7293.74	46.96	54.00	-7.04	30.21	36.32	13.07	32.64	379 74 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	79.37	-----	-----	63.53	36.13	12.15	32.44	379 74 AVERAGE																																																																																											







		89																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M_1_6905MHz																																																																																												
ANT		CDD 5+4																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak	Date: 2023-12-05					Date: 2023-12-05																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7134.02	55.76	88.20	-32.44	39.26	36.25	12.76	32.51	100 35 PEAK	2	7303.42	56.17	74.00	-17.83	39.42	36.32	13.07	32.64	100 35 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.77	-----	-----	75.93	36.13	12.15	32.44	100 35 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7134.02	55.76	88.20	-32.44	39.26	36.25	12.76	32.51	100 35 PEAK																																																																																					
2	7303.42	56.17	74.00	-17.83	39.42	36.32	13.07	32.64	100 35 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	91.77	-----	-----	75.93	36.13	12.15	32.44	100 35 PEAK																																																																																					
Avg	Date: 2023-12-05					Date: 2023-12-05																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7224.16	47.04	68.20	-21.16	30.31	36.29	13.02	32.58	100 35 AVERAGE	2	7253.20	46.95	54.00	-7.05	30.21	36.30	13.04	32.60	100 35 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.92	-----	-----	67.06	36.14	12.16	32.44	100 35 AVERAGE				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7224.16	47.04	68.20	-21.16	30.31	36.29	13.02	32.58	100 35 AVERAGE																																																																																					
2	7253.20	46.95	54.00	-7.05	30.21	36.30	13.04	32.60	100 35 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	82.92	-----	-----	67.06	36.14	12.16	32.44	100 35 AVERAGE																																																																																					







Mode	90																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M_⑧_6105MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.46</td><td>68.77</td><td>88.20</td><td>-19.43</td><td>54.40</td><td>34.98</td><td>11.70</td><td>32.31</td><td>400 299 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5625.46	68.77	88.20	-19.43	54.40	34.98	11.70	32.31	400 299 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>90.99</td><td>-----</td><td>-----</td><td>76.02</td><td>35.62</td><td>11.95</td><td>32.60</td><td>400 299 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	90.99	-----	-----	76.02	35.62	11.95	32.60
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5625.46	68.77	88.20	-19.43	54.40	34.98	11.70	32.31	400 299 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	90.99	-----	-----	76.02	35.62	11.95	32.60	400 299 PEAK																																																																																		
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5790.70</td><td>52.28</td><td>68.20</td><td>-15.92</td><td>37.89</td><td>35.21</td><td>11.62</td><td>32.44</td><td>400 299 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5790.70	52.28	68.20	-15.92	37.89	35.21	11.62	32.44	400 299 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>83.61</td><td>-----</td><td>-----</td><td>69.37</td><td>35.50</td><td>11.34</td><td>32.60</td><td>400 299 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.61	-----	-----	69.37	35.50	11.34	32.60
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5790.70	52.28	68.20	-15.92	37.89	35.21	11.62	32.44	400 299 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	83.61	-----	-----	69.37	35.50	11.34	32.60	400 299 AVERAGE																																																																																		



Mode	90																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M_⑧_6105MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	 Date: 2023-11-08 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5625.46</td><td>69.77</td><td>88.20</td><td>-18.43</td><td>55.40</td><td>34.98</td><td>11.70</td><td>32.31</td><td>209</td><td>329</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5625.46	69.77	88.20	-18.43	55.40	34.98	11.70	32.31	209	329	PEAK	 Date: 2023-11-08 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>95.36</td><td>-----</td><td>-----</td><td>80.64</td><td>35.58</td><td>11.74</td><td>32.60</td><td>209</td><td>329</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6105.00	95.36	-----	-----	80.64	35.58	11.74	32.60	209	329	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5625.46	69.77	88.20	-18.43	55.40	34.98	11.70	32.31	209	329	PEAK																																																																							
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	95.36	-----	-----	80.64	35.58	11.74	32.60	209	329	PEAK																																																																							
Avg	 Date: 2023-11-08 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5789.94</td><td>57.02</td><td>68.20</td><td>-11.18</td><td>42.63</td><td>35.21</td><td>11.62</td><td>32.44</td><td>209</td><td>329</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5789.94	57.02	68.20	-11.18	42.63	35.21	11.62	32.44	209	329	AVERAGE	 Date: 2023-11-08 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>83.00</td><td>-----</td><td>-----</td><td>68.28</td><td>35.58</td><td>11.74</td><td>32.60</td><td>209</td><td>329</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6105.00	83.00	-----	-----	68.28	35.58	11.74	32.60	209	329	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5789.94	57.02	68.20	-11.18	42.63	35.21	11.62	32.44	209	329	AVERAGE																																																																							
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	83.00	-----	-----	68.28	35.58	11.74	32.60	209	329	AVERAGE																																																																							





		91																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 40M_1_6905MHz																																																																																																	
ANT		CDD 5+4																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak	 Date: 2023-12-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7199.96</td><td>58.26</td><td>88.20</td><td>-29.94</td><td>41.54</td><td>36.28</td><td>13.00</td><td>32.56</td><td>379</td><td>74 PEAK</td></tr><tr><td>2</td><td>7289.50</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>38.97</td><td>36.32</td><td>13.06</td><td>32.63</td><td>379</td><td>74 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7199.96	58.26	88.20	-29.94	41.54	36.28	13.00	32.56	379	74 PEAK	2	7289.50	55.72	74.00	-18.28	38.97	36.32	13.06	32.63	379	74 PEAK	 Date: 2023-12-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>89.16</td><td>-----</td><td>-----</td><td>73.35</td><td>36.13</td><td>12.13</td><td>32.45</td><td>379</td><td>74 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	89.16	-----	-----	73.35	36.13	12.13	32.45	379	74 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7199.96	58.26	88.20	-29.94	41.54	36.28	13.00	32.56	379	74 PEAK																																																																																									
2	7289.50	55.72	74.00	-18.28	38.97	36.32	13.06	32.63	379	74 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	89.16	-----	-----	73.35	36.13	12.13	32.45	379	74 PEAK																																																																																									
Avg	 Date: 2023-12-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7195.12</td><td>48.64</td><td>68.20</td><td>-19.56</td><td>31.94</td><td>36.28</td><td>12.98</td><td>32.56</td><td>379</td><td>74 AVERAGE</td></tr><tr><td>2</td><td>7267.72</td><td>47.25</td><td>54.00</td><td>-6.75</td><td>30.51</td><td>36.31</td><td>13.05</td><td>32.62</td><td>379</td><td>74 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7195.12	48.64	68.20	-19.56	31.94	36.28	12.98	32.56	379	74 AVERAGE	2	7267.72	47.25	54.00	-6.75	30.51	36.31	13.05	32.62	379	74 AVERAGE	 Date: 2023-12-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>79.39</td><td>-----</td><td>-----</td><td>63.60</td><td>36.12</td><td>12.12</td><td>32.45</td><td>379</td><td>74 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.39	-----	-----	63.60	36.12	12.12	32.45	379	74 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7195.12	48.64	68.20	-19.56	31.94	36.28	12.98	32.56	379	74 AVERAGE																																																																																									
2	7267.72	47.25	54.00	-6.75	30.51	36.31	13.05	32.62	379	74 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	79.39	-----	-----	63.60	36.12	12.12	32.45	379	74 AVERAGE																																																																																									



		91																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 40M_1_6905MHz																																																																																																		
ANT		CDD 5+4																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	Date: 2023-12-05 PEAK_BE(UNI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7193.91</td><td>57.54</td><td>88.20</td><td>-30.66</td><td>40.85</td><td>36.28</td><td>12.97</td><td>32.56</td><td>100</td><td>39</td><td>PEAK</td></tr><tr><td>2</td><td>7250.18</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>39.23</td><td>36.30</td><td>13.04</td><td>32.60</td><td>100</td><td>39</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7193.91	57.54	88.20	-30.66	40.85	36.28	12.97	32.56	100	39	PEAK	2	7250.18	55.97	74.00	-18.03	39.23	36.30	13.04	32.60	100	39	PEAK	Date: 2023-12-05 PEAK_BE(UNI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>91.95</td><td>-----</td><td>-----</td><td>76.08</td><td>36.14</td><td>12.17</td><td>32.44</td><td>100</td><td>39</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	91.95	-----	-----	76.08	36.14	12.17	32.44	100	39	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																												
1	7193.91	57.54	88.20	-30.66	40.85	36.28	12.97	32.56	100	39	PEAK																																																																																									
2	7250.18	55.97	74.00	-18.03	39.23	36.30	13.04	32.60	100	39	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																												
1	6905.00	91.95	-----	-----	76.08	36.14	12.17	32.44	100	39	PEAK																																																																																									
Avg	Date: 2023-12-05 AVG_BE(UNI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7203.59</td><td>48.03</td><td>68.20</td><td>-20.17</td><td>31.32</td><td>36.28</td><td>13.00</td><td>32.57</td><td>100</td><td>39</td><td>AVERAGE</td></tr><tr><td>2</td><td>7333.06</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>30.34</td><td>36.33</td><td>13.09</td><td>32.67</td><td>100</td><td>39</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7203.59	48.03	68.20	-20.17	31.32	36.28	13.00	32.57	100	39	AVERAGE	2	7333.06	47.09	54.00	-6.91	30.34	36.33	13.09	32.67	100	39	AVERAGE	Date: 2023-12-05 AVG_BE(UNI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>81.64</td><td>-----</td><td>-----</td><td>65.78</td><td>36.14</td><td>12.16</td><td>32.44</td><td>100</td><td>39</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	81.64	-----	-----	65.78	36.14	12.16	32.44	100	39	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																												
1	7203.59	48.03	68.20	-20.17	31.32	36.28	13.00	32.57	100	39	AVERAGE																																																																																									
2	7333.06	47.09	54.00	-6.91	30.34	36.33	13.09	32.67	100	39	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																												
1	6905.00	81.64	-----	-----	65.78	36.14	12.16	32.44	100	39	AVERAGE																																																																																									







Mode	92																																																																																																																																																																											
	LF																																																																																																																																																																											
	U-NII-8_6.875-7.125_WIFI Worse LF 802.11a_CH233_7115MHz																																																																																																																																																																											
ANT	CDD 5+4																																																																																																																																																																											
Pol.	Horizontal					Vertical																																																																																																																																																																						
QPI/ Peak	Level (dBuV/m) Date: 2023-11-18 					Level (dBuV/m) Date: 2023-11-18 																																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>59.10</td><td>20.53</td><td>40.00</td><td>-19.47</td><td>38.87</td><td>12.68</td><td>1.58</td><td>32.60 -- Peak</td></tr><tr><td>2</td><td>97.90</td><td>23.78</td><td>43.50</td><td>-19.72</td><td>37.99</td><td>16.54</td><td>1.85</td><td>32.60 -- Peak</td></tr><tr><td>3</td><td>163.86</td><td>30.97</td><td>43.50</td><td>-12.53</td><td>44.96</td><td>16.10</td><td>2.26</td><td>32.35 -- Peak</td></tr><tr><td>4</td><td>255.04</td><td>24.15</td><td>46.00</td><td>-21.85</td><td>34.18</td><td>19.45</td><td>2.52</td><td>32.00 -- Peak</td></tr><tr><td>5</td><td>438.37</td><td>23.83</td><td>46.00</td><td>-22.17</td><td>29.72</td><td>22.75</td><td>3.26</td><td>31.90 -- Peak</td></tr><tr><td>6</td><td>667.29</td><td>28.04</td><td>46.00</td><td>-17.96</td><td>31.14</td><td>25.20</td><td>3.90</td><td>32.20 -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	59.10	20.53	40.00	-19.47	38.87	12.68	1.58	32.60 -- Peak	2	97.90	23.78	43.50	-19.72	37.99	16.54	1.85	32.60 -- Peak	3	163.86	30.97	43.50	-12.53	44.96	16.10	2.26	32.35 -- Peak	4	255.04	24.15	46.00	-21.85	34.18	19.45	2.52	32.00 -- Peak	5	438.37	23.83	46.00	-22.17	29.72	22.75	3.26	31.90 -- Peak	6	667.29	28.04	46.00	-17.96	31.14	25.20	3.90	32.20 -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>54.25</td><td>23.82</td><td>40.00</td><td>-16.18</td><td>39.97</td><td>13.58</td><td>1.50</td><td>31.23 -- Peak</td></tr><tr><td>2</td><td>96.93</td><td>31.22</td><td>43.50</td><td>-12.28</td><td>44.25</td><td>16.36</td><td>1.84</td><td>31.23 -- Peak</td></tr><tr><td>3</td><td>166.77</td><td>26.56</td><td>43.50</td><td>-16.94</td><td>39.36</td><td>15.95</td><td>2.28</td><td>31.03 -- Peak</td></tr><tr><td>4</td><td>249.22</td><td>21.84</td><td>46.00</td><td>-24.16</td><td>31.64</td><td>18.60</td><td>2.50</td><td>30.90 -- Peak</td></tr><tr><td>5</td><td>537.31</td><td>24.34</td><td>46.00</td><td>-21.66</td><td>27.01</td><td>24.67</td><td>3.58</td><td>30.92 -- Peak</td></tr><tr><td>6</td><td>773.02</td><td>30.28</td><td>46.00</td><td>-15.72</td><td>31.09</td><td>25.99</td><td>4.22</td><td>31.02 -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	54.25	23.82	40.00	-16.18	39.97	13.58	1.50	31.23 -- Peak	2	96.93	31.22	43.50	-12.28	44.25	16.36	1.84	31.23 -- Peak	3	166.77	26.56	43.50	-16.94	39.36	15.95	2.28	31.03 -- Peak	4	249.22	21.84	46.00	-24.16	31.64	18.60	2.50	30.90 -- Peak	5	537.31	24.34	46.00	-21.66	27.01	24.67	3.58	30.92 -- Peak	6	773.02	30.28	46.00	-15.72	31.09	25.99	4.22	31.02 -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																				
1	59.10	20.53	40.00	-19.47	38.87	12.68	1.58	32.60 -- Peak																																																																																																																																																																				
2	97.90	23.78	43.50	-19.72	37.99	16.54	1.85	32.60 -- Peak																																																																																																																																																																				
3	163.86	30.97	43.50	-12.53	44.96	16.10	2.26	32.35 -- Peak																																																																																																																																																																				
4	255.04	24.15	46.00	-21.85	34.18	19.45	2.52	32.00 -- Peak																																																																																																																																																																				
5	438.37	23.83	46.00	-22.17	29.72	22.75	3.26	31.90 -- Peak																																																																																																																																																																				
6	667.29	28.04	46.00	-17.96	31.14	25.20	3.90	32.20 -- Peak																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																				
1	54.25	23.82	40.00	-16.18	39.97	13.58	1.50	31.23 -- Peak																																																																																																																																																																				
2	96.93	31.22	43.50	-12.28	44.25	16.36	1.84	31.23 -- Peak																																																																																																																																																																				
3	166.77	26.56	43.50	-16.94	39.36	15.95	2.28	31.03 -- Peak																																																																																																																																																																				
4	249.22	21.84	46.00	-24.16	31.64	18.60	2.50	30.90 -- Peak																																																																																																																																																																				
5	537.31	24.34	46.00	-21.66	27.01	24.67	3.58	30.92 -- Peak																																																																																																																																																																				
6	773.02	30.28	46.00	-15.72	31.09	25.99	4.22	31.02 -- Peak																																																																																																																																																																				



Mode	93									
	Band Edge									
	U-NII-5_5.925-6.425_802.11a_CHCH2_5935MHz									
ANT	CDD 5+4									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-09 </									



Mode	93																																																																																														
	Band Edge																																																																																														
	U-NII-5_5.925-6.425_802.11a_CHCH2_5935MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	Date: 2023-11-09  Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E						Date: 2023-11-09  Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>78.68</td><td>88.20</td><td>-9.52</td><td>64.43</td><td>35.39</td><td>11.40</td><td>32.54</td><td>332</td><td>84</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.84	78.68	88.20	-9.52	64.43	35.39	11.40	32.54	332	84	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>93.11</td><td>-----</td><td>-----</td><td>78.87</td><td>35.42</td><td>11.38</td><td>32.56</td><td>332</td><td>84</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	93.11	-----	-----	78.87	35.42	11.38	32.56	332	84
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.84	78.68	88.20	-9.52	64.43	35.39	11.40	32.54	332	84	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5935.00	93.11	-----	-----	78.87	35.42	11.38	32.56	332	84	PEAK																																																																																				
Avg	Date: 2023-11-09  Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E						Date: 2023-11-09  Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>65.80</td><td>68.20</td><td>-2.40</td><td>51.55</td><td>35.39</td><td>11.40</td><td>32.54</td><td>332</td><td>84</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.97	65.80	68.20	-2.40	51.55	35.39	11.40	32.54	332	84	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>85.77</td><td>-----</td><td>-----</td><td>71.53</td><td>35.42</td><td>11.38</td><td>32.56</td><td>332</td><td>84</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	85.77	-----	-----	71.53	35.42	11.38	32.56	332	84
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5924.97	65.80	68.20	-2.40	51.55	35.39	11.40	32.54	332	84	AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5935.00	85.77	-----	-----	71.53	35.42	11.38	32.56	332	84	AVERAGE																																																																																				



Mode	93																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11a_CHCH2_5935MHz																																																																																																					
ANT	CDD 5+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg	Level (dBuV/m) Date: 2023-11-28 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-11-28 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11870.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>44.26</td><td>40.10</td><td>15.06</td><td>50.48</td></tr><tr><td>2</td><td>17805.00</td><td>49.14</td><td>74.00</td><td>-24.86</td><td>41.25</td><td>42.48</td><td>17.73</td><td>52.32</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11870.00	48.94	74.00	-25.06	44.26	40.10	15.06	50.48	2	17805.00	49.14	74.00	-24.86	41.25	42.48	17.73	52.32	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11870.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>44.49</td><td>40.10</td><td>15.06</td><td>50.48</td></tr><tr><td>2</td><td>17805.00</td><td>49.37</td><td>74.00</td><td>-24.63</td><td>41.48</td><td>42.48</td><td>17.73</td><td>52.32</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11870.00	49.17	74.00	-24.83	44.49	40.10	15.06	50.48	2	17805.00	49.37	74.00	-24.63	41.48	42.48	17.73	52.32
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	11870.00	48.94	74.00	-25.06	44.26	40.10	15.06	50.48																																																																																														
2	17805.00	49.14	74.00	-24.86	41.25	42.48	17.73	52.32																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	11870.00	49.17	74.00	-24.83	44.49	40.10	15.06	50.48																																																																																														
2	17805.00	49.37	74.00	-24.63	41.48	42.48	17.73	52.32																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11870.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>44.26</td><td>40.10</td><td>15.06</td><td>50.48</td></tr><tr><td>2</td><td>17805.00</td><td>49.14</td><td>74.00</td><td>-24.86</td><td>41.25</td><td>42.48</td><td>17.73</td><td>52.32</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11870.00	48.94	74.00	-25.06	44.26	40.10	15.06	50.48	2	17805.00	49.14	74.00	-24.86	41.25	42.48	17.73	52.32	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11870.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>44.49</td><td>40.10</td><td>15.06</td><td>50.48</td></tr><tr><td>2</td><td>17805.00</td><td>49.37</td><td>74.00</td><td>-24.63</td><td>41.48</td><td>42.48</td><td>17.73</td><td>52.32</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11870.00	49.17	74.00	-24.83	44.49	40.10	15.06	50.48	2	17805.00	49.37	74.00	-24.63	41.48	42.48	17.73	52.32
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	11870.00	48.94	74.00	-25.06	44.26	40.10	15.06	50.48																																																																																														
2	17805.00	49.14	74.00	-24.86	41.25	42.48	17.73	52.32																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	11870.00	49.17	74.00	-24.83	44.49	40.10	15.06	50.48																																																																																														
2	17805.00	49.37	74.00	-24.63	41.48	42.48	17.73	52.32																																																																																														



Mode	94																																																																													
	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Full_5935MHz																																																																													
ANT	CDD 5+4																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Date: 2023-11-09 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>73.58</td><td>88.20</td><td>-14.62</td><td>59.33</td><td>35.39</td><td>11.40</td><td>32.54</td><td>374</td><td>224 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	73.58	88.20	-14.62	59.33	35.39	11.40	32.54	374	224 PEAK	Date: 2023-11-09 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>84.73</td><td>-----</td><td>-----</td><td>70.49</td><td>35.42</td><td>11.38</td><td>32.56</td><td>374</td><td>224 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	84.73	-----	-----	70.49	35.42	11.38	32.56	374	224 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.97	73.58	88.20	-14.62	59.33	35.39	11.40	32.54	374	224 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5935.00	84.73	-----	-----	70.49	35.42	11.38	32.56	374	224 PEAK																																																																					
Avg	Date: 2023-11-09 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>65.75</td><td>68.20</td><td>-2.45</td><td>51.50</td><td>35.39</td><td>11.40</td><td>32.54</td><td>374</td><td>224 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	65.75	68.20	-2.45	51.50	35.39	11.40	32.54	374	224 AVERAGE	Date: 2023-11-09 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>76.34</td><td>-----</td><td>-----</td><td>62.10</td><td>35.42</td><td>11.38</td><td>32.56</td><td>374</td><td>224 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	76.34	-----	-----	62.10	35.42	11.38	32.56	374	224 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.97	65.75	68.20	-2.45	51.50	35.39	11.40	32.54	374	224 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5935.00	76.34	-----	-----	62.10	35.42	11.38	32.56	374	224 AVERAGE																																																																					



Mode	94																																																																													
	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Full_5935MHz																																																																													
ANT	CDD 5+4																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Date: 2023-11-09 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>72.25</td><td>88.20</td><td>-15.95</td><td>58.00</td><td>35.39</td><td>11.40</td><td>32.54</td><td>333</td><td>96 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	72.25	88.20	-15.95	58.00	35.39	11.40	32.54	333	96 PEAK	Date: 2023-11-09 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>85.81</td><td>-----</td><td>-----</td><td>71.57</td><td>35.42</td><td>11.38</td><td>32.56</td><td>333</td><td>96 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	85.81	-----	-----	71.57	35.42	11.38	32.56	333	96 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.97	72.25	88.20	-15.95	58.00	35.39	11.40	32.54	333	96 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5935.00	85.81	-----	-----	71.57	35.42	11.38	32.56	333	96 PEAK																																																																					
Avg	Date: 2023-11-09 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>65.33</td><td>68.20</td><td>-2.87</td><td>51.08</td><td>35.39</td><td>11.40</td><td>32.54</td><td>333</td><td>96 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	65.33	68.20	-2.87	51.08	35.39	11.40	32.54	333	96 AVERAGE	Date: 2023-11-09 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>78.06</td><td>-----</td><td>-----</td><td>63.81</td><td>35.41</td><td>11.39</td><td>32.55</td><td>333</td><td>96 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	78.06	-----	-----	63.81	35.41	11.39	32.55	333	96 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.97	65.33	68.20	-2.87	51.08	35.39	11.40	32.54	333	96 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5935.00	78.06	-----	-----	63.81	35.41	11.39	32.55	333	96 AVERAGE																																																																					



Mode	94																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Full_5935MHz																																																																																																									
ANT	CDD 5+4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	PEAK(U-NII_6E) AVG(U-NII_6E)						PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11870.00</td><td>49.37</td><td>74.00</td><td>-24.63</td><td>44.69</td><td>40.10</td><td>15.06</td><td>50.48</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17805.00</td><td>49.90</td><td>74.00</td><td>-24.10</td><td>42.01</td><td>42.48</td><td>17.73</td><td>52.32</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11870.00	49.37	74.00	-24.63	44.69	40.10	15.06	50.48	-- -- Peak	2	17805.00	49.90	74.00	-24.10	42.01	42.48	17.73	52.32	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11870.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>43.17</td><td>40.10</td><td>15.06</td><td>50.48</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17805.00</td><td>49.60</td><td>74.00</td><td>-24.40</td><td>41.71</td><td>42.48</td><td>17.73</td><td>52.32</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11870.00	47.85	74.00	-26.15	43.17	40.10	15.06	50.48	-- -- Peak	2	17805.00	49.60	74.00	-24.40	41.71	42.48	17.73	52.32	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	11870.00	49.37	74.00	-24.63	44.69	40.10	15.06	50.48	-- -- Peak																																																																																																	
2	17805.00	49.90	74.00	-24.10	42.01	42.48	17.73	52.32	-- -- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	11870.00	47.85	74.00	-26.15	43.17	40.10	15.06	50.48	-- -- Peak																																																																																																	
2	17805.00	49.60	74.00	-24.40	41.71	42.48	17.73	52.32	-- -- Peak																																																																																																	



Mode	95																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Single RU_5935MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Date: 2023-11-09 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>75.09</td><td>88.20</td><td>-13.11</td><td>60.84</td><td>35.39</td><td>11.40</td><td>32.54</td><td>374</td><td>229 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	75.09	88.20	-13.11	60.84	35.39	11.40	32.54	374	229 PEAK	Date: 2023-11-09 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>84.76</td><td>-----</td><td>-----</td><td>70.51</td><td>35.40</td><td>11.40</td><td>32.55</td><td>374</td><td>229 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	84.76	-----	-----	70.51	35.40	11.40	32.55	374	229 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.97	75.09	88.20	-13.11	60.84	35.39	11.40	32.54	374	229 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5935.00	84.76	-----	-----	70.51	35.40	11.40	32.55	374	229 PEAK																																																																									
Avg	Date: 2023-11-09 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>65.99</td><td>68.20</td><td>-2.21</td><td>51.74</td><td>35.39</td><td>11.40</td><td>32.54</td><td>374</td><td>229 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	65.99	68.20	-2.21	51.74	35.39	11.40	32.54	374	229 AVERAGE	Date: 2023-11-09 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>77.30</td><td>-----</td><td>-----</td><td>63.05</td><td>35.40</td><td>11.40</td><td>32.55</td><td>374</td><td>229 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	77.30	-----	-----	63.05	35.40	11.40	32.55	374	229 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.97	65.99	68.20	-2.21	51.74	35.39	11.40	32.54	374	229 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5935.00	77.30	-----	-----	63.05	35.40	11.40	32.55	374	229 AVERAGE																																																																									



Mode	95																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Single RU_5935MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2023-11-09 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>73.53</td><td>88.20</td><td>-14.67</td><td>59.28</td><td>35.39</td><td>11.40</td><td>32.54</td><td>334</td><td>95 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	73.53	88.20	-14.67	59.28	35.39	11.40	32.54	334	95 PEAK	Level (dBuV/m) Date: 2023-11-09 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>84.09</td><td>-----</td><td>-----</td><td>69.84</td><td>35.40</td><td>11.40</td><td>32.55</td><td>334</td><td>95 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	84.09	-----	-----	69.84	35.40	11.40	32.55	334	95 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5924.97	73.53	88.20	-14.67	59.28	35.39	11.40	32.54	334	95 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5935.00	84.09	-----	-----	69.84	35.40	11.40	32.55	334	95 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2023-11-09 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>64.94</td><td>68.20</td><td>-3.26</td><td>50.69</td><td>35.39</td><td>11.40</td><td>32.54</td><td>334</td><td>95 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	64.94	68.20	-3.26	50.69	35.39	11.40	32.54	334	95 AVERAGE	Level (dBuV/m) Date: 2023-11-09 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>76.16</td><td>-----</td><td>-----</td><td>61.91</td><td>35.40</td><td>11.40</td><td>32.55</td><td>334</td><td>95 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	76.16	-----	-----	61.91	35.40	11.40	32.55	334	95 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5924.97	64.94	68.20	-3.26	50.69	35.39	11.40	32.54	334	95 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5935.00	76.16	-----	-----	61.91	35.40	11.40	32.55	334	95 AVERAGE																																																																																		



Mode	96																																																		
	Band Edge																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 52+26_5935MHz																																																		
ANT	CDD 5+4																																																		
Pol.	Horizontal																																																		
Peak	Fundamental																																																		
	Date: 2023-11-07 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.58</td><td>71.12</td><td>88.20</td><td>-17.08</td><td>56.87</td><td>35.39</td><td>11.40</td><td>32.54</td><td>100</td><td>114</td><td>PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.58	71.12	88.20	-17.08	56.87	35.39	11.40	32.54	100	114	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5924.58	71.12	88.20	-17.08	56.87	35.39	11.40	32.54	100	114	PEAK																																								
Date: 2023-11-07 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>94.55</td><td>-----</td><td>-----</td><td>80.30</td><td>35.40</td><td>11.40</td><td>32.55</td><td>100</td><td>114</td><td>PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	94.55	-----	-----	80.30	35.40	11.40	32.55	100	114	PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5935.00	94.55	-----	-----	80.30	35.40	11.40	32.55	100	114	PEAK																																								
Avg	Date: 2023-11-07 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>56.43</td><td>68.20</td><td>-11.77</td><td>42.18</td><td>35.39</td><td>11.40</td><td>32.54</td><td>100</td><td>114</td><td>AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.97	56.43	68.20	-11.77	42.18	35.39	11.40	32.54	100	114	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5924.97	56.43	68.20	-11.77	42.18	35.39	11.40	32.54	100	114	AVERAGE																																								
Date: 2023-11-07 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>86.05</td><td>-----</td><td>-----</td><td>71.80</td><td>35.41</td><td>11.39</td><td>32.55</td><td>100</td><td>114</td><td>AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	86.05	-----	-----	71.80	35.41	11.39	32.55	100	114	AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5935.00	86.05	-----	-----	71.80	35.41	11.39	32.55	100	114	AVERAGE																																								







Mode	96																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 52+26_5935MHz																																																																																								
ANT	CDD 5+4																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2023-11-07 PEAK_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5851. 5877. 5903. 5929. 5955 Frequency (MHz)					Level (dBuV/m) Date: 2023-11-07 PEAK_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>74.26</td><td>88.20</td><td>-13.94</td><td>60.01</td><td>35.39</td><td>11.40</td><td>32.54</td><td>300 93 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.84	74.26	88.20	-13.94	60.01	35.39	11.40	32.54	300 93 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>96.98</td><td>-----</td><td>-----</td><td>82.73</td><td>35.41</td><td>11.39</td><td>32.55</td><td>300 93 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	96.98	-----	-----	82.73	35.41	11.39	32.55
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.84	74.26	88.20	-13.94	60.01	35.39	11.40	32.54	300 93 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5935.00	96.98	-----	-----	82.73	35.41	11.39	32.55	300 93 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2023-11-07 AVG_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5851. 5877. 5903. 5929. 5955 Frequency (MHz)					Level (dBuV/m) Date: 2023-11-07 AVG_BE(UNII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>57.26</td><td>68.20</td><td>-10.94</td><td>43.01</td><td>35.39</td><td>11.40</td><td>32.54</td><td>300 93 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.97	57.26	68.20	-10.94	43.01	35.39	11.40	32.54	300 93 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>88.31</td><td>-----</td><td>-----</td><td>74.06</td><td>35.41</td><td>11.39</td><td>32.55</td><td>300 93 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	88.31	-----	-----	74.06	35.41	11.39	32.55
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.97	57.26	68.20	-10.94	43.01	35.39	11.40	32.54	300 93 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5935.00	88.31	-----	-----	74.06	35.41	11.39	32.55	300 93 AVERAGE																																																																																







		97									
Mode		Band Edge									
		U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 106+26_5935MHz									
ANT		CDD 5+4									
Pol.		Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-09 <										







Mode	97																																																																																
	Band Edge																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 106+26_5935MHz																																																																																
ANT	CDD 5+4																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-09. The plot shows a blue line for the signal and a red line for the limit. The signal peaks at 5924.97 MHz with a level of 73.24 dBuV/m. The limit is 88.20 dBuV/m. The plot is labeled PEAK_BE(U-NII)_6E.					 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-09. The plot shows a blue line for the signal and a red line for the limit. The signal peaks at 5935.00 MHz with a level of 84.67 dBuV/m. The limit is 70.42 dBuV/m. The plot is labeled PEAK_BE(U-NII)_6E.																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>73.24</td><td>88.20</td><td>-14.96</td><td>58.99</td><td>35.39</td><td>11.40</td><td>32.54</td><td>333</td><td>96</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5924.97	73.24	88.20	-14.96	58.99	35.39	11.40	32.54	333	96	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>84.67</td><td>70.42</td><td>14.25</td><td>35.40</td><td>11.40</td><td>32.55</td><td>333</td><td>96</td><td>PEAK</td><td></td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5935.00	84.67	70.42	14.25	35.40	11.40	32.55	333	96	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5924.97	73.24	88.20	-14.96	58.99	35.39	11.40	32.54	333	96	PEAK																																																																						
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5935.00	84.67	70.42	14.25	35.40	11.40	32.55	333	96	PEAK																																																																							
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-09. The plot shows a blue line for the signal and a red line for the limit. The signal peaks at 5924.97 MHz with a level of 64.63 dBuV/m. The limit is 68.20 dBuV/m. The plot is labeled AVG_BE(U-NII)_6E.					 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-09. The plot shows a blue line for the signal and a red line for the limit. The signal peaks at 5935.00 MHz with a level of 76.58 dBuV/m. The limit is 62.33 dBuV/m. The plot is labeled AVG_BE(U-NII)_6E.																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>64.63</td><td>68.20</td><td>-3.57</td><td>50.38</td><td>35.39</td><td>11.40</td><td>32.54</td><td>333</td><td>96</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5924.97	64.63	68.20	-3.57	50.38	35.39	11.40	32.54	333	96	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>76.58</td><td>62.33</td><td>14.25</td><td>35.41</td><td>11.39</td><td>32.55</td><td>333</td><td>96</td><td>AVERAGE</td><td></td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5935.00	76.58	62.33	14.25	35.41	11.39	32.55	333	96	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5924.97	64.63	68.20	-3.57	50.38	35.39	11.40	32.54	333	96	AVERAGE																																																																						
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5935.00	76.58	62.33	14.25	35.41	11.39	32.55	333	96	AVERAGE																																																																							





	98																																																																																																		
Mode	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																		
ANT	CDD 5+4																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2023-11-16  PEAK_BE(UNII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>78.08</td><td>88.20</td><td>-10.12</td><td>61.60</td><td>36.25</td><td>12.73</td><td>32.50</td><td>388</td><td>71 PEAK</td></tr><tr><td>2</td><td>7346.89</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>38.42</td><td>36.34</td><td>13.10</td><td>32.68</td><td>388</td><td>71 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	78.08	88.20	-10.12	61.60	36.25	12.73	32.50	388	71 PEAK	2	7346.89	55.18	74.00	-18.82	38.42	36.34	13.10	32.68	388	71 PEAK	Level (dBuV/m) Date: 2023-11-16  PEAK_BE(UNII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>93.76</td><td>-----</td><td>-----</td><td>77.30</td><td>36.25</td><td>12.71</td><td>32.50</td><td>388</td><td>71 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	93.76	-----	-----	77.30	36.25	12.71	32.50	388	71 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.28	78.08	88.20	-10.12	61.60	36.25	12.73	32.50	388	71 PEAK																																																																																									
2	7346.89	55.18	74.00	-18.82	38.42	36.34	13.10	32.68	388	71 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7115.00	93.76	-----	-----	77.30	36.25	12.71	32.50	388	71 PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2023-11-16  AVG_BE(UNII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>66.19</td><td>68.20</td><td>-2.01</td><td>49.71</td><td>36.25</td><td>12.73</td><td>32.50</td><td>388</td><td>71 AVERAGE</td></tr><tr><td>2</td><td>7315.74</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>28.10</td><td>36.33</td><td>13.08</td><td>32.65</td><td>388</td><td>71 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	66.19	68.20	-2.01	49.71	36.25	12.73	32.50	388	71 AVERAGE	2	7315.74	44.86	54.00	-9.14	28.10	36.33	13.08	32.65	388	71 AVERAGE	Level (dBuV/m) Date: 2023-11-16  AVG_BE(UNII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>85.96</td><td>-----</td><td>-----</td><td>69.50</td><td>36.25</td><td>12.71</td><td>32.50</td><td>388</td><td>71 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	85.96	-----	-----	69.50	36.25	12.71	32.50	388	71 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.28	66.19	68.20	-2.01	49.71	36.25	12.73	32.50	388	71 AVERAGE																																																																																									
2	7315.74	44.86	54.00	-9.14	28.10	36.33	13.08	32.65	388	71 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7115.00	85.96	-----	-----	69.50	36.25	12.71	32.50	388	71 AVERAGE																																																																																									







Mode	98																																																																																																									
	Band Edge																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																									
ANT	CDD 5+4																																																																																																									
Pol.	Vertical						Fundamental																																																																																																			
Peak	 Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. The plot shows a sharp peak at 7125.01 MHz. The limit line is at 122.5 dBuV/m. The read level is 76.34 dBuV/m. The line margin is -11.86 dB. The peak is labeled PEAK_BE(UNII)_6E.						 Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. The plot shows a sharp peak at 7115.00 MHz. The limit line is at 122.5 dBuV/m. The read level is 90.75 dBuV/m. The peak is labeled PEAK_BE(UNII)_6E.																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>76.34</td><td>88.20</td><td>-11.86</td><td>59.86</td><td>36.25</td><td>12.73</td><td>32.50</td><td>200</td><td>23</td><td>PEAK</td></tr><tr><td>2</td><td>7337.81</td><td>55.28</td><td>74.00</td><td>-18.72</td><td>38.51</td><td>36.34</td><td>13.10</td><td>32.67</td><td>200</td><td>23</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7125.01	76.34	88.20	-11.86	59.86	36.25	12.73	32.50	200	23	PEAK	2	7337.81	55.28	74.00	-18.72	38.51	36.34	13.10	32.67	200	23	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>90.75</td><td>-----</td><td>-----</td><td>74.30</td><td>36.25</td><td>12.70</td><td>32.50</td><td>200</td><td>23</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	90.75	-----	-----	74.30	36.25	12.70	32.50	200	23
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	7125.01	76.34	88.20	-11.86	59.86	36.25	12.73	32.50	200	23	PEAK																																																																																															
2	7337.81	55.28	74.00	-18.72	38.51	36.34	13.10	32.67	200	23	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	7115.00	90.75	-----	-----	74.30	36.25	12.70	32.50	200	23	PEAK																																																																																															
Avg	 Level (dBuV/m) vs Frequency (MHz) for Vertical Average. The plot shows a sharp peak at 7125.01 MHz. The limit line is at 122.5 dBuV/m. The read level is 65.95 dBuV/m. The line margin is -2.25 dB. The peak is labeled AVG_BE(UNII)_6E.						 Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. The plot shows a sharp peak at 7115.00 MHz. The limit line is at 122.5 dBuV/m. The read level is 84.24 dBuV/m. The peak is labeled AVG_BE(UNII)_6E.																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>65.95</td><td>68.20</td><td>-2.25</td><td>49.47</td><td>36.25</td><td>12.73</td><td>32.50</td><td>200</td><td>23</td><td>AVERAGE</td></tr><tr><td>2</td><td>7276.84</td><td>44.96</td><td>54.00</td><td>-9.04</td><td>28.22</td><td>36.31</td><td>13.05</td><td>32.62</td><td>200</td><td>23</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7125.01	65.95	68.20	-2.25	49.47	36.25	12.73	32.50	200	23	AVERAGE	2	7276.84	44.96	54.00	-9.04	28.22	36.31	13.05	32.62	200	23	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>84.24</td><td>-----</td><td>-----</td><td>67.83</td><td>36.24</td><td>12.66</td><td>32.49</td><td>200</td><td>23</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	84.24	-----	-----	67.83	36.24	12.66	32.49	200	23
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	7125.01	65.95	68.20	-2.25	49.47	36.25	12.73	32.50	200	23	AVERAGE																																																																																															
2	7276.84	44.96	54.00	-9.04	28.22	36.31	13.05	32.62	200	23	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	7115.00	84.24	-----	-----	67.83	36.24	12.66	32.49	200	23	AVERAGE																																																																																															



Mode	98																																																																																														
	Harmonic																																																																																														
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal					Vertical																																																																																									
Peak Avg																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>49.16</td><td>88.20</td><td>-39.04</td><td>42.54</td><td>41.04</td><td>16.33</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14230.00	49.16	88.20	-39.04	42.54	41.04	16.33	50.75	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>49.23</td><td>88.20</td><td>-38.97</td><td>42.61</td><td>41.04</td><td>16.33</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14230.00	49.23	88.20	-38.97	42.61	41.04	16.33	50.75	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 14230.00	49.16	88.20	-39.04	42.54	41.04	16.33	50.75	--	--	Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 14230.00	49.23	88.20	-38.97	42.61	41.04	16.33	50.75	--	--	Peak																																																																																					





		99																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																		
ANT		CDD 5+4																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2023-11-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>73.58</td><td>88.20</td><td>-14.62</td><td>57.10</td><td>36.25</td><td>12.73</td><td>32.50</td><td>388 85 PEAK</td></tr><tr><td>2</td><td>7263.23</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>37.95</td><td>36.31</td><td>13.04</td><td>32.61</td><td>388 85 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	73.58	88.20	-14.62	57.10	36.25	12.73	32.50	388 85 PEAK	2	7263.23	54.69	74.00	-19.31	37.95	36.31	13.04	32.61	388 85 PEAK	 Level (dBuV/m) Date: 2023-11-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>86.13</td><td>-----</td><td>-----</td><td>69.71</td><td>36.24</td><td>12.67</td><td>32.49</td><td>388 85 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.13	-----	-----	69.71	36.24	12.67	32.49	388 85 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7125.28	73.58	88.20	-14.62	57.10	36.25	12.73	32.50	388 85 PEAK																																																																																											
2	7263.23	54.69	74.00	-19.31	37.95	36.31	13.04	32.61	388 85 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7115.00	86.13	-----	-----	69.71	36.24	12.67	32.49	388 85 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2023-11-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>64.46</td><td>68.20</td><td>-3.74</td><td>47.98</td><td>36.25</td><td>12.73</td><td>32.50</td><td>388 85 AVERAGE</td></tr><tr><td>2</td><td>7282.36</td><td>44.96</td><td>54.00</td><td>-9.04</td><td>28.22</td><td>36.31</td><td>13.06</td><td>32.63</td><td>388 85 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	64.46	68.20	-3.74	47.98	36.25	12.73	32.50	388 85 AVERAGE	2	7282.36	44.96	54.00	-9.04	28.22	36.31	13.06	32.63	388 85 AVERAGE	 Level (dBuV/m) Date: 2023-11-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>76.89</td><td>-----</td><td>-----</td><td>60.43</td><td>36.25</td><td>12.71</td><td>32.50</td><td>388 85 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	76.89	-----	-----	60.43	36.25	12.71	32.50	388 85 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7125.28	64.46	68.20	-3.74	47.98	36.25	12.73	32.50	388 85 AVERAGE																																																																																											
2	7282.36	44.96	54.00	-9.04	28.22	36.31	13.06	32.63	388 85 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7115.00	76.89	-----	-----	60.43	36.25	12.71	32.50	388 85 AVERAGE																																																																																											







Mode	99																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2023-11-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>75.25</td><td>88.20</td><td>-12.95</td><td>58.77</td><td>36.25</td><td>12.73</td><td>32.50</td><td>388 39 PEAK</td></tr><tr><td>2</td><td>7344.66</td><td>54.26</td><td>74.00</td><td>-19.74</td><td>37.50</td><td>36.34</td><td>13.10</td><td>32.68</td><td>388 39 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	75.25	88.20	-12.95	58.77	36.25	12.73	32.50	388 39 PEAK	2	7344.66	54.26	74.00	-19.74	37.50	36.34	13.10	32.68	388 39 PEAK	Level (dBuV/m) Date: 2023-11-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>84.79</td><td>-----</td><td>-----</td><td>68.33</td><td>36.25</td><td>12.71</td><td>32.50</td><td>388 39 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	84.79	-----	-----	68.33	36.25	12.71	32.50	388 39 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	75.25	88.20	-12.95	58.77	36.25	12.73	32.50	388 39 PEAK																																																																																			
2	7344.66	54.26	74.00	-19.74	37.50	36.34	13.10	32.68	388 39 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	84.79	-----	-----	68.33	36.25	12.71	32.50	388 39 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2023-11-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>65.76</td><td>68.20</td><td>-2.44</td><td>49.28</td><td>36.25</td><td>12.73</td><td>32.50</td><td>388 39 AVERAGE</td></tr><tr><td>2</td><td>7346.89</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>28.22</td><td>36.34</td><td>13.10</td><td>32.68</td><td>388 39 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	65.76	68.20	-2.44	49.28	36.25	12.73	32.50	388 39 AVERAGE	2	7346.89	44.98	54.00	-9.02	28.22	36.34	13.10	32.68	388 39 AVERAGE	Level (dBuV/m) Date: 2023-11-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>77.26</td><td>-----</td><td>-----</td><td>60.84</td><td>36.24</td><td>12.67</td><td>32.49</td><td>388 39 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	77.26	-----	-----	60.84	36.24	12.67	32.49	388 39 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	65.76	68.20	-2.44	49.28	36.25	12.73	32.50	388 39 AVERAGE																																																																																			
2	7346.89	44.98	54.00	-9.02	28.22	36.34	13.10	32.68	388 39 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	77.26	-----	-----	60.84	36.24	12.67	32.49	388 39 AVERAGE																																																																																			



Mode	99																																																																																																					
	Harmonic																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																					
ANT	CDD 5+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14230.00</td><td>49.46</td><td>88.20</td><td>-38.74</td><td>42.84</td><td>41.04</td><td>16.33</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14230.00	49.46	88.20	-38.74	42.84	41.04	16.33	50.75	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14230.00</td><td>49.92</td><td>88.20</td><td>-38.28</td><td>43.30</td><td>41.04</td><td>16.33</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14230.00	49.92	88.20	-38.28	43.30	41.04	16.33	50.75	--	--	Peak	
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 14230.00	49.46	88.20	-38.74	42.84	41.04	16.33	50.75	--	--	Peak																																																																																												
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 14230.00	49.92	88.20	-38.28	43.30	41.04	16.33	50.75	--	--	Peak																																																																																												







Mode	100																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU_52/40_7115MHz																																																																																																			
ANT	CDD 5+4																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2023-11-29 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>67.87</td><td>88.20</td><td>-20.33</td><td>51.39</td><td>36.25</td><td>12.73</td><td>32.50</td><td>382 15 PEAK</td></tr><tr><td>2</td><td>7326.42</td><td>54.63</td><td>74.00</td><td>-19.37</td><td>37.87</td><td>36.33</td><td>13.09</td><td>32.66</td><td>382 15 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	67.87	88.20	-20.33	51.39	36.25	12.73	32.50	382 15 PEAK	2	7326.42	54.63	74.00	-19.37	37.87	36.33	13.09	32.66	382 15 PEAK	 Level (dBuV/m) Date: 2023-11-29 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>79.07</td><td>-----</td><td>-----</td><td>62.59</td><td>36.25</td><td>12.73</td><td>32.50</td><td>382 15 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	79.07	-----	-----	62.59	36.25	12.73	32.50	382 15 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7125.28	67.87	88.20	-20.33	51.39	36.25	12.73	32.50	382 15 PEAK																																																																																											
2	7326.42	54.63	74.00	-19.37	37.87	36.33	13.09	32.66	382 15 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7115.00	79.07	-----	-----	62.59	36.25	12.73	32.50	382 15 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2023-11-29 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>58.34</td><td>68.20</td><td>-9.86</td><td>41.86</td><td>36.25</td><td>12.73</td><td>32.50</td><td>382 15 AVERAGE</td></tr><tr><td>2</td><td>7345.55</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>28.09</td><td>36.34</td><td>13.10</td><td>32.68</td><td>382 15 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	58.34	68.20	-9.86	41.86	36.25	12.73	32.50	382 15 AVERAGE	2	7345.55	44.85	54.00	-9.15	28.09	36.34	13.10	32.68	382 15 AVERAGE	 Level (dBuV/m) Date: 2023-11-29 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>71.73</td><td>-----</td><td>-----</td><td>55.25</td><td>36.25</td><td>12.73</td><td>32.50</td><td>382 15 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	71.73	-----	-----	55.25	36.25	12.73	32.50	382 15 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7125.28	58.34	68.20	-9.86	41.86	36.25	12.73	32.50	382 15 AVERAGE																																																																																											
2	7345.55	44.85	54.00	-9.15	28.09	36.34	13.10	32.68	382 15 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7115.00	71.73	-----	-----	55.25	36.25	12.73	32.50	382 15 AVERAGE																																																																																											



		100																																																																																																														
Mode		Band Edge																																																																																																														
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU_52/40_7115MHz																																																																																																														
ANT		CDD 5+4																																																																																																														
Pol.		Vertical					Fundamental																																																																																																									
Peak	Level (dBuV/m) Date: 2023-11-29 PEAK_BE(UNII)_6E										Level (dBuV/m) Date: 2023-11-29 PEAK_BE(UNII)_6E																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>69.41</td><td>88.20</td><td>-18.79</td><td>52.93</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>6 PEAK</td></tr><tr><td>2</td><td>7304.61</td><td>54.57</td><td>74.00</td><td>-19.43</td><td>37.82</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100</td><td>6 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	69.41	88.20	-18.79	52.93	36.25	12.73	32.50	100	6 PEAK	2	7304.61	54.57	74.00	-19.43	37.82	36.32	13.07	32.64	100	6 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.40</td><td>-----</td><td>-----</td><td>64.92</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>6 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	81.40	-----	-----	64.92	36.25	12.73	32.50	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7125.28	69.41	88.20	-18.79	52.93	36.25	12.73	32.50	100	6 PEAK																																																																																																						
2	7304.61	54.57	74.00	-19.43	37.82	36.32	13.07	32.64	100	6 PEAK																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7115.00	81.40	-----	-----	64.92	36.25	12.73	32.50	100	6 PEAK																																																																																																						
Avg	Level (dBuV/m) Date: 2023-11-29 AVG_BE(UNII)_6E										Level (dBuV/m) Date: 2023-11-29 AVG_BE(UNII)_6E																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>61.25</td><td>68.20</td><td>-6.95</td><td>44.77</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>6 AVERAGE</td></tr><tr><td>2</td><td>7297.05</td><td>44.92</td><td>54.00</td><td>-9.08</td><td>28.17</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100</td><td>6 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	61.25	68.20	-6.95	44.77	36.25	12.73	32.50	100	6 AVERAGE	2	7297.05	44.92	54.00	-9.08	28.17	36.32	13.07	32.64	100	6 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>74.13</td><td>-----</td><td>-----</td><td>57.65</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>6 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	74.13	-----	-----	57.65	36.25	12.73	32.50	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7125.28	61.25	68.20	-6.95	44.77	36.25	12.73	32.50	100	6 AVERAGE																																																																																																						
2	7297.05	44.92	54.00	-9.08	28.17	36.32	13.07	32.64	100	6 AVERAGE																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7115.00	74.13	-----	-----	57.65	36.25	12.73	32.50	100	6 AVERAGE																																																																																																						







		101																																																																																																											
Mode		Band Edge																																																																																																											
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 52+26/39+7_7115MHz																																																																																																											
ANT		CDD 5+4																																																																																																											
Pol.	Horizontal										Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2023-11-29 										Level (dBuV/m) Date: 2023-11-29 																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>57.74</td><td>88.20</td><td>-30.46</td><td>41.26</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100 61 PEAK</td></tr><tr><td>2</td><td>7293.49</td><td>54.89</td><td>74.00</td><td>-19.11</td><td>38.14</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100 61 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	7125.28	57.74	88.20	-30.46	41.26	36.25	12.73	32.50	100 61 PEAK	2	7293.49	54.89	74.00	-19.11	38.14	36.32	13.07	32.64	100 61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>79.52</td><td>-----</td><td>-----</td><td>63.06</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100 61 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	7115.00	79.52	-----	-----	63.06	36.25	12.71	32.50
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.28	57.74	88.20	-30.46	41.26	36.25	12.73	32.50	100 61 PEAK																																																																																																				
2	7293.49	54.89	74.00	-19.11	38.14	36.32	13.07	32.64	100 61 PEAK																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	79.52	-----	-----	63.06	36.25	12.71	32.50	100 61 PEAK																																																																																																				
Avg	Level (dBuV/m) Date: 2023-11-29 										Level (dBuV/m) Date: 2023-11-29 																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>45.08</td><td>68.20</td><td>-23.12</td><td>28.60</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100 61 AVERAGE</td></tr><tr><td>2</td><td>7253.88</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>28.15</td><td>36.30</td><td>13.04</td><td>32.60</td><td>100 61 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	7125.28	45.08	68.20	-23.12	28.60	36.25	12.73	32.50	100 61 AVERAGE	2	7253.88	44.89	54.00	-9.11	28.15	36.30	13.04	32.60	100 61 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>70.41</td><td>-----</td><td>-----</td><td>53.95</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100 61 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	7115.00	70.41	-----	-----	53.95	36.25	12.71	32.50
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.28	45.08	68.20	-23.12	28.60	36.25	12.73	32.50	100 61 AVERAGE																																																																																																				
2	7253.88	44.89	54.00	-9.11	28.15	36.30	13.04	32.60	100 61 AVERAGE																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	70.41	-----	-----	53.95	36.25	12.71	32.50	100 61 AVERAGE																																																																																																				







Mode	101																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 52+26/39+7_7115MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Date: 2023-11-29 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>56.85</td><td>88.20</td><td>-31.35</td><td>40.37</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>9 PEAK</td></tr><tr><td>2 7313.96</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>37.90</td><td>36.33</td><td>13.08</td><td>32.65</td><td>100</td><td>9 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	56.85	88.20	-31.35	40.37	36.25	12.73	32.50	100	9 PEAK	2 7313.96	54.66	74.00	-19.34	37.90	36.33	13.08	32.65	100	9 PEAK	Date: 2023-11-29 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>80.61</td><td>-----</td><td>-----</td><td>64.15</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100</td><td>9 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	80.61	-----	-----	64.15	36.25	12.71	32.50	100	9 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7125.28	56.85	88.20	-31.35	40.37	36.25	12.73	32.50	100	9 PEAK																																																																																			
2 7313.96	54.66	74.00	-19.34	37.90	36.33	13.08	32.65	100	9 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7115.00	80.61	-----	-----	64.15	36.25	12.71	32.50	100	9 PEAK																																																																																			
Avg	Date: 2023-11-29 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>45.63</td><td>68.20</td><td>-22.57</td><td>29.15</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>9 AVERAGE</td></tr><tr><td>2 7322.86</td><td>44.92</td><td>54.00</td><td>-9.08</td><td>28.16</td><td>36.33</td><td>13.09</td><td>32.66</td><td>100</td><td>9 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	45.63	68.20	-22.57	29.15	36.25	12.73	32.50	100	9 AVERAGE	2 7322.86	44.92	54.00	-9.08	28.16	36.33	13.09	32.66	100	9 AVERAGE	Date: 2023-11-29 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>72.86</td><td>-----</td><td>-----</td><td>56.40</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100</td><td>9 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	72.86	-----	-----	56.40	36.25	12.71	32.50	100	9 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7125.28	45.63	68.20	-22.57	29.15	36.25	12.73	32.50	100	9 AVERAGE																																																																																			
2 7322.86	44.92	54.00	-9.08	28.16	36.33	13.09	32.66	100	9 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7115.00	72.86	-----	-----	56.40	36.25	12.71	32.50	100	9 AVERAGE																																																																																			







		102																																																																																																					
Mode		Band Edge																																																																																																					
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 106+26/54+4_7115MHz																																																																																																					
ANT		CDD 5+4																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																
Peak	 Date: 2023-11-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>67.90</td><td>88.20</td><td>-20.30</td><td>51.42</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>55 PEAK</td></tr><tr><td>2</td><td>7265.90</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>38.05</td><td>36.31</td><td>13.05</td><td>32.61</td><td>100</td><td>55 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	67.90	88.20	-20.30	51.42	36.25	12.73	32.50	100	55 PEAK	2	7265.90	54.80	74.00	-19.20	38.05	36.31	13.05	32.61	100	55 PEAK	 Date: 2023-11-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>79.80</td><td>-----</td><td>-----</td><td>63.34</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100</td><td>55 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	79.80	-----	-----	63.34	36.25	12.71	32.50	100	55 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	67.90	88.20	-20.30	51.42	36.25	12.73	32.50	100	55 PEAK																																																																																													
2	7265.90	54.80	74.00	-19.20	38.05	36.31	13.05	32.61	100	55 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	79.80	-----	-----	63.34	36.25	12.71	32.50	100	55 PEAK																																																																																													
Avg	 Date: 2023-11-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>57.87</td><td>68.20</td><td>-10.33</td><td>41.39</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>55 AVERAGE</td></tr><tr><td>2</td><td>7334.43</td><td>44.90</td><td>54.00</td><td>-9.10</td><td>28.14</td><td>36.33</td><td>13.10</td><td>32.67</td><td>100</td><td>55 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	57.87	68.20	-10.33	41.39	36.25	12.73	32.50	100	55 AVERAGE	2	7334.43	44.90	54.00	-9.10	28.14	36.33	13.10	32.67	100	55 AVERAGE	 Date: 2023-11-29 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>69.41</td><td>-----</td><td>-----</td><td>52.95</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100</td><td>55 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	69.41	-----	-----	52.95	36.25	12.71	32.50	100	55 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	57.87	68.20	-10.33	41.39	36.25	12.73	32.50	100	55 AVERAGE																																																																																													
2	7334.43	44.90	54.00	-9.10	28.14	36.33	13.10	32.67	100	55 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	69.41	-----	-----	52.95	36.25	12.71	32.50	100	55 AVERAGE																																																																																													







Mode	102																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 106+2654+4_7115MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2023-11-29  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>70.74</td><td>88.20</td><td>-17.46</td><td>54.26</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>6 PEAK</td></tr><tr><td>2</td><td>7330.87</td><td>54.82</td><td>74.00</td><td>-19.18</td><td>38.07</td><td>36.33</td><td>13.09</td><td>32.67</td><td>100</td><td>6 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	70.74	88.20	-17.46	54.26	36.25	12.73	32.50	100	6 PEAK	2	7330.87	54.82	74.00	-19.18	38.07	36.33	13.09	32.67	100	6 PEAK	Level (dBuV/m) Date: 2023-11-29  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>80.23</td><td>-----</td><td>-----</td><td>63.75</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>6 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	80.23	-----	-----	63.75	36.25	12.73	32.50	100	6 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.28	70.74	88.20	-17.46	54.26	36.25	12.73	32.50	100	6 PEAK																																																																																					
2	7330.87	54.82	74.00	-19.18	38.07	36.33	13.09	32.67	100	6 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7115.00	80.23	-----	-----	63.75	36.25	12.73	32.50	100	6 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2023-11-29  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>61.68</td><td>68.20</td><td>-6.52</td><td>45.20</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>6 AVERAGE</td></tr><tr><td>2</td><td>7278.36</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>28.14</td><td>36.31</td><td>13.06</td><td>32.62</td><td>100</td><td>6 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	61.68	68.20	-6.52	45.20	36.25	12.73	32.50	100	6 AVERAGE	2	7278.36	44.89	54.00	-9.11	28.14	36.31	13.06	32.62	100	6 AVERAGE	Level (dBuV/m) Date: 2023-11-29  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>72.73</td><td>-----</td><td>-----</td><td>56.25</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>6 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	72.73	-----	-----	56.25	36.25	12.73	32.50	100	6 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.28	61.68	68.20	-6.52	45.20	36.25	12.73	32.50	100	6 AVERAGE																																																																																					
2	7278.36	44.89	54.00	-9.11	28.14	36.31	13.06	32.62	100	6 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7115.00	72.73	-----	-----	56.25	36.25	12.73	32.50	100	6 AVERAGE																																																																																					







		103																																																																																																
Mode		Band Edge																																																																																																
		Co-location_ 11a_Ch233_7115MHz_11g_CH11_2462MHz+N30																																																																																																
ANT		CDD 5+4																																																																																																
Pol.		Horizontal					Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>74.95</td><td>88.20</td><td>-13.25</td><td>58.47</td><td>36.25</td><td>12.73</td><td>32.50</td><td>400</td><td>76 Peak</td></tr><tr><td>2</td><td>7251.21</td><td>54.71</td><td>74.00</td><td>-19.29</td><td>37.97</td><td>36.30</td><td>13.04</td><td>32.60</td><td>400</td><td>76 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	74.95	88.20	-13.25	58.47	36.25	12.73	32.50	400	76 Peak	2	7251.21	54.71	74.00	-19.29	37.97	36.30	13.04	32.60	400	76 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>91.15</td><td>-----</td><td>-----</td><td>74.70</td><td>36.25</td><td>12.70</td><td>32.50</td><td>400</td><td>76 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	91.15	-----	-----	74.70	36.25	12.70	32.50	400
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7125.00	74.95	88.20	-13.25	58.47	36.25	12.73	32.50	400	76 Peak																																																																																								
2	7251.21	54.71	74.00	-19.29	37.97	36.30	13.04	32.60	400	76 Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7115.00	91.15	-----	-----	74.70	36.25	12.70	32.50	400	76 Peak																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>64.12</td><td>68.20</td><td>-4.08</td><td>47.64</td><td>36.25</td><td>12.73</td><td>32.50</td><td>400</td><td>76 Average</td></tr><tr><td>2</td><td>7314.66</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>27.94</td><td>36.33</td><td>13.08</td><td>32.65</td><td>400</td><td>76 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	64.12	68.20	-4.08	47.64	36.25	12.73	32.50	400	76 Average	2	7314.66	44.70	54.00	-9.30	27.94	36.33	13.08	32.65	400	76 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>84.31</td><td>-----</td><td>-----</td><td>67.86</td><td>36.25</td><td>12.70</td><td>32.50</td><td>400</td><td>76 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	84.31	-----	-----	67.86	36.25	12.70	32.50	400
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7125.00	64.12	68.20	-4.08	47.64	36.25	12.73	32.50	400	76 Average																																																																																								
2	7314.66	44.70	54.00	-9.30	27.94	36.33	13.08	32.65	400	76 Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7115.00	84.31	-----	-----	67.86	36.25	12.70	32.50	400	76 Average																																																																																								







Mode	103																																																																																																		
	Band Edge																																																																																																		
	Co-location_ 11a_Ch233_7115MHz_11g_CH11_2462MHz+N30																																																																																																		
ANT	CDD 5+4																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak	 Date: 2023-11-30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>78.31</td><td>88.20</td><td>-9.89</td><td>61.83</td><td>36.25</td><td>12.73</td><td>32.50</td><td>397</td><td>24 Peak</td></tr><tr><td>2</td><td>7252.55</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>38.85</td><td>36.30</td><td>13.04</td><td>32.60</td><td>397</td><td>24 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	78.31	88.20	-9.89	61.83	36.25	12.73	32.50	397	24 Peak	2	7252.55	55.59	74.00	-18.41	38.85	36.30	13.04	32.60	397	24 Peak	 Date: 2023-11-30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>92.57</td><td>-----</td><td>-----</td><td>76.12</td><td>36.25</td><td>12.70</td><td>32.50</td><td>397</td><td>24 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	92.57	-----	-----	76.12	36.25	12.70	32.50	397	24 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.00	78.31	88.20	-9.89	61.83	36.25	12.73	32.50	397	24 Peak																																																																																									
2	7252.55	55.59	74.00	-18.41	38.85	36.30	13.04	32.60	397	24 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7115.00	92.57	-----	-----	76.12	36.25	12.70	32.50	397	24 Peak																																																																																									
Avg	 Date: 2023-11-30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>65.78</td><td>68.20</td><td>-2.42</td><td>49.30</td><td>36.25</td><td>12.73</td><td>32.50</td><td>397</td><td>24 Average</td></tr><tr><td>2</td><td>7252.82</td><td>44.59</td><td>54.00</td><td>-9.41</td><td>27.85</td><td>36.30</td><td>13.04</td><td>32.60</td><td>397</td><td>24 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	65.78	68.20	-2.42	49.30	36.25	12.73	32.50	397	24 Average	2	7252.82	44.59	54.00	-9.41	27.85	36.30	13.04	32.60	397	24 Average	 Date: 2023-11-30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>86.06</td><td>-----</td><td>-----</td><td>69.61</td><td>36.25</td><td>12.70</td><td>32.50</td><td>397</td><td>24 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.06	-----	-----	69.61	36.25	12.70	32.50	397	24 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.00	65.78	68.20	-2.42	49.30	36.25	12.73	32.50	397	24 Average																																																																																									
2	7252.82	44.59	54.00	-9.41	27.85	36.30	13.04	32.60	397	24 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7115.00	86.06	-----	-----	69.61	36.25	12.70	32.50	397	24 Average																																																																																									




Mode	103																																																																																											
	Band Edge																																																																																											
	Co-location_ 11a_Ch233_7115MHz_11g_CH11_2462MHz+N30																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2023-11-30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.68</td><td>65.56</td><td>74.00</td><td>-8.44</td><td>57.31</td><td>32.47</td><td>7.88</td><td>32.10</td><td>372</td><td>32</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.68	65.56	74.00	-8.44	57.31	32.47	7.88	32.10	372	32	Peak	 Level (dBuV/m) Date: 2023-11-30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>103.17</td><td>-----</td><td>-----</td><td>94.98</td><td>32.42</td><td>7.86</td><td>32.09</td><td>372</td><td>32</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	103.17	-----	-----	94.98	32.42	7.86	32.09	372	32	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2484.68	65.56	74.00	-8.44	57.31	32.47	7.88	32.10	372	32	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	103.17	-----	-----	94.98	32.42	7.86	32.09	372	32	Peak																																																																																	
Avg	 Level (dBuV/m) Date: 2023-11-30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>51.89</td><td>54.00</td><td>-2.11</td><td>43.65</td><td>32.46</td><td>7.88</td><td>32.10</td><td>372</td><td>32</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	51.89	54.00	-2.11	43.65	32.46	7.88	32.10	372	32	Average	 Level (dBuV/m) Date: 2023-11-30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>96.72</td><td>-----</td><td>-----</td><td>88.53</td><td>32.42</td><td>7.86</td><td>32.09</td><td>372</td><td>32</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	96.72	-----	-----	88.53	32.42	7.86	32.09	372	32	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.52	51.89	54.00	-2.11	43.65	32.46	7.88	32.10	372	32	Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	96.72	-----	-----	88.53	32.42	7.86	32.09	372	32	Average																																																																																	



Mode	103																																																																																	
	Band Edge																																																																																	
	Co-location_ 11a_Ch233_7115MHz_11g_CH11_2462MHz+N30																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	 Date: 2023-11-30 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>60.84</td><td>74.00</td><td>-13.16</td><td>52.60</td><td>32.46</td><td>7.88</td><td>32.10</td><td>370</td><td>88</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.56	60.84	74.00	-13.16	52.60	32.46	7.88	32.10	370	88	Peak	 Date: 2023-11-30 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>96.99</td><td>74.00</td><td>-22.99</td><td>88.80</td><td>32.42</td><td>7.86</td><td>32.09</td><td>370</td><td>88</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	96.99	74.00	-22.99	88.80	32.42	7.86	32.09	370	88	Peak
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.56	60.84	74.00	-13.16	52.60	32.46	7.88	32.10	370	88	Peak																																																																							
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	96.99	74.00	-22.99	88.80	32.42	7.86	32.09	370	88	Peak																																																																							
Avg	 Date: 2023-11-30 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>47.85</td><td>54.00</td><td>-6.15</td><td>39.61</td><td>32.46</td><td>7.88</td><td>32.10</td><td>370</td><td>88</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.52	47.85	54.00	-6.15	39.61	32.46	7.88	32.10	370	88	Average	 Date: 2023-11-30 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>90.22</td><td>74.00</td><td>-16.22</td><td>82.03</td><td>32.42</td><td>7.86</td><td>32.09</td><td>370</td><td>88</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	90.22	74.00	-16.22	82.03	32.42	7.86	32.09	370	88	Average
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.52	47.85	54.00	-6.15	39.61	32.46	7.88	32.10	370	88	Average																																																																							
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	90.22	74.00	-16.22	82.03	32.42	7.86	32.09	370	88	Average																																																																							







		103																																																																																																					
Mode		Harmonic																																																																																																					
		Co-location_ 11a_Ch233_7115MHz_11g_CH11_2462MHz+N30																																																																																																					
ANT		CDD 5+4																																																																																																					
Pol.		Horizontal																																																																																																					
Peak Avg																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>50.56</td><td>74.00</td><td>-23.44</td><td>36.26</td><td>34.87</td><td>11.12</td><td>31.69</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>32.82</td><td>36.35</td><td>13.13</td><td>32.71</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>49.88</td><td>88.20</td><td>-38.32</td><td>26.82</td><td>41.04</td><td>16.33</td><td>34.31</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>																Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg	1	4924.00	50.56	74.00	-23.44	36.26	34.87	11.12	31.69	--	--	--	--	--	Peak	2	7386.00	49.59	74.00	-24.41	32.82	36.35	13.13	32.71	--	--	--	--	--	Peak	3	14230.00	49.88	88.20	-38.32	26.82	41.04	16.33	34.31	--	--	--	--	--	Peak	
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg																																																																																										
1	4924.00	50.56	74.00	-23.44	36.26	34.87	11.12	31.69	--	--	--	--	--	Peak																																																																																									
2	7386.00	49.59	74.00	-24.41	32.82	36.35	13.13	32.71	--	--	--	--	--	Peak																																																																																									
3	14230.00	49.88	88.20	-38.32	26.82	41.04	16.33	34.31	--	--	--	--	--	Peak																																																																																									
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>50.23</td><td>74.00</td><td>-23.77</td><td>35.93</td><td>34.87</td><td>11.12</td><td>31.69</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>49.97</td><td>74.00</td><td>-24.03</td><td>33.20</td><td>36.35</td><td>13.13</td><td>32.71</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>50.05</td><td>88.20</td><td>-38.15</td><td>26.99</td><td>41.04</td><td>16.33</td><td>34.31</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>																Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg	1	4924.00	50.23	74.00	-23.77	35.93	34.87	11.12	31.69	--	--	--	--	--	Peak	2	7386.00	49.97	74.00	-24.03	33.20	36.35	13.13	32.71	--	--	--	--	--	Peak	3	14230.00	50.05	88.20	-38.15	26.99	41.04	16.33	34.31	--	--	--	--	--	Peak
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg																																																																																										
1	4924.00	50.23	74.00	-23.77	35.93	34.87	11.12	31.69	--	--	--	--	--	Peak																																																																																									
2	7386.00	49.97	74.00	-24.03	33.20	36.35	13.13	32.71	--	--	--	--	--	Peak																																																																																									
3	14230.00	50.05	88.20	-38.15	26.99	41.04	16.33	34.31	--	--	--	--	--	Peak																																																																																									
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>50.23</td><td>74.00</td><td>-23.77</td><td>35.93</td><td>34.87</td><td>11.12</td><td>31.69</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>49.97</td><td>74.00</td><td>-24.03</td><td>33.20</td><td>36.35</td><td>13.13</td><td>32.71</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>50.05</td><td>88.20</td><td>-38.15</td><td>26.99</td><td>41.04</td><td>16.33</td><td>34.31</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>																Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg	1	4924.00	50.23	74.00	-23.77	35.93	34.87	11.12	31.69	--	--	--	--	--	Peak	2	7386.00	49.97	74.00	-24.03	33.20	36.35	13.13	32.71	--	--	--	--	--	Peak	3	14230.00	50.05	88.20	-38.15	26.99	41.04	16.33	34.31	--	--	--	--	--	Peak
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg																																																																																										
1	4924.00	50.23	74.00	-23.77	35.93	34.87	11.12	31.69	--	--	--	--	--	Peak																																																																																									
2	7386.00	49.97	74.00	-24.03	33.20	36.35	13.13	32.71	--	--	--	--	--	Peak																																																																																									
3	14230.00	50.05	88.20	-38.15	26.99	41.04	16.33	34.31	--	--	--	--	--	Peak																																																																																									

Note: for RSE co-location plots, the individual highest signals over limit are co-location fundamental signals.



		104									
Mode		Band Edge									
		Co-location _11a_Ch233_7115MHz +Bluetooth BR_GFSK_CH78_2480MHz+N30									
ANT		CDD 5+4									
Pol.		Horizontal					Fundamental				
Peak		Level (dBuV/m) Date: 2023-12-06									





		104																																																																																																						
Mode		Band Edge																																																																																																						
		Co-location _11a_Ch233_7115MHz +Bluetooth BR_GFSK_CH78_2480MHz+N30																																																																																																						
ANT		CDD 5+4																																																																																																						
Pol.		Fundamental																																																																																																						
Peak	Vertical	Fundamental																																																																																																						
																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>78.44</td><td>88.20</td><td>-9.76</td><td>61.96</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>28</td><td>Peak</td></tr><tr><td>2</td><td>7320.63</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>39.29</td><td>36.33</td><td>13.09</td><td>32.66</td><td>100</td><td>28</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	78.44	88.20	-9.76	61.96	36.25	12.73	32.50	100	28	Peak	2	7320.63	56.05	74.00	-17.95	39.29	36.33	13.09	32.66	100	28	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>96.00</td><td>-----</td><td>-----</td><td>79.55</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100</td><td>28</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	96.00	-----	-----	79.55	36.25	12.70	32.50	100	28
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.00	78.44	88.20	-9.76	61.96	36.25	12.73	32.50	100	28	Peak																																																																																													
2	7320.63	56.05	74.00	-17.95	39.29	36.33	13.09	32.66	100	28	Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	96.00	-----	-----	79.55	36.25	12.70	32.50	100	28	Peak																																																																																													
Avg	Vertical	Fundamental																																																																																																						
																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>64.57</td><td>68.20</td><td>-3.63</td><td>48.09</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>28</td><td>Average</td></tr><tr><td>2</td><td>7290.95</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>28.26</td><td>36.32</td><td>13.06</td><td>32.63</td><td>100</td><td>28</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	64.57	68.20	-3.63	48.09	36.25	12.73	32.50	100	28	Average	2	7290.95	45.01	54.00	-8.99	28.26	36.32	13.06	32.63	100	28	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>88.19</td><td>-----</td><td>-----</td><td>71.74</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100</td><td>28</td><td>Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	88.19	-----	-----	71.74	36.25	12.70	32.50	100	28
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.00	64.57	68.20	-3.63	48.09	36.25	12.73	32.50	100	28	Average																																																																																													
2	7290.95	45.01	54.00	-8.99	28.26	36.32	13.06	32.63	100	28	Average																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	88.19	-----	-----	71.74	36.25	12.70	32.50	100	28	Average																																																																																													





		104																																																																																																																				
Mode		Band Edge																																																																																																																				
		Co-location _11a_Ch233_7115MHz +Bluetooth BR_GFSK_CH78_2480MHz+N30																																																																																																																				
ANT		MIMO 5+4																																																																																																																				
Pol.		Horizontal					Fundamental																																																																																																															
Peak	Level (dBuV/m) Date: 2023-12-06 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 246024682476248424922500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.92</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>40.44</td><td>32.46</td><td>7.88</td><td>32.10</td><td>385</td><td>144</td><td>Peak</td></tr><tr><td>2</td><td>2483.92</td><td>23.89</td><td>54.00</td><td>-30.11</td><td>15.65</td><td>32.46</td><td>7.88</td><td>32.10</td><td>385</td><td>144</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	48.68	74.00	-25.32	40.44	32.46	7.88	32.10	385	144	Peak	2	2483.92	23.89	54.00	-30.11	15.65	32.46	7.88	32.10	385	144	Average	Level (dBuV/m) Date: 2023-12-06 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 100014001800220026003000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.79</td><td>-----</td><td>-----</td><td>93.56</td><td>32.46</td><td>7.87</td><td>32.10</td><td>385</td><td>144</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>77.00</td><td>-----</td><td>-----</td><td>68.77</td><td>32.46</td><td>7.87</td><td>32.10</td><td>385</td><td>144</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.79	-----	-----	93.56	32.46	7.87	32.10	385	144	Peak	2	2480.00	77.00	-----	-----	68.77	32.46	7.87	32.10	385	144	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	2483.92	48.68	74.00	-25.32	40.44	32.46	7.88	32.10	385	144	Peak																																																																																																											
2	2483.92	23.89	54.00	-30.11	15.65	32.46	7.88	32.10	385	144	Average																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	2480.00	101.79	-----	-----	93.56	32.46	7.87	32.10	385	144	Peak																																																																																																											
2	2480.00	77.00	-----	-----	68.77	32.46	7.87	32.10	385	144	Average																																																																																																											



Mode	104																																																																																																														
	Band Edge																																																																																																														
	Co-location _11a_Ch233_7115MHz +Bluetooth BR_GFSK_CH78_2480MHz+N30																																																																																																														
ANT	MIMO 5+4																																																																																																														
Pol.	Vertical										Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2023-12-06  PEAK_BE_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.44</td><td>48.61</td><td>74.00</td><td>-25.39</td><td>40.36</td><td>32.47</td><td>7.88</td><td>32.10</td><td>400</td><td>244</td><td>Peak</td></tr><tr><td>2</td><td>2488.44</td><td>23.82</td><td>54.00</td><td>-30.18</td><td>15.57</td><td>32.47</td><td>7.88</td><td>32.10</td><td>400</td><td>244</td><td>Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.44	48.61	74.00	-25.39	40.36	32.47	7.88	32.10	400	244	Peak	2	2488.44	23.82	54.00	-30.18	15.57	32.47	7.88	32.10	400	244	Average	Level (dBuV/m) Date: 2023-12-06  PEAK_74 AVG_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>100.24</td><td>-----</td><td>92.01</td><td>32.46</td><td>7.87</td><td>32.10</td><td>400</td><td>244</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>75.45</td><td>-----</td><td>67.22</td><td>32.46</td><td>7.87</td><td>32.10</td><td>400</td><td>244</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.24	-----	92.01	32.46	7.87	32.10	400	244	Peak	2	2480.00	75.45	-----	67.22	32.46	7.87	32.10	400	244	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2488.44	48.61	74.00	-25.39	40.36	32.47	7.88	32.10	400	244	Peak																																																																																																				
2	2488.44	23.82	54.00	-30.18	15.57	32.47	7.88	32.10	400	244	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2480.00	100.24	-----	92.01	32.46	7.87	32.10	400	244	Peak																																																																																																					
2	2480.00	75.45	-----	67.22	32.46	7.87	32.10	400	244	Average																																																																																																					







		104																																																																																																																																																																																																					
Mode		Harmonic																																																																																																																																																																																																					
		Co-location _11a_Ch233_7115MHz +Bluetooth BR_GFSK_CH78_2480MHz+N30																																																																																																																																																																																																					
ANT		CDD 5+4/ MIMO 5+4																																																																																																																																																																																																					
Pol.		Horizontal												Vertical																																																																																																																																																																																									
Peak Avg		Level (dBuV/m) Date: 2023-12-15 												Level (dBuV/m) Date: 2023-12-15 																																																																																																																																																																																									
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>50.90</td><td>74.00</td><td>-23.10</td><td>36.53</td><td>34.88</td><td>11.14</td><td>31.65</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>30.74</td><td>36.38</td><td>12.97</td><td>32.75</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>50.01</td><td>88.20</td><td>-38.19</td><td>26.95</td><td>41.04</td><td>16.33</td><td>34.31</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg	1	4960.00	50.90	74.00	-23.10	36.53	34.88	11.14	31.65	--	--	--	--	--	Peak	2	7440.00	47.34	74.00	-26.66	30.74	36.38	12.97	32.75	--	--	--	--	--	Peak	3	14230.00	50.01	88.20	-38.19	26.95	41.04	16.33	34.31	--	--	--	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>36.37</td><td>34.88</td><td>11.14</td><td>31.65</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>32.02</td><td>36.38</td><td>12.97</td><td>32.75</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>49.53</td><td>88.20</td><td>-38.67</td><td>26.47</td><td>41.04</td><td>16.33</td><td>34.31</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg	1	4960.00	50.74	74.00	-23.26	36.37	34.88	11.14	31.65	--	--	--	--	--	Peak	2	7440.00	48.62	74.00	-25.38	32.02	36.38	12.97	32.75	--	--	--	--	--	Peak	3	14230.00	49.53	88.20	-38.67	26.47	41.04	16.33	34.31	--	--	--	--
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg																																																																																																																																																																																										
1	4960.00	50.90	74.00	-23.10	36.53	34.88	11.14	31.65	--	--	--	--	--	Peak																																																																																																																																																																																									
2	7440.00	47.34	74.00	-26.66	30.74	36.38	12.97	32.75	--	--	--	--	--	Peak																																																																																																																																																																																									
3	14230.00	50.01	88.20	-38.19	26.95	41.04	16.33	34.31	--	--	--	--	--	Peak																																																																																																																																																																																									
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg																																																																																																																																																																																										
1	4960.00	50.74	74.00	-23.26	36.37	34.88	11.14	31.65	--	--	--	--	--	Peak																																																																																																																																																																																									
2	7440.00	48.62	74.00	-25.38	32.02	36.38	12.97	32.75	--	--	--	--	--	Peak																																																																																																																																																																																									
3	14230.00	49.53	88.20	-38.67	26.47	41.04	16.33	34.31	--	--	--	--	--	Peak																																																																																																																																																																																									

Note: for RSE co-location plots, the individual highest signals over limit are co-location fundamental signals.







Mode	105									
	Band Edge									
	Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30									
ANT	5+4									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2023-12-06									







Mode	105																																																																																																		
	Band Edge																																																																																																		
	Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30																																																																																																		
ANT	5+4																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak	 Date: 2023-12-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>77.18</td><td>88.20</td><td>-11.02</td><td>60.70</td><td>36.25</td><td>12.73</td><td>32.50</td><td>400</td><td>24 Peak</td></tr><tr><td>2</td><td>7312.62</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>38.43</td><td>36.33</td><td>13.08</td><td>32.65</td><td>400</td><td>24 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	77.18	88.20	-11.02	60.70	36.25	12.73	32.50	400	24 Peak	2	7312.62	55.19	74.00	-18.81	38.43	36.33	13.08	32.65	400	24 Peak	 Date: 2023-12-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>93.82</td><td>-----</td><td>-----</td><td>77.37</td><td>36.25</td><td>12.70</td><td>32.50</td><td>400</td><td>24 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	93.82	-----	-----	77.37	36.25	12.70	32.50	400	24 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.00	77.18	88.20	-11.02	60.70	36.25	12.73	32.50	400	24 Peak																																																																																									
2	7312.62	55.19	74.00	-18.81	38.43	36.33	13.08	32.65	400	24 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7115.00	93.82	-----	-----	77.37	36.25	12.70	32.50	400	24 Peak																																																																																									
Avg	 Date: 2023-12-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>64.86</td><td>68.20</td><td>-3.34</td><td>48.38</td><td>36.25</td><td>12.73</td><td>32.50</td><td>400</td><td>24 Average</td></tr><tr><td>2</td><td>7287.23</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>28.24</td><td>36.31</td><td>13.06</td><td>32.63</td><td>400</td><td>24 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	64.86	68.20	-3.34	48.38	36.25	12.73	32.50	400	24 Average	2	7287.23	44.98	54.00	-9.02	28.24	36.31	13.06	32.63	400	24 Average	 Date: 2023-12-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>86.40</td><td>-----</td><td>-----</td><td>69.95</td><td>36.25</td><td>12.70</td><td>32.50</td><td>400</td><td>24 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	86.40	-----	-----	69.95	36.25	12.70	32.50	400	24 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.00	64.86	68.20	-3.34	48.38	36.25	12.73	32.50	400	24 Average																																																																																									
2	7287.23	44.98	54.00	-9.02	28.24	36.31	13.06	32.63	400	24 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7115.00	86.40	-----	-----	69.95	36.25	12.70	32.50	400	24 Average																																																																																									



Mode	105																																																																																									
	Band Edge																																																																																									
	Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30																																																																																									
ANT	4																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.68</td><td>61.57</td><td>74.00</td><td>-12.43</td><td>53.33</td><td>32.46</td><td>7.88</td><td>32.10</td><td>371</td><td>121</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.68	61.57	74.00	-12.43	53.33	32.46	7.88	32.10	371	121	Peak	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>100.87</td><td>-----</td><td>-----</td><td>92.68</td><td>32.42</td><td>7.86</td><td>32.09</td><td>371</td><td>121</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	100.87	-----	-----	92.68	32.42	7.86	32.09	371	121	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.68	61.57	74.00	-12.43	53.33	32.46	7.88	32.10	371	121	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	100.87	-----	-----	92.68	32.42	7.86	32.09	371	121	Peak																																																																															
Avg	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>46.37</td><td>54.00</td><td>-7.63</td><td>38.13</td><td>32.46</td><td>7.88</td><td>32.10</td><td>371</td><td>121</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	46.37	54.00	-7.63	38.13	32.46	7.88	32.10	371	121	Average	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>93.01</td><td>-----</td><td>-----</td><td>84.82</td><td>32.42</td><td>7.86</td><td>32.09</td><td>371</td><td>121</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	93.01	-----	-----	84.82	32.42	7.86	32.09	371	121	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.52	46.37	54.00	-7.63	38.13	32.46	7.88	32.10	371	121	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	93.01	-----	-----	84.82	32.42	7.86	32.09	371	121	Average																																																																															



Mode	105																																																																																						
	Band Edge																																																																																						
	Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30																																																																																						
ANT	4																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>61.29</td><td>74.00</td><td>-12.71</td><td>53.05</td><td>32.46</td><td>7.88</td><td>32.10</td><td>398</td><td>7 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.56	61.29	74.00	-12.71	53.05	32.46	7.88	32.10	398	7 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.95</td><td>-----</td><td>-----</td><td>90.76</td><td>32.42</td><td>7.86</td><td>32.09</td><td>398</td><td>7 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	98.95	-----	-----	90.76	32.42	7.86	32.09	398
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.56	61.29	74.00	-12.71	53.05	32.46	7.88	32.10	398	7 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2462.00	98.95	-----	-----	90.76	32.42	7.86	32.09	398	7 Peak																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>46.55</td><td>54.00</td><td>-7.45</td><td>38.31</td><td>32.46</td><td>7.88</td><td>32.10</td><td>398</td><td>7 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	46.55	54.00	-7.45	38.31	32.46	7.88	32.10	398	7 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>90.82</td><td>-----</td><td>-----</td><td>82.63</td><td>32.42</td><td>7.86</td><td>32.09</td><td>398</td><td>7 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	90.82	-----	-----	82.63	32.42	7.86	32.09	398
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.52	46.55	54.00	-7.45	38.31	32.46	7.88	32.10	398	7 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2462.00	90.82	-----	-----	82.63	32.42	7.86	32.09	398	7 Average																																																																													



Mode	105																																																	
	Band Edge																																																	
	Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30																																																	
ANT	5																																																	
Pol.	Horizontal																																																	
Peak	Fundamental																																																	
	Date: 2023-12-06																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>42.18</td><td>32.46</td><td>7.88</td><td>32.10</td><td>400</td><td>237</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.60	50.42	74.00	-23.58	42.18	32.46	7.88	32.10	400	237	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2483.60	50.42	74.00	-23.58	42.18	32.46	7.88	32.10	400	237	Peak																																							
Avg	Date: 2023-12-06																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.96</td><td>41.37</td><td>54.00</td><td>-12.63</td><td>33.13</td><td>32.46</td><td>7.88</td><td>32.10</td><td>400</td><td>237</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.96	41.37	54.00	-12.63	33.13	32.46	7.88	32.10	400	237
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2483.96	41.37	54.00	-12.63	33.13	32.46	7.88	32.10	400	237	Average																																							