











Mode	105																																																																					
	Band Edge																																																																					
	Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30																																																																					
ANT	5																																																																					
Pol.	Vertical					Fundamental																																																																
Peak	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2490.92</td><td>49.41</td><td>74.00</td><td>-24.59</td><td>41.15</td><td>32.48</td><td>7.88</td><td>32.10</td><td>370</td><td>76 Peak</td></tr></tbody></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2490.92	49.41	74.00	-24.59	41.15	32.48	7.88	32.10	370	76 Peak	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>98.33</td><td>-----</td><td>90.10</td><td>32.45</td><td>7.87</td><td>32.09</td><td>370</td><td>76</td><td>Peak</td></tr></tbody></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	98.33	-----	90.10	32.45	7.87	32.09	370	76	Peak
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2490.92	49.41	74.00	-24.59	41.15	32.48	7.88	32.10	370	76 Peak																																																													
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2478.00	98.33	-----	90.10	32.45	7.87	32.09	370	76	Peak																																																													
Avg	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2486.36</td><td>41.08</td><td>54.00</td><td>-12.92</td><td>32.83</td><td>32.47</td><td>7.88</td><td>32.10</td><td>370</td><td>76 Average</td></tr></tbody></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2486.36	41.08	54.00	-12.92	32.83	32.47	7.88	32.10	370	76 Average	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>97.29</td><td>-----</td><td>89.06</td><td>32.45</td><td>7.87</td><td>32.09</td><td>370</td><td>76</td><td>Average</td></tr></tbody></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	97.29	-----	89.06	32.45	7.87	32.09	370	76	Average
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2486.36	41.08	54.00	-12.92	32.83	32.47	7.88	32.10	370	76 Average																																																													
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2478.00	97.29	-----	89.06	32.45	7.87	32.09	370	76	Average																																																													







		105																							
Mode		Harmonic																							
		Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30																							
ANT		5/4/5+4																							
Pol.		Horizontal												Vertical											
Peak Avg																									

Note: for RSE co-location plots, the individual highest signals over limit are co-location fundamental signals.





Mode	106																																																																																								
	Band Edge																																																																																								
	U-NII-5 5.925-6.425_802.11a_CH1_5955MHz																																																																																								
ANT	CDD 6+5																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5892.47</td><td>53.44</td><td>88.20</td><td>-34.76</td><td>39.15</td><td>35.35</td><td>11.46</td><td>32.52</td><td>100 320 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5892.47	53.44	88.20	-34.76	39.15	35.35	11.46	32.52	100 320 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.14</td><td>-----</td><td>-----</td><td>80.90</td><td>35.43</td><td>11.37</td><td>32.56</td><td>100 320 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.14	-----	-----	80.90	35.43	11.37	32.56
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5892.47	53.44	88.20	-34.76	39.15	35.35	11.46	32.52	100 320 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	95.14	-----	-----	80.90	35.43	11.37	32.56	100 320 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5846.45</td><td>42.68</td><td>68.20</td><td>-25.52</td><td>28.33</td><td>35.29</td><td>11.54</td><td>32.48</td><td>100 320 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5846.45	42.68	68.20	-25.52	28.33	35.29	11.54	32.48	100 320 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.83</td><td>-----</td><td>-----</td><td>73.62</td><td>35.44</td><td>11.34</td><td>32.57</td><td>100 320 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.83	-----	-----	73.62	35.44	11.34	32.57
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5846.45	42.68	68.20	-25.52	28.33	35.29	11.54	32.48	100 320 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	87.83	-----	-----	73.62	35.44	11.34	32.57	100 320 AVERAGE																																																																																



		106																																																																										
Mode		Band Edge																																																																										
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																										
ANT		CDD 6+5																																																																										
Pol.		Vertical					Fundamental																																																																					
Peak	 Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5842.94</td><td>52.62</td><td>88.20</td><td>-35.58</td><td>38.28</td><td>35.28</td><td>11.54</td><td>32.48</td><td>368</td><td>112</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5842.94	52.62	88.20	-35.58	38.28	35.28	11.54	32.48	368	112	PEAK	 Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>91.58</td><td>-----</td><td>-----</td><td>77.37</td><td>35.44</td><td>11.34</td><td>32.57</td><td>368</td><td>112</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5955.00	91.58	-----	-----	77.37	35.44	11.34	32.57	368	112	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5842.94	52.62	88.20	-35.58	38.28	35.28	11.54	32.48	368	112	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5955.00	91.58	-----	-----	77.37	35.44	11.34	32.57	368	112	PEAK																																																																		
Avg	 Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5852.17</td><td>42.50</td><td>68.20</td><td>-25.70</td><td>28.17</td><td>35.29</td><td>11.53</td><td>32.49</td><td>368</td><td>112</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5852.17	42.50	68.20	-25.70	28.17	35.29	11.53	32.49	368	112	AVERAGE	 Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>84.68</td><td>-----</td><td>-----</td><td>70.44</td><td>35.43</td><td>11.37</td><td>32.56</td><td>368</td><td>112</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5955.00	84.68	-----	-----	70.44	35.43	11.37	32.56	368	112	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5852.17	42.50	68.20	-25.70	28.17	35.29	11.53	32.49	368	112	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5955.00	84.68	-----	-----	70.44	35.43	11.37	32.56	368	112	AVERAGE																																																																		





Mode	106																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																							
ANT	CDD 6+5																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>49.49</td><td>74.00</td><td>-24.51</td><td>44.72</td><td>40.13</td><td>15.09</td><td>50.45</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>51.55</td><td>74.00</td><td>-22.45</td><td>43.64</td><td>42.52</td><td>17.74</td><td>52.35</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11910.00	49.49	74.00	-24.51	44.72	40.13	15.09	50.45	--	--	Peak	2	17865.00	51.55	74.00	-22.45	43.64	42.52	17.74	52.35	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>49.68</td><td>74.00</td><td>-24.32</td><td>44.91</td><td>40.13</td><td>15.09</td><td>50.45</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.93</td><td>74.00</td><td>-24.07</td><td>42.02</td><td>42.52</td><td>17.74</td><td>52.35</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11910.00	49.68	74.00	-24.32	44.91	40.13	15.09	50.45	--	--	Peak	2	17865.00	49.93	74.00	-24.07	42.02	42.52	17.74	52.35	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11910.00	49.49	74.00	-24.51	44.72	40.13	15.09	50.45	--	--	Peak																																																																																																													
2	17865.00	51.55	74.00	-22.45	43.64	42.52	17.74	52.35	--	--	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11910.00	49.68	74.00	-24.32	44.91	40.13	15.09	50.45	--	--	Peak																																																																																																													
2	17865.00	49.93	74.00	-24.07	42.02	42.52	17.74	52.35	--	--	Peak																																																																																																													





Mode	107																																																																																													
	Harmonic																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																													
ANT	CDD 6+5																																																																																													
Pol.	Horizontal					Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNIT)_GE AVG_BE(UNIT)_GE <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12350.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>42.78</td><td>40.27</td><td>15.15</td><td>50.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.66	74.00	-26.34	42.78	40.27	15.15	50.54	--	-- Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNIT)_GE AVG_BE(UNIT)_GE <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12350.00</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>43.98</td><td>40.27</td><td>15.15</td><td>50.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	48.86	74.00	-25.14	43.98	40.27	15.15	50.54	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq		Level	Line Margin	Level Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	12350.00	47.66	74.00	-26.34	42.78	40.27	15.15	50.54	--	-- Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq		Level	Line Margin	Level Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	12350.00	48.86	74.00	-25.14	43.98	40.27	15.15	50.54	--	-- Peak																																																																																				





Mode	108																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																															
ANT	CDD 6+5																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-11-08  PEAK_BE(UIN)_6E AVG_BE(UIN)_6E <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12830.00</td><td>49.15</td><td>88.20</td><td>-39.05</td><td>44.43</td><td>40.43</td><td>15.16</td><td>50.87</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12830.00	49.15	88.20	-39.05	44.43	40.43	15.16	50.87	--	--	Peak	Level (dBuV/m) Date: 2023-11-08  PEAK_BE(UIN)_6E AVG_BE(UIN)_6E <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12830.00</td><td>49.08</td><td>88.20</td><td>-39.12</td><td>44.36</td><td>40.43</td><td>15.16</td><td>50.87</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12830.00	49.08	88.20	-39.12	44.36	40.43	15.16	50.87	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 12830.00	49.15	88.20	-39.05	44.43	40.43	15.16	50.87	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 12830.00	49.08	88.20	-39.12	44.36	40.43	15.16	50.87	--	--	Peak																																																																																						





Mode	109																																																																																																								
	Harmonic																																																																																																								
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																								
ANT	CDD 5+6																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12870.00</td><td>49.11</td><td>88.20</td><td>-39.09</td><td>44.39</td><td>40.45</td><td>15.17</td><td>50.90</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12870.00	49.11	88.20	-39.09	44.39	40.45	15.17	50.90	--	--	Peak		Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12870.00</td><td>50.80</td><td>88.20</td><td>-37.40</td><td>46.08</td><td>40.45</td><td>15.17</td><td>50.90</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12870.00	50.80	88.20	-37.40	46.08	40.45	15.17	50.90	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 12870.00	49.11	88.20	-39.09	44.39	40.45	15.17	50.90	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 12870.00	50.80	88.20	-37.40	46.08	40.45	15.17	50.90	--	--	Peak																																																																																															





Mode	110																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																									
ANT	CDD 5+6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12950.00</td><td>48.91</td><td>88.20</td><td>-39.29</td><td>44.22</td><td>40.48</td><td>15.17</td><td>50.96</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12950.00	48.91	88.20	-39.29	44.22	40.48	15.17	50.96	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12950.00</td><td>48.81</td><td>88.20</td><td>-39.39</td><td>44.12</td><td>40.48</td><td>15.17</td><td>50.96</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12950.00	48.81	88.20	-39.39	44.12	40.48	15.17	50.96	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12950.00	48.91	88.20	-39.29	44.22	40.48	15.17	50.96	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12950.00	48.81	88.20	-39.39	44.12	40.48	15.17	50.96	--	--	Peak																																																																																																





Mode	111																																																																																																	
	Harmonic																																																																																																	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																	
ANT	CDD 5+6																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13030.00</td><td>49.01</td><td>88.20</td><td>-39.19</td><td>44.30</td><td>40.51</td><td>15.19</td><td>50.99</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13030.00	49.01	88.20	-39.19	44.30	40.51	15.19	50.99	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13030.00</td><td>49.36</td><td>88.20</td><td>-38.84</td><td>44.65</td><td>40.51</td><td>15.19</td><td>50.99</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13030.00	49.36	88.20	-38.84	44.65	40.51	15.19	50.99	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13030.00	49.01	88.20	-39.19	44.30	40.51	15.19	50.99	--	--	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13030.00	49.36	88.20	-38.84	44.65	40.51	15.19	50.99	--	--	Peak																																																																																								





Mode	112																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																															
ANT	CDD 5+6																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13070.00</td><td>48.03</td><td>88.20</td><td>-40.17</td><td>43.25</td><td>40.51</td><td>15.24</td><td>50.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13070.00	48.03	88.20	-40.17	43.25	40.51	15.24	50.97	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13070.00</td><td>49.40</td><td>88.20</td><td>-38.80</td><td>44.62</td><td>40.51</td><td>15.24</td><td>50.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13070.00	49.40	88.20	-38.80	44.62	40.51	15.24	50.97	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13070.00	48.03	88.20	-40.17	43.25	40.51	15.24	50.97	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13070.00	49.40	88.20	-38.80	44.62	40.51	15.24	50.97	--	--	Peak																																																																																						





Mode	113																																																																																														
	Harmonic																																																																																														
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																														
ANT	CDD 5+6																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13390.00</td><td>49.14</td><td>74.00</td><td>-24.86</td><td>43.79</td><td>40.58</td><td>15.61</td><td>50.84</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	49.14	74.00	-24.86	43.79	40.58	15.61	50.84	--	--	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13390.00</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>44.22</td><td>40.58</td><td>15.61</td><td>50.84</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	49.57	74.00	-24.43	44.22	40.58	15.61	50.84	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 13390.00	49.14	74.00	-24.86	43.79	40.58	15.61	50.84	--	--	Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 13390.00	49.57	74.00	-24.43	44.22	40.58	15.61	50.84	--	--	Peak																																																																																					





Mode	114																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																					
ANT	CDD 5+6																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13710.00</td><td>50.88</td><td>88.20</td><td>-37.32</td><td>44.93</td><td>40.73</td><td>15.98</td><td>50.76</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13710.00	50.88	88.20	-37.32	44.93	40.73	15.98	50.76	--	--	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13710.00</td><td>50.95</td><td>88.20</td><td>-37.25</td><td>45.00</td><td>40.73</td><td>15.98</td><td>50.76</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13710.00	50.95	88.20	-37.25	45.00	40.73	15.98	50.76	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13710.00	50.88	88.20	-37.32	44.93	40.73	15.98	50.76	--	--	Peak																																																																																												
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13710.00	50.95	88.20	-37.25	45.00	40.73	15.98	50.76	--	--	Peak																																																																																												







Mode	115																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																									
ANT	CDD 5+6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13790.00</td><td>49.18</td><td>88.20</td><td>-39.02</td><td>43.08</td><td>40.77</td><td>16.07</td><td>50.74</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13790.00	49.18	88.20	-39.02	43.08	40.77	16.07	50.74	--	--	Peak		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13790.00</td><td>49.44</td><td>88.20</td><td>-38.76</td><td>43.34</td><td>40.77</td><td>16.07</td><td>50.74</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13790.00	49.44	88.20	-38.76	43.34	40.77	16.07	50.74	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13790.00	49.18	88.20	-39.02	43.08	40.77	16.07	50.74	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13790.00	49.44	88.20	-38.76	43.34	40.77	16.07	50.74	--	--	Peak																																																																																																







Mode	116																																																																																																						
	Harmonic																																																																																																						
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																						
ANT	CDD 5+6																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg	 Level (dBuV/m) Date: 2023-12-05 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13990.00</td><td>50.03</td><td>88.20</td><td>-38.17</td><td>43.54</td><td>40.89</td><td>16.30</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13990.00	50.03	88.20	-38.17	43.54	40.89	16.30	50.70	--	--	Peak		 Level (dBuV/m) Date: 2023-12-05 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13990.00</td><td>49.55</td><td>88.20</td><td>-38.65</td><td>43.06</td><td>40.89</td><td>16.30</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></tbody></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13990.00	49.55	88.20	-38.65	43.06	40.89	16.30	50.70	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1 13990.00	50.03	88.20	-38.17	43.54	40.89	16.30	50.70	--	--	Peak																																																																																													
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1 13990.00	49.55	88.20	-38.65	43.06	40.89	16.30	50.70	--	--	Peak																																																																																													





Mode	117																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																						
ANT	CDD 5+6																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7148.42</td><td>54.50</td><td>88.20</td><td>-33.70</td><td>37.95</td><td>36.26</td><td>12.81</td><td>32.52</td><td>400</td><td>67 PEAK</td></tr><tr><td>2</td><td>7305.50</td><td>55.17</td><td>74.00</td><td>-18.83</td><td>38.42</td><td>36.32</td><td>13.08</td><td>32.65</td><td>400</td><td>67 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7148.42	54.50	88.20	-33.70	37.95	36.26	12.81	32.52	400	67 PEAK	2	7305.50	55.17	74.00	-18.83	38.42	36.32	13.08	32.65	400	67 PEAK	Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.37</td><td>-----</td><td>-----</td><td>71.96</td><td>36.24</td><td>12.65</td><td>32.48</td><td>400</td><td>67 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.37	-----	-----	71.96	36.24	12.65	32.48	400	67 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7148.42	54.50	88.20	-33.70	37.95	36.26	12.81	32.52	400	67 PEAK																																																																																													
2	7305.50	55.17	74.00	-18.83	38.42	36.32	13.08	32.65	400	67 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	88.37	-----	-----	71.96	36.24	12.65	32.48	400	67 PEAK																																																																																													
Avg	Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.28</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>28.94</td><td>36.29</td><td>13.01</td><td>32.57</td><td>400</td><td>67 AVERAGE</td></tr><tr><td>2</td><td>7276.58</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>29.22</td><td>36.31</td><td>13.05</td><td>32.62</td><td>400</td><td>67 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7214.28	45.67	68.20	-22.53	28.94	36.29	13.01	32.57	400	67 AVERAGE	2	7276.58	45.96	54.00	-8.04	29.22	36.31	13.05	32.62	400	67 AVERAGE	Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>81.51</td><td>-----</td><td>-----</td><td>65.13</td><td>36.24</td><td>12.62</td><td>32.48</td><td>400</td><td>67 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	81.51	-----	-----	65.13	36.24	12.62	32.48	400	67 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7214.28	45.67	68.20	-22.53	28.94	36.29	13.01	32.57	400	67 AVERAGE																																																																																													
2	7276.58	45.96	54.00	-8.04	29.22	36.31	13.05	32.62	400	67 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	81.51	-----	-----	65.13	36.24	12.62	32.48	400	67 AVERAGE																																																																																													







Mode	117																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																			
ANT	CDD 5+6																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2023-11-17 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7147.08</td><td>55.72</td><td>88.20</td><td>-32.48</td><td>39.17</td><td>36.26</td><td>12.81</td><td>32.52</td><td>100 107 PEAK</td></tr><tr><td>2</td><td>7294.82</td><td>55.14</td><td>74.00</td><td>-18.86</td><td>38.39</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100 107 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7147.08	55.72	88.20	-32.48	39.17	36.26	12.81	32.52	100 107 PEAK	2	7294.82	55.14	74.00	-18.86	38.39	36.32	13.07	32.64	100 107 PEAK	 Level (dBuV/m) Date: 2023-11-17 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.39</td><td>-----</td><td>-----</td><td>80.98</td><td>36.24</td><td>12.65</td><td>32.48</td><td>100 107 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.39	-----	-----	80.98	36.24	12.65	32.48	100 107 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7147.08	55.72	88.20	-32.48	39.17	36.26	12.81	32.52	100 107 PEAK																																																																																											
2	7294.82	55.14	74.00	-18.86	38.39	36.32	13.07	32.64	100 107 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	97.39	-----	-----	80.98	36.24	12.65	32.48	100 107 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2023-11-17 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7224.07</td><td>45.90</td><td>68.20</td><td>-22.30</td><td>29.17</td><td>36.29</td><td>13.02</td><td>32.58</td><td>100 107 AVERAGE</td></tr><tr><td>2</td><td>7309.51</td><td>46.04</td><td>54.00</td><td>-7.96</td><td>29.29</td><td>36.32</td><td>13.08</td><td>32.65</td><td>100 107 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7224.07	45.90	68.20	-22.30	29.17	36.29	13.02	32.58	100 107 AVERAGE	2	7309.51	46.04	54.00	-7.96	29.29	36.32	13.08	32.65	100 107 AVERAGE	 Level (dBuV/m) Date: 2023-11-17 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.54</td><td>-----</td><td>-----</td><td>74.13</td><td>36.24</td><td>12.65</td><td>32.48</td><td>100 107 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	90.54	-----	-----	74.13	36.24	12.65	32.48	100 107 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7224.07	45.90	68.20	-22.30	29.17	36.29	13.02	32.58	100 107 AVERAGE																																																																																											
2	7309.51	46.04	54.00	-7.96	29.29	36.32	13.08	32.65	100 107 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	90.54	-----	-----	74.13	36.24	12.65	32.48	100 107 AVERAGE																																																																																											







Mode	117																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																															
ANT	CDD 5+6																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 14190.00</td><td>50.55</td><td>88.20</td><td>-37.65</td><td>43.96</td><td>41.01</td><td>16.32</td><td>50.74</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	50.55	88.20	-37.65	43.96	41.01	16.32	50.74	--	--	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 14190.00</td><td>50.36</td><td>88.20</td><td>-37.84</td><td>43.77</td><td>41.01</td><td>16.32</td><td>50.74</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	50.36	88.20	-37.84	43.77	41.01	16.32	50.74	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 14190.00	50.55	88.20	-37.65	43.96	41.01	16.32	50.74	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 14190.00	50.36	88.20	-37.84	43.77	41.01	16.32	50.74	--	--	Peak																																																																																						



		118																																																																																										
Mode		Band Edge																																																																																										
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																										
ANT		CDD 6+5																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2023-11-08  PEAK_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5903.52</td><td>52.78</td><td>88.20</td><td>-35.42</td><td>38.51</td><td>35.36</td><td>11.44</td><td>32.53</td><td>100</td><td>313 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5903.52	52.78	88.20	-35.42	38.51	35.36	11.44	32.53	100	313 PEAK	Level (dBuV/m) Date: 2023-11-08  PEAK_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>96.32</td><td>-----</td><td>-----</td><td>82.11</td><td>35.44</td><td>11.34</td><td>32.57</td><td>100</td><td>313 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.32	-----	-----	82.11	35.44	11.34	32.57	100	313 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5903.52	52.78	88.20	-35.42	38.51	35.36	11.44	32.53	100	313 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5955.00	96.32	-----	-----	82.11	35.44	11.34	32.57	100	313 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2023-11-08  AVG_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5909.76</td><td>42.40</td><td>68.20</td><td>-25.80</td><td>28.13</td><td>35.37</td><td>11.43</td><td>32.53</td><td>100</td><td>313 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5909.76	42.40	68.20	-25.80	28.13	35.37	11.43	32.53	100	313 AVERAGE	Level (dBuV/m) Date: 2023-11-08  AVG_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>87.66</td><td>-----</td><td>-----</td><td>73.44</td><td>35.44</td><td>11.35</td><td>32.57</td><td>100</td><td>313 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.66	-----	-----	73.44	35.44	11.35	32.57	100	313 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5909.76	42.40	68.20	-25.80	28.13	35.37	11.43	32.53	100	313 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5955.00	87.66	-----	-----	73.44	35.44	11.35	32.57	100	313 AVERAGE																																																																																		





Mode	118																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																								
ANT	CDD 6+5																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5866.86</td><td>52.63</td><td>88.20</td><td>-35.57</td><td>38.32</td><td>35.31</td><td>11.50</td><td>32.50</td><td>371</td><td>114 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5866.86	52.63	88.20	-35.57	38.32	35.31	11.50	32.50	371	114 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>93.69</td><td>-----</td><td>-----</td><td>79.48</td><td>35.44</td><td>11.34</td><td>32.57</td><td>371</td><td>114 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	93.69	-----	-----	79.48	35.44	11.34	32.57	371
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5866.86	52.63	88.20	-35.57	38.32	35.31	11.50	32.50	371	114 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	93.69	-----	-----	79.48	35.44	11.34	32.57	371	114 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.41</td><td>42.43</td><td>68.20</td><td>-25.77</td><td>28.17</td><td>35.39</td><td>11.41</td><td>32.54</td><td>371</td><td>114 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5923.41	42.43	68.20	-25.77	28.17	35.39	11.41	32.54	371	114 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>84.25</td><td>-----</td><td>-----</td><td>70.01</td><td>35.43</td><td>11.37</td><td>32.56</td><td>371</td><td>114 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	84.25	-----	-----	70.01	35.43	11.37	32.56	371
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5923.41	42.43	68.20	-25.77	28.17	35.39	11.41	32.54	371	114 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	84.25	-----	-----	70.01	35.43	11.37	32.56	371	114 AVERAGE																																																																																





		118																																																																																																														
Mode		Harmonic																																																																																																														
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																														
ANT		CDD 6+5																																																																																																														
Pol.		Horizontal					Vertical																																																																																																									
Peak Avg	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII_6E) AVG_BE(UNII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>51.30</td><td>74.00</td><td>-22.70</td><td>46.53</td><td>40.13</td><td>15.09</td><td>50.45</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>44.49</td><td>42.52</td><td>17.74</td><td>52.35</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	51.30	74.00	-22.70	46.53	40.13	15.09	50.45	--	Peak	2	17865.00	52.40	74.00	-21.60	44.49	42.52	17.74	52.35	--	Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII_6E) AVG_BE(UNII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>49.02</td><td>74.00</td><td>-24.98</td><td>44.25</td><td>40.13</td><td>15.09</td><td>50.45</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>43.83</td><td>42.52</td><td>17.74</td><td>52.35</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	49.02	74.00	-24.98	44.25	40.13	15.09	50.45	--	Peak	2	17865.00	51.74	74.00	-22.26	43.83	42.52	17.74	52.35	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																							
1	11910.00	51.30	74.00	-22.70	46.53	40.13	15.09	50.45	--	Peak																																																																																																						
2	17865.00	52.40	74.00	-21.60	44.49	42.52	17.74	52.35	--	Peak																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																							
1	11910.00	49.02	74.00	-24.98	44.25	40.13	15.09	50.45	--	Peak																																																																																																						
2	17865.00	51.74	74.00	-22.26	43.83	42.52	17.74	52.35	--	Peak																																																																																																						





Mode	119																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_6175MHz																																																																																																								
ANT	CDD 6+5																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2023-11-08  PEAK_BE(UNIT)_GE AVG_BE(UNIT)_GE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12350.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>42.98</td><td>40.27</td><td>15.15</td><td>50.54</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12350.00	47.86	74.00	-26.14	42.98	40.27	15.15	50.54	--	--	Peak		Level (dBuV/m) Date: 2023-11-08  PEAK_BE(UNIT)_GE AVG_BE(UNIT)_GE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12350.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>41.27</td><td>40.27</td><td>15.15</td><td>50.54</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12350.00	46.15	74.00	-27.85	41.27	40.27	15.15	50.54	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 12350.00	47.86	74.00	-26.14	42.98	40.27	15.15	50.54	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 12350.00	46.15	74.00	-27.85	41.27	40.27	15.15	50.54	--	--	Peak																																																																																															





Mode	120																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																															
ANT	CDD 6+5																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	 Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U)NII_6E AVG_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>48.86</td><td>88.20</td><td>-39.34</td><td>44.14</td><td>40.43</td><td>15.16</td><td>50.87</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12830.00	48.86	88.20	-39.34	44.14	40.43	15.16	50.87	--	--	Peak	 Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U)NII_6E AVG_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>47.88</td><td>88.20</td><td>-40.32</td><td>43.16</td><td>40.43</td><td>15.16</td><td>50.87</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12830.00	47.88	88.20	-40.32	43.16	40.43	15.16	50.87	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12830.00	48.86	88.20	-39.34	44.14	40.43	15.16	50.87	--	--	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12830.00	47.88	88.20	-40.32	43.16	40.43	15.16	50.87	--	--	Peak																																																																																					





Mode	121																																																																																															
	Harmonic																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_6435MHz																																																																																															
ANT	CDD 5+6																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12870.00</td><td>49.36</td><td>88.20</td><td>-38.84</td><td>44.64</td><td>40.45</td><td>15.17</td><td>50.90</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12870.00	49.36	88.20	-38.84	44.64	40.45	15.17	50.90	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12870.00</td><td>49.20</td><td>88.20</td><td>-39.00</td><td>44.48</td><td>40.45</td><td>15.17</td><td>50.90</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12870.00	49.20	88.20	-39.00	44.48	40.45	15.17	50.90	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 12870.00	49.36	88.20	-38.84	44.64	40.45	15.17	50.90	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 12870.00	49.20	88.20	-39.00	44.48	40.45	15.17	50.90	--	--	Peak																																																																																						





Mode	122																																																																																															
	Harmonic																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz																																																																																															
ANT	CDD 5+6																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>49.32</td><td>88.20</td><td>-38.88</td><td>44.63</td><td>40.48</td><td>15.17</td><td>50.96</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	49.32	88.20	-38.88	44.63	40.48	15.17	50.96	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>49.11</td><td>88.20</td><td>-39.09</td><td>44.42</td><td>40.48</td><td>15.17</td><td>50.96</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	49.11	88.20	-39.09	44.42	40.48	15.17	50.96	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12950.00	49.32	88.20	-38.88	44.63	40.48	15.17	50.96	--	--	Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12950.00	49.11	88.20	-39.09	44.42	40.48	15.17	50.96	--	--	Peak																																																																																					





Mode	123																																																																																																								
	Harmonic																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz																																																																																																								
ANT	CDD 5+6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2023-11-18  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-11-18  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>49.98</td><td>88.20</td><td>-38.22</td><td>45.27</td><td>40.51</td><td>15.19</td><td>50.99</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13030.00	49.98	88.20	-38.22	45.27	40.51	15.19	50.99	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>49.24</td><td>88.20</td><td>-38.96</td><td>44.53</td><td>40.51</td><td>15.19</td><td>50.99</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13030.00	49.24	88.20	-38.96	44.53	40.51	15.19	50.99	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13030.00	49.98	88.20	-38.22	45.27	40.51	15.19	50.99	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13030.00	49.24	88.20	-38.96	44.53	40.51	15.19	50.99	--	--	Peak																																																																																															






Mode	124																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full_6535MHz																																																																																																					
ANT	CDD 5+6																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>48.39</td><td>88.20</td><td>-39.81</td><td>43.61</td><td>40.51</td><td>15.24</td><td>50.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	48.39	88.20	-39.81	43.61	40.51	15.24	50.97	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>48.63</td><td>88.20</td><td>-39.57</td><td>43.85</td><td>40.51</td><td>15.24</td><td>50.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	48.63	88.20	-39.57	43.85	40.51	15.24	50.97	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	13070.00	48.39	88.20	-39.81	43.61	40.51	15.24	50.97	--	--	Peak																																																																																											
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	13070.00	48.63	88.20	-39.57	43.85	40.51	15.24	50.97	--	--	Peak																																																																																											





Mode	125																																																																																																
	Harmonic																																																																																																
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full_6695MHz																																																																																																
ANT	CDD 5+6																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13390.00</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>43.94</td><td>40.58</td><td>15.61</td><td>50.84</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13390.00	49.29	74.00	-24.71	43.94	40.58	15.61	50.84	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13390.00</td><td>50.23</td><td>74.00</td><td>-23.77</td><td>44.88</td><td>40.58</td><td>15.61</td><td>50.84</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13390.00	50.23	74.00	-23.77	44.88	40.58	15.61	50.84	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13390.00	49.29	74.00	-24.71	43.94	40.58	15.61	50.84	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13390.00	50.23	74.00	-23.77	44.88	40.58	15.61	50.84	--	--	Peak																																																																																							





Mode	126																																																																																																							
	Harmonic																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full_6855MHz																																																																																																							
ANT	CDD 5+6																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2023-12-05  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13710.00</td><td>50.37</td><td>88.20</td><td>-37.83</td><td>44.42</td><td>40.73</td><td>15.98</td><td>50.76</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table> <td colspan="6"> Level (dBuV/m) Date: 2023-12-05  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13710.00</td><td>50.69</td><td>88.20</td><td>-37.51</td><td>44.74</td><td>40.73</td><td>15.98</td><td>50.76</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table> </td>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13710.00	50.37	88.20	-37.83	44.42	40.73	15.98	50.76	--	--	Peak		Level (dBuV/m) Date: 2023-12-05  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13710.00</td><td>50.69</td><td>88.20</td><td>-37.51</td><td>44.74</td><td>40.73</td><td>15.98</td><td>50.76</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13710.00	50.69	88.20	-37.51	44.74	40.73	15.98	50.76	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 13710.00	50.37	88.20	-37.83	44.42	40.73	15.98	50.76	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 13710.00	50.69	88.20	-37.51	44.74	40.73	15.98	50.76	--	--	Peak																																																																																														







Mode	127																																																																																																					
	Harmonic																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full_6895MHz																																																																																																					
ANT	CDD 5+6																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13790.00</td><td>49.49</td><td>88.20</td><td>-38.71</td><td>43.39</td><td>40.77</td><td>16.07</td><td>50.74</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13790.00	49.49	88.20	-38.71	43.39	40.77	16.07	50.74	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13790.00</td><td>49.82</td><td>88.20</td><td>-38.38</td><td>43.72</td><td>40.77</td><td>16.07</td><td>50.74</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13790.00	49.82	88.20	-38.38	43.72	40.77	16.07	50.74	--	--	Peak	
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13790.00	49.49	88.20	-38.71	43.39	40.77	16.07	50.74	--	--	Peak																																																																																												
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13790.00	49.82	88.20	-38.38	43.72	40.77	16.07	50.74	--	--	Peak																																																																																												







Mode	128																																																																																																	
	Harmonic																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full_6995MHz																																																																																																	
ANT	CDD 5+6																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13990.00</td><td>49.99</td><td>88.20</td><td>-38.21</td><td>43.50</td><td>40.89</td><td>16.30</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13990.00	49.99	88.20	-38.21	43.50	40.89	16.30	50.70	--	--	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13990.00</td><td>50.31</td><td>88.20</td><td>-37.89</td><td>43.82</td><td>40.89</td><td>16.30</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13990.00	50.31	88.20	-37.89	43.82	40.89	16.30	50.70	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13990.00	49.99	88.20	-38.21	43.50	40.89	16.30	50.70	--	--	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13990.00	50.31	88.20	-37.89	43.82	40.89	16.30	50.70	--	--	Peak																																																																																								





		129																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full_7095MHz																																																																																												
ANT		CDD 5+6																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	 Level (dBuV/m) Date: 2023-11-17 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7183.57</td><td>54.80</td><td>88.20</td><td>-33.40</td><td>38.14</td><td>36.27</td><td>12.94</td><td>32.55</td><td>100 233 PEAK</td></tr><tr><td>2</td><td>7297.49</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>38.28</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100 233 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7183.57	54.80	88.20	-33.40	38.14	36.27	12.94	32.55	100 233 PEAK	2	7297.49	55.03	74.00	-18.97	38.28	36.32	13.07	32.64	100 233 PEAK	 Level (dBuV/m) Date: 2023-11-17 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>96.07</td><td>-----</td><td>-----</td><td>79.66</td><td>36.24</td><td>12.65</td><td>32.48</td><td>100 233 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.07	-----	-----	79.66	36.24	12.65	32.48	100 233 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7183.57	54.80	88.20	-33.40	38.14	36.27	12.94	32.55	100 233 PEAK																																																																																					
2	7297.49	55.03	74.00	-18.97	38.28	36.32	13.07	32.64	100 233 PEAK																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7095.00	96.07	-----	-----	79.66	36.24	12.65	32.48	100 233 PEAK																																																																																					
Avg	 Level (dBuV/m) Date: 2023-11-17 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7139.07</td><td>45.82</td><td>68.20</td><td>-22.38</td><td>29.29</td><td>36.26</td><td>12.78</td><td>32.51</td><td>100 233 AVERAGE</td></tr><tr><td>2</td><td>7287.26</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>29.13</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100 233 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7139.07	45.82	68.20	-22.38	29.29	36.26	12.78	32.51	100 233 AVERAGE	2	7287.26	45.87	54.00	-8.13	29.13	36.31	13.06	32.63	100 233 AVERAGE	 Level (dBuV/m) Date: 2023-11-17 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>86.94</td><td>-----</td><td>-----</td><td>70.53</td><td>36.24</td><td>12.65</td><td>32.48</td><td>100 233 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	86.94	-----	-----	70.53	36.24	12.65	32.48	100 233 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7139.07	45.82	68.20	-22.38	29.29	36.26	12.78	32.51	100 233 AVERAGE																																																																																					
2	7287.26	45.87	54.00	-8.13	29.13	36.31	13.06	32.63	100 233 AVERAGE																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7095.00	86.94	-----	-----	70.53	36.24	12.65	32.48	100 233 AVERAGE																																																																																					







Mode	129																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full_7095MHz																																																																																																						
ANT	CDD 5+6																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.28</td><td>55.55</td><td>88.20</td><td>-32.65</td><td>38.82</td><td>36.29</td><td>13.01</td><td>32.57</td><td>100</td><td>174 PEAK</td></tr><tr><td>2</td><td>7261.00</td><td>54.81</td><td>74.00</td><td>-19.19</td><td>38.08</td><td>36.30</td><td>13.04</td><td>32.61</td><td>100</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7214.28	55.55	88.20	-32.65	38.82	36.29	13.01	32.57	100	174 PEAK	2	7261.00	54.81	74.00	-19.19	38.08	36.30	13.04	32.61	100	174 PEAK	Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>99.86</td><td>-----</td><td>-----</td><td>83.48</td><td>36.24</td><td>12.62</td><td>32.48</td><td>100</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.86	-----	-----	83.48	36.24	12.62	32.48	100	174 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7214.28	55.55	88.20	-32.65	38.82	36.29	13.01	32.57	100	174 PEAK																																																																																													
2	7261.00	54.81	74.00	-19.19	38.08	36.30	13.04	32.61	100	174 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	99.86	-----	-----	83.48	36.24	12.62	32.48	100	174 PEAK																																																																																													
Avg	Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7218.28</td><td>45.72</td><td>68.20</td><td>-22.48</td><td>29.00</td><td>36.29</td><td>13.01</td><td>32.58</td><td>100</td><td>174 AVERAGE</td></tr><tr><td>2</td><td>7333.09</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>29.09</td><td>36.33</td><td>13.09</td><td>32.67</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7218.28	45.72	68.20	-22.48	29.00	36.29	13.01	32.58	100	174 AVERAGE	2	7333.09	45.84	54.00	-8.16	29.09	36.33	13.09	32.67	100	174 AVERAGE	Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>92.07</td><td>-----</td><td>-----</td><td>75.69</td><td>36.24</td><td>12.62</td><td>32.48</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.07	-----	-----	75.69	36.24	12.62	32.48	100	174 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7218.28	45.72	68.20	-22.48	29.00	36.29	13.01	32.58	100	174 AVERAGE																																																																																													
2	7333.09	45.84	54.00	-8.16	29.09	36.33	13.09	32.67	100	174 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	92.07	-----	-----	75.69	36.24	12.62	32.48	100	174 AVERAGE																																																																																													



Mode	129																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full_7095MHz																																																																																																								
ANT	CDD 5+6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_8E) AVG(U-NII_8E)						Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_8E) AVG(U-NII_8E)																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14190.00</td><td>50.58</td><td>88.20</td><td>-37.62</td><td>43.99</td><td>41.01</td><td>16.32</td><td>50.74</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14190.00	50.58	88.20	-37.62	43.99	41.01	16.32	50.74	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14190.00</td><td>50.55</td><td>88.20</td><td>-37.65</td><td>43.96</td><td>41.01</td><td>16.32</td><td>50.74</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14190.00	50.55	88.20	-37.65	43.96	41.01	16.32	50.74	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 14190.00	50.58	88.20	-37.62	43.99	41.01	16.32	50.74	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 14190.00	50.55	88.20	-37.65	43.96	41.01	16.32	50.74	--	--	Peak																																																																																															





Mode	130																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full_5965MHz																																																																																									
ANT	CDD 6+5																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5857 5889 5921 5953 5985 Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5892.84</td><td>52.71</td><td>88.20</td><td>-35.49</td><td>38.42</td><td>35.35</td><td>11.46</td><td>32.52</td><td>100 317 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5892.84	52.71	88.20	-35.49	38.42	35.35	11.46	32.52	100 317 PEAK	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>97.73</td><td>-----</td><td>-----</td><td>83.53</td><td>35.46</td><td>11.32</td><td>32.58</td><td>100 317 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	97.73	-----	-----	83.53	35.46	11.32	32.58	100 317 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5892.84	52.71	88.20	-35.49	38.42	35.35	11.46	32.52	100 317 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5965.00	97.73	-----	-----	83.53	35.46	11.32	32.58	100 317 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5857 5889 5921 5953 5985 Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.56</td><td>42.93</td><td>68.20</td><td>-25.27</td><td>28.67</td><td>35.39</td><td>11.41</td><td>32.54</td><td>100 317 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5919.56	42.93	68.20	-25.27	28.67	35.39	11.41	32.54	100 317 AVERAGE	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>88.11</td><td>-----</td><td>-----</td><td>73.90</td><td>35.44</td><td>11.34</td><td>32.57</td><td>100 317 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	88.11	-----	-----	73.90	35.44	11.34	32.57	100 317 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5919.56	42.93	68.20	-25.27	28.67	35.39	11.41	32.54	100 317 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5965.00	88.11	-----	-----	73.90	35.44	11.34	32.57	100 317 AVERAGE																																																																																	





Mode	130																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full_5965MHz																																																																																	
ANT	CDD 6+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.56</td><td>52.14</td><td>88.20</td><td>-36.06</td><td>37.88</td><td>35.39</td><td>11.41</td><td>32.54</td><td>365 114 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	52.14	88.20	-36.06	37.88	35.39	11.41	32.54	365 114 PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>95.83</td><td>-----</td><td>-----</td><td>81.61</td><td>35.44</td><td>11.35</td><td>32.57</td><td>365 114 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	95.83	-----	-----	81.61	35.44	11.35	32.57	365 114 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5923.56	52.14	88.20	-36.06	37.88	35.39	11.41	32.54	365 114 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5965.00	95.83	-----	-----	81.61	35.44	11.35	32.57	365 114 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5915.56</td><td>42.66</td><td>68.20</td><td>-25.54</td><td>28.40</td><td>35.38</td><td>11.42</td><td>32.54</td><td>365 114 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5915.56	42.66	68.20	-25.54	28.40	35.38	11.42	32.54	365 114 AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>86.07</td><td>-----</td><td>-----</td><td>71.85</td><td>35.44</td><td>11.35</td><td>32.57</td><td>365 114 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	86.07	-----	-----	71.85	35.44	11.35	32.57	365 114 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5915.56	42.66	68.20	-25.54	28.40	35.38	11.42	32.54	365 114 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5965.00	86.07	-----	-----	71.85	35.44	11.35	32.57	365 114 AVERAGE																																																																									





Mode	130																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full_5965MHz																																																																																																					
ANT	CDD 6+5																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td></td></tr><tr><td>1 11930.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>43.16</td><td>40.14</td><td>15.10</td><td>50.44</td><td>-- -- Peak</td></tr><tr><td>2 17895.00</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>43.19</td><td>42.54</td><td>17.75</td><td>52.36</td><td>-- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 11930.00	47.96	74.00	-26.04	43.16	40.14	15.10	50.44	-- -- Peak	2 17895.00	51.12	74.00	-22.88	43.19	42.54	17.75	52.36	-- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td></td></tr><tr><td>1 11930.00</td><td>49.03</td><td>74.00</td><td>-24.97</td><td>44.23</td><td>40.14</td><td>15.10</td><td>50.44</td><td>-- -- Peak</td></tr><tr><td>2 17895.00</td><td>52.54</td><td>74.00</td><td>-21.46</td><td>44.61</td><td>42.54</td><td>17.75</td><td>52.36</td><td>-- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 11930.00	49.03	74.00	-24.97	44.23	40.14	15.10	50.44	-- -- Peak	2 17895.00	52.54	74.00	-21.46	44.61	42.54	17.75	52.36	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1 11930.00	47.96	74.00	-26.04	43.16	40.14	15.10	50.44	-- -- Peak																																																																																														
2 17895.00	51.12	74.00	-22.88	43.19	42.54	17.75	52.36	-- -- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1 11930.00	49.03	74.00	-24.97	44.23	40.14	15.10	50.44	-- -- Peak																																																																																														
2 17895.00	52.54	74.00	-21.46	44.61	42.54	17.75	52.36	-- -- Peak																																																																																														





Mode	131																																																																																																						
	Harmonic																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT40_CH43_Full_6165MHz																																																																																																						
ANT	CDD 6+5																																																																																																						
Pol.	Horizontal										Vertical																																																																																												
Peak Avg	Level (dBuV/m) Date: 2023-11-08  PEAK_BE(UINII_6E) AVG_BE(UINII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12330.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>42.12</td><td>40.27</td><td>15.15</td><td>50.53</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12330.00	47.01	74.00	-26.99	42.12	40.27	15.15	50.53	--	--	Peak		Level (dBuV/m) Date: 2023-11-08  PEAK_BE(UINII_6E) AVG_BE(UINII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12330.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>43.48</td><td>40.27</td><td>15.15</td><td>50.53</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12330.00	48.37	74.00	-25.63	43.48	40.27	15.15	50.53	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1 12330.00	47.01	74.00	-26.99	42.12	40.27	15.15	50.53	--	--	Peak																																																																																													
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1 12330.00	48.37	74.00	-25.63	43.48	40.27	15.15	50.53	--	--	Peak																																																																																													





Mode	132																																																																																																				
	Harmonic																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full_6405MHz																																																																																																				
ANT	CDD 6+5																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12810.00</td><td>48.11</td><td>88.20</td><td>-40.09</td><td>43.38</td><td>40.42</td><td>15.16</td><td>50.85</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12810.00	48.11	88.20	-40.09	43.38	40.42	15.16	50.85	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12810.00</td><td>48.63</td><td>88.20</td><td>-39.57</td><td>43.90</td><td>40.42</td><td>15.16</td><td>50.85</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12810.00	48.63	88.20	-39.57	43.90	40.42	15.16	50.85	--	--	Peak
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 12810.00	48.11	88.20	-40.09	43.38	40.42	15.16	50.85	--	--	Peak																																																																																											
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 12810.00	48.63	88.20	-39.57	43.90	40.42	15.16	50.85	--	--	Peak																																																																																											





Mode	133																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full_6445MHz																																																																																																									
ANT	CDD 5+6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12890.00</td><td>49.17</td><td>88.20</td><td>-39.03</td><td>44.45</td><td>40.46</td><td>15.17</td><td>50.91</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12890.00	49.17	88.20	-39.03	44.45	40.46	15.17	50.91	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12890.00</td><td>49.71</td><td>88.20</td><td>-38.49</td><td>44.99</td><td>40.46</td><td>15.17</td><td>50.91</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12890.00	49.71	88.20	-38.49	44.99	40.46	15.17	50.91	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12890.00	49.17	88.20	-39.03	44.45	40.46	15.17	50.91	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12890.00	49.71	88.20	-38.49	44.99	40.46	15.17	50.91	--	--	Peak																																																																																																







Mode	134																																																																																							
	Harmonic																																																																																							
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full_6485MHz																																																																																							
ANT	CDD 5+6																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12970.00</td><td>48.98</td><td>88.20</td><td>-39.22</td><td>44.29</td><td>40.49</td><td>15.17</td><td>50.97</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12970.00	48.98	88.20	-39.22	44.29	40.49	15.17	50.97	--	-- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12970.00</td><td>49.28</td><td>88.20</td><td>-38.92</td><td>44.59</td><td>40.49</td><td>15.17</td><td>50.97</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12970.00	49.28	88.20	-38.92	44.59	40.49	15.17	50.97	--	-- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12970.00	48.98	88.20	-39.22	44.29	40.49	15.17	50.97	--	-- Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12970.00	49.28	88.20	-38.92	44.59	40.49	15.17	50.97	--	-- Peak																																																																															





Mode	135																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full_6565MHz																																																																																																					
ANT	CDD 5+6																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13130.00</td><td>49.18</td><td>88.20</td><td>-39.02</td><td>44.29</td><td>40.53</td><td>15.31</td><td>50.95</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13130.00	49.18	88.20	-39.02	44.29	40.53	15.31	50.95	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13130.00</td><td>48.62</td><td>88.20</td><td>-39.58</td><td>43.73</td><td>40.53</td><td>15.31</td><td>50.95</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13130.00	48.62	88.20	-39.58	43.73	40.53	15.31	50.95	--	--	Peak	
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13130.00	49.18	88.20	-39.02	44.29	40.53	15.31	50.95	--	--	Peak																																																																																												
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13130.00	48.62	88.20	-39.58	43.73	40.53	15.31	50.95	--	--	Peak																																																																																												





Mode	136																																																																																																
	Harmonic																																																																																																
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full_6685MHz																																																																																																
ANT	CDD 5+6																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13370.00</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>43.93</td><td>40.57</td><td>15.58</td><td>50.85</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13370.00	49.23	74.00	-24.77	43.93	40.57	15.58	50.85	--	--	Peak	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13370.00</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>44.09</td><td>40.57</td><td>15.58</td><td>50.85</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13370.00	49.39	74.00	-24.61	44.09	40.57	15.58	50.85	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13370.00	49.23	74.00	-24.77	43.93	40.57	15.58	50.85	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13370.00	49.39	74.00	-24.61	44.09	40.57	15.58	50.85	--	--	Peak																																																																																							

Mode	137																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full_6845MHz																																																																																																																					
ANT	CDD 5+6																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>13690.00</td><td>49.67</td><td>88.20</td><td>-38.53</td><td>43.76</td><td>40.71</td><td>15.96</td><td>50.76</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13690.00	49.67	88.20	-38.53	43.76	40.71	15.96	50.76								cm	deg								--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>13690.00</td><td>50.21</td><td>88.20</td><td>-37.99</td><td>44.30</td><td>40.71</td><td>15.96</td><td>50.76</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13690.00	50.21	88.20	-37.99	44.30	40.71	15.96	50.76								cm	deg								--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																														
1	13690.00	49.67	88.20	-38.53	43.76	40.71	15.96	50.76																																																																																																														
							cm	deg																																																																																																														
							--	-- Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																														
1	13690.00	50.21	88.20	-37.99	44.30	40.71	15.96	50.76																																																																																																														
							cm	deg																																																																																																														
							--	-- Peak																																																																																																														



Mode	138																																																																																																							
	Harmonic																																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full_6925MHz																																																																																																							
ANT	CDD 5+6																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg	 Date: 2023-12-05 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13850.00</td><td>49.15</td><td>88.20</td><td>-39.05</td><td>42.93</td><td>40.81</td><td>16.14</td><td>50.73</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13850.00	49.15	88.20	-39.05	42.93	40.81	16.14	50.73	--	--	Peak		 Date: 2023-12-05 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13850.00</td><td>48.97</td><td>88.20</td><td>-39.23</td><td>42.75</td><td>40.81</td><td>16.14</td><td>50.73</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13850.00	48.97	88.20	-39.23	42.75	40.81	16.14	50.73	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 13850.00	49.15	88.20	-39.05	42.93	40.81	16.14	50.73	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 13850.00	48.97	88.20	-39.23	42.75	40.81	16.14	50.73	--	--	Peak																																																																																														







Mode	139																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT40_CH203_Full_6965MHz																																																																																															
ANT	CDD 5+6																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13930.00</td><td>50.27</td><td>88.20</td><td>-37.93</td><td>43.89</td><td>40.86</td><td>16.23</td><td>50.71</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13930.00	50.27	88.20	-37.93	43.89	40.86	16.23	50.71	--	--	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13930.00</td><td>49.49</td><td>88.20</td><td>-38.71</td><td>43.11</td><td>40.86</td><td>16.23</td><td>50.71</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13930.00	49.49	88.20	-38.71	43.11	40.86	16.23	50.71	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13930.00	50.27	88.20	-37.93	43.89	40.86	16.23	50.71	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13930.00	49.49	88.20	-38.71	43.11	40.86	16.23	50.71	--	--	Peak																																																																																						



Mode	140																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full_7085MHz																																																																																																						
ANT	CDD 5+6																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2023-11-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7136.82</td><td>64.56</td><td>88.20</td><td>-23.64</td><td>48.05</td><td>36.25</td><td>12.77</td><td>32.51</td><td>100</td><td>236 PEAK</td></tr><tr><td>2</td><td>7289.30</td><td>54.84</td><td>74.00</td><td>-19.16</td><td>38.09</td><td>36.32</td><td>13.06</td><td>32.63</td><td>100</td><td>236 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7136.82	64.56	88.20	-23.64	48.05	36.25	12.77	32.51	100	236 PEAK	2	7289.30	54.84	74.00	-19.16	38.09	36.32	13.06	32.63	100	236 PEAK	Level (dBuV/m) Date: 2023-11-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>94.23</td><td>-----</td><td>-----</td><td>77.82</td><td>36.24</td><td>12.65</td><td>32.48</td><td>100</td><td>236 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	94.23	-----	-----	77.82	36.24	12.65	32.48	100	236 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7136.82	64.56	88.20	-23.64	48.05	36.25	12.77	32.51	100	236 PEAK																																																																																													
2	7289.30	54.84	74.00	-19.16	38.09	36.32	13.06	32.63	100	236 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7085.00	94.23	-----	-----	77.82	36.24	12.65	32.48	100	236 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2023-11-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7129.98</td><td>54.45</td><td>68.20</td><td>-13.75</td><td>37.96</td><td>36.25</td><td>12.75</td><td>32.51</td><td>100</td><td>236 AVERAGE</td></tr><tr><td>2</td><td>7336.61</td><td>45.91</td><td>54.00</td><td>-8.09</td><td>29.15</td><td>36.33</td><td>13.10</td><td>32.67</td><td>100</td><td>236 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7129.98	54.45	68.20	-13.75	37.96	36.25	12.75	32.51	100	236 AVERAGE	2	7336.61	45.91	54.00	-8.09	29.15	36.33	13.10	32.67	100	236 AVERAGE	Level (dBuV/m) Date: 2023-11-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>86.70</td><td>-----</td><td>-----</td><td>70.29</td><td>36.24</td><td>12.65</td><td>32.48</td><td>100</td><td>236 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	86.70	-----	-----	70.29	36.24	12.65	32.48	100	236 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7129.98	54.45	68.20	-13.75	37.96	36.25	12.75	32.51	100	236 AVERAGE																																																																																													
2	7336.61	45.91	54.00	-8.09	29.15	36.33	13.10	32.67	100	236 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7085.00	86.70	-----	-----	70.29	36.24	12.65	32.48	100	236 AVERAGE																																																																																													







		140																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full_7085MHz																																																																																												
ANT		CDD 5+6																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak	Date: 2023-11-17 					Date: 2023-11-17 																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7131.12	65.29	88.20	-22.91	48.80	36.25	12.75	32.51	100 176 PEAK	2	7274.48	55.03	74.00	-18.97	38.29	36.31	13.05	32.62	100 176 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	100.13	-----	-----	83.77	36.24	12.60	32.48	100 176 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7131.12	65.29	88.20	-22.91	48.80	36.25	12.75	32.51	100 176 PEAK																																																																																					
2	7274.48	55.03	74.00	-18.97	38.29	36.31	13.05	32.62	100 176 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7085.00	100.13	-----	-----	83.77	36.24	12.60	32.48	100 176 PEAK																																																																																					
Avg	Date: 2023-11-17 					Date: 2023-11-17 																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7133.69	56.25	68.20	-11.95	39.75	36.25	12.76	32.51	100 176 AVERAGE	2	7292.72	45.92	54.00	-8.08	29.17	36.32	13.07	32.64	100 176 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	90.35	-----	-----	74.04	36.23	12.54	32.46	100 176 AVERAGE				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7133.69	56.25	68.20	-11.95	39.75	36.25	12.76	32.51	100 176 AVERAGE																																																																																					
2	7292.72	45.92	54.00	-8.08	29.17	36.32	13.07	32.64	100 176 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7085.00	90.35	-----	-----	74.04	36.23	12.54	32.46	100 176 AVERAGE																																																																																					







Mode	140																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full_7085MHz																																																																																																									
ANT	CDD 5+6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2023-12-05 PEAK(U-NII_8E) AVG(U-NII_8E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14170.00</td><td>50.44</td><td>88.20</td><td>-37.76</td><td>43.85</td><td>41.00</td><td>16.32</td><td>50.73</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14170.00	50.44	88.20	-37.76	43.85	41.00	16.32	50.73	--	--	Peak		Level (dBuV/m) Date: 2023-12-05 PEAK(U-NII_8E) AVG(U-NII_8E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14170.00</td><td>50.01</td><td>88.20</td><td>-38.19</td><td>43.42</td><td>41.00</td><td>16.32</td><td>50.73</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14170.00	50.01	88.20	-38.19	43.42	41.00	16.32	50.73	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 14170.00	50.44	88.20	-37.76	43.85	41.00	16.32	50.73	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 14170.00	50.01	88.20	-38.19	43.42	41.00	16.32	50.73	--	--	Peak																																																																																																



Mode	141																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																									
ANT	CDD 6+5																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5865 5897 5929 5961 5993 6025 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.56</td><td>53.58</td><td>88.20</td><td>-34.62</td><td>39.32</td><td>35.39</td><td>11.41</td><td>32.54</td><td>100 318 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5919.56	53.58	88.20	-34.62	39.32	35.39	11.41	32.54	100 318 PEAK	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 2240 3480 4720 5960 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.88</td><td>-----</td><td>-----</td><td>82.69</td><td>35.49</td><td>11.29</td><td>32.59</td><td>100 318 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.88	-----	-----	82.69	35.49	11.29	32.59	100 318 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5919.56	53.58	88.20	-34.62	39.32	35.39	11.41	32.54	100 318 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5985.00	96.88	-----	-----	82.69	35.49	11.29	32.59	100 318 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5865 5897 5929 5961 5993 6025 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.28</td><td>43.66</td><td>68.20</td><td>-24.54</td><td>29.40</td><td>35.39</td><td>11.41</td><td>32.54</td><td>100 318 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.28	43.66	68.20	-24.54	29.40	35.39	11.41	32.54	100 318 AVERAGE	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 2240 3480 4720 5960 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>87.23</td><td>-----</td><td>-----</td><td>73.02</td><td>35.44</td><td>11.34</td><td>32.57</td><td>100 318 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	87.23	-----	-----	73.02	35.44	11.34	32.57	100 318 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5922.28	43.66	68.20	-24.54	29.40	35.39	11.41	32.54	100 318 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5985.00	87.23	-----	-----	73.02	35.44	11.34	32.57	100 318 AVERAGE																																																																																	





		141																																																																																		
Mode		Band Edge																																																																																		
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																		
ANT		CDD 6+5																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-08. The plot shows a blue line for the measured signal and a red line for the limit. A peak is marked at 5886.12 MHz with a level of 52.15 dBuV/m. The limit is 88.20 dBuV/m.					 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-08. The plot shows a blue line for the measured signal and a red line for the limit. A peak is marked at 5985.00 MHz with a level of 92.19 dBuV/m. The limit is 77.92 dBuV/m.																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5886.12	52.15	88.20	-36.05	37.85	35.34	11.47	32.51	100	136 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5985.00	92.19	-----	-----	77.92	35.51	11.36	32.60	100	136 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5886.12	52.15	88.20	-36.05	37.85	35.34	11.47	32.51	100	136 PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5985.00	92.19	-----	-----	77.92	35.51	11.36	32.60	100	136 PEAK																																																																											
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-08. The plot shows a blue line for the measured signal and a red line for the limit. A peak is marked at 5909.80 MHz with a level of 42.81 dBuV/m. The limit is 68.20 dBuV/m.					 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-08. The plot shows a blue line for the measured signal and a red line for the limit. A peak is marked at 5985.00 MHz with a level of 83.24 dBuV/m. The limit is 68.97 dBuV/m.																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5909.80	42.81	68.20	-25.39	28.54	35.37	11.43	32.53	100	136 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5985.00	83.24	-----	-----	68.97	35.51	11.36	32.60	100	136 AVERAGE				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5909.80	42.81	68.20	-25.39	28.54	35.37	11.43	32.53	100	136 AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5985.00	83.24	-----	-----	68.97	35.51	11.36	32.60	100	136 AVERAGE																																																																											





Mode	141																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																																									
ANT	CDD 6+5																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2023-11-09 PEAK_BE(U)NII_6E AVG_BE(U)NII_6E					Level (dBuV/m) Date: 2023-11-09 PEAK_BE(U)NII_6E AVG_BE(U)NII_6E																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>43.56</td><td>40.18</td><td>15.12</td><td>50.42</td><td>--</td><td>-- Peak</td></tr><tr><td>2 17955.00</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>43.75</td><td>42.57</td><td>17.77</td><td>52.38</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	48.44	74.00	-25.56	43.56	40.18	15.12	50.42	--	-- Peak	2 17955.00	51.71	74.00	-22.29	43.75	42.57	17.77	52.38	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>43.61</td><td>40.18</td><td>15.12</td><td>50.42</td><td>--</td><td>-- Peak</td></tr><tr><td>2 17955.00</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>41.83</td><td>42.57</td><td>17.77</td><td>52.38</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	48.49	74.00	-25.51	43.61	40.18	15.12	50.42	--	-- Peak	2 17955.00	49.79	74.00	-24.21	41.83	42.57	17.77	52.38	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11970.00	48.44	74.00	-25.56	43.56	40.18	15.12	50.42	--	-- Peak																																																																																																	
2 17955.00	51.71	74.00	-22.29	43.75	42.57	17.77	52.38	--	-- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11970.00	48.49	74.00	-25.51	43.61	40.18	15.12	50.42	--	-- Peak																																																																																																	
2 17955.00	49.79	74.00	-24.21	41.83	42.57	17.77	52.38	--	-- Peak																																																																																																	





Mode	142																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT80_CH39_Full_6145MHz																																																																																																								
ANT	CDD 6+5																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12290.00</td><td>48.85</td><td>74.00</td><td>-25.15</td><td>43.96</td><td>40.26</td><td>15.15</td><td>50.52</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12290.00	48.85	74.00	-25.15	43.96	40.26	15.15	50.52	--	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12290.00</td><td>48.26</td><td>74.00</td><td>-25.74</td><td>43.37</td><td>40.26</td><td>15.15</td><td>50.52</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12290.00	48.26	74.00	-25.74	43.37	40.26	15.15	50.52	--	--	--
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 12290.00	48.85	74.00	-25.15	43.96	40.26	15.15	50.52	--	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 12290.00	48.26	74.00	-25.74	43.37	40.26	15.15	50.52	--	--	--	Peak																																																																																														





Mode	143																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full_6385MHz																																																																																	
ANT	CDD 6+5																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg	 Date: 2023-11-09 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12770.00</td><td>49.14</td><td>88.20</td><td>-39.06</td><td>44.39</td><td>40.41</td><td>15.16</td><td>50.82</td><td>--</td><td>-- Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12770.00	49.14	88.20	-39.06	44.39	40.41	15.16	50.82	--	-- Peak	 Date: 2023-11-09 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12770.00</td><td>48.40</td><td>88.20</td><td>-39.80</td><td>43.65</td><td>40.41</td><td>15.16</td><td>50.82</td><td>--</td><td>-- Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12770.00	48.40	88.20	-39.80	43.65	40.41	15.16	50.82	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 12770.00	49.14	88.20	-39.06	44.39	40.41	15.16	50.82	--	-- Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 12770.00	48.40	88.20	-39.80	43.65	40.41	15.16	50.82	--	-- Peak																																																																									





Mode	144																																																																																																	
	Harmonic																																																																																																	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full_6465MHz																																																																																																	
ANT	CDD 5+6																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12930.00</td><td>48.64</td><td>88.20</td><td>-39.56</td><td>43.94</td><td>40.47</td><td>15.17</td><td>50.94</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12930.00	48.64	88.20	-39.56	43.94	40.47	15.17	50.94	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12930.00</td><td>49.67</td><td>88.20</td><td>-38.53</td><td>44.97</td><td>40.47</td><td>15.17</td><td>50.94</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12930.00	49.67	88.20	-38.53	44.97	40.47	15.17	50.94	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 12930.00	48.64	88.20	-39.56	43.94	40.47	15.17	50.94	--	--	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 12930.00	49.67	88.20	-38.53	44.97	40.47	15.17	50.94	--	--	Peak																																																																																								





Mode	145																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full_6625MHz																																																																																																					
ANT	CDD 5+6																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13250.00</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>44.14</td><td>40.55</td><td>15.45</td><td>50.90</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg			1 13250.00	49.24	74.00	-24.76	44.14	40.55	15.45	50.90	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13250.00</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>44.11</td><td>40.55</td><td>15.45</td><td>50.90</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg			1 13250.00	49.21	74.00	-24.79	44.11	40.55	15.45	50.90	--	--	Peak	
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																																																																													
1 13250.00	49.24	74.00	-24.76	44.14	40.55	15.45	50.90	--	--	Peak																																																																																												
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																																																																													
1 13250.00	49.21	74.00	-24.79	44.11	40.55	15.45	50.90	--	--	Peak																																																																																												





Mode	146																																																																																														
	Harmonic																																																																																														
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full_6705MHz																																																																																														
ANT	CDD 5+6																																																																																														
Pol.	Horizontal					Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13410.00</td><td>50.11</td><td>88.20</td><td>-38.09</td><td>44.73</td><td>40.58</td><td>15.63</td><td>50.83</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13410.00	50.11	88.20	-38.09	44.73	40.58	15.63	50.83	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13410.00</td><td>48.60</td><td>88.20</td><td>-39.60</td><td>43.22</td><td>40.58</td><td>15.63</td><td>50.83</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13410.00	48.60	88.20	-39.60	43.22	40.58	15.63	50.83	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 13410.00	50.11	88.20	-38.09	44.73	40.58	15.63	50.83	--	--	Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 13410.00	48.60	88.20	-39.60	43.22	40.58	15.63	50.83	--	--	Peak																																																																																					







Mode	147																																																																																														
	Harmonic																																																																																														
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full_6785MHz																																																																																														
ANT	CDD 5+6																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13570.00</td><td>50.44</td><td>88.20</td><td>-37.76</td><td>44.77</td><td>40.64</td><td>15.82</td><td>50.79</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13570.00	50.44	88.20	-37.76	44.77	40.64	15.82	50.79	--	--	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13570.00</td><td>49.65</td><td>88.20</td><td>-38.55</td><td>43.98</td><td>40.64</td><td>15.82</td><td>50.79</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13570.00	49.65	88.20	-38.55	43.98	40.64	15.82	50.79	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 13570.00	50.44	88.20	-37.76	44.77	40.64	15.82	50.79	--	--	Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 13570.00	49.65	88.20	-38.55	43.98	40.64	15.82	50.79	--	--	Peak																																																																																					



Mode	148																																																															
	Harmonic																																																															
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full_6945MHz																																																															
ANT	CDD 5+6																																																															
Pol.	Horizontal								Vertical																																																							
Peak Avg																																																																
	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>13890.00</td><td>49.76</td><td>88.20</td><td>-38.44</td><td>43.46</td><td>40.83</td><td>16.19</td><td>50.72</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	13890.00	49.76	88.20	-38.44	43.46	40.83	16.19	50.72	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>13890.00</td><td>49.32</td><td>88.20</td><td>-38.88</td><td>43.02</td><td>40.83</td><td>16.19</td><td>50.72</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	13890.00	49.32	88.20	-38.88	43.02	40.83	16.19	50.72
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																									
13890.00	49.76	88.20	-38.44	43.46	40.83	16.19	50.72																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																									
13890.00	49.32	88.20	-38.88	43.02	40.83	16.19	50.72																																																									
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>49.76</td><td>88.20</td><td>-38.44</td><td>43.46</td><td>40.83</td><td>16.19</td><td>50.72</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	13890.00	49.76	88.20	-38.44	43.46	40.83	16.19	50.72	--	--	Peak	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>49.32</td><td>88.20</td><td>-38.88</td><td>43.02</td><td>40.83</td><td>16.19</td><td>50.72</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	13890.00	49.32	88.20	-38.88	43.02	40.83	16.19	50.72	--	--	Peak			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	13890.00	49.76	88.20	-38.44	43.46	40.83	16.19	50.72	--	--	Peak																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	13890.00	49.32	88.20	-38.88	43.02	40.83	16.19	50.72	--	--	Peak																																																					





		149																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full_7025MHz																																																																																																	
ANT		CDD 5+6																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7128.45</td><td>66.30</td><td>88.20</td><td>-21.90</td><td>49.82</td><td>36.25</td><td>12.74</td><td>32.51</td><td>100</td></tr><tr><td>2</td><td>7289.78</td><td>54.94</td><td>74.00</td><td>-19.06</td><td>38.19</td><td>36.32</td><td>13.06</td><td>32.63</td><td>100</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7128.45	66.30	88.20	-21.90	49.82	36.25	12.74	32.51	100	2	7289.78	54.94	74.00	-19.06	38.19	36.32	13.06	32.63	100	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>94.55</td><td>-----</td><td>-----</td><td>78.29</td><td>36.22</td><td>12.49</td><td>32.45</td><td>100</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7025.00	94.55	-----	-----	78.29	36.22	12.49	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	7128.45	66.30	88.20	-21.90	49.82	36.25	12.74	32.51	100																																																																																										
2	7289.78	54.94	74.00	-19.06	38.19	36.32	13.06	32.63	100																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	7025.00	94.55	-----	-----	78.29	36.22	12.49	32.45	100																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7127.35</td><td>54.18</td><td>68.20</td><td>-14.02</td><td>37.70</td><td>36.25</td><td>12.74</td><td>32.51</td><td>100</td></tr><tr><td>2</td><td>7262.77</td><td>44.69</td><td>54.00</td><td>-9.31</td><td>27.95</td><td>36.31</td><td>13.04</td><td>32.61</td><td>100</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7127.35	54.18	68.20	-14.02	37.70	36.25	12.74	32.51	100	2	7262.77	44.69	54.00	-9.31	27.95	36.31	13.04	32.61	100	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>85.09</td><td>-----</td><td>-----</td><td>68.85</td><td>36.22</td><td>12.47</td><td>32.45</td><td>100</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7025.00	85.09	-----	-----	68.85	36.22	12.47	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	7127.35	54.18	68.20	-14.02	37.70	36.25	12.74	32.51	100																																																																																										
2	7262.77	44.69	54.00	-9.31	27.95	36.31	13.04	32.61	100																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	7025.00	85.09	-----	-----	68.85	36.22	12.47	32.45	100																																																																																										



		149									
Mode		Band Edge									
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full_7025MHz									
ANT		CDD 5+6									
Pol.		Vertical					Fundamental				
Peak	</										



Mode	149																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full_7025MHz																																																																																																								
ANT	CDD 5+6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14050.00</td><td>50.32</td><td>88.20</td><td>-37.88</td><td>43.79</td><td>40.93</td><td>16.31</td><td>50.71</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14050.00	50.32	88.20	-37.88	43.79	40.93	16.31	50.71	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14050.00</td><td>49.41</td><td>88.20</td><td>-38.79</td><td>42.88</td><td>40.93</td><td>16.31</td><td>50.71</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14050.00	49.41	88.20	-38.79	42.88	40.93	16.31	50.71	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 14050.00	50.32	88.20	-37.88	43.79	40.93	16.31	50.71	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 14050.00	49.41	88.20	-38.79	42.88	40.93	16.31	50.71	--	--	Peak																																																																																															



Mode	150																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full_6025MHz																																																																																										
ANT	CDD 6+5																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5897.52</td><td>61.50</td><td>88.20</td><td>-26.70</td><td>47.21</td><td>35.36</td><td>11.45</td><td>32.52</td><td>100</td><td>329</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5897.52	61.50	88.20	-26.70	47.21	35.36	11.45	32.52	100	329	PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>94.58</td><td>-----</td><td>-----</td><td>80.37</td><td>35.44</td><td>11.34</td><td>32.57</td><td>100</td><td>329</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.58	-----	-----	80.37	35.44	11.34	32.57	100	329	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5897.52	61.50	88.20	-26.70	47.21	35.36	11.45	32.52	100	329	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	94.58	-----	-----	80.37	35.44	11.34	32.57	100	329	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E 105.0 87.5 70.0 52.5 35.0 17.5 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5902.28</td><td>49.79</td><td>68.20</td><td>-18.41</td><td>35.51</td><td>35.36</td><td>11.44</td><td>32.52</td><td>100</td><td>329</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5902.28	49.79	68.20	-18.41	35.51	35.36	11.44	32.52	100	329	AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E 105.0 87.5 70.0 52.5 35.0 17.5 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>85.23</td><td>-----</td><td>-----</td><td>70.96</td><td>35.51</td><td>11.36</td><td>32.60</td><td>100</td><td>329</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	85.23	-----	-----	70.96	35.51	11.36	32.60	100	329	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5902.28	49.79	68.20	-18.41	35.51	35.36	11.44	32.52	100	329	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	85.23	-----	-----	70.96	35.51	11.36	32.60	100	329	AVERAGE																																																																																





Mode	150																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full_6025MHz																																																																																	
ANT	CDD 6+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.32</td><td>60.91</td><td>88.20</td><td>-27.29</td><td>46.62</td><td>35.35</td><td>11.46</td><td>32.52</td><td>339 109 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5893.32	60.91	88.20	-27.29	46.62	35.35	11.46	32.52	339 109 PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>93.40</td><td>-----</td><td>-----</td><td>79.18</td><td>35.44</td><td>11.35</td><td>32.57</td><td>339 109 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	93.40	-----	-----	79.18	35.44	11.35	32.57	339 109 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5893.32	60.91	88.20	-27.29	46.62	35.35	11.46	32.52	339 109 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6025.00	93.40	-----	-----	79.18	35.44	11.35	32.57	339 109 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5897.24</td><td>49.47</td><td>68.20</td><td>-18.73</td><td>35.18</td><td>35.36</td><td>11.45</td><td>32.52</td><td>339 109 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5897.24	49.47	68.20	-18.73	35.18	35.36	11.45	32.52	339 109 AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>84.41</td><td>-----</td><td>-----</td><td>70.11</td><td>35.51</td><td>11.39</td><td>32.60</td><td>339 109 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	84.41	-----	-----	70.11	35.51	11.39	32.60	339 109 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5897.24	49.47	68.20	-18.73	35.18	35.36	11.45	32.52	339 109 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6025.00	84.41	-----	-----	70.11	35.51	11.39	32.60	339 109 AVERAGE																																																																									





Mode	150																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full_6025MHz																																																																																															
ANT	CDD 6+5																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-11-09 PEAK_BE(UIN)_6E AVG_BE(UIN)_6E <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>44.18</td><td>40.21</td><td>15.14</td><td>50.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	49.11	74.00	-24.89	44.18	40.21	15.14	50.42	--	--	Peak	Level (dBuV/m) Date: 2023-11-09 PEAK_BE(UIN)_6E AVG_BE(UIN)_6E <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>48.22</td><td>74.00</td><td>-25.78</td><td>43.29</td><td>40.21</td><td>15.14</td><td>50.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	48.22	74.00	-25.78	43.29	40.21	15.14	50.42	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12050.00	49.11	74.00	-24.89	44.18	40.21	15.14	50.42	--	--	Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12050.00	48.22	74.00	-25.78	43.29	40.21	15.14	50.42	--	--	Peak																																																																																					





Mode	151																																																																																																				
	Harmonic																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full_6185MHz																																																																																																				
ANT	CDD 6+5																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>42.51</td><td>40.27</td><td>15.15</td><td>50.55</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.38	74.00	-26.62	42.51	40.27	15.15	50.55	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.62</td><td>74.00</td><td>-26.38</td><td>42.75</td><td>40.27</td><td>15.15</td><td>50.55</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.62	74.00	-26.38	42.75	40.27	15.15	50.55	--	--
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	12370.00	47.38	74.00	-26.62	42.51	40.27	15.15	50.55	--	--	Peak																																																																																										
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	12370.00	47.62	74.00	-26.38	42.75	40.27	15.15	50.55	--	--	Peak																																																																																										







Mode	152																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full_6345MHz																																																																																																					
ANT	CDD 6+5																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>42.64</td><td>40.38</td><td>15.16</td><td>50.76</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.42	74.00	-26.58	42.64	40.38	15.16	50.76	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>43.59</td><td>40.38</td><td>15.16</td><td>50.76</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	48.37	74.00	-25.63	43.59	40.38	15.16	50.76	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	12690.00	47.42	74.00	-26.58	42.64	40.38	15.16	50.76	--	--	Peak																																																																																											
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	12690.00	48.37	74.00	-25.63	43.59	40.38	15.16	50.76	--	--	Peak																																																																																											







Mode	153																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full_6665MHz																																																																																																									
ANT	CDD 5+6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13330.00</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>43.77</td><td>40.57</td><td>15.54</td><td>50.87</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13330.00	49.01	74.00	-24.99	43.77	40.57	15.54	50.87	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13330.00</td><td>49.31</td><td>74.00</td><td>-24.69</td><td>44.07</td><td>40.57</td><td>15.54</td><td>50.87</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13330.00	49.31	74.00	-24.69	44.07	40.57	15.54	50.87	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13330.00	49.01	74.00	-24.99	43.77	40.57	15.54	50.87	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13330.00	49.31	74.00	-24.69	44.07	40.57	15.54	50.87	--	--	Peak																																																																																																





Mode	154																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full_6985MHz																																																																																														
ANT	CDD 5+6																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2023-11-17  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7143.75</td><td>65.20</td><td>88.20</td><td>-23.00</td><td>48.66</td><td>36.26</td><td>12.80</td><td>32.52</td><td>100</td><td>241 PEAK</td></tr><tr><td>2</td><td>7303.13</td><td>54.93</td><td>74.00</td><td>-19.07</td><td>38.18</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100</td><td>241 PEAK</td></tr></table> Level (dBuV/m) Date: 2023-11-17  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>86.04</td><td>-----</td><td>-----</td><td>69.99</td><td>36.19</td><td>12.27</td><td>32.41</td><td>100</td><td>241 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7143.75	65.20	88.20	-23.00	48.66	36.26	12.80	32.52	100	241 PEAK	2	7303.13	54.93	74.00	-19.07	38.18	36.32	13.07	32.64	100	241 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	86.04	-----	-----	69.99	36.19	12.27	32.41	100	241 PEAK	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7143.75	65.20	88.20	-23.00	48.66	36.26	12.80	32.52	100	241 PEAK																																																																																					
2	7303.13	54.93	74.00	-19.07	38.18	36.32	13.07	32.64	100	241 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6985.00	86.04	-----	-----	69.99	36.19	12.27	32.41	100	241 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2023-11-17  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7143.13</td><td>53.12</td><td>68.20</td><td>-15.08</td><td>36.58</td><td>36.26</td><td>12.80</td><td>32.52</td><td>100</td><td>241 AVERAGE</td></tr><tr><td>2</td><td>7303.13</td><td>45.34</td><td>54.00</td><td>-8.66</td><td>28.59</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100</td><td>241 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2023-11-17  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>77.39</td><td>-----</td><td>-----</td><td>61.34</td><td>36.19</td><td>12.27</td><td>32.41</td><td>100</td><td>241 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7143.13	53.12	68.20	-15.08	36.58	36.26	12.80	32.52	100	241 AVERAGE	2	7303.13	45.34	54.00	-8.66	28.59	36.32	13.07	32.64	100	241 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	77.39	-----	-----	61.34	36.19	12.27	32.41	100	241 AVERAGE	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7143.13	53.12	68.20	-15.08	36.58	36.26	12.80	32.52	100	241 AVERAGE																																																																																					
2	7303.13	45.34	54.00	-8.66	28.59	36.32	13.07	32.64	100	241 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6985.00	77.39	-----	-----	61.34	36.19	12.27	32.41	100	241 AVERAGE																																																																																					



Mode	154																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full_6985MHz																																																																																																			
ANT	CDD 5+6																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7143.13</td><td>68.81</td><td>88.20</td><td>-19.39</td><td>52.27</td><td>36.26</td><td>12.80</td><td>32.52</td><td>300 210 PEAK</td></tr><tr><td>2</td><td>7301.25</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>38.28</td><td>36.32</td><td>13.07</td><td>32.64</td><td>300 210 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7143.13	68.81	88.20	-19.39	52.27	36.26	12.80	32.52	300 210 PEAK	2	7301.25	55.03	74.00	-18.97	38.28	36.32	13.07	32.64	300 210 PEAK	 Level (dBuV/m) Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>98.62</td><td>-----</td><td>-----</td><td>82.54</td><td>36.19</td><td>12.29</td><td>32.40</td><td>300 210 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	98.62	-----	-----	82.54	36.19	12.29	32.40	300 210 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7143.13	68.81	88.20	-19.39	52.27	36.26	12.80	32.52	300 210 PEAK																																																																																											
2	7301.25	55.03	74.00	-18.97	38.28	36.32	13.07	32.64	300 210 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	98.62	-----	-----	82.54	36.19	12.29	32.40	300 210 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7142.50</td><td>55.70</td><td>68.20</td><td>-12.50</td><td>39.17</td><td>36.26</td><td>12.79</td><td>32.52</td><td>300 210 AVERAGE</td></tr><tr><td>2</td><td>7257.50</td><td>45.63</td><td>54.00</td><td>-8.37</td><td>28.90</td><td>36.30</td><td>13.04</td><td>32.61</td><td>300 210 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7142.50	55.70	68.20	-12.50	39.17	36.26	12.79	32.52	300 210 AVERAGE	2	7257.50	45.63	54.00	-8.37	28.90	36.30	13.04	32.61	300 210 AVERAGE	 Level (dBuV/m) Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>88.99</td><td>-----</td><td>-----</td><td>72.91</td><td>36.19</td><td>12.29</td><td>32.40</td><td>300 210 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	88.99	-----	-----	72.91	36.19	12.29	32.40	300 210 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7142.50	55.70	68.20	-12.50	39.17	36.26	12.79	32.52	300 210 AVERAGE																																																																																											
2	7257.50	45.63	54.00	-8.37	28.90	36.30	13.04	32.61	300 210 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	88.99	-----	-----	72.91	36.19	12.29	32.40	300 210 AVERAGE																																																																																											



Mode	154																																																																																																	
	Harmonic																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full_6985MHz																																																																																																	
ANT	CDD 5+6																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>49.36</td><td>88.20</td><td>-38.84</td><td>42.91</td><td>40.88</td><td>16.28</td><td>50.71</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13970.00	49.36	88.20	-38.84	42.91	40.88	16.28	50.71	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>50.23</td><td>88.20</td><td>-37.97</td><td>43.78</td><td>40.88</td><td>16.28</td><td>50.71</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13970.00	50.23	88.20	-37.97	43.78	40.88	16.28	50.71	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13970.00	49.36	88.20	-38.84	42.91	40.88	16.28	50.71	--	--	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13970.00	50.23	88.20	-37.97	43.78	40.88	16.28	50.71	--	--	Peak																																																																																								





Mode	155									
	Band Edge									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full_6105MHz									
ANT	CDD 6+5									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-08									





		155																																																																										
Mode		Band Edge																																																																										
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full_6105MHz																																																																										
ANT		CDD 6+5																																																																										
Pol.		Vertical					Fundamental																																																																					
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5625.46</td><td>59.75</td><td>88.20</td><td>-28.45</td><td>45.38</td><td>34.98</td><td>11.70</td><td>32.31</td><td>330</td><td>114</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5625.46	59.75	88.20	-28.45	45.38	34.98	11.70	32.31	330	114	PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6105.00</td><td>91.69</td><td>-----</td><td>-----</td><td>77.33</td><td>35.52</td><td>11.44</td><td>32.60</td><td>330</td><td>114</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	91.69	-----	-----	77.33	35.52	11.44	32.60	330	114	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5625.46	59.75	88.20	-28.45	45.38	34.98	11.70	32.31	330	114	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 6105.00	91.69	-----	-----	77.33	35.52	11.44	32.60	330	114	PEAK																																																																		
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5796.06</td><td>49.28</td><td>68.20</td><td>-18.92</td><td>34.89</td><td>35.21</td><td>11.62</td><td>32.44</td><td>330</td><td>114</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5796.06	49.28	68.20	-18.92	34.89	35.21	11.62	32.44	330	114	AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6105.00</td><td>83.10</td><td>-----</td><td>-----</td><td>68.44</td><td>35.57</td><td>11.69</td><td>32.60</td><td>330</td><td>114</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	83.10	-----	-----	68.44	35.57	11.69	32.60	330	114	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5796.06	49.28	68.20	-18.92	34.89	35.21	11.62	32.44	330	114	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 6105.00	83.10	-----	-----	68.44	35.57	11.69	32.60	330	114	AVERAGE																																																																		





Mode	155																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full_6105MHz																																																																																																
ANT	CDD 6+5																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-11-09  PEAK_BE(UINII_6E) AVG_BE(UINII_6E)						Level (dBuV/m) Date: 2023-11-09  PEAK_BE(UINII_6E) AVG_BE(UINII_6E)																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12210.00</td><td>48.17</td><td>74.00</td><td>-25.83</td><td>43.27</td><td>40.24</td><td>15.15</td><td>50.49</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12210.00	48.17	74.00	-25.83	43.27	40.24	15.15	50.49	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12210.00</td><td>48.01</td><td>74.00</td><td>-25.99</td><td>43.11</td><td>40.24</td><td>15.15</td><td>50.49</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12210.00	48.01	74.00	-25.99	43.11	40.24	15.15	50.49	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 12210.00	48.17	74.00	-25.83	43.27	40.24	15.15	50.49	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 12210.00	48.01	74.00	-25.99	43.11	40.24	15.15	50.49	--	--	Peak																																																																																							



Mode	156																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full_6265MHz																																																																																																							
ANT	CDD 6+5																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2023-11-09  PEAK_BE(UNIT_6E) AVG_BE(UNIT_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12530.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>42.79</td><td>40.31</td><td>15.16</td><td>50.63</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12530.00	47.63	74.00	-26.37	42.79	40.31	15.16	50.63	--	--	Peak		Level (dBuV/m) Date: 2023-11-09  PEAK_BE(UNIT_6E) AVG_BE(UNIT_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12530.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>42.62</td><td>40.31</td><td>15.16</td><td>50.63</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12530.00	47.46	74.00	-26.54	42.62	40.31	15.16	50.63	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 12530.00	47.63	74.00	-26.37	42.79	40.31	15.16	50.63	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 12530.00	47.46	74.00	-26.54	42.62	40.31	15.16	50.63	--	--	Peak																																																																																														



Mode	157																																																																																														
	Harmonic																																																																																														
	U-NII-7_6.525-6.875_802.11a_CH185_Full_6525MHz																																																																																														
ANT	CDD 5+6																																																																																														
Pol.	Horizontal					Vertical																																																																																									
Peak Avg																																																																																															
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13750.00</td><td>49.65</td><td>88.20</td><td>-38.55</td><td>43.62</td><td>40.75</td><td>16.03</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13750.00	49.65	88.20	-38.55	43.62	40.75	16.03	50.75	--	--	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13750.00</td><td>48.78</td><td>88.20</td><td>-39.42</td><td>42.75</td><td>40.75</td><td>16.03</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13750.00	48.78	88.20	-39.42	42.75	40.75	16.03	50.75	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 13750.00	49.65	88.20	-38.55	43.62	40.75	16.03	50.75	--	--	Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 13750.00	48.78	88.20	-39.42	42.75	40.75	16.03	50.75	--	--	Peak																																																																																					





Mode	158																																																																																																							
	Harmonic																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full_6525MHz																																																																																																							
ANT	CDD 5+6																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2023-12-05 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13750.00</td><td>49.20</td><td>88.20</td><td>-39.00</td><td>43.17</td><td>40.75</td><td>16.03</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table> Level (dBuV/m) Date: 2023-12-05 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13750.00</td><td>48.27</td><td>88.20</td><td>-39.93</td><td>42.24</td><td>40.75</td><td>16.03</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13750.00	49.20	88.20	-39.00	43.17	40.75	16.03	50.75	--	--	Peak				Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13750.00	48.27	88.20	-39.93	42.24	40.75	16.03	50.75	--	--	Peak							
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 13750.00	49.20	88.20	-39.00	43.17	40.75	16.03	50.75	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 13750.00	48.27	88.20	-39.93	42.24	40.75	16.03	50.75	--	--	Peak																																																																																														





Mode	159																																																																																																							
	Harmonic																																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT40_CH187_Full_6885MHz																																																																																																							
ANT	CDD 5+6																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2023-12-05 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13770.00</td><td>49.83</td><td>88.20</td><td>-38.37</td><td>43.77</td><td>40.76</td><td>16.05</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13770.00	49.83	88.20	-38.37	43.77	40.76	16.05	50.75	--	--	Peak		Level (dBuV/m) Date: 2023-12-05 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13770.00</td><td>48.78</td><td>88.20</td><td>-39.42</td><td>42.72</td><td>40.76</td><td>16.05</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13770.00	48.78	88.20	-39.42	42.72	40.76	16.05	50.75	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 13770.00	49.83	88.20	-38.37	43.77	40.76	16.05	50.75	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1 13770.00	48.78	88.20	-39.42	42.72	40.76	16.05	50.75	--	--	Peak																																																																																														





Mode	160																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full_6865MHz																																																																																																								
ANT	CDD 5+6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13730.00</td><td>50.20</td><td>88.20</td><td>-38.00</td><td>44.21</td><td>40.74</td><td>16.00</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13730.00	50.20	88.20	-38.00	44.21	40.74	16.00	50.75	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13730.00</td><td>49.58</td><td>88.20</td><td>-38.62</td><td>43.59</td><td>40.74</td><td>16.00</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13730.00	49.58	88.20	-38.62	43.59	40.74	16.00	50.75	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13730.00	50.20	88.20	-38.00	44.21	40.74	16.00	50.75	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13730.00	49.58	88.20	-38.62	43.59	40.74	16.00	50.75	--	--	Peak																																																																																															







Mode	161																																																																																																
	Harmonic																																																																																																
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full_6825MHz																																																																																																
ANT	CDD 5+6																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13650.00</td><td>49.40</td><td>88.20</td><td>-38.80</td><td>43.57</td><td>40.69</td><td>15.91</td><td>50.77</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13650.00	49.40	88.20	-38.80	43.57	40.69	15.91	50.77	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13650.00</td><td>49.25</td><td>88.20</td><td>-38.95</td><td>43.42</td><td>40.69</td><td>15.91</td><td>50.77</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13650.00	49.25	88.20	-38.95	43.42	40.69	15.91	50.77	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13650.00	49.40	88.20	-38.80	43.57	40.69	15.91	50.77	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13650.00	49.25	88.20	-38.95	43.42	40.69	15.91	50.77	--	--	Peak																																																																																							



Mode	162																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full_6745MHz																																																																																																									
ANT	CDD 5+6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13490.00</td><td>49.01</td><td>88.20</td><td>-39.19</td><td>43.49</td><td>40.60</td><td>15.72</td><td>50.80</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13490.00	49.01	88.20	-39.19	43.49	40.60	15.72	50.80	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13490.00</td><td>49.04</td><td>88.20</td><td>-39.16</td><td>43.52</td><td>40.60</td><td>15.72</td><td>50.80</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13490.00	49.04	88.20	-39.16	43.52	40.60	15.72	50.80	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13490.00	49.01	88.20	-39.19	43.49	40.60	15.72	50.80	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13490.00	49.04	88.20	-39.16	43.52	40.60	15.72	50.80	--	--	Peak																																																																																																





		163																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full_6905MHz																																																																																																	
ANT		CDD 5+6																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7147.33</td><td>54.87</td><td>88.20</td><td>-33.33</td><td>38.32</td><td>36.26</td><td>12.81</td><td>32.52</td><td>100 110 PEAK</td></tr><tr><td>2</td><td>7286.48</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>38.33</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100 110 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7147.33	54.87	88.20	-33.33	38.32	36.26	12.81	32.52	100 110 PEAK	2	7286.48	55.07	74.00	-18.93	38.33	36.31	13.06	32.63	100 110 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>85.29</td><td>-----</td><td>-----</td><td>69.64</td><td>36.09</td><td>12.04</td><td>32.48</td><td>100 110 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6905.00	85.29	-----	-----	69.64	36.09	12.04	32.48
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7147.33	54.87	88.20	-33.33	38.32	36.26	12.81	32.52	100 110 PEAK																																																																																										
2	7286.48	55.07	74.00	-18.93	38.33	36.31	13.06	32.63	100 110 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	85.29	-----	-----	69.64	36.09	12.04	32.48	100 110 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7207.22</td><td>45.97</td><td>68.20</td><td>-22.23</td><td>29.26</td><td>36.28</td><td>13.00</td><td>32.57</td><td>100 110 AVERAGE</td></tr><tr><td>2</td><td>7285.27</td><td>45.90</td><td>54.00</td><td>-8.10</td><td>29.16</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100 110 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7207.22	45.97	68.20	-22.23	29.26	36.28	13.00	32.57	100 110 AVERAGE	2	7285.27	45.90	54.00	-8.10	29.16	36.31	13.06	32.63	100 110 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>76.52</td><td>-----</td><td>-----</td><td>60.87</td><td>36.09</td><td>12.04</td><td>32.48</td><td>100 110 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6905.00	76.52	-----	-----	60.87	36.09	12.04	32.48
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7207.22	45.97	68.20	-22.23	29.26	36.28	13.00	32.57	100 110 AVERAGE																																																																																										
2	7285.27	45.90	54.00	-8.10	29.16	36.31	13.06	32.63	100 110 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	76.52	-----	-----	60.87	36.09	12.04	32.48	100 110 AVERAGE																																																																																										





		163									
Mode		Band Edge									
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full_6905MHz									
ANT		CDD 5+6									
Pol.		Vertical					Fundamental				
Peak	<										





Mode	163																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full_6905MHz																																																																																															
ANT	CDD 5+6																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>49.42</td><td>88.20</td><td>-38.78</td><td>43.28</td><td>40.79</td><td>16.09</td><td>50.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	49.42	88.20	-38.78	43.28	40.79	16.09	50.74	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>48.90</td><td>88.20</td><td>-39.30</td><td>42.76</td><td>40.79</td><td>16.09</td><td>50.74</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	48.90	88.20	-39.30	42.76	40.79	16.09	50.74	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13810.00	49.42	88.20	-38.78	43.28	40.79	16.09	50.74	--	--	Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13810.00	48.90	88.20	-39.30	42.76	40.79	16.09	50.74	--	--	Peak																																																																																					





Mode	164																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH115_Full_6525MHz																																																																																																									
ANT	CDD 5+6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13050.00</td><td>48.99</td><td>88.20</td><td>-39.21</td><td>44.25</td><td>40.51</td><td>15.21</td><td>50.98</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13050.00	48.99	88.20	-39.21	44.25	40.51	15.21	50.98	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13050.00</td><td>48.08</td><td>88.20</td><td>-40.12</td><td>43.34</td><td>40.51</td><td>15.21</td><td>50.98</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13050.00	48.08	88.20	-40.12	43.34	40.51	15.21	50.98	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13050.00	48.99	88.20	-39.21	44.25	40.51	15.21	50.98	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13050.00	48.08	88.20	-40.12	43.34	40.51	15.21	50.98	--	--	Peak																																																																																																





Mode	165																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH119_Full_6545MHz																																																																																																									
ANT	CDD 5+6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13090.00</td><td>48.80</td><td>88.20</td><td>-39.40</td><td>43.98</td><td>40.52</td><td>15.26</td><td>50.96</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13090.00	48.80	88.20	-39.40	43.98	40.52	15.26	50.96	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13090.00</td><td>48.24</td><td>88.20</td><td>-39.96</td><td>43.42</td><td>40.52</td><td>15.26</td><td>50.96</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13090.00	48.24	88.20	-39.96	43.42	40.52	15.26	50.96	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13090.00	48.80	88.20	-39.40	43.98	40.52	15.26	50.96	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13090.00	48.24	88.20	-39.96	43.42	40.52	15.26	50.96	--	--	Peak																																																																																																





Mode	166																																																																																																					
	Harmonic																																																																																																					
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full_6505MHz																																																																																																					
ANT	CDD 5+6																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13010.00</td><td>48.69</td><td>88.20</td><td>-39.51</td><td>44.02</td><td>40.50</td><td>15.17</td><td>51.00</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13010.00	48.69	88.20	-39.51	44.02	40.50	15.17	51.00	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13010.00</td><td>47.80</td><td>88.20</td><td>-40.40</td><td>43.13</td><td>40.50</td><td>15.17</td><td>51.00</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13010.00	47.80	88.20	-40.40	43.13	40.50	15.17	51.00	--	--	Peak	
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13010.00	48.69	88.20	-39.51	44.02	40.50	15.17	51.00	--	--	Peak																																																																																												
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13010.00	47.80	88.20	-40.40	43.13	40.50	15.17	51.00	--	--	Peak																																																																																												







Mode	167																																																																																																
	Harmonic																																																																																																
	U-NII-6_6.425-6.525_802.11be EHT320_CH95_Full_6425MHz																																																																																																
ANT	CDD 5+6																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-12-15  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-12-15  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12850.00</td><td>48.14</td><td>88.20</td><td>-40.06</td><td>43.41</td><td>40.44</td><td>15.17</td><td>50.88</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12850.00	48.14	88.20	-40.06	43.41	40.44	15.17	50.88	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12850.00</td><td>48.54</td><td>88.20</td><td>-39.66</td><td>43.81</td><td>40.44</td><td>15.17</td><td>50.88</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12850.00	48.54	88.20	-39.66	43.81	40.44	15.17	50.88	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 12850.00	48.14	88.20	-40.06	43.41	40.44	15.17	50.88	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 12850.00	48.54	88.20	-39.66	43.81	40.44	15.17	50.88	--	--	Peak																																																																																							



Mode	168																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full_6585MHz																																																																																															
ANT	CDD 5+6																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13170.00</td><td>49.76</td><td>88.20</td><td>-38.44</td><td>44.81</td><td>40.53</td><td>15.35</td><td>50.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13170.00	49.76	88.20	-38.44	44.81	40.53	15.35	50.93	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13170.00</td><td>48.63</td><td>88.20</td><td>-39.57</td><td>43.68</td><td>40.53</td><td>15.35</td><td>50.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13170.00	48.63	88.20	-39.57	43.68	40.53	15.35	50.93	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13170.00	49.76	88.20	-38.44	44.81	40.53	15.35	50.93	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13170.00	48.63	88.20	-39.57	43.68	40.53	15.35	50.93	--	--	Peak																																																																																						







Mode	169																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU52/37_5955MHz																																																																																											
ANT	CDD 6+5																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2023-11-08 1 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5884.22</td><td>52.07</td><td>88.20</td><td>-36.13</td><td>37.77</td><td>35.34</td><td>11.47</td><td>32.51</td><td>295</td><td>67</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5884.22	52.07	88.20	-36.13	37.77	35.34	11.47	32.51	295	67	PEAK	 Level (dBuV/m) Date: 2023-11-08 1 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>98.08</td><td>-----</td><td>-----</td><td>83.84</td><td>35.43</td><td>11.37</td><td>32.56</td><td>295</td><td>67</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	98.08	-----	-----	83.84	35.43	11.37	32.56	295	67	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5884.22	52.07	88.20	-36.13	37.77	35.34	11.47	32.51	295	67	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5955.00	98.08	-----	-----	83.84	35.43	11.37	32.56	295	67	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2023-11-08 1 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.70</td><td>42.39</td><td>68.20</td><td>-25.81</td><td>28.13</td><td>35.38</td><td>11.42</td><td>32.54</td><td>295</td><td>67</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5916.70	42.39	68.20	-25.81	28.13	35.38	11.42	32.54	295	67	AVERAGE	 Level (dBuV/m) Date: 2023-11-08 1 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>89.61</td><td>-----</td><td>-----</td><td>75.37</td><td>35.43</td><td>11.37</td><td>32.56</td><td>295</td><td>67</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	89.61	-----	-----	75.37	35.43	11.37	32.56	295	67	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5916.70	42.39	68.20	-25.81	28.13	35.38	11.42	32.54	295	67	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5955.00	89.61	-----	-----	75.37	35.43	11.37	32.56	295	67	AVERAGE																																																																																	



Mode	169	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU52/37_5955MHz	
ANT	CDD 6+5	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-11-08 1 5826.96 52.45 88.20 -35.75 38.09 35.26 11.57 32.47 304 103 PEAK	Level (dBuV/m) Date: 2023-11-08 1 5955.00 96.03 ----- 81.79 35.43 11.37 32.56 304 103 PEAK
	Level (dBuV/m) Date: 2023-11-08 1 5826.96 52.45 88.20 -35.75 38.09 35.26 11.57 32.47 304 103 PEAK	Level (dBuV/m) Date: 2023-11-08 1 5955.00 96.03 ----- 81.79 35.43 11.37 32.56 304 103 PEAK
Avg	Level (dBuV/m) Date: 2023-11-08 1 5922.44 42.31 68.20 -25.89 28.05 35.39 11.41 32.54 304 103 AVERAGE	Level (dBuV/m) Date: 2023-11-08 1 5955.00 87.12 ----- 72.88 35.43 11.37 32.56 304 103 AVERAGE
	Level (dBuV/m) Date: 2023-11-08 1 5922.44 42.31 68.20 -25.89 28.05 35.39 11.41 32.54 304 103 AVERAGE	Level (dBuV/m) Date: 2023-11-08 1 5955.00 87.12 ----- 72.88 35.43 11.37 32.56 304 103 AVERAGE



Mode	170																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU 52/40_7095MHz																																																																																														
ANT	CDD 5+6																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2023-12-05  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.72</td><td>56.29</td><td>88.20</td><td>-31.91</td><td>39.56</td><td>36.29</td><td>13.01</td><td>32.57</td><td>100</td><td>336 PEAK</td></tr><tr><td>2</td><td>7336.65</td><td>56.75</td><td>74.00</td><td>-17.25</td><td>39.99</td><td>36.33</td><td>13.10</td><td>32.67</td><td>100</td><td>336 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7214.72	56.29	88.20	-31.91	39.56	36.29	13.01	32.57	100	336 PEAK	2	7336.65	56.75	74.00	-17.25	39.99	36.33	13.10	32.67	100	336 PEAK	Level (dBuV/m) Date: 2023-12-05  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>81.59</td><td>-----</td><td>-----</td><td>65.18</td><td>36.24</td><td>12.65</td><td>32.48</td><td>100</td><td>336 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	81.59	-----	-----	65.18	36.24	12.65	32.48	100	336 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7214.72	56.29	88.20	-31.91	39.56	36.29	13.01	32.57	100	336 PEAK																																																																																					
2	7336.65	56.75	74.00	-17.25	39.99	36.33	13.10	32.67	100	336 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7095.00	81.59	-----	-----	65.18	36.24	12.65	32.48	100	336 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2023-12-05  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7223.62</td><td>46.10</td><td>68.20</td><td>-22.10</td><td>29.37</td><td>36.29</td><td>13.02</td><td>32.58</td><td>100</td><td>336 AVERAGE</td></tr><tr><td>2</td><td>7278.36</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>29.25</td><td>36.31</td><td>13.06</td><td>32.62</td><td>100</td><td>336 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7223.62	46.10	68.20	-22.10	29.37	36.29	13.02	32.58	100	336 AVERAGE	2	7278.36	46.00	54.00	-8.00	29.25	36.31	13.06	32.62	100	336 AVERAGE	Level (dBuV/m) Date: 2023-12-05  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>73.37</td><td>-----</td><td>-----</td><td>56.96</td><td>36.24</td><td>12.65</td><td>32.48</td><td>100</td><td>336 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	73.37	-----	-----	56.96	36.24	12.65	32.48	100	336 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7223.62	46.10	68.20	-22.10	29.37	36.29	13.02	32.58	100	336 AVERAGE																																																																																					
2	7278.36	46.00	54.00	-8.00	29.25	36.31	13.06	32.62	100	336 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7095.00	73.37	-----	-----	56.96	36.24	12.65	32.48	100	336 AVERAGE																																																																																					







Mode	170																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU52/40_7095MHz																																																																																		
ANT	CDD 5+6																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7196.03</td><td>55.57</td><td>88.20</td><td>-32.63</td><td>38.87</td><td>36.28</td><td>12.98</td><td>32.56</td><td>336 360 PEAK</td></tr><tr><td>2 7266.34</td><td>56.80</td><td>74.00</td><td>-17.20</td><td>40.05</td><td>36.31</td><td>13.05</td><td>32.61</td><td>336 360 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7196.03	55.57	88.20	-32.63	38.87	36.28	12.98	32.56	336 360 PEAK	2 7266.34	56.80	74.00	-17.20	40.05	36.31	13.05	32.61	336 360 PEAK	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>94.69</td><td>-----</td><td>-----</td><td>78.28</td><td>36.24</td><td>12.65</td><td>32.48</td><td>336 360 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	94.69	-----	-----	78.28	36.24	12.65	32.48	336 360 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7196.03	55.57	88.20	-32.63	38.87	36.28	12.98	32.56	336 360 PEAK																																																																											
2 7266.34	56.80	74.00	-17.20	40.05	36.31	13.05	32.61	336 360 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7095.00	94.69	-----	-----	78.28	36.24	12.65	32.48	336 360 PEAK																																																																											
Avg	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7199.59</td><td>46.00</td><td>68.20</td><td>-22.20</td><td>29.28</td><td>36.28</td><td>13.00</td><td>32.56</td><td>336 360 AVERAGE</td></tr><tr><td>2 7335.76</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>29.24</td><td>36.33</td><td>13.10</td><td>32.67</td><td>336 360 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7199.59	46.00	68.20	-22.20	29.28	36.28	13.00	32.56	336 360 AVERAGE	2 7335.76	46.00	54.00	-8.00	29.24	36.33	13.10	32.67	336 360 AVERAGE	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>86.71</td><td>-----</td><td>-----</td><td>70.30</td><td>36.24</td><td>12.65</td><td>32.48</td><td>336 360 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	86.71	-----	-----	70.30	36.24	12.65	32.48	336 360 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7199.59	46.00	68.20	-22.20	29.28	36.28	13.00	32.56	336 360 AVERAGE																																																																											
2 7335.76	46.00	54.00	-8.00	29.24	36.33	13.10	32.67	336 360 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7095.00	86.71	-----	-----	70.30	36.24	12.65	32.48	336 360 AVERAGE																																																																											







Mode	171																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 52+26/38+1_5955MHz																																																																																	
ANT	CDD 6+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Date: 2023-11-08 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5880.44</td><td>53.19</td><td>88.20</td><td>-35.01</td><td>38.89</td><td>35.33</td><td>11.48</td><td>32.51</td><td>296</td><td>66 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5880.44	53.19	88.20	-35.01	38.89	35.33	11.48	32.51	296	66 PEAK	Date: 2023-11-08 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>97.45</td><td>-----</td><td>-----</td><td>83.21</td><td>35.43</td><td>11.37</td><td>32.56</td><td>296</td><td>66 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	97.45	-----	-----	83.21	35.43	11.37	32.56	296	66 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5880.44	53.19	88.20	-35.01	38.89	35.33	11.48	32.51	296	66 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	97.45	-----	-----	83.21	35.43	11.37	32.56	296	66 PEAK																																																																									
Avg	Date: 2023-11-08 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.82</td><td>42.67</td><td>68.20</td><td>-25.53</td><td>28.42</td><td>35.39</td><td>11.40</td><td>32.54</td><td>296</td><td>66 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.82	42.67	68.20	-25.53	28.42	35.39	11.40	32.54	296	66 AVERAGE	Date: 2023-11-08 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>89.78</td><td>-----</td><td>-----</td><td>75.54</td><td>35.43</td><td>11.37</td><td>32.56</td><td>296</td><td>66 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	89.78	-----	-----	75.54	35.43	11.37	32.56	296	66 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.82	42.67	68.20	-25.53	28.42	35.39	11.40	32.54	296	66 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5955.00	89.78	-----	-----	75.54	35.43	11.37	32.56	296	66 AVERAGE																																																																									







Mode	171																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 52+26/38+1_5955MHz																																																																																								
ANT	CDD 6+5																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5833.54</td><td>52.53</td><td>88.20</td><td>-35.67</td><td>38.17</td><td>35.27</td><td>11.56</td><td>32.47</td><td>309 104 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5833.54	52.53	88.20	-35.67	38.17	35.27	11.56	32.47	309 104 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.69</td><td>-----</td><td>-----</td><td>81.47</td><td>35.44</td><td>11.35</td><td>32.57</td><td>309 104 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.69	-----	-----	81.47	35.44	11.35	32.57
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5833.54	52.53	88.20	-35.67	38.17	35.27	11.56	32.47	309 104 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	95.69	-----	-----	81.47	35.44	11.35	32.57	309 104 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5856.22</td><td>42.33</td><td>68.20</td><td>-25.87</td><td>28.00</td><td>35.30</td><td>11.52</td><td>32.49</td><td>309 104 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5856.22	42.33	68.20	-25.87	28.00	35.30	11.52	32.49	309 104 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>88.01</td><td>-----</td><td>-----</td><td>73.77</td><td>35.43</td><td>11.37</td><td>32.56</td><td>309 104 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.01	-----	-----	73.77	35.43	11.37	32.56
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5856.22	42.33	68.20	-25.87	28.00	35.30	11.52	32.49	309 104 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	88.01	-----	-----	73.77	35.43	11.37	32.56	309 104 AVERAGE																																																																																



Mode	172																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 106+26/53+4_5955MHz																																																																																											
ANT	CDD 6+5																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	 Level (dBuV/m) Date: 2023-11-08 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.34</td><td>52.48</td><td>88.20</td><td>-35.72</td><td>38.14</td><td>35.29</td><td>11.53</td><td>32.48</td><td>295</td><td>65 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5850.34	52.48	88.20	-35.72	38.14	35.29	11.53	32.48	295	65 PEAK	 Level (dBuV/m) Date: 2023-11-08 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>98.45</td><td>-----</td><td>-----</td><td>84.21</td><td>35.43</td><td>11.37</td><td>32.56</td><td>295</td><td>65 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.45	-----	-----	84.21	35.43	11.37	32.56	295	65 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5850.34	52.48	88.20	-35.72	38.14	35.29	11.53	32.48	295	65 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5955.00	98.45	-----	-----	84.21	35.43	11.37	32.56	295	65 PEAK																																																																																		
Avg	 Level (dBuV/m) Date: 2023-11-08 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5844.32</td><td>42.52</td><td>68.20</td><td>-25.68</td><td>28.18</td><td>35.28</td><td>11.54</td><td>32.48</td><td>295</td><td>65 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5844.32	42.52	68.20	-25.68	28.18	35.28	11.54	32.48	295	65 AVERAGE	 Level (dBuV/m) Date: 2023-11-08 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>89.47</td><td>-----</td><td>-----</td><td>75.23</td><td>35.43</td><td>11.37</td><td>32.56</td><td>295</td><td>65 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.47	-----	-----	75.23	35.43	11.37	32.56	295	65 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5844.32	42.52	68.20	-25.68	28.18	35.28	11.54	32.48	295	65 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5955.00	89.47	-----	-----	75.23	35.43	11.37	32.56	295	65 AVERAGE																																																																																		



		172																																																																										
Mode		Band Edge																																																																										
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 106+26/53+4_5955MHz																																																																										
ANT		CDD 6+5																																																																										
Pol.		Vertical					Fundamental																																																																					
Peak	 Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5853.00</td><td>52.54</td><td>88.20</td><td>-35.66</td><td>38.21</td><td>35.29</td><td>11.53</td><td>32.49</td><td>316</td><td>100</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5853.00	52.54	88.20	-35.66	38.21	35.29	11.53	32.49	316	100	PEAK	 Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>96.93</td><td>-----</td><td>-----</td><td>82.69</td><td>35.43</td><td>11.37</td><td>32.56</td><td>316</td><td>100</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5955.00	96.93	-----	-----	82.69	35.43	11.37	32.56	316	100	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5853.00	52.54	88.20	-35.66	38.21	35.29	11.53	32.49	316	100	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5955.00	96.93	-----	-----	82.69	35.43	11.37	32.56	316	100	PEAK																																																																		
Avg	 Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5923.00</td><td>42.34</td><td>68.20</td><td>-25.86</td><td>28.08</td><td>35.39</td><td>11.41</td><td>32.54</td><td>316</td><td>100</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5923.00	42.34	68.20	-25.86	28.08	35.39	11.41	32.54	316	100	AVERAGE	 Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>88.40</td><td>-----</td><td>-----</td><td>74.16</td><td>35.43</td><td>11.37</td><td>32.56</td><td>316</td><td>100</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5955.00	88.40	-----	-----	74.16	35.43	11.37	32.56	316	100	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5923.00	42.34	68.20	-25.86	28.08	35.39	11.41	32.54	316	100	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5955.00	88.40	-----	-----	74.16	35.43	11.37	32.56	316	100	AVERAGE																																																																		



Mode	173																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU 52+26/39+7_7095MHz																																																																																		
ANT	CDD 5+6																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7195.14</td><td>55.41</td><td>88.20</td><td>-32.79</td><td>38.71</td><td>36.28</td><td>12.98</td><td>32.56</td><td>100 308 PEAK</td></tr><tr><td>2 7332.65</td><td>55.29</td><td>74.00</td><td>-18.71</td><td>38.54</td><td>36.33</td><td>13.09</td><td>32.67</td><td>100 308 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7195.14	55.41	88.20	-32.79	38.71	36.28	12.98	32.56	100 308 PEAK	2 7332.65	55.29	74.00	-18.71	38.54	36.33	13.09	32.67	100 308 PEAK	Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>89.68</td><td>-----</td><td>-----</td><td>73.30</td><td>36.24</td><td>12.62</td><td>32.48</td><td>100 308 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	89.68	-----	-----	73.30	36.24	12.62	32.48	100 308 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7195.14	55.41	88.20	-32.79	38.71	36.28	12.98	32.56	100 308 PEAK																																																																											
2 7332.65	55.29	74.00	-18.71	38.54	36.33	13.09	32.67	100 308 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7095.00	89.68	-----	-----	73.30	36.24	12.62	32.48	100 308 PEAK																																																																											
Avg	Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7226.74</td><td>45.99</td><td>68.20</td><td>-22.21</td><td>29.26</td><td>36.29</td><td>13.02</td><td>32.58</td><td>100 308 AVERAGE</td></tr><tr><td>2 7274.35</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>29.39</td><td>36.31</td><td>13.05</td><td>32.62</td><td>100 308 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7226.74	45.99	68.20	-22.21	29.26	36.29	13.02	32.58	100 308 AVERAGE	2 7274.35	46.13	54.00	-7.87	29.39	36.31	13.05	32.62	100 308 AVERAGE	Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>81.53</td><td>-----</td><td>-----</td><td>65.12</td><td>36.24</td><td>12.65</td><td>32.48</td><td>100 308 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	81.53	-----	-----	65.12	36.24	12.65	32.48	100 308 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7226.74	45.99	68.20	-22.21	29.26	36.29	13.02	32.58	100 308 AVERAGE																																																																											
2 7274.35	46.13	54.00	-7.87	29.39	36.31	13.05	32.62	100 308 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7095.00	81.53	-----	-----	65.12	36.24	12.65	32.48	100 308 AVERAGE																																																																											



Mode	173																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU 52+26/39+7_7095MHz																																																																																											
ANT	CDD 5+6																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7233.86</td><td>55.42</td><td>88.20</td><td>-32.78</td><td>38.70</td><td>36.29</td><td>13.02</td><td>32.59</td><td>336</td><td>360 PEAK</td></tr><tr><td>2 7340.66</td><td>55.49</td><td>74.00</td><td>-18.51</td><td>38.72</td><td>36.34</td><td>13.10</td><td>32.67</td><td>336</td><td>360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7233.86	55.42	88.20	-32.78	38.70	36.29	13.02	32.59	336	360 PEAK	2 7340.66	55.49	74.00	-18.51	38.72	36.34	13.10	32.67	336	360 PEAK	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>95.48</td><td>-----</td><td>-----</td><td>79.07</td><td>36.24</td><td>12.65</td><td>32.48</td><td>336</td><td>360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7095.00	95.48	-----	-----	79.07	36.24	12.65	32.48	336	360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7233.86	55.42	88.20	-32.78	38.70	36.29	13.02	32.59	336	360 PEAK																																																																																			
2 7340.66	55.49	74.00	-18.51	38.72	36.34	13.10	32.67	336	360 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7095.00	95.48	-----	-----	79.07	36.24	12.65	32.48	336	360 PEAK																																																																																			
Avg	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7200.04</td><td>45.95</td><td>68.20</td><td>-22.25</td><td>29.23</td><td>36.28</td><td>13.00</td><td>32.56</td><td>336</td><td>360 AVERAGE</td></tr><tr><td>2 7259.22</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>29.21</td><td>36.30</td><td>13.04</td><td>32.61</td><td>336</td><td>360 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7200.04	45.95	68.20	-22.25	29.23	36.28	13.00	32.56	336	360 AVERAGE	2 7259.22	45.94	54.00	-8.06	29.21	36.30	13.04	32.61	336	360 AVERAGE	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>87.90</td><td>-----</td><td>-----</td><td>71.49</td><td>36.24</td><td>12.65</td><td>32.48</td><td>336</td><td>360 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7095.00	87.90	-----	-----	71.49	36.24	12.65	32.48	336	360 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7200.04	45.95	68.20	-22.25	29.23	36.28	13.00	32.56	336	360 AVERAGE																																																																																			
2 7259.22	45.94	54.00	-8.06	29.21	36.30	13.04	32.61	336	360 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7095.00	87.90	-----	-----	71.49	36.24	12.65	32.48	336	360 AVERAGE																																																																																			







Mode	174	
	Band Edge	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU 106+26/54+4_7095MHz	
ANT	CDD 5+6	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2023-12-06 </	



Mode	174																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU 106+26/54+4_7095MHz																																																																																																	
ANT	CDD 5+6																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	Date: 2023-12-06 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.72</td><td>55.34</td><td>88.20</td><td>-32.86</td><td>38.61</td><td>36.29</td><td>13.01</td><td>32.57</td><td>320</td><td>351</td><td>PEAK</td></tr><tr><td>2</td><td>7331.31</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>39.55</td><td>36.33</td><td>13.09</td><td>32.67</td><td>320</td><td>351</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7214.72	55.34	88.20	-32.86	38.61	36.29	13.01	32.57	320	351	PEAK	2	7331.31	56.30	74.00	-17.70	39.55	36.33	13.09	32.67	320	351	PEAK	Date: 2023-12-06 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.78</td><td>-----</td><td>-----</td><td>81.37</td><td>36.24</td><td>12.65</td><td>32.48</td><td>320</td><td>351</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.78	-----	-----	81.37	36.24	12.65	32.48	320	351	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7214.72	55.34	88.20	-32.86	38.61	36.29	13.01	32.57	320	351	PEAK																																																																																							
2	7331.31	56.30	74.00	-17.70	39.55	36.33	13.09	32.67	320	351	PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	97.78	-----	-----	81.37	36.24	12.65	32.48	320	351	PEAK																																																																																							
Avg	Date: 2023-12-06 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7169.33</td><td>46.00</td><td>68.20</td><td>-22.20</td><td>29.38</td><td>36.27</td><td>12.89</td><td>32.54</td><td>320</td><td>351</td><td>AVERAGE</td></tr><tr><td>2</td><td>7288.15</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>29.22</td><td>36.32</td><td>13.06</td><td>32.63</td><td>320</td><td>351</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7169.33	46.00	68.20	-22.20	29.38	36.27	12.89	32.54	320	351	AVERAGE	2	7288.15	45.97	54.00	-8.03	29.22	36.32	13.06	32.63	320	351	AVERAGE	Date: 2023-12-06 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.78</td><td>-----</td><td>-----</td><td>73.37</td><td>36.24</td><td>12.65</td><td>32.48</td><td>320</td><td>351</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	89.78	-----	-----	73.37	36.24	12.65	32.48	320	351	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7169.33	46.00	68.20	-22.20	29.38	36.27	12.89	32.54	320	351	AVERAGE																																																																																							
2	7288.15	45.97	54.00	-8.03	29.22	36.32	13.06	32.63	320	351	AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	89.78	-----	-----	73.37	36.24	12.65	32.48	320	351	AVERAGE																																																																																							







		175																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242_①_5985MHz																																																																																
ANT		CDD 6+5																																																																																
Pol.		Horizontal					Fundamental																																																																											
Peak	 Date: 2023-11-08 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5913.16</td><td>54.77</td><td>88.20 -33.43</td><td>40.50</td><td>35.38</td><td>11.42</td><td>32.53</td><td>296</td><td>66 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5913.16	54.77	88.20 -33.43	40.50	35.38	11.42	32.53	296	66 PEAK	 Date: 2023-11-08 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>98.97</td><td>-----</td><td>84.77</td><td>35.47</td><td>11.31</td><td>32.58</td><td>296</td><td>66 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5985.00	98.97	-----	84.77	35.47	11.31	32.58	296	66 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 5913.16	54.77	88.20 -33.43	40.50	35.38	11.42	32.53	296	66 PEAK																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 5985.00	98.97	-----	84.77	35.47	11.31	32.58	296	66 PEAK																																																																										
Avg	 Date: 2023-11-08 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5920.20</td><td>43.68</td><td>68.20 -24.52</td><td>29.42</td><td>35.39</td><td>11.41</td><td>32.54</td><td>296</td><td>66 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5920.20	43.68	68.20 -24.52	29.42	35.39	11.41	32.54	296	66 AVERAGE	 Date: 2023-11-08 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>89.36</td><td>-----</td><td>75.14</td><td>35.44</td><td>11.35</td><td>32.57</td><td>296</td><td>66 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5985.00	89.36	-----	75.14	35.44	11.35	32.57	296	66 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 5920.20	43.68	68.20 -24.52	29.42	35.39	11.41	32.54	296	66 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 5985.00	89.36	-----	75.14	35.44	11.35	32.57	296	66 AVERAGE																																																																										



Mode	175																																																																																		
	Band Edge																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242_①_5985MHz																																																																																		
ANT	CDD 6+5																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UIN)_6E <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5918.12</td><td>53.07</td><td>88.20</td><td>-35.13</td><td>38.80</td><td>35.39</td><td>11.42</td><td>32.54</td><td>311</td><td>106</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5918.12	53.07	88.20	-35.13	38.80	35.39	11.42	32.54	311	106	PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UIN)_6E <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>97.43</td><td>-----</td><td>-----</td><td>83.24</td><td>35.49</td><td>11.29</td><td>32.59</td><td>311</td><td>106</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5985.00	97.43	-----	-----	83.24	35.49	11.29	32.59	311	106	PEAK
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5918.12	53.07	88.20	-35.13	38.80	35.39	11.42	32.54	311	106	PEAK																																																																								
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	97.43	-----	-----	83.24	35.49	11.29	32.59	311	106	PEAK																																																																								
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(UIN)_6E <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5910.76</td><td>43.67</td><td>68.20</td><td>-24.53</td><td>29.39</td><td>35.38</td><td>11.43</td><td>32.53</td><td>311</td><td>106</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5910.76	43.67	68.20	-24.53	29.39	35.38	11.43	32.53	311	106	AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(UIN)_6E <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>88.57</td><td>-----</td><td>-----</td><td>74.35</td><td>35.44</td><td>11.35</td><td>32.57</td><td>311</td><td>106</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5985.00	88.57	-----	-----	74.35	35.44	11.35	32.57	311	106	AVERAGE
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5910.76	43.67	68.20	-24.53	29.39	35.38	11.43	32.53	311	106	AVERAGE																																																																								
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	88.57	-----	-----	74.35	35.44	11.35	32.57	311	106	AVERAGE																																																																								







Mode	176																																																																																																													
	Band Edge																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_2_7025MHz																																																																																																													
ANT	CDD 5+6																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7146.33</td><td>55.83</td><td>88.20</td><td>-32.37</td><td>39.28</td><td>36.26</td><td>12.81</td><td>32.52</td><td>106</td><td>111 PEAK</td></tr><tr><td>2</td><td>7254.01</td><td>55.14</td><td>74.00</td><td>-18.86</td><td>38.41</td><td>36.30</td><td>13.04</td><td>32.61</td><td>106</td><td>111 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7146.33	55.83	88.20	-32.37	39.28	36.26	12.81	32.52	106	111 PEAK	2	7254.01	55.14	74.00	-18.86	38.41	36.30	13.04	32.61	106	111 PEAK	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>91.28</td><td>-----</td><td>-----</td><td>75.19</td><td>36.20</td><td>12.30</td><td>32.41</td><td>106</td><td>111 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7025.00	91.28	-----	-----	75.19	36.20	12.30	32.41	106	111 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7146.33	55.83	88.20	-32.37	39.28	36.26	12.81	32.52	106	111 PEAK																																																																																																				
2	7254.01	55.14	74.00	-18.86	38.41	36.30	13.04	32.61	106	111 PEAK																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7025.00	91.28	-----	-----	75.19	36.20	12.30	32.41	106	111 PEAK																																																																																																				
Avg	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.16</td><td>46.11</td><td>68.20</td><td>-22.09</td><td>29.63</td><td>36.25</td><td>12.73</td><td>32.50</td><td>106</td><td>111 AVERAGE</td></tr><tr><td>2</td><td>7252.91</td><td>45.88</td><td>54.00</td><td>-8.12</td><td>29.14</td><td>36.30</td><td>13.04</td><td>32.60</td><td>106</td><td>111 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7125.16	46.11	68.20	-22.09	29.63	36.25	12.73	32.50	106	111 AVERAGE	2	7252.91	45.88	54.00	-8.12	29.14	36.30	13.04	32.60	106	111 AVERAGE	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>83.07</td><td>-----</td><td>-----</td><td>66.98</td><td>36.20</td><td>12.30</td><td>32.41</td><td>106</td><td>111 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7025.00	83.07	-----	-----	66.98	36.20	12.30	32.41	106	111 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.16	46.11	68.20	-22.09	29.63	36.25	12.73	32.50	106	111 AVERAGE																																																																																																				
2	7252.91	45.88	54.00	-8.12	29.14	36.30	13.04	32.60	106	111 AVERAGE																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7025.00	83.07	-----	-----	66.98	36.20	12.30	32.41	106	111 AVERAGE																																																																																																				







Mode	176																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_2_7025MHz																																																																																														
ANT	CDD 5+6																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2023-12-06 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.99</td><td>66.61</td><td>88.20</td><td>-21.59</td><td>50.13</td><td>36.25</td><td>12.74</td><td>32.51</td><td>100</td><td>55 PEAK</td></tr><tr><td>2</td><td>7289.41</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>39.24</td><td>36.32</td><td>13.06</td><td>32.63</td><td>100</td><td>55 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7126.99	66.61	88.20	-21.59	50.13	36.25	12.74	32.51	100	55 PEAK	2	7289.41	55.99	74.00	-18.01	39.24	36.32	13.06	32.63	100	55 PEAK	Level (dBuV/m) Date: 2023-12-06 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>102.31</td><td>-----</td><td>-----</td><td>86.15</td><td>36.21</td><td>12.38</td><td>32.43</td><td>100</td><td>55 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	102.31	-----	-----	86.15	36.21	12.38	32.43	100	55 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7126.99	66.61	88.20	-21.59	50.13	36.25	12.74	32.51	100	55 PEAK																																																																																					
2	7289.41	55.99	74.00	-18.01	39.24	36.32	13.06	32.63	100	55 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7025.00	102.31	-----	-----	86.15	36.21	12.38	32.43	100	55 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2023-12-06 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.26</td><td>54.04</td><td>68.20</td><td>-14.16</td><td>37.55</td><td>36.25</td><td>12.74</td><td>32.50</td><td>100</td><td>55 AVERAGE</td></tr><tr><td>2</td><td>7253.64</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>29.13</td><td>36.30</td><td>13.04</td><td>32.60</td><td>100</td><td>55 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7126.26	54.04	68.20	-14.16	37.55	36.25	12.74	32.50	100	55 AVERAGE	2	7253.64	45.87	54.00	-8.13	29.13	36.30	13.04	32.60	100	55 AVERAGE	Level (dBuV/m) Date: 2023-12-06 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>91.35</td><td>-----</td><td>-----</td><td>75.12</td><td>36.22</td><td>12.45</td><td>32.44</td><td>100</td><td>55 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	91.35	-----	-----	75.12	36.22	12.45	32.44	100	55 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7126.26	54.04	68.20	-14.16	37.55	36.25	12.74	32.50	100	55 AVERAGE																																																																																					
2	7253.64	45.87	54.00	-8.13	29.13	36.30	13.04	32.60	100	55 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7025.00	91.35	-----	-----	75.12	36.22	12.45	32.44	100	55 AVERAGE																																																																																					



	177																																									
Mode	Band Edge																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_①_6025MHz																																									
ANT	CDD 6+5																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2023-11-08  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.68</td><td>68.93</td><td>88.20</td><td>-19.27</td><td>54.68</td><td>35.39</td><td>11.40</td><td>32.54</td><td>297</td><td>64 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.68	68.93	88.20	-19.27	54.68	35.39	11.40	32.54	297	64 PEAK	Date: 2023-11-08  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>99.27</td><td>-----</td><td>-----</td><td>85.06</td><td>35.50</td><td>11.31</td><td>32.60</td><td>297</td><td>64 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6025.00	99.27	-----	-----	85.06	35.50	11.31	32.60	297	64 PEAK
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																
1 5924.68	68.93	88.20	-19.27	54.68	35.39	11.40	32.54	297	64 PEAK																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1 6025.00	99.27	-----	-----	85.06	35.50	11.31	32.60	297	64 PEAK																																	
Avg	Date: 2023-11-08  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.96</td><td>51.64</td><td>68.20</td><td>-16.56</td><td>37.39</td><td>35.39</td><td>11.40</td><td>32.54</td><td>297</td><td>64 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.96	51.64	68.20	-16.56	37.39	35.39	11.40	32.54	297	64 AVERAGE	Date: 2023-11-08  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>89.32</td><td>-----</td><td>-----</td><td>75.02</td><td>35.51</td><td>11.39</td><td>32.60</td><td>297</td><td>64 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6025.00	89.32	-----	-----	75.02	35.51	11.39	32.60	297	64 AVERAGE
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																
1 5924.96	51.64	68.20	-16.56	37.39	35.39	11.40	32.54	297	64 AVERAGE																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1 6025.00	89.32	-----	-----	75.02	35.51	11.39	32.60	297	64 AVERAGE																																	



Mode	177																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_①_6025MHz																																																																																													
ANT	CDD 6+5																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5870.92</td><td>68.72</td><td>88.20</td><td>-19.48</td><td>54.41</td><td>35.32</td><td>11.49</td><td>32.50</td><td>306</td><td>108</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5870.92	68.72	88.20	-19.48	54.41	35.32	11.49	32.50	306	108	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>98.84</td><td>-----</td><td>-----</td><td>84.45</td><td>35.53</td><td>11.46</td><td>32.60</td><td>306</td><td>108</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.84	-----	-----	84.45	35.53	11.46	32.60	306	108
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5870.92	68.72	88.20	-19.48	54.41	35.32	11.49	32.50	306	108	PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6025.00	98.84	-----	-----	84.45	35.53	11.46	32.60	306	108	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5872.04</td><td>49.81</td><td>68.20</td><td>-18.39</td><td>35.50</td><td>35.32</td><td>11.49</td><td>32.50</td><td>306</td><td>108</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5872.04	49.81	68.20	-18.39	35.50	35.32	11.49	32.50	306	108	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>88.61</td><td>-----</td><td>-----</td><td>74.22</td><td>35.53</td><td>11.46</td><td>32.60</td><td>306</td><td>108</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.61	-----	-----	74.22	35.53	11.46	32.60	306	108
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5872.04	49.81	68.20	-18.39	35.50	35.32	11.49	32.50	306	108	AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6025.00	88.61	-----	-----	74.22	35.53	11.46	32.60	306	108	AVERAGE																																																																																			