











		178																																																																																																						
Mode		Band Edge																																																																																																						
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_3_6985MHz																																																																																																						
ANT		CDD 5+6																																																																																																						
Pol.		Horizontal					Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7132.50</td><td>58.21</td><td>88.20</td><td>-29.99</td><td>41.71</td><td>36.25</td><td>12.76</td><td>32.51</td><td>100</td><td>231 PEAK</td></tr><tr><td>2</td><td>7272.50</td><td>55.62</td><td>74.00</td><td>-18.38</td><td>38.88</td><td>36.31</td><td>13.05</td><td>32.62</td><td>100</td><td>231 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7132.50	58.21	88.20	-29.99	41.71	36.25	12.76	32.51	100	231 PEAK	2	7272.50	55.62	74.00	-18.38	38.88	36.31	13.05	32.62	100	231 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>87.40</td><td>-----</td><td>-----</td><td>71.41</td><td>36.17</td><td>12.24</td><td>32.42</td><td>100</td><td>231 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	87.40	-----	-----	71.41	36.17	12.24	32.42	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7132.50	58.21	88.20	-29.99	41.71	36.25	12.76	32.51	100	231 PEAK																																																																																														
2	7272.50	55.62	74.00	-18.38	38.88	36.31	13.05	32.62	100	231 PEAK																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	87.40	-----	-----	71.41	36.17	12.24	32.42	100	231 PEAK																																																																																														
Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7132.50</td><td>46.55</td><td>68.20</td><td>-21.65</td><td>30.05</td><td>36.25</td><td>12.76</td><td>32.51</td><td>100</td><td>231 AVERAGE</td></tr><tr><td>2</td><td>7287.50</td><td>46.32</td><td>54.00</td><td>-7.68</td><td>29.58</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100</td><td>231 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7132.50	46.55	68.20	-21.65	30.05	36.25	12.76	32.51	100	231 AVERAGE	2	7287.50	46.32	54.00	-7.68	29.58	36.31	13.06	32.63	100	231 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>79.22</td><td>-----</td><td>-----</td><td>63.20</td><td>36.18</td><td>12.25</td><td>32.41</td><td>100</td><td>231 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	79.22	-----	-----	63.20	36.18	12.25	32.41	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7132.50	46.55	68.20	-21.65	30.05	36.25	12.76	32.51	100	231 AVERAGE																																																																																														
2	7287.50	46.32	54.00	-7.68	29.58	36.31	13.06	32.63	100	231 AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	79.22	-----	-----	63.20	36.18	12.25	32.41	100	231 AVERAGE																																																																																														



Mode	178																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_3_6985MHz																																																																																																		
ANT	CDD 5+6																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak	Date: 2023-12-06 					Date: 2023-12-06 																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7141.88</td><td>58.46</td><td>88.20</td><td>-29.74</td><td>41.93</td><td>36.26</td><td>12.79</td><td>32.52</td><td>100</td><td>174 PEAK</td></tr><tr><td>2 7315.00</td><td>56.51</td><td>74.00</td><td>-17.49</td><td>39.75</td><td>36.33</td><td>13.08</td><td>32.65</td><td>100</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7141.88	58.46	88.20	-29.74	41.93	36.26	12.79	32.52	100	174 PEAK	2 7315.00	56.51	74.00	-17.49	39.75	36.33	13.08	32.65	100	174 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>92.19</td><td>-----</td><td>-----</td><td>76.16</td><td>36.18</td><td>12.26</td><td>32.41</td><td>100</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6985.00	92.19	-----	-----	76.16	36.18	12.26	32.41	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7141.88	58.46	88.20	-29.74	41.93	36.26	12.79	32.52	100	174 PEAK																																																																																										
2 7315.00	56.51	74.00	-17.49	39.75	36.33	13.08	32.65	100	174 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 6985.00	92.19	-----	-----	76.16	36.18	12.26	32.41	100	174 PEAK																																																																																										
Avg	Date: 2023-12-06 					Date: 2023-12-06 																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7141.25</td><td>46.98</td><td>68.20</td><td>-21.22</td><td>30.45</td><td>36.26</td><td>12.79</td><td>32.52</td><td>100</td><td>174 AVERAGE</td></tr><tr><td>2 7298.75</td><td>46.35</td><td>54.00</td><td>-7.65</td><td>29.60</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7141.25	46.98	68.20	-21.22	30.45	36.26	12.79	32.52	100	174 AVERAGE	2 7298.75	46.35	54.00	-7.65	29.60	36.32	13.07	32.64	100	174 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>83.65</td><td>-----</td><td>-----</td><td>67.63</td><td>36.18</td><td>12.25</td><td>32.41</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6985.00	83.65	-----	-----	67.63	36.18	12.25	32.41	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7141.25	46.98	68.20	-21.22	30.45	36.26	12.79	32.52	100	174 AVERAGE																																																																																										
2 7298.75	46.35	54.00	-7.65	29.60	36.32	13.07	32.64	100	174 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 6985.00	83.65	-----	-----	67.63	36.18	12.25	32.41	100	174 AVERAGE																																																																																										







Mode	179																																																																																
	Band Edge - L																																																																																
	U-NII-5 5.925-6.425 802.11be EHT320_CH31_Large RU 996*2+484 ⑥ 6025MHz																																																																																
ANT	CDD 6+5																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5500 5653. 5806. 5959. 6112. 6265 Frequency (MHz) PEAK_BE(UINI)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.46</td><td>69.07</td><td>88.20</td><td>-19.13</td><td>54.70</td><td>34.98</td><td>11.70</td><td>32.31</td><td>297 66 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5625.46	69.07	88.20	-19.13	54.70	34.98	11.70	32.31	297 66 PEAK	Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(UINI)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>95.26</td><td>-----</td><td>80.96</td><td>35.51</td><td>11.39</td><td>32.60</td><td>297 66 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	95.26	-----	80.96	35.51	11.39	32.60	297 66 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5625.46	69.07	88.20	-19.13	54.70	34.98	11.70	32.31	297 66 PEAK																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	95.26	-----	80.96	35.51	11.39	32.60	297 66 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5500 5653. 5806. 5959. 6112. 6265 Frequency (MHz) AVG_BE(UINI)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.70</td><td>52.06</td><td>68.20</td><td>-16.14</td><td>37.70</td><td>34.97</td><td>11.70</td><td>32.31</td><td>297 66 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5624.70	52.06	68.20	-16.14	37.70	34.97	11.70	32.31	297 66 AVERAGE	Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(UINI)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>84.80</td><td>-----</td><td>70.50</td><td>35.51</td><td>11.39</td><td>32.60</td><td>297 66 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.80	-----	70.50	35.51	11.39	32.60	297 66 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5624.70	52.06	68.20	-16.14	37.70	34.97	11.70	32.31	297 66 AVERAGE																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	84.80	-----	70.50	35.51	11.39	32.60	297 66 AVERAGE																																																																									



Mode	179																																																																			
	Band Edge - L																																																																			
	U-NII-5 5.925-6.425 802.11be EHT320_CH31_Large RU 996*2+484 ⑥ 6025MHz																																																																			
ANT	CDD 6+5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5624.70</td><td>65.38</td><td>88.20</td><td>-22.82</td><td>51.02</td><td>34.97</td><td>11.70</td><td>32.31</td><td>300</td><td>105</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5624.70	65.38	88.20	-22.82	51.02	34.97	11.70	32.31	300	105	PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6105.00</td><td>93.39</td><td>-----</td><td>-----</td><td>78.69</td><td>35.58</td><td>11.72</td><td>32.60</td><td>300</td><td>105</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	93.39	-----	-----	78.69	35.58	11.72	32.60	300	105	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5624.70	65.38	88.20	-22.82	51.02	34.97	11.70	32.31	300	105	PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 6105.00	93.39	-----	-----	78.69	35.58	11.72	32.60	300	105	PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5624.70</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>34.22</td><td>34.97</td><td>11.70</td><td>32.31</td><td>300</td><td>105</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5624.70	48.58	68.20	-19.62	34.22	34.97	11.70	32.31	300	105	AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6105.00</td><td>85.32</td><td>-----</td><td>-----</td><td>70.62</td><td>35.58</td><td>11.72</td><td>32.60</td><td>300</td><td>105</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	85.32	-----	-----	70.62	35.58	11.72	32.60	300	105	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5624.70	48.58	68.20	-19.62	34.22	34.97	11.70	32.31	300	105	AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 6105.00	85.32	-----	-----	70.62	35.58	11.72	32.60	300	105	AVERAGE																																																										



		180																																																																																											
Mode		Band Edge																																																																																											
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*2+484_6_6905MHz																																																																																											
ANT		CDD 5+6																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak																																																																																													
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7218.11	56.38	88.20	-31.82	39.66	36.29	13.01	32.58	100	229 PEAK	2	7287.08	55.95	74.00	-18.05	39.21	36.31	13.06	32.63	100	229 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>81.79</td><td>-----</td><td>-----</td><td>66.00</td><td>36.12</td><td>12.12</td><td>32.45</td><td>100</td><td>229 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	81.79	-----	-----	66.00	36.12	12.12	32.45	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7218.11	56.38	88.20	-31.82	39.66	36.29	13.01	32.58	100	229 PEAK																																																																																			
2	7287.08	55.95	74.00	-18.05	39.21	36.31	13.06	32.63	100	229 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	81.79	-----	-----	66.00	36.12	12.12	32.45	100	229 PEAK																																																																																			
Avg																																																																																													
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7204.80	46.97	68.20	-21.23	30.26	36.28	13.00	32.57	100	229 AVERAGE	2	7297.37	46.99	54.00	-7.01	30.24	36.32	13.07	32.64	100	229 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>72.27</td><td>-----</td><td>-----</td><td>56.37</td><td>36.15</td><td>12.18</td><td>32.43</td><td>100</td><td>229 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	72.27	-----	-----	56.37	36.15	12.18	32.43	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7204.80	46.97	68.20	-21.23	30.26	36.28	13.00	32.57	100	229 AVERAGE																																																																																			
2	7297.37	46.99	54.00	-7.01	30.24	36.32	13.07	32.64	100	229 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	72.27	-----	-----	56.37	36.15	12.18	32.43	100	229 AVERAGE																																																																																			



Mode	180																																																																																		
	Band Edge																																																																																		
	U-NII-8 6.875-7.125 802.11be EHT320_CH191_Large RU 996*2+484_6_6905MHz																																																																																		
ANT	CDD 5+6																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2023-12-06 PEAK_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7239.89</td><td>55.83</td><td>88.20</td><td>-32.37</td><td>39.09</td><td>36.30</td><td>13.03</td><td>32.59</td><td>100</td></tr><tr><td>2 7289.50</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>39.59</td><td>36.32</td><td>13.06</td><td>32.63</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1 7239.89	55.83	88.20	-32.37	39.09	36.30	13.03	32.59	100	2 7289.50	56.34	74.00	-17.66	39.59	36.32	13.06	32.63	100	Level (dBuV/m) Date: 2023-12-06 PEAK_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6905.00</td><td>87.17</td><td>-----</td><td>-----</td><td>71.38</td><td>36.12</td><td>12.12</td><td>32.45</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1 6905.00	87.17	-----	-----	71.38	36.12	12.12	32.45	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																											
1 7239.89	55.83	88.20	-32.37	39.09	36.30	13.03	32.59	100																																																																											
2 7289.50	56.34	74.00	-17.66	39.59	36.32	13.06	32.63	100																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																											
1 6905.00	87.17	-----	-----	71.38	36.12	12.12	32.45	100																																																																											
Avg	Level (dBuV/m) Date: 2023-12-06 AVG_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7212.06</td><td>47.19</td><td>68.20</td><td>-21.01</td><td>30.47</td><td>36.28</td><td>13.01</td><td>32.57</td><td>100</td></tr><tr><td>2 7253.81</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>30.26</td><td>36.30</td><td>13.04</td><td>32.60</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1 7212.06	47.19	68.20	-21.01	30.47	36.28	13.01	32.57	100	2 7253.81	47.00	54.00	-7.00	30.26	36.30	13.04	32.60	100	Level (dBuV/m) Date: 2023-12-06 AVG_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6905.00</td><td>78.04</td><td>-----</td><td>-----</td><td>62.14</td><td>36.15</td><td>12.18</td><td>32.43</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1 6905.00	78.04	-----	-----	62.14	36.15	12.18	32.43	100
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																											
1 7212.06	47.19	68.20	-21.01	30.47	36.28	13.01	32.57	100																																																																											
2 7253.81	47.00	54.00	-7.00	30.26	36.30	13.04	32.60	100																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																											
1 6905.00	78.04	-----	-----	62.14	36.15	12.18	32.43	100																																																																											



Mode	181																																																																																	
	Band Edge - L																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_ ④_6025MHz																																																																																	
ANT	CDD 6+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5781.52</td><td>64.27</td><td>88.20</td><td>-23.93</td><td>49.88</td><td>35.19</td><td>11.63</td><td>32.43</td><td>297 70 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5781.52	64.27	88.20	-23.93	49.88	35.19	11.63	32.43	297 70 PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>93.32</td><td>-----</td><td>-----</td><td>78.44</td><td>35.61</td><td>11.87</td><td>32.60</td><td>297 70 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.32	-----	-----	78.44	35.61	11.87	32.60	297 70 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5781.52	64.27	88.20	-23.93	49.88	35.19	11.63	32.43	297 70 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	93.32	-----	-----	78.44	35.61	11.87	32.60	297 70 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5781.52</td><td>51.53</td><td>68.20</td><td>-16.67</td><td>37.14</td><td>35.19</td><td>11.63</td><td>32.43</td><td>297 70 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5781.52	51.53	68.20	-16.67	37.14	35.19	11.63	32.43	297 70 AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>84.63</td><td>-----</td><td>-----</td><td>69.85</td><td>35.59</td><td>11.79</td><td>32.60</td><td>297 70 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.63	-----	-----	69.85	35.59	11.79	32.60	297 70 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5781.52	51.53	68.20	-16.67	37.14	35.19	11.63	32.43	297 70 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	84.63	-----	-----	69.85	35.59	11.79	32.60	297 70 AVERAGE																																																																									



Mode	181																																																																			
	Band Edge - L																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_ ④_6025MHz																																																																			
ANT	CDD 6+5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5625.46</td><td>65.44</td><td>88.20</td><td>-22.76</td><td>51.07</td><td>34.98</td><td>11.70</td><td>32.31</td><td>302</td><td>106</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5625.46	65.44	88.20	-22.76	51.07	34.98	11.70	32.31	302	106	PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6105.00</td><td>94.42</td><td>-----</td><td>-----</td><td>80.22</td><td>35.46</td><td>11.32</td><td>32.58</td><td>302</td><td>106</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	94.42	-----	-----	80.22	35.46	11.32	32.58	302	106	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5625.46	65.44	88.20	-22.76	51.07	34.98	11.70	32.31	302	106	PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 6105.00	94.42	-----	-----	80.22	35.46	11.32	32.58	302	106	PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5781.52</td><td>49.78</td><td>68.20</td><td>-18.42</td><td>35.39</td><td>35.19</td><td>11.63</td><td>32.43</td><td>302</td><td>106</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5781.52	49.78	68.20	-18.42	35.39	35.19	11.63	32.43	302	106	AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6105.00</td><td>85.22</td><td>-----</td><td>-----</td><td>70.64</td><td>35.56</td><td>11.62</td><td>32.60</td><td>302</td><td>106</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	85.22	-----	-----	70.64	35.56	11.62	32.60	302	106	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5781.52	49.78	68.20	-18.42	35.39	35.19	11.63	32.43	302	106	AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 6105.00	85.22	-----	-----	70.64	35.56	11.62	32.60	302	106	AVERAGE																																																										







	182																																																																																		
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3_4_6905MHz																																																																																		
ANT	CDD 5+6																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7220.53</td><td>56.60</td><td>88.20</td><td>-31.60</td><td>39.88</td><td>36.29</td><td>13.01</td><td>32.58</td><td>100</td></tr><tr><td>2 7314.31</td><td>55.58</td><td>74.00</td><td>-18.42</td><td>38.82</td><td>36.33</td><td>13.08</td><td>32.65</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7220.53	56.60	88.20	-31.60	39.88	36.29	13.01	32.58	100	2 7314.31	55.58	74.00	-18.42	38.82	36.33	13.08	32.65	100	Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6905.00</td><td>80.45</td><td>-----</td><td>-----</td><td>64.80</td><td>36.09</td><td>12.04</td><td>32.48</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 6905.00	80.45	-----	-----	64.80	36.09	12.04	32.48	100
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 7220.53	56.60	88.20	-31.60	39.88	36.29	13.01	32.58	100																																																																											
2 7314.31	55.58	74.00	-18.42	38.82	36.33	13.08	32.65	100																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 6905.00	80.45	-----	-----	64.80	36.09	12.04	32.48	100																																																																											
Avg	Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7201.78</td><td>46.88</td><td>68.20</td><td>-21.32</td><td>30.16</td><td>36.28</td><td>13.00</td><td>32.56</td><td>100</td></tr><tr><td>2 7254.41</td><td>47.05</td><td>54.00</td><td>-6.95</td><td>30.32</td><td>36.30</td><td>13.04</td><td>32.61</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7201.78	46.88	68.20	-21.32	30.16	36.28	13.00	32.56	100	2 7254.41	47.05	54.00	-6.95	30.32	36.30	13.04	32.61	100	Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6905.00</td><td>72.35</td><td>-----</td><td>-----</td><td>56.56</td><td>36.12</td><td>12.12</td><td>32.45</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 6905.00	72.35	-----	-----	56.56	36.12	12.12	32.45	100
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 7201.78	46.88	68.20	-21.32	30.16	36.28	13.00	32.56	100																																																																											
2 7254.41	47.05	54.00	-6.95	30.32	36.30	13.04	32.61	100																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 6905.00	72.35	-----	-----	56.56	36.12	12.12	32.45	100																																																																											







Mode	182																																																																																							
	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3_4_6905MHz																																																																																							
ANT	CDD 5+6																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNI)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7241.71</td><td>56.05</td><td>88.20</td><td>-32.15</td><td>39.32</td><td>36.30</td><td>13.03</td><td>32.60</td><td>390</td><td>177 PEAK</td></tr><tr><td>2 7326.41</td><td>56.44</td><td>74.00</td><td>-17.56</td><td>39.68</td><td>36.33</td><td>13.09</td><td>32.66</td><td>390</td><td>177 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7241.71	56.05	88.20	-32.15	39.32	36.30	13.03	32.60	390	177 PEAK	2 7326.41	56.44	74.00	-17.56	39.68	36.33	13.09	32.66	390	177 PEAK	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNI)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>90.17</td><td>-----</td><td>-----</td><td>74.38</td><td>36.12</td><td>12.12</td><td>32.45</td><td>390</td><td>177 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6905.00	90.17	-----	-----	74.38	36.12	12.12	32.45	390	177 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 7241.71	56.05	88.20	-32.15	39.32	36.30	13.03	32.60	390	177 PEAK																																																																															
2 7326.41	56.44	74.00	-17.56	39.68	36.33	13.09	32.66	390	177 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 6905.00	90.17	-----	-----	74.38	36.12	12.12	32.45	390	177 PEAK																																																																															
Avg	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) AVG_BE(UNI)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7204.20</td><td>46.82</td><td>68.20</td><td>-21.38</td><td>30.11</td><td>36.28</td><td>13.00</td><td>32.57</td><td>390</td><td>177 AVERAGE</td></tr><tr><td>2 7274.38</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>30.18</td><td>36.31</td><td>13.05</td><td>32.62</td><td>390</td><td>177 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7204.20	46.82	68.20	-21.38	30.11	36.28	13.00	32.57	390	177 AVERAGE	2 7274.38	46.92	54.00	-7.08	30.18	36.31	13.05	32.62	390	177 AVERAGE	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) AVG_BE(UNI)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>80.38</td><td>-----</td><td>-----</td><td>64.64</td><td>36.11</td><td>12.09</td><td>32.46</td><td>390</td><td>177 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6905.00	80.38	-----	-----	64.64	36.11	12.09	32.46	390	177 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 7204.20	46.82	68.20	-21.38	30.11	36.28	13.00	32.57	390	177 AVERAGE																																																																															
2 7274.38	46.92	54.00	-7.08	30.18	36.31	13.05	32.62	390	177 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1 6905.00	80.38	-----	-----	64.64	36.11	12.09	32.46	390	177 AVERAGE																																																																															



Mode	183																																																																																			
	Band Edge - L																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_⑧_6025MHz																																																																																			
ANT	CDD 6+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.46</td><td>67.80</td><td>88.20</td><td>-20.40</td><td>53.43</td><td>34.98</td><td>11.70</td><td>32.31</td><td>295</td><td>64 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5625.46	67.80	88.20	-20.40	53.43	34.98	11.70	32.31	295	64 PEAK	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>94.63</td><td>-----</td><td>-----</td><td>80.36</td><td>35.51</td><td>11.36</td><td>32.60</td><td>295</td><td>64 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	94.63	-----	-----	80.36	35.51	11.36	32.60	295	64 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5625.46	67.80	88.20	-20.40	53.43	34.98	11.70	32.31	295	64 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	94.63	-----	-----	80.36	35.51	11.36	32.60	295	64 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.70</td><td>51.06</td><td>68.20</td><td>-17.14</td><td>36.70</td><td>34.97</td><td>11.70</td><td>32.31</td><td>295</td><td>64 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5624.70	51.06	68.20	-17.14	36.70	34.97	11.70	32.31	295	64 AVERAGE	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>85.10</td><td>-----</td><td>-----</td><td>70.80</td><td>35.51</td><td>11.39</td><td>32.60</td><td>295</td><td>64 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	85.10	-----	-----	70.80	35.51	11.39	32.60	295	64 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5624.70	51.06	68.20	-17.14	36.70	34.97	11.70	32.31	295	64 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	85.10	-----	-----	70.80	35.51	11.39	32.60	295	64 AVERAGE																																																																										







Mode	183																																																																																														
	Band Edge - L																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484 ⑧_6025MHz																																																																																														
ANT	CDD 6+5																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.46</td><td>68.37</td><td>88.20</td><td>-19.83</td><td>54.00</td><td>34.98</td><td>11.70</td><td>32.31</td><td>315</td><td>108</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5625.46	68.37	88.20	-19.83	54.00	34.98	11.70	32.31	315	108	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>93.50</td><td>-----</td><td>-----</td><td>79.20</td><td>35.51</td><td>11.39</td><td>32.60</td><td>315</td><td>108</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.50	-----	-----	79.20	35.51	11.39	32.60	315	108
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5625.46	68.37	88.20	-19.83	54.00	34.98	11.70	32.31	315	108	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6105.00	93.50	-----	-----	79.20	35.51	11.39	32.60	315	108	PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.70</td><td>51.51</td><td>68.20</td><td>-16.69</td><td>37.15</td><td>34.97</td><td>11.70</td><td>32.31</td><td>315</td><td>108</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5624.70	51.51	68.20	-16.69	37.15	34.97	11.70	32.31	315	108	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>85.02</td><td>-----</td><td>-----</td><td>70.36</td><td>35.57</td><td>11.69</td><td>32.60</td><td>315</td><td>108</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	85.02	-----	-----	70.36	35.57	11.69	32.60	315	108
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5624.70	51.51	68.20	-16.69	37.15	34.97	11.70	32.31	315	108	AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6105.00	85.02	-----	-----	70.36	35.57	11.69	32.60	315	108	AVERAGE																																																																																				







Mode	184																																																																																					
	Band Edge																																																																																					
	U-NII-8 6.875-7.125 802.11be EHT320_CH191_Large RU 996*3+484_5_6905MHz																																																																																					
ANT	CDD 5+6																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7134.62</td><td>55.23</td><td>88.20</td><td>-32.97</td><td>38.72</td><td>36.25</td><td>12.77</td><td>32.51</td><td>100 123 PEAK</td></tr><tr><td>2</td><td>7280.43</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>38.60</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100 123 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7134.62	55.23	88.20	-32.97	38.72	36.25	12.77	32.51	100 123 PEAK	2	7280.43	55.34	74.00	-18.66	38.60	36.31	13.06	32.63	100 123 PEAK	Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>79.90</td><td>-----</td><td>-----</td><td>64.11</td><td>36.12</td><td>12.12</td><td>32.45</td><td>100 123 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.90	-----	-----	64.11	36.12	12.12	32.45	100 123 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7134.62	55.23	88.20	-32.97	38.72	36.25	12.77	32.51	100 123 PEAK																																																																													
2	7280.43	55.34	74.00	-18.66	38.60	36.31	13.06	32.63	100 123 PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6905.00	79.90	-----	-----	64.11	36.12	12.12	32.45	100 123 PEAK																																																																													
Avg	Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.03</td><td>46.87</td><td>68.20</td><td>-21.33</td><td>30.15</td><td>36.29</td><td>13.02</td><td>32.59</td><td>100 123 AVERAGE</td></tr><tr><td>2</td><td>7294.34</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>30.24</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100 123 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7232.03	46.87	68.20	-21.33	30.15	36.29	13.02	32.59	100 123 AVERAGE	2	7294.34	46.99	54.00	-7.01	30.24	36.32	13.07	32.64	100 123 AVERAGE	Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>71.29</td><td>-----</td><td>-----</td><td>55.50</td><td>36.12</td><td>12.12</td><td>32.45</td><td>100 123 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	71.29	-----	-----	55.50	36.12	12.12	32.45	100 123 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7232.03	46.87	68.20	-21.33	30.15	36.29	13.02	32.59	100 123 AVERAGE																																																																													
2	7294.34	46.99	54.00	-7.01	30.24	36.32	13.07	32.64	100 123 AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6905.00	71.29	-----	-----	55.50	36.12	12.12	32.45	100 123 AVERAGE																																																																													



		184																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484_5_6905MHz																																																																																																	
ANT		CDD 5+6																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7205.41</td><td>56.51</td><td>88.20</td><td>-31.69</td><td>39.80</td><td>36.28</td><td>13.00</td><td>32.57</td><td>100 173 PEAK</td></tr><tr><td>2</td><td>7276.80</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>38.90</td><td>36.31</td><td>13.05</td><td>32.62</td><td>100 173 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7205.41	56.51	88.20	-31.69	39.80	36.28	13.00	32.57	100 173 PEAK	2	7276.80	55.64	74.00	-18.36	38.90	36.31	13.05	32.62	100 173 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>85.52</td><td>-----</td><td>-----</td><td>69.73</td><td>36.12</td><td>12.12</td><td>32.45</td><td>100 173 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	85.52	-----	-----	69.73	36.12	12.12	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7205.41	56.51	88.20	-31.69	39.80	36.28	13.00	32.57	100 173 PEAK																																																																																										
2	7276.80	55.64	74.00	-18.36	38.90	36.31	13.05	32.62	100 173 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	85.52	-----	-----	69.73	36.12	12.12	32.45	100 173 PEAK																																																																																										
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7216.30</td><td>47.04</td><td>68.20</td><td>-21.16</td><td>30.32</td><td>36.29</td><td>13.01</td><td>32.58</td><td>100 173 AVERAGE</td></tr><tr><td>2</td><td>7289.50</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>30.17</td><td>36.32</td><td>13.06</td><td>32.63</td><td>100 173 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7216.30	47.04	68.20	-21.16	30.32	36.29	13.01	32.58	100 173 AVERAGE	2	7289.50	46.92	54.00	-7.08	30.17	36.32	13.06	32.63	100 173 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>77.08</td><td>-----</td><td>-----</td><td>61.29</td><td>36.12</td><td>12.12</td><td>32.45</td><td>100 173 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.08	-----	-----	61.29	36.12	12.12	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7216.30	47.04	68.20	-21.16	30.32	36.29	13.01	32.58	100 173 AVERAGE																																																																																										
2	7289.50	46.92	54.00	-7.08	30.17	36.32	13.06	32.63	100 173 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	77.08	-----	-----	61.29	36.12	12.12	32.45	100 173 AVERAGE																																																																																										



		185																																																																																		
Mode		Band Edge																																																																																		
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M_①_5985MHz																																																																																		
ANT		CDD 6+5																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5865 5897 5929 5961 5993 6025 Frequency (MHz) PEAK_BE(U)NII_6E					 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) PEAK_BE(U)NII_6E																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.60	52.89	88.20	-35.31	38.62	35.37	11.43	32.53	294 66 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	98.95	-----	-----	84.71	35.43	11.37	32.56	294 66 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5910.60	52.89	88.20	-35.31	38.62	35.37	11.43	32.53	294 66 PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	98.95	-----	-----	84.71	35.43	11.37	32.56	294 66 PEAK																																																																											
Avg	 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5865 5897 5929 5961 5993 6025 Frequency (MHz) AVG_BE(U)NII_6E					 Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) AVG_BE(U)NII_6E																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5908.84	43.45	68.20	-24.75	29.18	35.37	11.43	32.53	294 66 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.78	-----	-----	74.56	35.44	11.35	32.57	294 66 AVERAGE				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5908.84	43.45	68.20	-24.75	29.18	35.37	11.43	32.53	294 66 AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	88.78	-----	-----	74.56	35.44	11.35	32.57	294 66 AVERAGE																																																																											







Mode	185																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M Puncturing 20M_①_5985MHz																																																																									
ANT	CDD 6+5																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Date: 2023-11-08 Level (dBuV/m) Frequency (MHz) PEAK_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5899.08</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>39.27</td><td>35.36</td><td>11.45</td><td>32.52</td><td>316 101 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5899.08	53.56	88.20	-34.64	39.27	35.36	11.45	32.52	316 101 PEAK	Date: 2023-11-08 Level (dBuV/m) Frequency (MHz) PEAK_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>98.41</td><td>-----</td><td>-----</td><td>84.17</td><td>35.43</td><td>11.37</td><td>32.56</td><td>316 101 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	98.41	-----	-----	84.17	35.43	11.37	32.56	316 101 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5899.08	53.56	88.20	-34.64	39.27	35.36	11.45	32.52	316 101 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	98.41	-----	-----	84.17	35.43	11.37	32.56	316 101 PEAK																																																																		
Avg	Date: 2023-11-08 Level (dBuV/m) Frequency (MHz) AVG_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5906.92</td><td>43.34</td><td>68.20</td><td>-24.86</td><td>29.07</td><td>35.37</td><td>11.43</td><td>32.53</td><td>316 101 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5906.92	43.34	68.20	-24.86	29.07	35.37	11.43	32.53	316 101 AVERAGE	Date: 2023-11-08 Level (dBuV/m) Frequency (MHz) AVG_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>87.97</td><td>-----</td><td>-----</td><td>73.73</td><td>35.43</td><td>11.37</td><td>32.56</td><td>316 101 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	87.97	-----	-----	73.73	35.43	11.37	32.56	316 101 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5906.92	43.34	68.20	-24.86	29.07	35.37	11.43	32.53	316 101 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	87.97	-----	-----	73.73	35.43	11.37	32.56	316 101 AVERAGE																																																																		



		186									
Mode		Band Edge									
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_1_7025MHz									
ANT		CDD 5+6									
Pol.		Horizontal					Fundamental				
Peak		Level (dBuV/m) Date: 2023-12-06 <									







Mode	186																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_1_7025MHz																																																																																																						
ANT	CDD 5+6																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	 Level (dBuV/m) Date: 2023-12-06 PEAK_BE(UNI)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7130.64</td><td>59.80</td><td>88.20</td><td>-28.40</td><td>43.31</td><td>36.25</td><td>12.75</td><td>32.51</td><td>100</td><td>53 PEAK</td></tr><tr><td>2</td><td>7253.64</td><td>55.77</td><td>74.00</td><td>-18.23</td><td>39.03</td><td>36.30</td><td>13.04</td><td>32.60</td><td>100</td><td>53 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7130.64	59.80	88.20	-28.40	43.31	36.25	12.75	32.51	100	53 PEAK	2	7253.64	55.77	74.00	-18.23	39.03	36.30	13.04	32.60	100	53 PEAK	 Level (dBuV/m) Date: 2023-12-06 PEAK_BE(UNI)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>98.26</td><td>-----</td><td>-----</td><td>82.15</td><td>36.20</td><td>12.32</td><td>32.41</td><td>100</td><td>53 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	98.26	-----	-----	82.15	36.20	12.32	32.41	100	53 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7130.64	59.80	88.20	-28.40	43.31	36.25	12.75	32.51	100	53 PEAK																																																																																													
2	7253.64	55.77	74.00	-18.23	39.03	36.30	13.04	32.60	100	53 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7025.00	98.26	-----	-----	82.15	36.20	12.32	32.41	100	53 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2023-12-06 AVG_BE(UNI)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7129.54</td><td>47.80</td><td>68.20</td><td>-20.40</td><td>31.31</td><td>36.25</td><td>12.75</td><td>32.51</td><td>100</td><td>53 AVERAGE</td></tr><tr><td>2</td><td>7331.75</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>29.18</td><td>36.33</td><td>13.09</td><td>32.67</td><td>100</td><td>53 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7129.54	47.80	68.20	-20.40	31.31	36.25	12.75	32.51	100	53 AVERAGE	2	7331.75	45.93	54.00	-8.07	29.18	36.33	13.09	32.67	100	53 AVERAGE	 Level (dBuV/m) Date: 2023-12-06 AVG_BE(UNI)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>89.17</td><td>-----</td><td>-----</td><td>73.06</td><td>36.20</td><td>12.32</td><td>32.41</td><td>100</td><td>53 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	89.17	-----	-----	73.06	36.20	12.32	32.41	100	53 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7129.54	47.80	68.20	-20.40	31.31	36.25	12.75	32.51	100	53 AVERAGE																																																																																													
2	7331.75	45.93	54.00	-8.07	29.18	36.33	13.09	32.67	100	53 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7025.00	89.17	-----	-----	73.06	36.20	12.32	32.41	100	53 AVERAGE																																																																																													







Mode	187									
	Band Edge									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M_①_6025MHz									
ANT	CDD 6+5									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-08 <									







		187																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M_①_6025MHz																																																																																								
ANT		CDD 6+5																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	 Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5872.88</td><td>70.26</td><td>88.20</td><td>-17.94</td><td>55.95</td><td>35.32</td><td>11.49</td><td>32.50</td><td>292</td><td>104</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5872.88	70.26	88.20	-17.94	55.95	35.32	11.49	32.50	292	104	PEAK	 Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>97.86</td><td>-----</td><td>-----</td><td>83.56</td><td>35.51</td><td>11.39</td><td>32.60</td><td>292</td><td>104</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.86	-----	-----	83.56	35.51	11.39	32.60	292	104	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5872.88	70.26	88.20	-17.94	55.95	35.32	11.49	32.50	292	104	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6025.00	97.86	-----	-----	83.56	35.51	11.39	32.60	292	104	PEAK																																																																															
Avg	 Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.32</td><td>52.60</td><td>68.20</td><td>-15.60</td><td>38.34</td><td>35.39</td><td>11.41</td><td>32.54</td><td>292</td><td>104</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5921.32	52.60	68.20	-15.60	38.34	35.39	11.41	32.54	292	104	AVERAGE	 Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>87.75</td><td>-----</td><td>-----</td><td>73.45</td><td>35.51</td><td>11.39</td><td>32.60</td><td>292</td><td>104</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	87.75	-----	-----	73.45	35.51	11.39	32.60	292	104	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5921.32	52.60	68.20	-15.60	38.34	35.39	11.41	32.54	292	104	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6025.00	87.75	-----	-----	73.45	35.51	11.39	32.60	292	104	AVERAGE																																																																															



Mode	188																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_1_6985MHz																																																																																																					
ANT	CDD 5+6																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.13</td><td>57.41</td><td>88.20</td><td>-30.79</td><td>40.91</td><td>36.25</td><td>12.76</td><td>32.51</td><td>100</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>7319.38</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>38.58</td><td>36.33</td><td>13.08</td><td>32.66</td><td>100</td><td>232</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7133.13	57.41	88.20	-30.79	40.91	36.25	12.76	32.51	100	232	PEAK	2	7319.38	55.33	74.00	-18.67	38.58	36.33	13.08	32.66	100	232	PEAK	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>87.20</td><td>-----</td><td>-----</td><td>71.12</td><td>36.19</td><td>12.29</td><td>32.40</td><td>100</td><td>232</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	87.20	-----	-----	71.12	36.19	12.29	32.40	100	232	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7133.13	57.41	88.20	-30.79	40.91	36.25	12.76	32.51	100	232	PEAK																																																																																											
2	7319.38	55.33	74.00	-18.67	38.58	36.33	13.08	32.66	100	232	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	87.20	-----	-----	71.12	36.19	12.29	32.40	100	232	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7131.25</td><td>46.80</td><td>68.20</td><td>-21.40</td><td>30.31</td><td>36.25</td><td>12.75</td><td>32.51</td><td>100</td><td>232</td><td>AVERAGE</td></tr><tr><td>2</td><td>7349.38</td><td>46.24</td><td>54.00</td><td>-7.76</td><td>29.47</td><td>36.34</td><td>13.11</td><td>32.68</td><td>100</td><td>232</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7131.25	46.80	68.20	-21.40	30.31	36.25	12.75	32.51	100	232	AVERAGE	2	7349.38	46.24	54.00	-7.76	29.47	36.34	13.11	32.68	100	232	AVERAGE	 Level (dBuV/m) Date: 2023-12-06 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>77.77</td><td>-----</td><td>-----</td><td>61.70</td><td>36.19</td><td>12.28</td><td>32.40</td><td>100</td><td>232</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	77.77	-----	-----	61.70	36.19	12.28	32.40	100	232	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7131.25	46.80	68.20	-21.40	30.31	36.25	12.75	32.51	100	232	AVERAGE																																																																																											
2	7349.38	46.24	54.00	-7.76	29.47	36.34	13.11	32.68	100	232	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	77.77	-----	-----	61.70	36.19	12.28	32.40	100	232	AVERAGE																																																																																											



		188																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_1_6985MHz																																																																																												
ANT		CDD 5+6																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak	 Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. The plot shows a blue trace with a peak at 7141.88 MHz and a red limit line at 122.5 dBuV/m. The x-axis ranges from 6725 to 7350 MHz, and the y-axis ranges from 0 to 140 dBuV/m.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. The plot shows a blue trace with a peak at 6985.00 MHz and a red limit line at 122.5 dBuV/m. The x-axis ranges from 1000 to 7200 MHz, and the y-axis ranges from 0 to 140 dBuV/m.																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7141.88	60.53	88.20	-27.67	44.00	36.26	12.79	32.52	100 174 PEAK	2	7343.13	56.26	74.00	-17.74	39.49	36.34	13.10	32.67	100 174 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	90.44	-----	-----	74.36	36.19	12.29	32.40	100 174 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7141.88	60.53	88.20	-27.67	44.00	36.26	12.79	32.52	100 174 PEAK																																																																																					
2	7343.13	56.26	74.00	-17.74	39.49	36.34	13.10	32.67	100 174 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6985.00	90.44	-----	-----	74.36	36.19	12.29	32.40	100 174 PEAK																																																																																					
Avg	 Level (dBuV/m) vs Frequency (MHz) for Vertical Average. The plot shows a blue trace with an average level at 7130.63 MHz and a red limit line at 122.5 dBuV/m. The x-axis ranges from 6725 to 7350 MHz, and the y-axis ranges from 0 to 140 dBuV/m.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. The plot shows a blue trace with an average level at 6985.00 MHz and a red limit line at 122.5 dBuV/m. The x-axis ranges from 1000 to 7200 MHz, and the y-axis ranges from 0 to 140 dBuV/m.																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7130.63	47.35	68.20	-20.85	30.86	36.25	12.75	32.51	100 174 AVERAGE	2	7277.50	46.25	54.00	-7.75	29.51	36.31	13.05	32.62	100 174 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	81.81	-----	-----	65.74	36.19	12.28	32.40	100 174 AVERAGE				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7130.63	47.35	68.20	-20.85	30.86	36.25	12.75	32.51	100 174 AVERAGE																																																																																					
2	7277.50	46.25	54.00	-7.75	29.51	36.31	13.05	32.62	100 174 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6985.00	81.81	-----	-----	65.74	36.19	12.28	32.40	100 174 AVERAGE																																																																																					







		189									
Mode		Band Edge									
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_⑧_6025MHz									
ANT		CDD 6+5									
Pol.		Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-08 <										







		189																																																																																	
Mode		Band Edge																																																																																	
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_⑧_6025MHz																																																																																	
ANT		CDD 6+5																																																																																	
Pol.		Vertical					Fundamental																																																																												
Peak		Level (dBuV/m) Date: 2023-11-08 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5921.32</td><td>71.70</td><td>88.20</td><td>-16.50</td><td>57.44</td><td>35.39</td><td>11.41</td><td>32.54</td><td>371</td><td>164</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2023-11-08 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>94.03</td><td>-----</td><td>-----</td><td>79.43</td><td>35.56</td><td>11.64</td><td>32.60</td><td>371</td><td>164</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5921.32	71.70	88.20	-16.50	57.44	35.39	11.41	32.54	371	164	PEAK		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	94.03	-----	-----	79.43	35.56	11.64	32.60	371	164	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5921.32	71.70	88.20	-16.50	57.44	35.39	11.41	32.54	371	164	PEAK																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6025.00	94.03	-----	-----	79.43	35.56	11.64	32.60	371	164	PEAK																																																																								
Avg		Level (dBuV/m) Date: 2023-11-08 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5921.04</td><td>55.16</td><td>68.20</td><td>-13.04</td><td>40.90</td><td>35.39</td><td>11.41</td><td>32.54</td><td>371</td><td>164</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2023-11-08 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>84.52</td><td>-----</td><td>-----</td><td>70.07</td><td>35.54</td><td>11.51</td><td>32.60</td><td>371</td><td>164</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5921.04	55.16	68.20	-13.04	40.90	35.39	11.41	32.54	371	164	AVERAGE		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	84.52	-----	-----	70.07	35.54	11.51	32.60	371	164	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5921.04	55.16	68.20	-13.04	40.90	35.39	11.41	32.54	371	164	AVERAGE																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6025.00	84.52	-----	-----	70.07	35.54	11.51	32.60	371	164	AVERAGE																																																																								



		190																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_1_6985MHz																																																																																																	
ANT		CDD 5+6																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7143.13</td><td>64.50</td><td>88.20</td><td>-23.70</td><td>47.96</td><td>36.26</td><td>12.80</td><td>32.52</td><td>100 233 PEAK</td></tr><tr><td>2</td><td>7272.50</td><td>55.67</td><td>74.00</td><td>-18.33</td><td>38.93</td><td>36.31</td><td>13.05</td><td>32.62</td><td>100 233 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7143.13	64.50	88.20	-23.70	47.96	36.26	12.80	32.52	100 233 PEAK	2	7272.50	55.67	74.00	-18.33	38.93	36.31	13.05	32.62	100 233 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>86.65</td><td>-----</td><td>-----</td><td>70.56</td><td>36.20</td><td>12.30</td><td>32.41</td><td>100 233 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	86.65	-----	-----	70.56	36.20	12.30	32.41
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7143.13	64.50	88.20	-23.70	47.96	36.26	12.80	32.52	100 233 PEAK																																																																																										
2	7272.50	55.67	74.00	-18.33	38.93	36.31	13.05	32.62	100 233 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	86.65	-----	-----	70.56	36.20	12.30	32.41	100 233 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7140.63</td><td>50.15</td><td>68.20</td><td>-18.05</td><td>33.62</td><td>36.26</td><td>12.79</td><td>32.52</td><td>100 233 AVERAGE</td></tr><tr><td>2</td><td>7275.00</td><td>46.41</td><td>54.00</td><td>-7.59</td><td>29.68</td><td>36.30</td><td>13.04</td><td>32.61</td><td>100 233 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7140.63	50.15	68.20	-18.05	33.62	36.26	12.79	32.52	100 233 AVERAGE	2	7275.00	46.41	54.00	-7.59	29.68	36.30	13.04	32.61	100 233 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>78.04</td><td>-----</td><td>-----</td><td>61.96</td><td>36.19</td><td>12.29</td><td>32.40</td><td>100 233 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	78.04	-----	-----	61.96	36.19	12.29	32.40
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7140.63	50.15	68.20	-18.05	33.62	36.26	12.79	32.52	100 233 AVERAGE																																																																																										
2	7275.00	46.41	54.00	-7.59	29.68	36.30	13.04	32.61	100 233 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	78.04	-----	-----	61.96	36.19	12.29	32.40	100 233 AVERAGE																																																																																										



		190																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_1_6985MHz																																																																																																	
ANT		CDD 5+6																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7141.25</td><td>64.47</td><td>88.20</td><td>-23.73</td><td>47.94</td><td>36.26</td><td>12.79</td><td>32.52</td><td>100 169 PEAK</td></tr><tr><td>2</td><td>7265.00</td><td>56.38</td><td>74.00</td><td>-17.62</td><td>39.63</td><td>36.31</td><td>13.05</td><td>32.61</td><td>100 169 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7141.25	64.47	88.20	-23.73	47.94	36.26	12.79	32.52	100 169 PEAK	2	7265.00	56.38	74.00	-17.62	39.63	36.31	13.05	32.61	100 169 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>90.59</td><td>-----</td><td>-----</td><td>74.63</td><td>36.16</td><td>12.22</td><td>32.42</td><td>100 169 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	90.59	-----	-----	74.63	36.16	12.22	32.42
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7141.25	64.47	88.20	-23.73	47.94	36.26	12.79	32.52	100 169 PEAK																																																																																										
2	7265.00	56.38	74.00	-17.62	39.63	36.31	13.05	32.61	100 169 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	90.59	-----	-----	74.63	36.16	12.22	32.42	100 169 PEAK																																																																																										
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7140.63</td><td>50.82</td><td>68.20</td><td>-17.38</td><td>34.29</td><td>36.26</td><td>12.79</td><td>32.52</td><td>100 169 AVERAGE</td></tr><tr><td>2</td><td>7251.88</td><td>46.72</td><td>54.00</td><td>-7.28</td><td>29.98</td><td>36.30</td><td>13.04</td><td>32.60</td><td>100 169 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7140.63	50.82	68.20	-17.38	34.29	36.26	12.79	32.52	100 169 AVERAGE	2	7251.88	46.72	54.00	-7.28	29.98	36.30	13.04	32.60	100 169 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>82.34</td><td>-----</td><td>-----</td><td>66.29</td><td>36.19</td><td>12.27</td><td>32.41</td><td>100 169 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	82.34	-----	-----	66.29	36.19	12.27	32.41
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7140.63	50.82	68.20	-17.38	34.29	36.26	12.79	32.52	100 169 AVERAGE																																																																																										
2	7251.88	46.72	54.00	-7.28	29.98	36.30	13.04	32.60	100 169 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	82.34	-----	-----	66.29	36.19	12.27	32.41	100 169 AVERAGE																																																																																										







Mode	191																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_⑥_6105MHz																																																																																			
ANT	CDD 6+5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.46</td><td>66.05</td><td>88.20</td><td>-22.15</td><td>51.68</td><td>34.98</td><td>11.70</td><td>32.31</td><td>214</td><td>65 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5625.46	66.05	88.20	-22.15	51.68	34.98	11.70	32.31	214	65 PEAK	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>92.15</td><td>-----</td><td>-----</td><td>77.57</td><td>35.56</td><td>11.62</td><td>32.60</td><td>214</td><td>65 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.15	-----	-----	77.57	35.56	11.62	32.60	214	65 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5625.46	66.05	88.20	-22.15	51.68	34.98	11.70	32.31	214	65 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	92.15	-----	-----	77.57	35.56	11.62	32.60	214	65 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.70</td><td>49.81</td><td>68.20</td><td>-18.39</td><td>35.45</td><td>34.97</td><td>11.70</td><td>32.31</td><td>214</td><td>65 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5624.70	49.81	68.20	-18.39	35.45	34.97	11.70	32.31	214	65 AVERAGE	Level (dBuV/m) Date: 2023-11-08 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>82.83</td><td>-----</td><td>-----</td><td>68.29</td><td>35.55</td><td>11.59</td><td>32.60</td><td>214</td><td>65 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.83	-----	-----	68.29	35.55	11.59	32.60	214	65 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5624.70	49.81	68.20	-18.39	35.45	34.97	11.70	32.31	214	65 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	82.83	-----	-----	68.29	35.55	11.59	32.60	214	65 AVERAGE																																																																										



Mode	191																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_⑥_105MHz																																																																																	
ANT	CDD 6+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Date: 2023-11-08 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5625.46</td><td>65.14</td><td>88.20</td><td>-23.06</td><td>50.77</td><td>34.98</td><td>11.70</td><td>32.31</td><td>302</td><td>102 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5625.46	65.14	88.20	-23.06	50.77	34.98	11.70	32.31	302	102 PEAK	Date: 2023-11-08 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>90.43</td><td>-----</td><td>-----</td><td>75.98</td><td>35.54</td><td>11.51</td><td>32.60</td><td>302</td><td>102 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	90.43	-----	-----	75.98	35.54	11.51	32.60	302	102 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5625.46	65.14	88.20	-23.06	50.77	34.98	11.70	32.31	302	102 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6105.00	90.43	-----	-----	75.98	35.54	11.51	32.60	302	102 PEAK																																																																									
Avg	Date: 2023-11-08 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5841.96</td><td>49.04</td><td>68.20</td><td>-19.16</td><td>34.70</td><td>35.28</td><td>11.54</td><td>32.48</td><td>302</td><td>102 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5841.96	49.04	68.20	-19.16	34.70	35.28	11.54	32.48	302	102 AVERAGE	Date: 2023-11-08 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>81.84</td><td>-----</td><td>-----</td><td>67.14</td><td>35.58</td><td>11.72</td><td>32.60</td><td>302</td><td>102 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	81.84	-----	-----	67.14	35.58	11.72	32.60	302	102 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5841.96	49.04	68.20	-19.16	34.70	35.28	11.54	32.48	302	102 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6105.00	81.84	-----	-----	67.14	35.58	11.72	32.60	302	102 AVERAGE																																																																									







		192																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M+40M_8_6905MHz																																																																																																		
ANT		CDD 5+6																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7145.51</td><td>55.40</td><td>88.20</td><td>-32.80</td><td>38.86</td><td>36.26</td><td>12.80</td><td>32.52</td><td>100</td><td>231 PEAK</td></tr><tr><td>2 7328.83</td><td>56.54</td><td>74.00</td><td>-17.46</td><td>39.78</td><td>36.33</td><td>13.09</td><td>32.66</td><td>100</td><td>231 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7145.51	55.40	88.20	-32.80	38.86	36.26	12.80	32.52	100	231 PEAK	2 7328.83	56.54	74.00	-17.46	39.78	36.33	13.09	32.66	100	231 PEAK	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>79.68</td><td>-----</td><td>-----</td><td>63.94</td><td>36.11</td><td>12.09</td><td>32.46</td><td>100</td><td>231 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6905.00	79.68	-----	-----	63.94	36.11	12.09	32.46	100	231 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7145.51	55.40	88.20	-32.80	38.86	36.26	12.80	32.52	100	231 PEAK																																																																																											
2 7328.83	56.54	74.00	-17.46	39.78	36.33	13.09	32.66	100	231 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 6905.00	79.68	-----	-----	63.94	36.11	12.09	32.46	100	231 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7209.64</td><td>47.01</td><td>68.20</td><td>-21.19</td><td>30.29</td><td>36.28</td><td>13.01</td><td>32.57</td><td>100</td><td>231 AVERAGE</td></tr><tr><td>2 7273.17</td><td>47.04</td><td>54.00</td><td>-6.96</td><td>30.30</td><td>36.31</td><td>13.05</td><td>32.62</td><td>100</td><td>231 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7209.64	47.01	68.20	-21.19	30.29	36.28	13.01	32.57	100	231 AVERAGE	2 7273.17	47.04	54.00	-6.96	30.30	36.31	13.05	32.62	100	231 AVERAGE	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>70.59</td><td>-----</td><td>-----</td><td>54.64</td><td>36.16</td><td>12.21</td><td>32.42</td><td>100</td><td>231 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6905.00	70.59	-----	-----	54.64	36.16	12.21	32.42	100	231 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7209.64	47.01	68.20	-21.19	30.29	36.28	13.01	32.57	100	231 AVERAGE																																																																																											
2 7273.17	47.04	54.00	-6.96	30.30	36.31	13.05	32.62	100	231 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 6905.00	70.59	-----	-----	54.64	36.16	12.21	32.42	100	231 AVERAGE																																																																																											







Mode	192																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M+40M_8_6905MHz																																																																																														
ANT	CDD 5+6																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) PEAK_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7234.45</td><td>56.85</td><td>88.20</td><td>-31.35</td><td>40.13</td><td>36.29</td><td>13.02</td><td>32.59</td><td>100</td><td>172 PEAK</td></tr><tr><td>2</td><td>7252.60</td><td>55.89</td><td>74.00</td><td>-18.11</td><td>39.15</td><td>36.30</td><td>13.04</td><td>32.60</td><td>100</td><td>172 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7234.45	56.85	88.20	-31.35	40.13	36.29	13.02	32.59	100	172 PEAK	2	7252.60	55.89	74.00	-18.11	39.15	36.30	13.04	32.60	100	172 PEAK	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) PEAK_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>86.29</td><td>-----</td><td>-----</td><td>70.42</td><td>36.14</td><td>12.17</td><td>32.44</td><td>100</td><td>172 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	86.29	-----	-----	70.42	36.14	12.17	32.44	100	172 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7234.45	56.85	88.20	-31.35	40.13	36.29	13.02	32.59	100	172 PEAK																																																																																					
2	7252.60	55.89	74.00	-18.11	39.15	36.30	13.04	32.60	100	172 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6905.00	86.29	-----	-----	70.42	36.14	12.17	32.44	100	172 PEAK																																																																																					
Avg	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) AVG_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7196.33</td><td>46.97</td><td>68.20</td><td>-21.23</td><td>30.27</td><td>36.28</td><td>12.98</td><td>32.56</td><td>100</td><td>172 AVERAGE</td></tr><tr><td>2</td><td>7259.86</td><td>46.86</td><td>54.00</td><td>-7.14</td><td>30.13</td><td>36.30</td><td>13.04</td><td>32.61</td><td>100</td><td>172 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7196.33	46.97	68.20	-21.23	30.27	36.28	12.98	32.56	100	172 AVERAGE	2	7259.86	46.86	54.00	-7.14	30.13	36.30	13.04	32.61	100	172 AVERAGE	Date: 2023-12-06 Level (dBuV/m) Frequency (MHz) AVG_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>76.17</td><td>-----</td><td>-----</td><td>60.27</td><td>36.15</td><td>12.18</td><td>32.43</td><td>100</td><td>172 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	76.17	-----	-----	60.27	36.15	12.18	32.43	100	172 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7196.33	46.97	68.20	-21.23	30.27	36.28	12.98	32.56	100	172 AVERAGE																																																																																					
2	7259.86	46.86	54.00	-7.14	30.13	36.30	13.04	32.61	100	172 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6905.00	76.17	-----	-----	60.27	36.15	12.18	32.43	100	172 AVERAGE																																																																																					







		193																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M_④_6105MHz																																																																																						
ANT		CDD 6+5																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak	 Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.70</td><td>63.05</td><td>88.20</td><td>-25.15</td><td>48.69</td><td>34.97</td><td>11.70</td><td>32.31</td><td>297</td><td>309</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5624.70	63.05	88.20	-25.15	48.69	34.97	11.70	32.31	297	309	PEAK	 Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>93.40</td><td>-----</td><td>-----</td><td>79.21</td><td>35.48</td><td>11.30</td><td>32.59</td><td>297</td><td>309</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.40	-----	-----	79.21	35.48	11.30	32.59	297	309	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5624.70	63.05	88.20	-25.15	48.69	34.97	11.70	32.31	297	309	PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6105.00	93.40	-----	-----	79.21	35.48	11.30	32.59	297	309	PEAK																																																																													
Avg	 Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5822.83</td><td>47.62</td><td>68.20</td><td>-20.58</td><td>33.25</td><td>35.25</td><td>11.58</td><td>32.46</td><td>297</td><td>309</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5822.83	47.62	68.20	-20.58	33.25	35.25	11.58	32.46	297	309	AVERAGE	 Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>83.33</td><td>-----</td><td>-----</td><td>69.03</td><td>35.51</td><td>11.39</td><td>32.60</td><td>297</td><td>309</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.33	-----	-----	69.03	35.51	11.39	32.60	297	309	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5822.83	47.62	68.20	-20.58	33.25	35.25	11.58	32.46	297	309	AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6105.00	83.33	-----	-----	69.03	35.51	11.39	32.60	297	309	AVERAGE																																																																													



Mode	193																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M ④ 6105MHz																																																																																	
ANT	CDD 6+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.46</td><td>63.46</td><td>88.20</td><td>-24.74</td><td>49.09</td><td>34.98</td><td>11.70</td><td>32.31</td><td>314 108 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5625.46	63.46	88.20	-24.74	49.09	34.98	11.70	32.31	314 108 PEAK	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>92.66</td><td>-----</td><td>-----</td><td>77.90</td><td>35.59</td><td>11.77</td><td>32.60</td><td>314 108 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.66	-----	-----	77.90	35.59	11.77	32.60	314 108 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5625.46	63.46	88.20	-24.74	49.09	34.98	11.70	32.31	314 108 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	92.66	-----	-----	77.90	35.59	11.77	32.60	314 108 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.39</td><td>48.91</td><td>68.20</td><td>-19.29</td><td>34.64</td><td>35.36</td><td>11.44</td><td>32.53</td><td>314 108 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5902.39	48.91	68.20	-19.29	34.64	35.36	11.44	32.53	314 108 AVERAGE	Level (dBuV/m) Date: 2023-11-08  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>84.34</td><td>-----</td><td>-----</td><td>69.64</td><td>35.58</td><td>11.72</td><td>32.60</td><td>314 108 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.34	-----	-----	69.64	35.58	11.72	32.60	314 108 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5902.39	48.91	68.20	-19.29	34.64	35.36	11.44	32.53	314 108 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	84.34	-----	-----	69.64	35.58	11.72	32.60	314 108 AVERAGE																																																																									



		194																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M_1_6905MHz																																																																																																				
ANT		CDD 5+6																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7210.25</td><td>55.43</td><td>88.20</td><td>-32.77</td><td>38.71</td><td>36.28</td><td>13.01</td><td>32.57</td><td>100</td><td>231 PEAK</td></tr><tr><td>2</td><td>7263.49</td><td>56.69</td><td>74.00</td><td>-17.31</td><td>39.95</td><td>36.31</td><td>13.04</td><td>32.61</td><td>100</td><td>231 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7210.25	55.43	88.20	-32.77	38.71	36.28	13.01	32.57	100	231 PEAK	2	7263.49	56.69	74.00	-17.31	39.95	36.31	13.04	32.61	100	231 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>82.10</td><td>-----</td><td>-----</td><td>66.23</td><td>36.14</td><td>12.17</td><td>32.44</td><td>100</td><td>231 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.10	-----	-----	66.23	36.14	12.17	32.44	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7210.25	55.43	88.20	-32.77	38.71	36.28	13.01	32.57	100	231 PEAK																																																																																												
2	7263.49	56.69	74.00	-17.31	39.95	36.31	13.04	32.61	100	231 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6905.00	82.10	-----	-----	66.23	36.14	12.17	32.44	100	231 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7189.07</td><td>46.94</td><td>68.20</td><td>-21.26</td><td>30.25</td><td>36.28</td><td>12.96</td><td>32.55</td><td>100</td><td>231 AVERAGE</td></tr><tr><td>2</td><td>7301.00</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>30.44</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100</td><td>231 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7189.07	46.94	68.20	-21.26	30.25	36.28	12.96	32.55	100	231 AVERAGE	2	7301.00	47.19	54.00	-6.81	30.44	36.32	13.07	32.64	100	231 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>71.38</td><td>-----</td><td>-----</td><td>55.51</td><td>36.14</td><td>12.17</td><td>32.44</td><td>100</td><td>231 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	71.38	-----	-----	55.51	36.14	12.17	32.44	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7189.07	46.94	68.20	-21.26	30.25	36.28	12.96	32.55	100	231 AVERAGE																																																																																												
2	7301.00	47.19	54.00	-6.81	30.44	36.32	13.07	32.64	100	231 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6905.00	71.38	-----	-----	55.51	36.14	12.17	32.44	100	231 AVERAGE																																																																																												



Mode	194																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M_1_6905MHz																																																																																		
ANT	CDD 5+6																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2023-12-06 PEAK_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7233.24</td><td>56.05</td><td>88.20</td><td>-32.15</td><td>39.33</td><td>36.29</td><td>13.02</td><td>32.59</td><td>100</td></tr><tr><td>2 7347.58</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>39.58</td><td>36.34</td><td>13.11</td><td>32.68</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1 7233.24	56.05	88.20	-32.15	39.33	36.29	13.02	32.59	100	2 7347.58	56.35	74.00	-17.65	39.58	36.34	13.11	32.68	100	Level (dBuV/m) Date: 2023-12-06 PEAK_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6905.00</td><td>84.50</td><td>-----</td><td>-----</td><td>68.69</td><td>36.13</td><td>12.13</td><td>32.45</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1 6905.00	84.50	-----	-----	68.69	36.13	12.13	32.45	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																											
1 7233.24	56.05	88.20	-32.15	39.33	36.29	13.02	32.59	100																																																																											
2 7347.58	56.35	74.00	-17.65	39.58	36.34	13.11	32.68	100																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																											
1 6905.00	84.50	-----	-----	68.69	36.13	12.13	32.45	100																																																																											
Avg	Level (dBuV/m) Date: 2023-12-06 AVG_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7210.25</td><td>47.25</td><td>68.20</td><td>-20.95</td><td>30.53</td><td>36.28</td><td>13.01</td><td>32.57</td><td>100</td></tr><tr><td>2 7308.26</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>30.34</td><td>36.32</td><td>13.08</td><td>32.65</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1 7210.25	47.25	68.20	-20.95	30.53	36.28	13.01	32.57	100	2 7308.26	47.09	54.00	-6.91	30.34	36.32	13.08	32.65	100	Level (dBuV/m) Date: 2023-12-06 AVG_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6905.00</td><td>77.06</td><td>-----</td><td>-----</td><td>61.19</td><td>36.14</td><td>12.17</td><td>32.44</td><td>100</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1 6905.00	77.06	-----	-----	61.19	36.14	12.17	32.44	100
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																											
1 7210.25	47.25	68.20	-20.95	30.53	36.28	13.01	32.57	100																																																																											
2 7308.26	47.09	54.00	-6.91	30.34	36.32	13.08	32.65	100																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																											
1 6905.00	77.06	-----	-----	61.19	36.14	12.17	32.44	100																																																																											







Mode	195																																																																													
	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M_⑧_6105MHz																																																																													
ANT	CDD 6+5																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5625.46</td><td>68.97</td><td>88.20</td><td>-19.23</td><td>54.60</td><td>34.98</td><td>11.70</td><td>32.31</td><td>297</td><td>311 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5625.46	68.97	88.20	-19.23	54.60	34.98	11.70	32.31	297	311 PEAK	Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>92.80</td><td>-----</td><td>-----</td><td>78.50</td><td>35.51</td><td>11.39</td><td>32.60</td><td>297</td><td>311 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	92.80	-----	-----	78.50	35.51	11.39	32.60	297	311 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5625.46	68.97	88.20	-19.23	54.60	34.98	11.70	32.31	297	311 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 6105.00	92.80	-----	-----	78.50	35.51	11.39	32.60	297	311 PEAK																																																																					
Avg	Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5624.70</td><td>52.35</td><td>68.20</td><td>-15.85</td><td>37.99</td><td>34.97</td><td>11.70</td><td>32.31</td><td>297</td><td>311 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5624.70	52.35	68.20	-15.85	37.99	34.97	11.70	32.31	297	311 AVERAGE	Date: 2023-11-08 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>83.97</td><td>-----</td><td>-----</td><td>69.67</td><td>35.51</td><td>11.39</td><td>32.60</td><td>297</td><td>311 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	83.97	-----	-----	69.67	35.51	11.39	32.60	297	311 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5624.70	52.35	68.20	-15.85	37.99	34.97	11.70	32.31	297	311 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 6105.00	83.97	-----	-----	69.67	35.51	11.39	32.60	297	311 AVERAGE																																																																					







		195																																																																																											
Mode		Band Edge																																																																																											
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M_⑧_6105MHz																																																																																											
ANT		CDD 6+5																																																																																											
Pol.	Vertical										Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5500 5653. 5806. 5959. 6112. 6265 PEAK_BE(UNII)_6E										Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 PEAK_BE(UNII)_6E																																																																																		
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5624.70	70.65	88.20	-17.55	56.29	34.97	11.70	32.31	314	108	PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	94.33	-----	-----	79.57	35.59	11.77	32.60	314	108	PEAK									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5624.70	70.65	88.20	-17.55	56.29	34.97	11.70	32.31	314	108	PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6105.00	94.33	-----	-----	79.57	35.59	11.77	32.60	314	108	PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5500 5653. 5806. 5959. 6112. 6265 AVG_BE(UNII)_6E										Level (dBuV/m) Date: 2023-11-08 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 AVG_BE(UNII)_6E																																																																																		
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5624.70	53.39	68.20	-14.81	39.03	34.97	11.70	32.31	314	108	AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.66	-----	-----	69.96	35.58	11.72	32.60	314	108	AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5624.70	53.39	68.20	-14.81	39.03	34.97	11.70	32.31	314	108	AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6105.00	84.66	-----	-----	69.96	35.58	11.72	32.60	314	108	AVERAGE																																																																																		





Mode	196																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 40M_1_6905MHz																																																																																											
ANT	CDD 5+6																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2023-12-06  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7200.57</td><td>55.36</td><td>88.20</td><td>-32.84</td><td>38.64</td><td>36.28</td><td>13.00</td><td>32.56</td><td>100 230 PEAK</td></tr><tr><td>2</td><td>7287.69</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>40.10</td><td>36.32</td><td>13.06</td><td>32.63</td><td>100 230 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7200.57	55.36	88.20	-32.84	38.64	36.28	13.00	32.56	100 230 PEAK	2	7287.69	56.85	74.00	-17.15	40.10	36.32	13.06	32.63	100 230 PEAK	Level (dBuV/m) Date: 2023-12-06  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>82.26</td><td>-----</td><td>-----</td><td>66.39</td><td>36.14</td><td>12.17</td><td>32.44</td><td>100 230 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.26	-----	-----	66.39	36.14	12.17	32.44	100 230 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7200.57	55.36	88.20	-32.84	38.64	36.28	13.00	32.56	100 230 PEAK																																																																																			
2	7287.69	56.85	74.00	-17.15	40.10	36.32	13.06	32.63	100 230 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	82.26	-----	-----	66.39	36.14	12.17	32.44	100 230 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2023-12-06  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7242.92</td><td>47.08</td><td>68.20</td><td>-21.12</td><td>30.35</td><td>36.30</td><td>13.03</td><td>32.60</td><td>100 230 AVERAGE</td></tr><tr><td>2</td><td>7285.27</td><td>46.98</td><td>54.00</td><td>-7.02</td><td>30.24</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100 230 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7242.92	47.08	68.20	-21.12	30.35	36.30	13.03	32.60	100 230 AVERAGE	2	7285.27	46.98	54.00	-7.02	30.24	36.31	13.06	32.63	100 230 AVERAGE	Level (dBuV/m) Date: 2023-12-06  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>71.09</td><td>-----</td><td>-----</td><td>55.22</td><td>36.14</td><td>12.17</td><td>32.44</td><td>100 230 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	71.09	-----	-----	55.22	36.14	12.17	32.44	100 230 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7242.92	47.08	68.20	-21.12	30.35	36.30	13.03	32.60	100 230 AVERAGE																																																																																			
2	7285.27	46.98	54.00	-7.02	30.24	36.31	13.06	32.63	100 230 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	71.09	-----	-----	55.22	36.14	12.17	32.44	100 230 AVERAGE																																																																																			



		196																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 40M_1_6905MHz																																																																																												
ANT		CDD 5+6																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7213.88	55.98	88.20	-32.22	39.25	36.29	13.01	32.57	100 172 PEAK	2	7305.23	55.96	74.00	-18.04	39.22	36.32	13.07	32.65	100 172 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	85.18	-----	-----	69.31	36.14	12.17	32.44	100 172 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7213.88	55.98	88.20	-32.22	39.25	36.29	13.01	32.57	100 172 PEAK																																																																																					
2	7305.23	55.96	74.00	-18.04	39.22	36.32	13.07	32.65	100 172 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	85.18	-----	-----	69.31	36.14	12.17	32.44	100 172 PEAK																																																																																					
Avg																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7206.01	46.98	68.20	-21.22	30.27	36.28	13.00	32.57	100 172 AVERAGE	2	7305.84	46.85	54.00	-7.15	30.10	36.32	13.08	32.65	100 172 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	76.33	-----	-----	60.46	36.14	12.17	32.44	100 172 AVERAGE				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7206.01	46.98	68.20	-21.22	30.27	36.28	13.00	32.57	100 172 AVERAGE																																																																																					
2	7305.84	46.85	54.00	-7.15	30.10	36.32	13.08	32.65	100 172 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	76.33	-----	-----	60.46	36.14	12.17	32.44	100 172 AVERAGE																																																																																					



Mode	197																																																																																																																																																																											
	LF																																																																																																																																																																											
	U-NII-8_6.875-7.125_WIFI Worse LF 802.11a_CH233_7115MHz																																																																																																																																																																											
ANT	CDD 5+6																																																																																																																																																																											
Pol.	Horizontal					Vertical																																																																																																																																																																						
QP/ Peak																																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>56.19</td><td>19.42</td><td>40.00</td><td>-20.58</td><td>35.90</td><td>13.22</td><td>1.54</td><td>31.24 -- Peak</td></tr><tr><td>2</td><td>95.96</td><td>22.88</td><td>43.50</td><td>-20.62</td><td>36.12</td><td>16.18</td><td>1.82</td><td>31.24 -- Peak</td></tr><tr><td>3</td><td>163.86</td><td>31.45</td><td>43.50</td><td>-12.05</td><td>44.13</td><td>16.10</td><td>2.26</td><td>31.04 -- Peak</td></tr><tr><td>4</td><td>255.04</td><td>23.13</td><td>46.00</td><td>-22.87</td><td>32.06</td><td>19.45</td><td>2.52</td><td>30.90 -- Peak</td></tr><tr><td>5</td><td>436.43</td><td>23.62</td><td>46.00</td><td>-22.38</td><td>28.37</td><td>22.70</td><td>3.25</td><td>30.70 -- Peak</td></tr><tr><td>6</td><td>674.08</td><td>27.45</td><td>46.00</td><td>-18.55</td><td>29.18</td><td>25.20</td><td>3.92</td><td>30.85 -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	56.19	19.42	40.00	-20.58	35.90	13.22	1.54	31.24 -- Peak	2	95.96	22.88	43.50	-20.62	36.12	16.18	1.82	31.24 -- Peak	3	163.86	31.45	43.50	-12.05	44.13	16.10	2.26	31.04 -- Peak	4	255.04	23.13	46.00	-22.87	32.06	19.45	2.52	30.90 -- Peak	5	436.43	23.62	46.00	-22.38	28.37	22.70	3.25	30.70 -- Peak	6	674.08	27.45	46.00	-18.55	29.18	25.20	3.92	30.85 -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>53.28</td><td>23.22</td><td>40.00</td><td>-16.78</td><td>39.20</td><td>13.76</td><td>1.48</td><td>31.22 -- Peak</td></tr><tr><td>2</td><td>95.96</td><td>31.07</td><td>43.50</td><td>-12.43</td><td>44.31</td><td>16.18</td><td>1.82</td><td>31.24 -- Peak</td></tr><tr><td>3</td><td>163.86</td><td>25.21</td><td>43.50</td><td>-18.29</td><td>37.89</td><td>16.10</td><td>2.26</td><td>31.04 -- Peak</td></tr><tr><td>4</td><td>261.83</td><td>20.57</td><td>46.00</td><td>-25.43</td><td>28.88</td><td>20.04</td><td>2.55</td><td>30.90 -- Peak</td></tr><tr><td>5</td><td>567.38</td><td>25.85</td><td>46.00</td><td>-20.15</td><td>28.22</td><td>24.97</td><td>3.66</td><td>31.00 -- Peak</td></tr><tr><td>6</td><td>774.96</td><td>30.69</td><td>46.00</td><td>-15.31</td><td>31.49</td><td>26.00</td><td>4.22</td><td>31.02 -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	53.28	23.22	40.00	-16.78	39.20	13.76	1.48	31.22 -- Peak	2	95.96	31.07	43.50	-12.43	44.31	16.18	1.82	31.24 -- Peak	3	163.86	25.21	43.50	-18.29	37.89	16.10	2.26	31.04 -- Peak	4	261.83	20.57	46.00	-25.43	28.88	20.04	2.55	30.90 -- Peak	5	567.38	25.85	46.00	-20.15	28.22	24.97	3.66	31.00 -- Peak	6	774.96	30.69	46.00	-15.31	31.49	26.00	4.22	31.02 -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																				
1	56.19	19.42	40.00	-20.58	35.90	13.22	1.54	31.24 -- Peak																																																																																																																																																																				
2	95.96	22.88	43.50	-20.62	36.12	16.18	1.82	31.24 -- Peak																																																																																																																																																																				
3	163.86	31.45	43.50	-12.05	44.13	16.10	2.26	31.04 -- Peak																																																																																																																																																																				
4	255.04	23.13	46.00	-22.87	32.06	19.45	2.52	30.90 -- Peak																																																																																																																																																																				
5	436.43	23.62	46.00	-22.38	28.37	22.70	3.25	30.70 -- Peak																																																																																																																																																																				
6	674.08	27.45	46.00	-18.55	29.18	25.20	3.92	30.85 -- Peak																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																				
1	53.28	23.22	40.00	-16.78	39.20	13.76	1.48	31.22 -- Peak																																																																																																																																																																				
2	95.96	31.07	43.50	-12.43	44.31	16.18	1.82	31.24 -- Peak																																																																																																																																																																				
3	163.86	25.21	43.50	-18.29	37.89	16.10	2.26	31.04 -- Peak																																																																																																																																																																				
4	261.83	20.57	46.00	-25.43	28.88	20.04	2.55	30.90 -- Peak																																																																																																																																																																				
5	567.38	25.85	46.00	-20.15	28.22	24.97	3.66	31.00 -- Peak																																																																																																																																																																				
6	774.96	30.69	46.00	-15.31	31.49	26.00	4.22	31.02 -- Peak																																																																																																																																																																				





Mode	198																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CHCH2_5935MHz																																																																																	
ANT	CDD 6+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-11-09 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.71</td><td>77.24</td><td>88.20</td><td>-10.96</td><td>62.99</td><td>35.39</td><td>11.40</td><td>32.54</td><td>100 312 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	77.24	88.20	-10.96	62.99	35.39	11.40	32.54	100 312 PEAK	Level (dBuV/m) Date: 2023-11-09 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>91.30</td><td>-----</td><td>-----</td><td>77.05</td><td>35.40</td><td>11.40</td><td>32.55</td><td>100 312 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	91.30	-----	-----	77.05	35.40	11.40	32.55	100 312 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5924.71	77.24	88.20	-10.96	62.99	35.39	11.40	32.54	100 312 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5935.00	91.30	-----	-----	77.05	35.40	11.40	32.55	100 312 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2023-11-09 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>65.63</td><td>68.20</td><td>-2.57</td><td>51.38</td><td>35.39</td><td>11.40</td><td>32.54</td><td>100 312 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	65.63	68.20	-2.57	51.38	35.39	11.40	32.54	100 312 AVERAGE	Level (dBuV/m) Date: 2023-11-09 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>83.92</td><td>-----</td><td>-----</td><td>69.67</td><td>35.41</td><td>11.39</td><td>32.55</td><td>100 312 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	83.92	-----	-----	69.67	35.41	11.39	32.55	100 312 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5924.97	65.63	68.20	-2.57	51.38	35.39	11.40	32.54	100 312 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5935.00	83.92	-----	-----	69.67	35.41	11.39	32.55	100 312 AVERAGE																																																																									



Mode	198	
	Band Edge	
	U-NII-5_5.925-6.425_802.11a_CHCH2_5935MHz	
ANT	CDD 6+5	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-11-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5924.84 72.62 88.20 -15.58 58.37 35.39 11.40 32.54 312 96 PEAK	Level (dBuV/m) Date: 2023-11-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5935.00 87.69 ----- 73.44 35.40 11.40 32.55 312 96 PEAK
	Level (dBuV/m) Date: 2023-11-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5924.97 60.38 68.20 -7.82 46.13 35.39 11.40 32.54 312 96 AVERAGE	Level (dBuV/m) Date: 2023-11-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5935.00 80.11 ----- 65.86 35.40 11.40 32.55 312 96 AVERAGE



Mode	198																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CHCH2_5935MHz																																																																																																																							
ANT	CDD 6+5																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11870.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>44.43</td><td>40.10</td><td>15.06</td><td>50.48</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17805.00</td><td>49.75</td><td>74.00</td><td>-24.25</td><td>41.86</td><td>42.48</td><td>17.73</td><td>52.32</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11870.00	49.11	74.00	-24.89	44.43	40.10	15.06	50.48	--	--	Peak	2	17805.00	49.75	74.00	-24.25	41.86	42.48	17.73	52.32	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11870.00</td><td>48.90</td><td>74.00</td><td>-25.10</td><td>44.22</td><td>40.10</td><td>15.06</td><td>50.48</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17805.00</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>41.50</td><td>42.48</td><td>17.73</td><td>52.32</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11870.00	48.90	74.00	-25.10	44.22	40.10	15.06	50.48	--	--	Peak	2	17805.00	49.39	74.00	-24.61	41.50	42.48	17.73	52.32	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11870.00	49.11	74.00	-24.89	44.43	40.10	15.06	50.48	--	--	Peak																																																																																																													
2	17805.00	49.75	74.00	-24.25	41.86	42.48	17.73	52.32	--	--	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11870.00	48.90	74.00	-25.10	44.22	40.10	15.06	50.48	--	--	Peak																																																																																																													
2	17805.00	49.39	74.00	-24.61	41.50	42.48	17.73	52.32	--	--	Peak																																																																																																													





		199																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Full_5935MHz																																																																																																	
ANT		CDD 6+5																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E										Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.84</td><td>74.20</td><td>88.20</td><td>-14.00</td><td>59.95</td><td>35.39</td><td>11.40</td><td>32.54</td><td>300</td><td>65 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.84	74.20	88.20	-14.00	59.95	35.39	11.40	32.54	300	65 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>83.64</td><td>-----</td><td>-----</td><td>69.40</td><td>35.42</td><td>11.38</td><td>32.56</td><td>300</td><td>65 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	83.64	-----	-----	69.40	35.42	11.38	32.56	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5924.84	74.20	88.20	-14.00	59.95	35.39	11.40	32.54	300	65 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5935.00	83.64	-----	-----	69.40	35.42	11.38	32.56	300	65 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E										Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>65.69</td><td>68.20</td><td>-2.51</td><td>51.44</td><td>35.39</td><td>11.40</td><td>32.54</td><td>300</td><td>65 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	65.69	68.20	-2.51	51.44	35.39	11.40	32.54	300	65 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>75.24</td><td>-----</td><td>-----</td><td>60.99</td><td>35.40</td><td>11.40</td><td>32.55</td><td>300</td><td>65 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	75.24	-----	-----	60.99	35.40	11.40	32.55	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5924.97	65.69	68.20	-2.51	51.44	35.39	11.40	32.54	300	65 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5935.00	75.24	-----	-----	60.99	35.40	11.40	32.55	300	65 AVERAGE																																																																																										







Mode	199	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Full_5935MHz	
ANT	CDD 6+5	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-11-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dB dB cm deg 1 5924.97 72.54 88.20 -15.66 58.29 35.39 11.40 32.54 300 104 PEAK	Level (dBuV/m) Date: 2023-11-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dB dB cm deg 1 5935.00 81.32 ----- 67.07 35.40 11.40 32.55 300 104 PEAK
	Level (dBuV/m) Date: 2023-11-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dB dB cm deg 1 5924.97 64.92 68.20 -3.28 50.67 35.39 11.40 32.54 300 104 AVERAGE	Level (dBuV/m) Date: 2023-11-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dB dB cm deg 1 5935.00 74.14 ----- 59.90 35.42 11.38 32.56 300 104 AVERAGE



		199																																																																																																																					
Mode		Harmonic																																																																																																																					
		U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Full_5935MHz																																																																																																																					
ANT		CDD 6+5																																																																																																																					
Pol.		Horizontal					Vertical																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2023-11-28  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11870.00</td><td>49.58</td><td>74.00</td><td>-24.42</td><td>44.90</td><td>40.10</td><td>15.06</td><td>50.48</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17805.00</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>41.27</td><td>42.48</td><td>17.73</td><td>52.32</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11870.00	49.58	74.00	-24.42	44.90	40.10	15.06	50.48	--	--	Peak	2	17805.00	49.16	74.00	-24.84	41.27	42.48	17.73	52.32	--	--	Peak	Level (dBuV/m) Date: 2023-11-28  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11870.00</td><td>49.09</td><td>74.00</td><td>-24.91</td><td>44.41</td><td>40.10</td><td>15.06</td><td>50.48</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17805.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>40.92</td><td>42.48</td><td>17.73</td><td>52.32</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11870.00	49.09	74.00	-24.91	44.41	40.10	15.06	50.48	--	--	Peak	2	17805.00	48.81	74.00	-25.19	40.92	42.48	17.73	52.32	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11870.00	49.58	74.00	-24.42	44.90	40.10	15.06	50.48	--	--	Peak																																																																																																												
2	17805.00	49.16	74.00	-24.84	41.27	42.48	17.73	52.32	--	--	Peak																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11870.00	49.09	74.00	-24.91	44.41	40.10	15.06	50.48	--	--	Peak																																																																																																												
2	17805.00	48.81	74.00	-25.19	40.92	42.48	17.73	52.32	--	--	Peak																																																																																																												



		200																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Single RU_5935MHz																																																																																							
ANT		CDD 6+5																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2023-11-09 					Level (dBuV/m) Date: 2023-11-09 																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>73.32</td><td>88.20</td><td>-14.88</td><td>59.07</td><td>35.39</td><td>11.40</td><td>32.54</td><td>100 315 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	73.32	88.20	-14.88	59.07	35.39	11.40	32.54	100 315 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>84.20</td><td>-----</td><td>-----</td><td>69.95</td><td>35.40</td><td>11.40</td><td>32.55</td><td>100 315 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	84.20	-----	-----	69.95	35.40	11.40	32.55
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.97	73.32	88.20	-14.88	59.07	35.39	11.40	32.54	100 315 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5935.00	84.20	-----	-----	69.95	35.40	11.40	32.55	100 315 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2023-11-09 					Level (dBuV/m) Date: 2023-11-09 																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>65.75</td><td>68.20</td><td>-2.45</td><td>51.50</td><td>35.39</td><td>11.40</td><td>32.54</td><td>100 315 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	65.75	68.20	-2.45	51.50	35.39	11.40	32.54	100 315 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>74.94</td><td>-----</td><td>-----</td><td>60.69</td><td>35.40</td><td>11.40</td><td>32.55</td><td>100 315 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	74.94	-----	-----	60.69	35.40	11.40	32.55
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.97	65.75	68.20	-2.45	51.50	35.39	11.40	32.54	100 315 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5935.00	74.94	-----	-----	60.69	35.40	11.40	32.55	100 315 AVERAGE																																																																																



Mode	200																																																																													
	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Single RU_5935MHz																																																																													
ANT	CDD 6+5																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2023-11-09 PEAK_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>72.47</td><td>88.20</td><td>-15.73</td><td>58.22</td><td>35.39</td><td>11.40</td><td>32.54</td><td>303</td><td>101 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	72.47	88.20	-15.73	58.22	35.39	11.40	32.54	303	101 PEAK	Level (dBuV/m) Date: 2023-11-09 PEAK_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>83.75</td><td>-----</td><td>-----</td><td>69.50</td><td>35.40</td><td>11.40</td><td>32.55</td><td>303</td><td>101 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	83.75	-----	-----	69.50	35.40	11.40	32.55	303	101 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.97	72.47	88.20	-15.73	58.22	35.39	11.40	32.54	303	101 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5935.00	83.75	-----	-----	69.50	35.40	11.40	32.55	303	101 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2023-11-09 AVG_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>64.32</td><td>68.20</td><td>-3.88</td><td>50.07</td><td>35.39</td><td>11.40</td><td>32.54</td><td>303</td><td>101 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	64.32	68.20	-3.88	50.07	35.39	11.40	32.54	303	101 AVERAGE	Level (dBuV/m) Date: 2023-11-09 AVG_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>74.02</td><td>-----</td><td>-----</td><td>59.77</td><td>35.40</td><td>11.40</td><td>32.55</td><td>303</td><td>101 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	74.02	-----	-----	59.77	35.40	11.40	32.55	303	101 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.97	64.32	68.20	-3.88	50.07	35.39	11.40	32.54	303	101 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5935.00	74.02	-----	-----	59.77	35.40	11.40	32.55	303	101 AVERAGE																																																																					



Mode	201																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 52+26_5935MHz																																																																																	
ANT	CDD 6+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-11-08 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5851. 5877. 5903. 5929. 5955 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>77.75</td><td>88.20</td><td>-10.45</td><td>63.50</td><td>35.39</td><td>11.40</td><td>32.54</td><td>297 66 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.97	77.75	88.20	-10.45	63.50	35.39	11.40	32.54	297 66 PEAK	Level (dBuV/m) Date: 2023-11-08 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>97.58</td><td>-----</td><td>-----</td><td>83.33</td><td>35.40</td><td>11.40</td><td>32.55</td><td>297 66 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	97.58	-----	-----	83.33	35.40	11.40	32.55	297 66 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5924.97	77.75	88.20	-10.45	63.50	35.39	11.40	32.54	297 66 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5935.00	97.58	-----	-----	83.33	35.40	11.40	32.55	297 66 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2023-11-08 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5851. 5877. 5903. 5929. 5955 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>59.97</td><td>68.20</td><td>-8.23</td><td>45.72</td><td>35.39</td><td>11.40</td><td>32.54</td><td>297 66 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.97	59.97	68.20	-8.23	45.72	35.39	11.40	32.54	297 66 AVERAGE	Level (dBuV/m) Date: 2023-11-08 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>88.66</td><td>-----</td><td>-----</td><td>74.41</td><td>35.40</td><td>11.40</td><td>32.55</td><td>300 67 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	88.66	-----	-----	74.41	35.40	11.40	32.55	300 67 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5924.97	59.97	68.20	-8.23	45.72	35.39	11.40	32.54	297 66 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5935.00	88.66	-----	-----	74.41	35.40	11.40	32.55	300 67 AVERAGE																																																																									



Mode	201									
	Band Edge									
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 52+26_5935MHz									
ANT	CDD 6+5									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 5924.84 75.35 88.20 -12.85 61.10 35.39 11.40 32.54 305 100 PEAK					Level (dBuV/m) Date: 2023-11-08 PEAK_BE(UNII)_6E Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 5935.00 95.78 ----- ----- 81.53 35.40 11.40 32.55 305 100 PEAK				
	Avg	Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 5924.97 58.17 68.20 -10.03 43.92 35.39 11.40 32.54 305 100 AVERAGE					Level (dBuV/m) Date: 2023-11-08 AVG_BE(UNII)_6E Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 5935.00 87.92 ----- ----- 73.67 35.40 11.40 32.55 305 100 AVERAGE			







Mode	202																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 106+26_5935MHz																																																																																	
ANT	CDD 6+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Date: 2023-11-09 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>75.32</td><td>88.20</td><td>-12.88</td><td>61.07</td><td>35.39</td><td>11.40</td><td>32.54</td><td>100</td><td>311 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	75.32	88.20	-12.88	61.07	35.39	11.40	32.54	100	311 PEAK	Date: 2023-11-09 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>84.34</td><td>-----</td><td>-----</td><td>70.09</td><td>35.40</td><td>11.40</td><td>32.55</td><td>100</td><td>311 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	84.34	-----	-----	70.09	35.40	11.40	32.55	100	311 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.97	75.32	88.20	-12.88	61.07	35.39	11.40	32.54	100	311 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5935.00	84.34	-----	-----	70.09	35.40	11.40	32.55	100	311 PEAK																																																																									
Avg	Date: 2023-11-09 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>65.84</td><td>68.20</td><td>-2.36</td><td>51.59</td><td>35.39</td><td>11.40</td><td>32.54</td><td>100</td><td>311 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	65.84	68.20	-2.36	51.59	35.39	11.40	32.54	100	311 AVERAGE	Date: 2023-11-09 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5935.00</td><td>75.18</td><td>-----</td><td>-----</td><td>60.93</td><td>35.40</td><td>11.40</td><td>32.55</td><td>100</td><td>311 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	75.18	-----	-----	60.93	35.40	11.40	32.55	100	311 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.97	65.84	68.20	-2.36	51.59	35.39	11.40	32.54	100	311 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5935.00	75.18	-----	-----	60.93	35.40	11.40	32.55	100	311 AVERAGE																																																																									



Mode	202									
	Band Edge									
	U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 106+26_5935MHz									
ANT	CDD 6+5									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2023-11-09 </									





Mode	203																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																						
ANT	CDD 5+6																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	 Level (dBuV/m) Date: 2023-11-17 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>70.52</td><td>88.20</td><td>-17.68</td><td>54.04</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>234 PEAK</td></tr><tr><td>2</td><td>7319.74</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>37.96</td><td>36.33</td><td>13.09</td><td>32.66</td><td>100</td><td>234 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	70.52	88.20	-17.68	54.04	36.25	12.73	32.50	100	234 PEAK	2	7319.74	54.72	74.00	-19.28	37.96	36.33	13.09	32.66	100	234 PEAK	 Level (dBuV/m) Date: 2023-11-17 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>89.21</td><td>-----</td><td>-----</td><td>72.75</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100</td><td>234 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	89.21	-----	-----	72.75	36.25	12.71	32.50	100	234 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	70.52	88.20	-17.68	54.04	36.25	12.73	32.50	100	234 PEAK																																																																																													
2	7319.74	54.72	74.00	-19.28	37.96	36.33	13.09	32.66	100	234 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	89.21	-----	-----	72.75	36.25	12.71	32.50	100	234 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2023-11-17 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>59.51</td><td>68.20</td><td>-8.69</td><td>43.03</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>234 AVERAGE</td></tr><tr><td>2</td><td>7279.25</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>27.64</td><td>36.31</td><td>13.06</td><td>32.62</td><td>100</td><td>234 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	59.51	68.20	-8.69	43.03	36.25	12.73	32.50	100	234 AVERAGE	2	7279.25	44.39	54.00	-9.61	27.64	36.31	13.06	32.62	100	234 AVERAGE	 Level (dBuV/m) Date: 2023-11-17 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>83.47</td><td>-----</td><td>-----</td><td>67.02</td><td>36.25</td><td>12.69</td><td>32.49</td><td>100</td><td>234 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	83.47	-----	-----	67.02	36.25	12.69	32.49	100	234 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	59.51	68.20	-8.69	43.03	36.25	12.73	32.50	100	234 AVERAGE																																																																																													
2	7279.25	44.39	54.00	-9.61	27.64	36.31	13.06	32.62	100	234 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	83.47	-----	-----	67.02	36.25	12.69	32.49	100	234 AVERAGE																																																																																													







Mode	203																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																											
ANT	CDD 5+6																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Date: 2023-11-17 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 7125.28</td><td>76.95</td><td>88.20</td><td>-11.25</td><td>60.47</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>226 PEAK</td></tr><tr><td>2 7317.52</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>38.45</td><td>36.33</td><td>13.08</td><td>32.65</td><td>100</td><td>226 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7125.28	76.95	88.20	-11.25	60.47	36.25	12.73	32.50	100	226 PEAK	2 7317.52	55.21	74.00	-18.79	38.45	36.33	13.08	32.65	100	226 PEAK	Date: 2023-11-17 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 7115.00</td><td>93.09</td><td>-----</td><td>-----</td><td>76.63</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100</td><td>226 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7115.00	93.09	-----	-----	76.63	36.25	12.71	32.50	100	226 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 7125.28	76.95	88.20	-11.25	60.47	36.25	12.73	32.50	100	226 PEAK																																																																																			
2 7317.52	55.21	74.00	-18.79	38.45	36.33	13.08	32.65	100	226 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 7115.00	93.09	-----	-----	76.63	36.25	12.71	32.50	100	226 PEAK																																																																																			
Avg	Date: 2023-11-17 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 7125.28</td><td>66.03</td><td>68.20</td><td>-2.17</td><td>49.55</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>226 AVERAGE</td></tr><tr><td>2 7285.92</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>28.15</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100</td><td>226 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7125.28	66.03	68.20	-2.17	49.55	36.25	12.73	32.50	100	226 AVERAGE	2 7285.92	44.89	54.00	-9.11	28.15	36.31	13.06	32.63	100	226 AVERAGE	Date: 2023-11-17 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 7115.00</td><td>86.36</td><td>-----</td><td>-----</td><td>69.90</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100</td><td>226 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7115.00	86.36	-----	-----	69.90	36.25	12.71	32.50	100	226 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 7125.28	66.03	68.20	-2.17	49.55	36.25	12.73	32.50	100	226 AVERAGE																																																																																			
2 7285.92	44.89	54.00	-9.11	28.15	36.31	13.06	32.63	100	226 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 7115.00	86.36	-----	-----	69.90	36.25	12.71	32.50	100	226 AVERAGE																																																																																			



Mode	203																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																								
ANT	CDD 5+6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-12-05  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14230.00</td><td>49.74</td><td>88.20</td><td>-38.46</td><td>43.12</td><td>41.04</td><td>16.33</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14230.00	49.74	88.20	-38.46	43.12	41.04	16.33	50.75	--	--	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14230.00</td><td>49.62</td><td>88.20</td><td>-38.58</td><td>43.00</td><td>41.04</td><td>16.33</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14230.00	49.62	88.20	-38.58	43.00	41.04	16.33	50.75	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 14230.00	49.74	88.20	-38.46	43.12	41.04	16.33	50.75	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 14230.00	49.62	88.20	-38.58	43.00	41.04	16.33	50.75	--	--	Peak																																																																																															





Mode	204																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																						
ANT	CDD 5+6																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	 Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>69.06</td><td>88.20</td><td>-19.14</td><td>52.58</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>233 PEAK</td></tr><tr><td>2</td><td>7270.35</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>37.95</td><td>36.31</td><td>13.05</td><td>32.62</td><td>100</td><td>233 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	69.06	88.20	-19.14	52.58	36.25	12.73	32.50	100	233 PEAK	2	7270.35	54.69	74.00	-19.31	37.95	36.31	13.05	32.62	100	233 PEAK	 Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>79.92</td><td>-----</td><td>-----</td><td>63.46</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100</td><td>233 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	79.92	-----	-----	63.46	36.25	12.71	32.50	100	233 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	69.06	88.20	-19.14	52.58	36.25	12.73	32.50	100	233 PEAK																																																																																													
2	7270.35	54.69	74.00	-19.31	37.95	36.31	13.05	32.62	100	233 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	79.92	-----	-----	63.46	36.25	12.71	32.50	100	233 PEAK																																																																																													
Avg	 Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>58.65</td><td>68.20</td><td>-9.55</td><td>42.17</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>233 AVERAGE</td></tr><tr><td>2</td><td>7289.48</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>28.03</td><td>36.32</td><td>13.06</td><td>32.63</td><td>100</td><td>233 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	58.65	68.20	-9.55	42.17	36.25	12.73	32.50	100	233 AVERAGE	2	7289.48	44.78	54.00	-9.22	28.03	36.32	13.06	32.63	100	233 AVERAGE	 Date: 2023-11-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>69.66</td><td>-----</td><td>-----</td><td>53.18</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>233 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	69.66	-----	-----	53.18	36.25	12.73	32.50	100	233 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	58.65	68.20	-9.55	42.17	36.25	12.73	32.50	100	233 AVERAGE																																																																																													
2	7289.48	44.78	54.00	-9.22	28.03	36.32	13.06	32.63	100	233 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	69.66	-----	-----	53.18	36.25	12.73	32.50	100	233 AVERAGE																																																																																													







Mode	204																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																											
ANT	CDD 5+6																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Date: 2023-11-17 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>77.54</td><td>88.20</td><td>-10.66</td><td>61.06</td><td>36.25</td><td>12.73</td><td>32.50</td><td>338 214 PEAK</td></tr><tr><td>2</td><td>7309.06</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>37.91</td><td>36.32</td><td>13.08</td><td>32.65</td><td>338 214 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	77.54	88.20	-10.66	61.06	36.25	12.73	32.50	338 214 PEAK	2	7309.06	54.66	74.00	-19.34	37.91	36.32	13.08	32.65	338 214 PEAK	Date: 2023-11-17 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>84.88</td><td>-----</td><td>-----</td><td>68.46</td><td>36.24</td><td>12.67</td><td>32.49</td><td>338 214 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	84.88	-----	-----	68.46	36.24	12.67	32.49	338 214 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	77.54	88.20	-10.66	61.06	36.25	12.73	32.50	338 214 PEAK																																																																																			
2	7309.06	54.66	74.00	-19.34	37.91	36.32	13.08	32.65	338 214 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	84.88	-----	-----	68.46	36.24	12.67	32.49	338 214 PEAK																																																																																			
Avg	Date: 2023-11-17 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>65.91</td><td>68.20</td><td>-2.29</td><td>49.43</td><td>36.25</td><td>12.73</td><td>32.50</td><td>338 214 AVERAGE</td></tr><tr><td>2</td><td>7329.09</td><td>44.90</td><td>54.00</td><td>-9.10</td><td>28.14</td><td>36.33</td><td>13.09</td><td>32.66</td><td>338 214 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	65.91	68.20	-2.29	49.43	36.25	12.73	32.50	338 214 AVERAGE	2	7329.09	44.90	54.00	-9.10	28.14	36.33	13.09	32.66	338 214 AVERAGE	Date: 2023-11-17 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>76.77</td><td>-----</td><td>-----</td><td>60.29</td><td>36.25</td><td>12.73</td><td>32.50</td><td>338 214 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	76.77	-----	-----	60.29	36.25	12.73	32.50	338 214 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	65.91	68.20	-2.29	49.43	36.25	12.73	32.50	338 214 AVERAGE																																																																																			
2	7329.09	44.90	54.00	-9.10	28.14	36.33	13.09	32.66	338 214 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	76.77	-----	-----	60.29	36.25	12.73	32.50	338 214 AVERAGE																																																																																			







Mode	204																																																																																																
	Harmonic																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																
ANT	CDD 5+6																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>49.95</td><td>88.20</td><td>-38.25</td><td>43.33</td><td>41.04</td><td>16.33</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14230.00	49.95	88.20	-38.25	43.33	41.04	16.33	50.75	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>50.23</td><td>88.20</td><td>-37.97</td><td>43.61</td><td>41.04</td><td>16.33</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14230.00	50.23	88.20	-37.97	43.61	41.04	16.33	50.75	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 14230.00	49.95	88.20	-38.25	43.33	41.04	16.33	50.75	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 14230.00	50.23	88.20	-37.97	43.61	41.04	16.33	50.75	--	--	Peak																																																																																							







Mode	205																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU 26/8_7115MHz																																																																																																			
ANT	CDD 5+6																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2023-11-30 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>64.13</td><td>88.20</td><td>-24.07</td><td>47.65</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100 240 PEAK</td></tr><tr><td>2</td><td>7285.03</td><td>54.88</td><td>74.00</td><td>-19.12</td><td>38.14</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100 240 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	64.13	88.20	-24.07	47.65	36.25	12.73	32.50	100 240 PEAK	2	7285.03	54.88	74.00	-19.12	38.14	36.31	13.06	32.63	100 240 PEAK	 Level (dBuV/m) Date: 2023-11-30 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>73.60</td><td>-----</td><td>-----</td><td>57.12</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100 240 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	73.60	-----	-----	57.12	36.25	12.73	32.50	100 240 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7125.28	64.13	88.20	-24.07	47.65	36.25	12.73	32.50	100 240 PEAK																																																																																											
2	7285.03	54.88	74.00	-19.12	38.14	36.31	13.06	32.63	100 240 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7115.00	73.60	-----	-----	57.12	36.25	12.73	32.50	100 240 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2023-11-30 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>53.55</td><td>68.20</td><td>-14.65</td><td>37.07</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100 240 AVERAGE</td></tr><tr><td>2</td><td>7310.40</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>28.14</td><td>36.32</td><td>13.08</td><td>32.65</td><td>100 240 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	53.55	68.20	-14.65	37.07	36.25	12.73	32.50	100 240 AVERAGE	2	7310.40	44.89	54.00	-9.11	28.14	36.32	13.08	32.65	100 240 AVERAGE	 Level (dBuV/m) Date: 2023-11-30 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>66.28</td><td>-----</td><td>-----</td><td>49.80</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100 240 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	66.28	-----	-----	49.80	36.25	12.73	32.50	100 240 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7125.28	53.55	68.20	-14.65	37.07	36.25	12.73	32.50	100 240 AVERAGE																																																																																											
2	7310.40	44.89	54.00	-9.11	28.14	36.32	13.08	32.65	100 240 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7115.00	66.28	-----	-----	49.80	36.25	12.73	32.50	100 240 AVERAGE																																																																																											







Mode	205																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU 26/8_7115MHz																																																																																																						
ANT	CDD 5+6																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2023-11-30  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>70.76</td><td>88.20</td><td>-17.44</td><td>54.28</td><td>36.25</td><td>12.73</td><td>32.50</td><td>376</td><td>212 PEAK</td></tr><tr><td>2</td><td>7350.00</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>37.53</td><td>36.34</td><td>13.11</td><td>32.68</td><td>376</td><td>212 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	70.76	88.20	-17.44	54.28	36.25	12.73	32.50	376	212 PEAK	2	7350.00	54.30	74.00	-19.70	37.53	36.34	13.11	32.68	376	212 PEAK	Level (dBuV/m) Date: 2023-11-30  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>83.53</td><td>-----</td><td>-----</td><td>67.05</td><td>36.25</td><td>12.73</td><td>32.50</td><td>376</td><td>212 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	83.53	-----	-----	67.05	36.25	12.73	32.50	376	212 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	70.76	88.20	-17.44	54.28	36.25	12.73	32.50	376	212 PEAK																																																																																													
2	7350.00	54.30	74.00	-19.70	37.53	36.34	13.11	32.68	376	212 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	83.53	-----	-----	67.05	36.25	12.73	32.50	376	212 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2023-11-30  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>60.49</td><td>68.20</td><td>-7.71</td><td>44.01</td><td>36.25</td><td>12.73</td><td>32.50</td><td>376</td><td>212 AVERAGE</td></tr><tr><td>2</td><td>7256.55</td><td>44.91</td><td>54.00</td><td>-9.09</td><td>28.18</td><td>36.30</td><td>13.04</td><td>32.61</td><td>376</td><td>212 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	60.49	68.20	-7.71	44.01	36.25	12.73	32.50	376	212 AVERAGE	2	7256.55	44.91	54.00	-9.09	28.18	36.30	13.04	32.61	376	212 AVERAGE	Level (dBuV/m) Date: 2023-11-30  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>74.03</td><td>-----</td><td>-----</td><td>57.55</td><td>36.25</td><td>12.73</td><td>32.50</td><td>376</td><td>212 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	74.03	-----	-----	57.55	36.25	12.73	32.50	376	212 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	60.49	68.20	-7.71	44.01	36.25	12.73	32.50	376	212 AVERAGE																																																																																													
2	7256.55	44.91	54.00	-9.09	28.18	36.30	13.04	32.61	376	212 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	74.03	-----	-----	57.55	36.25	12.73	32.50	376	212 AVERAGE																																																																																													







		206																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 52+26/39+7_7115MHz																																																																																																				
ANT		CDD 5+6																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2023-11-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7224.07</td><td>54.81</td><td>88.20</td><td>-33.39</td><td>38.08</td><td>36.29</td><td>13.02</td><td>32.58</td><td>100</td><td>261</td><td>PEAK</td></tr><tr><td>2</td><td>7328.20</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>38.04</td><td>36.33</td><td>13.09</td><td>32.66</td><td>100</td><td>261</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7224.07	54.81	88.20	-33.39	38.08	36.29	13.02	32.58	100	261	PEAK	2	7328.20	54.80	74.00	-19.20	38.04	36.33	13.09	32.66	100	261	PEAK	 Level (dBuV/m) Date: 2023-11-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>75.12</td><td>-----</td><td>-----</td><td>58.66</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100</td><td>261</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.12	-----	-----	58.66	36.25	12.71	32.50	100	261	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7224.07	54.81	88.20	-33.39	38.08	36.29	13.02	32.58	100	261	PEAK																																																																																											
2	7328.20	54.80	74.00	-19.20	38.04	36.33	13.09	32.66	100	261	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7115.00	75.12	-----	-----	58.66	36.25	12.71	32.50	100	261	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2023-11-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7223.62</td><td>45.06</td><td>68.20</td><td>-23.14</td><td>28.33</td><td>36.29</td><td>13.02</td><td>32.58</td><td>100</td><td>261</td><td>AVERAGE</td></tr><tr><td>2</td><td>7303.72</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>28.11</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100</td><td>261</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7223.62	45.06	68.20	-23.14	28.33	36.29	13.02	32.58	100	261	AVERAGE	2	7303.72	44.86	54.00	-9.14	28.11	36.32	13.07	32.64	100	261	AVERAGE	 Level (dBuV/m) Date: 2023-11-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>66.84</td><td>-----</td><td>-----</td><td>50.38</td><td>36.25</td><td>12.71</td><td>32.50</td><td>100</td><td>261</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	66.84	-----	-----	50.38	36.25	12.71	32.50	100	261	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7223.62	45.06	68.20	-23.14	28.33	36.29	13.02	32.58	100	261	AVERAGE																																																																																											
2	7303.72	44.86	54.00	-9.14	28.11	36.32	13.07	32.64	100	261	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7115.00	66.84	-----	-----	50.38	36.25	12.71	32.50	100	261	AVERAGE																																																																																											



		206																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 52+26/39+7_7115MHz																																																																																												
ANT		CDD 5+6																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak	 Level (dBuV/m) Date: 2023-11-30 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6905 6994. 7083. 7172. 7261. 7350 Frequency (MHz) PEAK_BE(UNII)_6E 2					 Level (dBuV/m) Date: 2023-11-30 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(UNII)_6E																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	60.23	88.20	-27.97	43.75	36.25	12.73	32.50	376 209 PEAK	2	7317.52	55.20	74.00	-18.80	38.44	36.33	13.08	32.65	376 209 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	81.15	-----	-----	64.69	36.25	12.71	32.50	376 209 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	60.23	88.20	-27.97	43.75	36.25	12.73	32.50	376 209 PEAK																																																																																					
2	7317.52	55.20	74.00	-18.80	38.44	36.33	13.08	32.65	376 209 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	81.15	-----	-----	64.69	36.25	12.71	32.50	376 209 PEAK																																																																																					
Avg	 Level (dBuV/m) Date: 2023-11-30 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6905 6994. 7083. 7172. 7261. 7350 Frequency (MHz) AVG_BE(UNII)_6E 2					 Level (dBuV/m) Date: 2023-11-30 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(UNII)_6E																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	45.94	68.20	-22.26	29.46	36.25	12.73	32.50	376 209 AVERAGE	2	7290.82	44.90	54.00	-9.10	28.15	36.32	13.06	32.63	376 209 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	73.59	-----	-----	57.13	36.25	12.71	32.50	376 208 AVERAGE				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	45.94	68.20	-22.26	29.46	36.25	12.73	32.50	376 209 AVERAGE																																																																																					
2	7290.82	44.90	54.00	-9.10	28.15	36.32	13.06	32.63	376 209 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	73.59	-----	-----	57.13	36.25	12.71	32.50	376 208 AVERAGE																																																																																					







Mode	207																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 106+26/54+4_7115MHz																																																																																																					
ANT	CDD 5+6																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>68.60</td><td>88.20</td><td>-19.60</td><td>52.12</td><td>36.25</td><td>12.73</td><td>32.50</td><td>369</td><td>260 PEAK</td></tr><tr><td>2</td><td>7303.28</td><td>54.79</td><td>74.00</td><td>-19.21</td><td>38.04</td><td>36.32</td><td>13.07</td><td>32.64</td><td>369</td><td>260 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	68.60	88.20	-19.60	52.12	36.25	12.73	32.50	369	260 PEAK	2	7303.28	54.79	74.00	-19.21	38.04	36.32	13.07	32.64	369	260 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>78.08</td><td>-----</td><td>-----</td><td>61.62</td><td>36.25</td><td>12.71</td><td>32.50</td><td>369</td><td>260 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	78.08	-----	-----	61.62	36.25	12.71	32.50	369
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7125.28	68.60	88.20	-19.60	52.12	36.25	12.73	32.50	369	260 PEAK																																																																																												
2	7303.28	54.79	74.00	-19.21	38.04	36.32	13.07	32.64	369	260 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7115.00	78.08	-----	-----	61.62	36.25	12.71	32.50	369	260 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>58.41</td><td>68.20</td><td>-9.79</td><td>41.93</td><td>36.25</td><td>12.73</td><td>32.50</td><td>369</td><td>260 AVERAGE</td></tr><tr><td>2</td><td>7311.73</td><td>45.15</td><td>54.00</td><td>-8.85</td><td>28.40</td><td>36.32</td><td>13.08</td><td>32.65</td><td>369</td><td>260 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	58.41	68.20	-9.79	41.93	36.25	12.73	32.50	369	260 AVERAGE	2	7311.73	45.15	54.00	-8.85	28.40	36.32	13.08	32.65	369	260 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>69.72</td><td>-----</td><td>-----</td><td>53.24</td><td>36.25</td><td>12.73</td><td>32.50</td><td>369</td><td>260 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	69.72	-----	-----	53.24	36.25	12.73	32.50	369
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7125.28	58.41	68.20	-9.79	41.93	36.25	12.73	32.50	369	260 AVERAGE																																																																																												
2	7311.73	45.15	54.00	-8.85	28.40	36.32	13.08	32.65	369	260 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7115.00	69.72	-----	-----	53.24	36.25	12.73	32.50	369	260 AVERAGE																																																																																												







Mode	207	
	Band Edge	
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 106+26/54+4_7115MHz	
ANT	CDD 5+6	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-11-30	







		208																																																																																														
Mode		Band Edge																																																																																														
		Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz+N30																																																																																														
ANT		CDD 5+6																																																																																														
Pol.		Horizontal					Fundamental																																																																																									
Peak		Level (dBuV/m) Date: 2023-12-06  PEAK(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Level</th><th>Cable Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>69.86</td><td>88.20 -18.34</td><td>53.38</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>51</td><td>Peak</td></tr><tr><td>2</td><td>7316.63</td><td>54.59</td><td>74.00 -19.41</td><td>37.83</td><td>36.33</td><td>13.08</td><td>32.65</td><td>100</td><td>51</td><td>Peak</td></tr></tbody></table>											Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Level	Cable Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	69.86	88.20 -18.34	53.38	36.25	12.73	32.50	100	51	Peak	2	7316.63	54.59	74.00 -19.41	37.83	36.33	13.08	32.65	100	51	Peak	Level (dBuV/m) Date: 2023-12-06  PEAK(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Level</th><th>Cable Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>90.98</td><td>-----</td><td>74.53</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100</td><td>51</td><td>Peak</td></tr></tbody></table>											Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Level	Cable Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	90.98	-----	74.53	36.25	12.70	32.50	100	51	Peak
		Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Level	Cable Preamp Loss Factor	APos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.00	69.86	88.20 -18.34	53.38	36.25	12.73	32.50	100	51	Peak																																																																																						
2	7316.63	54.59	74.00 -19.41	37.83	36.33	13.08	32.65	100	51	Peak																																																																																						
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Level	Cable Preamp Loss Factor	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7115.00	90.98	-----	74.53	36.25	12.70	32.50	100	51	Peak																																																																																						
Avg		Level (dBuV/m) Date: 2023-12-06  AVG(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Level</th><th>Cable Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>62.82</td><td>68.20 -5.38</td><td>46.34</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>51</td><td>Average</td></tr><tr><td>2</td><td>7252.35</td><td>44.97</td><td>54.00 -9.03</td><td>28.23</td><td>36.30</td><td>13.04</td><td>32.60</td><td>100</td><td>51</td><td>Average</td></tr></tbody></table>											Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Level	Cable Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	62.82	68.20 -5.38	46.34	36.25	12.73	32.50	100	51	Average	2	7252.35	44.97	54.00 -9.03	28.23	36.30	13.04	32.60	100	51	Average	Level (dBuV/m) Date: 2023-12-06  AVG(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Level</th><th>Cable Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>84.05</td><td>-----</td><td>67.60</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100</td><td>51</td><td>Average</td></tr></tbody></table>											Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Level	Cable Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	84.05	-----	67.60	36.25	12.70	32.50	100	51	Average
		Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Level	Cable Preamp Loss Factor	APos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.00	62.82	68.20 -5.38	46.34	36.25	12.73	32.50	100	51	Average																																																																																						
2	7252.35	44.97	54.00 -9.03	28.23	36.30	13.04	32.60	100	51	Average																																																																																						
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Level	Cable Preamp Loss Factor	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7115.00	84.05	-----	67.60	36.25	12.70	32.50	100	51	Average																																																																																						







		208																																																																																														
Mode		Band Edge																																																																																														
		Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz+N30																																																																																														
ANT		CDD 5+6																																																																																														
Pol.		Vertical					Fundamental																																																																																									
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-12-06. The plot shows a red limit line and a blue trace. A sharp peak is visible at 7125 MHz. A red label 'PEAK(U-NI)_6E' is present. A blue label '2' is at the bottom right.					 Level (dBuV/m) vs Frequency (MHz). Date: 2023-12-06. The plot shows a red limit line and a blue trace. A sharp peak is visible at 7115 MHz. A red label 'PEAK(U-NI)_6E' is present. A blue label '1' is at the bottom right.																																																																																										
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	74.63	88.20	-13.57	58.15	36.25	12.73	32.50	100	144	Peak	2	7282.36	55.11	74.00	-18.89	38.37	36.31	13.06	32.63	100	144	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	95.24	-----	-----	78.79	36.25	12.70	32.50	100	144	Peak				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	7125.00	74.63	88.20	-13.57	58.15	36.25	12.73	32.50	100	144	Peak																																																																																					
2	7282.36	55.11	74.00	-18.89	38.37	36.31	13.06	32.63	100	144	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	7115.00	95.24	-----	-----	78.79	36.25	12.70	32.50	100	144	Peak																																																																																					
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-12-06. The plot shows a red limit line and a blue trace. A sharp peak is visible at 7125 MHz. A red label 'AVG(U-NI)_6E' is present. A blue label '2' is at the bottom right.					 Level (dBuV/m) vs Frequency (MHz). Date: 2023-12-06. The plot shows a red limit line and a blue trace. A sharp peak is visible at 7115 MHz. A red label 'AVG(U-NI)_6E' is present. A blue label '1' is at the bottom right.																																																																																										
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	64.74	68.20	-3.46	48.26	36.25	12.73	32.50	100	144	Average	2	7283.04	44.95	54.00	-9.05	28.21	36.31	13.06	32.63	100	144	Average		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	87.90	-----	-----	71.45	36.25	12.70	32.50	100	144	Average				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	7125.00	64.74	68.20	-3.46	48.26	36.25	12.73	32.50	100	144	Average																																																																																					
2	7283.04	44.95	54.00	-9.05	28.21	36.31	13.06	32.63	100	144	Average																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	7115.00	87.90	-----	-----	71.45	36.25	12.70	32.50	100	144	Average																																																																																					





Mode	208																																																																																																																	
	Band Edge																																																																																																																	
	Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz+N30																																																																																																																	
ANT	CDD 5+6																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																												
Peak	 Level (dBuV/m) Date: 2023-12-28 PEAK_BE_74 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.58</td><td>66.30</td><td>74.00</td><td>-7.70</td><td>58.06</td><td>32.46</td><td>7.88</td><td>32.10</td><td>369</td><td>318</td><td colspan="2">PEAK</td></tr></tbody></table>							Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.58	66.30	74.00	-7.70	58.06	32.46	7.88	32.10	369	318	PEAK		 Level (dBuV/m) Date: 2023-12-28 PEAK_74 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2462.00</td><td>103.17</td><td>-----</td><td>-----</td><td>95.00</td><td>32.41</td><td>7.85</td><td>32.09</td><td>369</td><td>318</td><td colspan="2">PEAK</td></tr></tbody></table>							Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	103.17	-----	-----	95.00	32.41	7.85	32.09	369	318	PEAK	
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 2483.58	66.30	74.00	-7.70	58.06	32.46	7.88	32.10	369	318	PEAK																																																																																																								
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 2462.00	103.17	-----	-----	95.00	32.41	7.85	32.09	369	318	PEAK																																																																																																								
Avg	 Level (dBuV/m) Date: 2023-12-28 AVG_BE_54 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.51</td><td>51.81</td><td>54.00</td><td>-2.19</td><td>43.57</td><td>32.46</td><td>7.88</td><td>32.10</td><td>369</td><td>318</td><td colspan="2">AVERAGE</td></tr></tbody></table>							Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.51	51.81	54.00	-2.19	43.57	32.46	7.88	32.10	369	318	AVERAGE		 Level (dBuV/m) Date: 2023-12-28 AVG_54 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2462.00</td><td>95.80</td><td>-----</td><td>-----</td><td>87.63</td><td>32.41</td><td>7.85</td><td>32.09</td><td>369</td><td>318</td><td colspan="2">AVERAGE</td></tr></tbody></table>							Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	95.80	-----	-----	87.63	32.41	7.85	32.09	369	318	AVERAGE	
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 2483.51	51.81	54.00	-2.19	43.57	32.46	7.88	32.10	369	318	AVERAGE																																																																																																								
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 2462.00	95.80	-----	-----	87.63	32.41	7.85	32.09	369	318	AVERAGE																																																																																																								







Mode	208																																																																																										
	Band Edge																																																																																										
	Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz+N30																																																																																										
ANT	CDD 5+6																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2023-12-28 PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.81</td><td>66.17</td><td>74.00</td><td>-7.83</td><td>57.93</td><td>32.46</td><td>7.88</td><td>32.10</td><td>400</td><td>239</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.81	66.17	74.00	-7.83	57.93	32.46	7.88	32.10	400	239	PEAK	 Level (dBuV/m) Date: 2023-12-28 PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>101.03</td><td>-----</td><td>-----</td><td>92.83</td><td>32.43</td><td>7.86</td><td>32.09</td><td>400</td><td>239</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	101.03	-----	-----	92.83	32.43	7.86	32.09	400	239	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.81	66.17	74.00	-7.83	57.93	32.46	7.88	32.10	400	239	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	101.03	-----	-----	92.83	32.43	7.86	32.09	400	239	PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2023-12-28 AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>42.15</td><td>32.46</td><td>7.88</td><td>32.10</td><td>400</td><td>239</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	50.39	54.00	-3.61	42.15	32.46	7.88	32.10	400	239	AVERAGE	 Level (dBuV/m) Date: 2023-12-28 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>94.07</td><td>-----</td><td>-----</td><td>85.87</td><td>32.43</td><td>7.86</td><td>32.09</td><td>400</td><td>239</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	94.07	-----	-----	85.87	32.43	7.86	32.09	400	239	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	50.39	54.00	-3.61	42.15	32.46	7.88	32.10	400	239	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	94.07	-----	-----	85.87	32.43	7.86	32.09	400	239	AVERAGE																																																																																







		208																																																																																																						
Mode		Harmonic																																																																																																						
		Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz+N30																																																																																																						
ANT		CDD 5+6																																																																																																						
Pol.		Horizontal												Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-12-15  Level (dBuV/m) Date: 2023-12-15 																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>49.65</td><td>74.00</td><td>-24.35</td><td>35.32</td><td>34.88</td><td>11.13</td><td>31.68</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>48.67</td><td>74.00</td><td>-25.33</td><td>31.89</td><td>36.36</td><td>13.14</td><td>32.72</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>50.31</td><td>88.20</td><td>-37.89</td><td>27.25</td><td>41.04</td><td>16.33</td><td>34.31</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr></table>																		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg	1	4924.00	49.65	74.00	-24.35	35.32	34.88	11.13	31.68	--	--	Peak	--	--	Peak	2	7386.00	48.67	74.00	-25.33	31.89	36.36	13.14	32.72	--	--	Peak	--	--	Peak	3	14230.00	50.31	88.20	-37.89	27.25	41.04	16.33	34.31	--	--	Peak	--	--	Peak
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg																																																																																											
1	4924.00	49.65	74.00	-24.35	35.32	34.88	11.13	31.68	--	--	Peak	--	--	Peak																																																																																										
2	7386.00	48.67	74.00	-25.33	31.89	36.36	13.14	32.72	--	--	Peak	--	--	Peak																																																																																										
3	14230.00	50.31	88.20	-37.89	27.25	41.04	16.33	34.31	--	--	Peak	--	--	Peak																																																																																										
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>34.19</td><td>34.88</td><td>11.13</td><td>31.68</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>49.91</td><td>74.00</td><td>-24.09</td><td>33.13</td><td>36.36</td><td>13.14</td><td>32.72</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>51.52</td><td>88.20</td><td>-36.68</td><td>28.46</td><td>41.04</td><td>16.33</td><td>34.31</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr></table>																		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg	1	4924.00	48.52	74.00	-25.48	34.19	34.88	11.13	31.68	--	--	Peak	--	--	Peak	2	7386.00	49.91	74.00	-24.09	33.13	36.36	13.14	32.72	--	--	Peak	--	--	Peak	3	14230.00	51.52	88.20	-36.68	28.46	41.04	16.33	34.31	--	--	Peak	--	--	Peak	
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg																																																																																											
1	4924.00	48.52	74.00	-25.48	34.19	34.88	11.13	31.68	--	--	Peak	--	--	Peak																																																																																										
2	7386.00	49.91	74.00	-24.09	33.13	36.36	13.14	32.72	--	--	Peak	--	--	Peak																																																																																										
3	14230.00	51.52	88.20	-36.68	28.46	41.04	16.33	34.31	--	--	Peak	--	--	Peak																																																																																										

Note: for RSE co-location plots, the individual highest signals over limit are co-location fundamental signals.



Mode	209																																																																															
	Band Edge																																																																															
	Co-location_ 11a_Ch233_7115MHz+Bluetooth BR_GFSK_CH78_2480MHz+N30																																																																															
ANT	CDD 5+6																																																																															
Pol.	Horizontal					Fundamental																																																																										
Peak	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a red limit line and a blue measured signal. A peak is labeled 'PEAK(U-NI)_6E' at 7335.32 MHz. The date is 2023-12-06. <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>70.74</td><td>88.20</td><td>-17.46</td><td>54.26</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100 45 Peak</td></tr><tr><td>2</td><td>7335.32</td><td>54.51</td><td>74.00</td><td>-19.49</td><td>37.75</td><td>36.33</td><td>13.10</td><td>32.67</td><td>100 45 Peak</td></tr></tbody></table>						Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7125.00	70.74	88.20	-17.46	54.26	36.25	12.73	32.50	100 45 Peak	2	7335.32	54.51	74.00	-19.49	37.75	36.33	13.10	32.67	100 45 Peak	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a red limit line and a blue measured signal. A peak is labeled 'PEAK(U-NI)_6E' at 7115.00 MHz. The date is 2023-12-06. <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>91.83</td><td>-----</td><td>-----</td><td>75.38</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100 45 Peak</td></tr></tbody></table>						Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7115.00	91.83	-----	-----	75.38	36.25	12.70	32.50	100 45 Peak
		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																							
1	7125.00	70.74	88.20	-17.46	54.26	36.25	12.73	32.50	100 45 Peak																																																																							
2	7335.32	54.51	74.00	-19.49	37.75	36.33	13.10	32.67	100 45 Peak																																																																							
	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																							
1	7115.00	91.83	-----	-----	75.38	36.25	12.70	32.50	100 45 Peak																																																																							
Avg	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a red limit line and a blue measured signal. An average is labeled 'AVG(U-NI)_6E' at 7284.90 MHz. The date is 2023-12-06. <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>62.39</td><td>68.20</td><td>-5.81</td><td>45.91</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100 45 Average</td></tr><tr><td>2</td><td>7284.90</td><td>44.94</td><td>54.00</td><td>-9.06</td><td>28.20</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100 45 Average</td></tr></tbody></table>						Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7125.00	62.39	68.20	-5.81	45.91	36.25	12.73	32.50	100 45 Average	2	7284.90	44.94	54.00	-9.06	28.20	36.31	13.06	32.63	100 45 Average	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a red limit line and a blue measured signal. An average is labeled 'AVG(U-NI)_6E' at 7115.00 MHz. The date is 2023-12-06. <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>83.77</td><td>-----</td><td>-----</td><td>67.32</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100 45 Average</td></tr></tbody></table>						Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7115.00	83.77	-----	-----	67.32	36.25	12.70	32.50	100 45 Average
		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																							
1	7125.00	62.39	68.20	-5.81	45.91	36.25	12.73	32.50	100 45 Average																																																																							
2	7284.90	44.94	54.00	-9.06	28.20	36.31	13.06	32.63	100 45 Average																																																																							
	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																							
1	7115.00	83.77	-----	-----	67.32	36.25	12.70	32.50	100 45 Average																																																																							



Mode	209																																																																																									
	Band Edge																																																																																									
	Co-location_ 11a_Ch233_7115MHz+Bluetooth BR_GFSK_CH78_2480MHz+N30																																																																																									
ANT	CDD 5+6																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) PEAK(U-NI)_6E					 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) PEAK(U-NI)_6E																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7125.00</td><td>73.11</td><td>88.20</td><td>-15.09</td><td>56.63</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td></tr><tr><td>2 7304.61</td><td>54.75</td><td>74.00</td><td>-19.25</td><td>38.00</td><td>36.32</td><td>13.07</td><td>32.64</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7125.00	73.11	88.20	-15.09	56.63	36.25	12.73	32.50	100	2 7304.61	54.75	74.00	-19.25	38.00	36.32	13.07	32.64	100	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7115.00</td><td>93.95</td><td>-----</td><td>-----</td><td>77.50</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7115.00	93.95	-----	-----	77.50	36.25	12.70	32.50
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1 7125.00	73.11	88.20	-15.09	56.63	36.25	12.73	32.50	100																																																																																		
2 7304.61	54.75	74.00	-19.25	38.00	36.32	13.07	32.64	100																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1 7115.00	93.95	-----	-----	77.50	36.25	12.70	32.50	100																																																																																		
Avg	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) AVG(U-NI)_6E					 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) AVG(U-NI)_6E																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7125.00</td><td>64.22</td><td>68.20</td><td>-3.98</td><td>47.74</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td></tr><tr><td>2 7287.69</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>28.20</td><td>36.32</td><td>13.06</td><td>32.63</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7125.00	64.22	68.20	-3.98	47.74	36.25	12.73	32.50	100	2 7287.69	44.95	54.00	-9.05	28.20	36.32	13.06	32.63	100	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7115.00</td><td>87.09</td><td>-----</td><td>-----</td><td>70.64</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7115.00	87.09	-----	-----	70.64	36.25	12.70	32.50
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1 7125.00	64.22	68.20	-3.98	47.74	36.25	12.73	32.50	100																																																																																		
2 7287.69	44.95	54.00	-9.05	28.20	36.32	13.06	32.63	100																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1 7115.00	87.09	-----	-----	70.64	36.25	12.70	32.50	100																																																																																		





		209																																																														
Mode		Band Edge																																																														
		Co-location_ 11a_Ch233_7115MHz+Bluetooth BR_GFSK_CH78_2480MHz+N30																																																														
ANT		MIMO 5+6																																																														
Pol.		Horizontal																																																														
Peak	Level (dBuV/m) Date: 2023-12-06 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2460 2468 2476 2484 2492 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.24</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>40.94</td><td>32.50</td><td>7.89</td><td>32.10</td><td>374</td><td>338</td><td>Peak</td></tr><tr><td>2</td><td>2498.24</td><td>24.44</td><td>54.00</td><td>-29.56</td><td>16.15</td><td>32.50</td><td>7.89</td><td>32.10</td><td>374</td><td>338</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.24	49.23	74.00	-24.77	40.94	32.50	7.89	32.10	374	338	Peak	2	2498.24	24.44	54.00	-29.56	16.15	32.50	7.89	32.10	374	338	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2498.24	49.23	74.00	-24.77	40.94	32.50	7.89	32.10	374	338	Peak																																																					
2	2498.24	24.44	54.00	-29.56	16.15	32.50	7.89	32.10	374	338	Average																																																					
Level (dBuV/m) Date: 2023-12-06 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.83</td><td>-----</td><td>-----</td><td>95.60</td><td>32.46</td><td>7.87</td><td>32.10</td><td>374</td><td>338</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>79.04</td><td>-----</td><td>-----</td><td>70.81</td><td>32.46</td><td>7.87</td><td>32.10</td><td>374</td><td>338</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.83	-----	-----	95.60	32.46	7.87	32.10	374	338	Peak	2	2480.00	79.04	-----	-----	70.81	32.46	7.87	32.10	374	338	Average	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2480.00	103.83	-----	-----	95.60	32.46	7.87	32.10	374	338	Peak																																																					
2	2480.00	79.04	-----	-----	70.81	32.46	7.87	32.10	374	338	Average																																																					







		209																																																																																																																		
Mode		Band Edge																																																																																																																		
		Co-location_ 11a_Ch233_7115MHz+Bluetooth BR_GFSK_CH78_2480MHz+N30																																																																																																																		
ANT		MIMO 5+6																																																																																																																		
Pol.		Vertical					Fundamental																																																																																																													
Peak	Level (dBuV/m) Date: 2023-12-06 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2460 2468 2476 2484 2492 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.72</td><td>49.67</td><td>74.00</td><td>-24.33</td><td>41.42</td><td>32.47</td><td>7.88</td><td>32.10</td><td>380</td><td>57</td><td>Peak</td></tr><tr><td>2</td><td>2487.72</td><td>24.88</td><td>54.00</td><td>-29.12</td><td>16.63</td><td>32.47</td><td>7.88</td><td>32.10</td><td>380</td><td>57</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.72	49.67	74.00	-24.33	41.42	32.47	7.88	32.10	380	57	Peak	2	2487.72	24.88	54.00	-29.12	16.63	32.47	7.88	32.10	380	57	Average	Level (dBuV/m) Date: 2023-12-06 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.88</td><td>-----</td><td>-----</td><td>87.65</td><td>32.46</td><td>7.87</td><td>32.10</td><td>380</td><td>57</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>71.09</td><td>-----</td><td>-----</td><td>62.86</td><td>32.46</td><td>7.87</td><td>32.10</td><td>380</td><td>57</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.88	-----	-----	87.65	32.46	7.87	32.10	380	57	Peak	2	2480.00	71.09	-----	-----	62.86	32.46	7.87	32.10	380	57	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2487.72	49.67	74.00	-24.33	41.42	32.47	7.88	32.10	380	57	Peak																																																																																																									
2	2487.72	24.88	54.00	-29.12	16.63	32.47	7.88	32.10	380	57	Average																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2480.00	95.88	-----	-----	87.65	32.46	7.87	32.10	380	57	Peak																																																																																																									
2	2480.00	71.09	-----	-----	62.86	32.46	7.87	32.10	380	57	Average																																																																																																									







		209																																																																																																																																																																																																					
Mode		Harmonic																																																																																																																																																																																																					
		Co-location_ 11a_Ch233_7115MHz+Bluetooth BR_GFSK_CH78_2480MHz+N30																																																																																																																																																																																																					
ANT		CDD 5+6																																																																																																																																																																																																					
Pol.		Horizontal												Vertical																																																																																																																																																																																									
Peak Avg	Date: 2023-12-15  Date: 2023-12-15 																																																																																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>49.47</td><td>74.00</td><td>-24.53</td><td>35.10</td><td>34.88</td><td>11.14</td><td>31.65</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>32.31</td><td>36.38</td><td>12.97</td><td>32.75</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>51.04</td><td>88.20</td><td>-37.16</td><td>27.98</td><td>41.04</td><td>16.33</td><td>34.31</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	cm	deg	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg	1	4960.00	49.47	74.00	-24.53	35.10	34.88	11.14	31.65	--	--	Peak	--	--	Peak	2	7440.00	48.91	74.00	-25.09	32.31	36.38	12.97	32.75	--	--	Peak	--	--	Peak	3	14230.00	51.04	88.20	-37.16	27.98	41.04	16.33	34.31	--	--	Peak	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>49.35</td><td>74.00</td><td>-24.65</td><td>34.98</td><td>34.88</td><td>11.14</td><td>31.65</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>32.37</td><td>36.38</td><td>12.97</td><td>32.75</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>50.63</td><td>88.20</td><td>-37.57</td><td>27.57</td><td>41.04</td><td>16.33</td><td>34.31</td><td>--</td><td>--</td><td>Peak</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	cm	deg	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg	1	4960.00	49.35	74.00	-24.65	34.98	34.88	11.14	31.65	--	--	Peak	--	--	Peak	2	7440.00	48.97	74.00	-25.03	32.37	36.38	12.97	32.75	--	--	Peak	--	--	Peak	3	14230.00	50.63	88.20	-37.57	27.57	41.04	16.33	34.31	--	--	Peak	--	--
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	cm	deg	cm	deg																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg																																																																																																																																																																																										
1	4960.00	49.47	74.00	-24.53	35.10	34.88	11.14	31.65	--	--	Peak	--	--	Peak																																																																																																																																																																																									
2	7440.00	48.91	74.00	-25.09	32.31	36.38	12.97	32.75	--	--	Peak	--	--	Peak																																																																																																																																																																																									
3	14230.00	51.04	88.20	-37.16	27.98	41.04	16.33	34.31	--	--	Peak	--	--	Peak																																																																																																																																																																																									
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	cm	deg	cm	deg																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	cm	deg																																																																																																																																																																																										
1	4960.00	49.35	74.00	-24.65	34.98	34.88	11.14	31.65	--	--	Peak	--	--	Peak																																																																																																																																																																																									
2	7440.00	48.97	74.00	-25.03	32.37	36.38	12.97	32.75	--	--	Peak	--	--	Peak																																																																																																																																																																																									
3	14230.00	50.63	88.20	-37.57	27.57	41.04	16.33	34.31	--	--	Peak	--	--	Peak																																																																																																																																																																																									

Note: for RSE co-location plots, the individual highest signals over limit are co-location fundamental signals.







Mode	210																																																																																																		
	Band Edge																																																																																																		
	Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz_Bluetooth-LE_CH38_2478MHz+N30																																																																																																		
ANT	CDD 5+6																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>71.32</td><td>88.20</td><td>-16.88</td><td>54.84</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>236 Peak</td></tr><tr><td>2</td><td>7274.35</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>38.91</td><td>36.31</td><td>13.05</td><td>32.62</td><td>100</td><td>236 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	71.32	88.20	-16.88	54.84	36.25	12.73	32.50	100	236 Peak	2	7274.35	55.65	74.00	-18.35	38.91	36.31	13.05	32.62	100	236 Peak	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>92.31</td><td>-----</td><td>-----</td><td>75.86</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100</td><td>236 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	92.31	-----	-----	75.86	36.25	12.70	32.50	100	236 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.00	71.32	88.20	-16.88	54.84	36.25	12.73	32.50	100	236 Peak																																																																																									
2	7274.35	55.65	74.00	-18.35	38.91	36.31	13.05	32.62	100	236 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7115.00	92.31	-----	-----	75.86	36.25	12.70	32.50	100	236 Peak																																																																																									
Avg	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>62.36</td><td>68.20</td><td>-5.84</td><td>45.88</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>236 Average</td></tr><tr><td>2</td><td>7284.44</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>28.24</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100</td><td>236 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	62.36	68.20	-5.84	45.88	36.25	12.73	32.50	100	236 Average	2	7284.44	44.98	54.00	-9.02	28.24	36.31	13.06	32.63	100	236 Average	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>84.86</td><td>-----</td><td>-----</td><td>68.41</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100</td><td>236 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	84.86	-----	-----	68.41	36.25	12.70	32.50	100	236 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.00	62.36	68.20	-5.84	45.88	36.25	12.73	32.50	100	236 Average																																																																																									
2	7284.44	44.98	54.00	-9.02	28.24	36.31	13.06	32.63	100	236 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7115.00	84.86	-----	-----	68.41	36.25	12.70	32.50	100	236 Average																																																																																									



Mode	210																																																																																																							
	Band Edge																																																																																																							
	Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz_Bluetooth-LE_CH38_2478MHz+N30																																																																																																							
ANT	CDD 5+6																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>76.17</td><td>88.20</td><td>-12.03</td><td>59.69</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>225</td><td>Peak</td></tr><tr><td>2</td><td>7265.01</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>37.75</td><td>36.31</td><td>13.05</td><td>32.61</td><td>100</td><td>225</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	76.17	88.20	-12.03	59.69	36.25	12.73	32.50	100	225	Peak	2	7265.01	54.50	74.00	-19.50	37.75	36.31	13.05	32.61	100	225	Peak	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>93.70</td><td>-----</td><td>-----</td><td>77.25</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100</td><td>225</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	93.70	-----	-----	77.25	36.25	12.70	32.50	100	225	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7125.00	76.17	88.20	-12.03	59.69	36.25	12.73	32.50	100	225	Peak																																																																																													
2	7265.01	54.50	74.00	-19.50	37.75	36.31	13.05	32.61	100	225	Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7115.00	93.70	-----	-----	77.25	36.25	12.70	32.50	100	225	Peak																																																																																													
Avg	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>65.05</td><td>68.20</td><td>-3.15</td><td>48.57</td><td>36.25</td><td>12.73</td><td>32.50</td><td>100</td><td>225</td><td>Average</td></tr><tr><td>2</td><td>7282.58</td><td>44.96</td><td>54.00</td><td>-9.04</td><td>28.22</td><td>36.31</td><td>13.06</td><td>32.63</td><td>100</td><td>225</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	65.05	68.20	-3.15	48.57	36.25	12.73	32.50	100	225	Average	2	7282.58	44.96	54.00	-9.04	28.22	36.31	13.06	32.63	100	225	Average	 Level (dBuV/m) Date: 2023-12-06 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>86.72</td><td>-----</td><td>-----</td><td>70.27</td><td>36.25</td><td>12.70</td><td>32.50</td><td>100</td><td>225</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	86.72	-----	-----	70.27	36.25	12.70	32.50	100	225	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7125.00	65.05	68.20	-3.15	48.57	36.25	12.73	32.50	100	225	Average																																																																																													
2	7282.58	44.96	54.00	-9.04	28.22	36.31	13.06	32.63	100	225	Average																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7115.00	86.72	-----	-----	70.27	36.25	12.70	32.50	100	225	Average																																																																																													







Mode	210																																																																																										
	Band Edge - L																																																																																										
	Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz_Bluetooth-LE_CH38_2478MHz+N30																																																																																										
ANT	6																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2023-12-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) PEAK_BE_74						 Level (dBuV/m) Date: 2023-12-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) PEAK_74																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.70</td><td>58.13</td><td>74.00</td><td>-15.87</td><td>49.89</td><td>32.46</td><td>7.88</td><td>32.10</td><td>370</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.70	58.13	74.00	-15.87	49.89	32.46	7.88	32.10	370	259	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>96.76</td><td>-----</td><td>-----</td><td>88.59</td><td>32.41</td><td>7.85</td><td>32.09</td><td>370</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	96.76	-----	-----	88.59	32.41	7.85	32.09	370	259
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.70	58.13	74.00	-15.87	49.89	32.46	7.88	32.10	370	259	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	96.76	-----	-----	88.59	32.41	7.85	32.09	370	259	PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2023-12-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) AVG_BE_54						 Level (dBuV/m) Date: 2023-12-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) AVG_54																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>37.03</td><td>32.46</td><td>7.88</td><td>32.10</td><td>370</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	45.27	54.00	-8.73	37.03	32.46	7.88	32.10	370	259	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>89.60</td><td>-----</td><td>-----</td><td>81.37</td><td>32.45</td><td>7.87</td><td>32.09</td><td>370</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	89.60	-----	-----	81.37	32.45	7.87	32.09	370	259
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	45.27	54.00	-8.73	37.03	32.46	7.88	32.10	370	259	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	89.60	-----	-----	81.37	32.45	7.87	32.09	370	259	AVERAGE																																																																																



Mode	210	
	Band Edge - L	
	Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz_Bluetooth-LE_CH38_2478MHz+N30	
ANT	6	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-12-28 1 2483.74 56.21 74.00 -17.79 47.97 32.46 7.88 32.10 400 106 PEAK	Level (dBuV/m) Date: 2023-12-28 1 2462.00 91.86 ----- 83.69 32.41 7.85 32.09 400 106 PEAK
	Level (dBuV/m) Date: 2023-12-28 1 2483.51 42.95 54.00 -11.05 34.71 32.46 7.88 32.10 400 106 AVERAGE	Level (dBuV/m) Date: 2023-12-28 1 2462.00 84.48 ----- 76.25 32.45 7.87 32.09 400 106 AVERAGE



Mode	210																																																																																									
	Band Edge																																																																																									
	Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz_Bluetooth-LE_CH38_2478MHz+N30																																																																																									
ANT	5																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2023-12-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2460 2468 2476 2484 2492 2500 Frequency (MHz) PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.96</td><td>52.76</td><td>74.00</td><td>-21.24</td><td>44.52</td><td>32.46</td><td>7.88</td><td>32.10</td><td>400</td><td>326</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.96	52.76	74.00	-21.24	44.52	32.46	7.88	32.10	400	326	Peak	 Level (dBuV/m) Date: 2023-12-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>97.38</td><td>-----</td><td>-----</td><td>89.15</td><td>32.45</td><td>7.87</td><td>32.09</td><td>400</td><td>326</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	97.38	-----	-----	89.15	32.45	7.87	32.09	400	326	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.96	52.76	74.00	-21.24	44.52	32.46	7.88	32.10	400	326	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2478.00	97.38	-----	-----	89.15	32.45	7.87	32.09	400	326	Peak																																																																															
Avg	 Level (dBuV/m) Date: 2023-12-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2460 2468 2476 2484 2492 2500 Frequency (MHz) AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.96</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>35.51</td><td>32.46</td><td>7.88</td><td>32.10</td><td>400</td><td>326</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.96	43.75	54.00	-10.25	35.51	32.46	7.88	32.10	400	326	Average	 Level (dBuV/m) Date: 2023-12-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>96.51</td><td>-----</td><td>-----</td><td>88.28</td><td>32.45</td><td>7.87</td><td>32.09</td><td>400</td><td>326</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	96.51	-----	-----	88.28	32.45	7.87	32.09	400	326	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.96	43.75	54.00	-10.25	35.51	32.46	7.88	32.10	400	326	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2478.00	96.51	-----	-----	88.28	32.45	7.87	32.09	400	326	Average																																																																															







Mode	210																																																																																									
	Band Edge																																																																																									
	Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz_Bluetooth-LE_CH38_2478MHz+N30																																																																																									
ANT	5																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2023-12-06 PEAK_BE_74						Level (dBuV/m) Date: 2023-12-06 PEAK_74																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>55.80</td><td>74.00</td><td>-18.20</td><td>47.56</td><td>32.46</td><td>7.88</td><td>32.10</td><td>100</td><td>275</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.04	55.80	74.00	-18.20	47.56	32.46	7.88	32.10	100	275	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>97.15</td><td>-----</td><td>-----</td><td>88.92</td><td>32.45</td><td>7.87</td><td>32.09</td><td>100</td><td>275</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	97.15	-----	-----	88.92	32.45	7.87	32.09	100	275
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2484.04	55.80	74.00	-18.20	47.56	32.46	7.88	32.10	100	275	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2478.00	97.15	-----	-----	88.92	32.45	7.87	32.09	100	275	Peak																																																																															
Avg	Level (dBuV/m) Date: 2023-12-06 AVG_BE_54						Level (dBuV/m) Date: 2023-12-06 AVG_54																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>38.06</td><td>32.46</td><td>7.88</td><td>32.10</td><td>100</td><td>275</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	46.30	54.00	-7.70	38.06	32.46	7.88	32.10	100	275	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>96.23</td><td>-----</td><td>-----</td><td>88.00</td><td>32.45</td><td>7.87</td><td>32.09</td><td>100</td><td>275</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	96.23	-----	-----	88.00	32.45	7.87	32.09	100	275
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.52	46.30	54.00	-7.70	38.06	32.46	7.88	32.10	100	275	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2478.00	96.23	-----	-----	88.00	32.45	7.87	32.09	100	275	Average																																																																															



		210														
Mode		Harmonic														
		Co-location _ 11a_Ch233_7115MHz+802.11g_CH11_2462MHz_Bluetooth-LE_CH38_2478MHz+N30														
ANT		5/6/5+6														
Pol.		Horizontal										Vertical				
Peak Avg	Level (dBuV/m)															

Note: for RSE co-location plots, the individual highest signals over limit are co-location fundamental signals.



		211																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																				
ANT		CDD 5+4																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>73.99</td><td>88.20</td><td>-14.21</td><td>57.51</td><td>36.25</td><td>12.73</td><td>32.50</td><td>195</td><td>54 PEAK</td></tr><tr><td>2</td><td>7306.84</td><td>55.13</td><td>74.00</td><td>-18.87</td><td>38.38</td><td>36.32</td><td>13.08</td><td>32.65</td><td>195</td><td>54 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	73.99	88.20	-14.21	57.51	36.25	12.73	32.50	195	54 PEAK	2	7306.84	55.13	74.00	-18.87	38.38	36.32	13.08	32.65	195	54 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>93.97</td><td>-----</td><td>-----</td><td>77.52</td><td>36.25</td><td>12.69</td><td>32.49</td><td>195</td><td>54 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	93.97	-----	-----	77.52	36.25	12.69	32.49	195
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7125.28	73.99	88.20	-14.21	57.51	36.25	12.73	32.50	195	54 PEAK																																																																																												
2	7306.84	55.13	74.00	-18.87	38.38	36.32	13.08	32.65	195	54 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7115.00	93.97	-----	-----	77.52	36.25	12.69	32.49	195	54 PEAK																																																																																												
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>64.79</td><td>68.20</td><td>-3.41</td><td>48.31</td><td>36.25</td><td>12.73</td><td>32.50</td><td>195</td><td>54 AVERAGE</td></tr><tr><td>2</td><td>7294.82</td><td>44.74</td><td>54.00</td><td>-9.26</td><td>27.99</td><td>36.32</td><td>13.07</td><td>32.64</td><td>195</td><td>54 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	64.79	68.20	-3.41	48.31	36.25	12.73	32.50	195	54 AVERAGE	2	7294.82	44.74	54.00	-9.26	27.99	36.32	13.07	32.64	195	54 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>86.88</td><td>-----</td><td>-----</td><td>70.43</td><td>36.25</td><td>12.69</td><td>32.49</td><td>195</td><td>54 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.88	-----	-----	70.43	36.25	12.69	32.49	195
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7125.28	64.79	68.20	-3.41	48.31	36.25	12.73	32.50	195	54 AVERAGE																																																																																												
2	7294.82	44.74	54.00	-9.26	27.99	36.32	13.07	32.64	195	54 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7115.00	86.88	-----	-----	70.43	36.25	12.69	32.49	195	54 AVERAGE																																																																																												