



Mode	211																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2023-12-06 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>69.04</td><td>88.20</td><td>-19.16</td><td>52.56</td><td>36.25</td><td>12.73</td><td>32.50</td><td>244</td><td>0 PEAK</td></tr><tr><td>2 7281.92</td><td>55.09</td><td>74.00</td><td>-18.91</td><td>38.35</td><td>36.31</td><td>13.06</td><td>32.63</td><td>244</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	69.04	88.20	-19.16	52.56	36.25	12.73	32.50	244	0 PEAK	2 7281.92	55.09	74.00	-18.91	38.35	36.31	13.06	32.63	244	0 PEAK	Level (dBuV/m) Date: 2023-12-06 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>86.14</td><td>-----</td><td>-----</td><td>69.68</td><td>36.25</td><td>12.71</td><td>32.50</td><td>244</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	86.14	-----	-----	69.68	36.25	12.71	32.50	244	0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7125.28	69.04	88.20	-19.16	52.56	36.25	12.73	32.50	244	0 PEAK																																																																																			
2 7281.92	55.09	74.00	-18.91	38.35	36.31	13.06	32.63	244	0 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7115.00	86.14	-----	-----	69.68	36.25	12.71	32.50	244	0 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2023-12-06 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>58.44</td><td>68.20</td><td>-9.76</td><td>41.96</td><td>36.25</td><td>12.73</td><td>32.50</td><td>244</td><td>0 AVERAGE</td></tr><tr><td>2 7284.59</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>27.93</td><td>36.31</td><td>13.06</td><td>32.63</td><td>244</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	58.44	68.20	-9.76	41.96	36.25	12.73	32.50	244	0 AVERAGE	2 7284.59	44.67	54.00	-9.33	27.93	36.31	13.06	32.63	244	0 AVERAGE	Level (dBuV/m) Date: 2023-12-06 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>79.58</td><td>-----</td><td>-----</td><td>63.13</td><td>36.25</td><td>12.69</td><td>32.49</td><td>244</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	79.58	-----	-----	63.13	36.25	12.69	32.49	244	0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7125.28	58.44	68.20	-9.76	41.96	36.25	12.73	32.50	244	0 AVERAGE																																																																																			
2 7284.59	44.67	54.00	-9.33	27.93	36.31	13.06	32.63	244	0 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7115.00	79.58	-----	-----	63.13	36.25	12.69	32.49	244	0 AVERAGE																																																																																			




Mode	211																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																								
ANT	CDD 5+4																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2023-12-06 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14230.00</td><td>51.45</td><td>88.20</td><td>-36.75</td><td>44.83</td><td>41.04</td><td>16.33</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14230.00	51.45	88.20	-36.75	44.83	41.04	16.33	50.75	--	--	Peak		Level (dBuV/m) Date: 2023-12-06 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14230.00</td><td>49.13</td><td>88.20</td><td>-39.07</td><td>42.51</td><td>41.04</td><td>16.33</td><td>50.75</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14230.00	49.13	88.20	-39.07	42.51	41.04	16.33	50.75	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 14230.00	51.45	88.20	-36.75	44.83	41.04	16.33	50.75	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 14230.00	49.13	88.20	-39.07	42.51	41.04	16.33	50.75	--	--	Peak																																																																																															


Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
4+5	802.11a	99.32	-	-	10Hz
4+5	802.11be EHT20	100	-	-	10Hz
4+5	802.11be EHT40	100	-	-	10Hz
4+5	802.11be EHT80	100	-	-	10Hz
4+5	802.11be EHT160	100	-	-	10Hz
4+5	802.11be EHT320	98.04	-	-	10Hz
5+6	802.11a	99.32	-	-	10Hz
5+6	802.11be EHT20	100	-	-	10Hz
5+6	802.11be EHT40	100	-	-	10Hz
5+6	802.11be EHT80	100	-	-	10Hz
5+6	802.11be EHT160	100	-	-	10Hz
5+6	802.11be EHT320	98.03	-	-	10Hz


802.11a (Antenna 4/5)




802.11be EHT20 (Antenna 4/5)




802.11be EHT40 (Antenna 4/5)



802.11be EHT80 (Antenna 4/5)




802.11be EHT160 (Antenna 4/5)







802.11be EHT320 (Antenna 4/5)




802.11a (Antenna 5/6)




802.11be EHT20 (Antenna 5/6)




802.11be EHT40 (Antenna 5/6)



802.11be EHT80 (Antenna 5/6)



802.11be EHT160 (Antenna 5/6)



802.11be EHT320 (Antenna 5/6)

