





99% Occupied Bandwidth Plot on Channel 39



Date: 4.DEC.2023 15:13:52

99% Occupied Bandwidth Plot on Channel 78




Date: 4.DEC.2023 15:15:52




<2Mbps>

99% Occupied Bandwidth Plot on Channel 00




99% Occupied Bandwidth Plot on Channel 39






99% Occupied Bandwidth Plot on Channel 78




<3Mbps>

99% Occupied Bandwidth Plot on Channel 00






99% Occupied Bandwidth Plot on Channel 39



Date: 4 DEC.2023 16:07:17

99% Occupied Bandwidth Plot on Channel 78



Date: 4 DEC.2023 16:08:53

Note : The occupied channel bandwidth is maintained within the band of operation for all of the modulations.

3.5 Output Power Measurement

3.5.1 Limit of Output Power

The maximum peak conducted output power of the intentional radiator shall not exceed the following:
For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels, and all frequency hopping systems in the 5725-5850 MHz band: 1 watt. For all other frequency hopping systems in the 2400-2483.5 MHz band 0.125 watts. The power limit for 1Mbps, 2Mbps, 3Mbps and AFH modes are 0.125 watts.


3.5.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.5.3 Test Procedures

1. The testing follows ANSI C63.10-2013 clause 7.8.5.
2. The RF output of EUT was connected to the power meter by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. Set to the maximum power setting and enable the EUT transmit continuously.
4. Measure the conducted output power with cable loss and record the results in the test report.
5. Measure and record the results in the test report.

3.5.4 Test Setup



3.5.5 Test Result of Peak Output Power

Please refer to Appendix A.

3.6 Conducted Band Edges Measurement

3.6.1 Limit of Band Edges

In any 100 kHz bandwidth outside the intentional radiation frequency band, the radio frequency power shall be at least 20 dB below the highest level of the radiated power. In addition, radiated emissions which fall in the restricted bands must also comply with the radiated emission limits.


3.6.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.6.3 Test Procedures

1. The testing follows ANSI C63.10-2013 clause 7.8.6.
2. Set to the maximum power setting and enable the EUT transmit continuously.
3. Set RBW = 100kHz, VBW = 300kHz. Band edge emissions must be at least 20 dB down from the highest emission level within the authorized band as measured with a 100kHz RBW. The attenuation shall be 30 dB instead of 20 dB when RMS conducted output power procedure is used.
4. Enable hopping function of the EUT and then repeat step 2. and 3.
5. Measure and record the results in the test report.

3.6.4 Test Setup






3.6.5 Test Result of Conducted Band Edges

<SISO Ant.5>


<1Mbps>

Low Band Edge Plot on Channel 00



Date: 4 DEC. 2023 22:46:53

High Band Edge Plot on Channel 78




Date: 4 DEC. 2023 22:57:16




<2Mbps>

Low Band Edge Plot on Channel 00



Date: 4 DEC.2023 23:09:12


High Band Edge Plot on Channel 78



Date: 4 DEC.2023 23:25:16


<3Mbps>

Low Band Edge Plot on Channel 00



Date: 4.DEC.2023 23:34:07

High Band Edge Plot on Channel 78




Date: 4.DEC.2023 23:48:21



<SISO Ant.4>


<1Mbps>

Low Band Edge Plot on Channel 00



Date: 5 DEC.2023 00:46:11

High Band Edge Plot on Channel 78




Date: 5 DEC.2023 00:56:40




<2Mbps>

Low Band Edge Plot on Channel 00



Date: 5.DEC.2023 01:01:48

High Band Edge Plot on Channel 78




Date: 5.DEC.2023 01:15:08




<3Mbps>

Low Band Edge Plot on Channel 00



Date: 5 DEC.2023 01:25:13

High Band Edge Plot on Channel 78




Date: 5 DEC.2023 01:34:50



<SISO Ant.6>


<1Mbps>

Low Band Edge Plot on Channel 00



Date: 5 DEC.2023 21:56:49

High Band Edge Plot on Channel 78




Date: 5 DEC.2023 22:08:42




<2Mbps>

Low Band Edge Plot on Channel 00



Date: 5 DEC.2023 22:17:12

High Band Edge Plot on Channel 78




Date: 5 DEC.2023 22:31:10




<3Mbps>

Low Band Edge Plot on Channel 00



Date: 5 DEC.2023 22:40:41

High Band Edge Plot on Channel 78




Date: 5 DEC.2023 22:48:32



<MIMO Ant.5+4(5)>


<1Mbps>

Low Band Edge Plot on Channel 00



Date: 5 DEC.2023 09:54:42

High Band Edge Plot on Channel 78




Date: 5 DEC.2023 09:59:05




<2Mbps>

Low Band Edge Plot on Channel 00



Date: 5 DEC.2023 10:15:25

High Band Edge Plot on Channel 78




Date: 5 DEC.2023 10:23:20




<3Mbps>

Low Band Edge Plot on Channel 00



Date: 5 DEC.2023 10:54:43

High Band Edge Plot on Channel 78




Date: 5 DEC.2023 10:58:30



<MIMO Ant.5+4(4)>


<1Mbps>

Low Band Edge Plot on Channel 00



Date: 5 DEC.2023 11:54:00


High Band Edge Plot on Channel 78



Date: 5 DEC.2023 11:58:44


<2Mbps>

Low Band Edge Plot on Channel 00



Date: 5.DEC.2023 15:21:42

High Band Edge Plot on Channel 78




Date: 5.DEC.2023 15:29:23




<3Mbps>

Low Band Edge Plot on Channel 00



Date: 5 DEC.2023 15:48:12

High Band Edge Plot on Channel 78




Date: 5 DEC.2023 15:45:35



<MIMO Ant.5+6(5)>


<1Mbps>

Low Band Edge Plot on Channel 00



Date: 4 DEC.2023 14:02:35

High Band Edge Plot on Channel 78




Date: 4 DEC.2023 14:09:35




<2Mbps>

Low Band Edge Plot on Channel 00



Date: 4 DEC.2023 14:32:20

High Band Edge Plot on Channel 78




Date: 4 DEC.2023 14:36:33




<3Mbps>

Low Band Edge Plot on Channel 00



Date: 4 DEC.2023 14:46:59

High Band Edge Plot on Channel 78




Date: 4 DEC.2023 14:58:00

<MIMO Ant.5+6(6)>


<1Mbps>

Low Band Edge Plot on Channel 00



Date: 4.DEC.2023 15:12:06

High Band Edge Plot on Channel 78




Date: 4.DEC.2023 15:16:14




<2Mbps>

Low Band Edge Plot on Channel 00



Date: 4 DEC. 2023 15:29:50

High Band Edge Plot on Channel 78




Date: 4 DEC. 2023 15:34:49




<3Mbps>

Low Band Edge Plot on Channel 00



Date: 4 DEC.2023 16:04:57

High Band Edge Plot on Channel 78



Date: 4 DEC.2023 16:56:10




3.6.6 Test Result of Conducted Hopping Mode Band Edges

<SISO Ant.5>


<1Mbps>

Hopping Mode Low Band Edge Plot



Date: 5 DEC. 2023 00:00:51


Hopping Mode High Band Edge Plot



Date: 5 DEC. 2023 00:01:27


<2Mbps>

Hopping Mode Low Band Edge Plot



Date: 4.DEC.2023 23:57:27

Hopping Mode High Band Edge Plot




Date: 4.DEC.2023 23:59:44




<3Mbps>

Hopping Mode Low Band Edge Plot



Date: 4 DEC.2023 23:55:25

Hopping Mode High Band Edge Plot




Date: 4 DEC.2023 23:56:07




<SISO Ant.4>

<1Mbps>

Hopping Mode Low Band Edge Plot




Hopping Mode High Band Edge Plot






<2Mbps>

Hopping Mode Low Band Edge Plot



Date: 5.DEC.2023 01:43:44

Hopping Mode High Band Edge Plot




Date: 5.DEC.2023 01:44:16




<3Mbps>

Hopping Mode Low Band Edge Plot



Date: 5.DEC.2023 01:40:31

Hopping Mode High Band Edge Plot




Date: 5.DEC.2023 01:41:36



<SISO Ant.6>


<1Mbps>

Hopping Mode Low Band Edge Plot



Date: 5 DEC.2023 22:57:39

Hopping Mode High Band Edge Plot




Date: 5 DEC.2023 22:56:21




<2Mbps>

Hopping Mode Low Band Edge Plot



Date: 5 DEC.2023 22:54:34

Hopping Mode High Band Edge Plot




Date: 5 DEC.2023 22:55:19




<3Mbps>

Hopping Mode Low Band Edge Plot



Date: 5 DEC.2023 22:52:14

Hopping Mode High Band Edge Plot




Date: 5 DEC.2023 22:52:47



<MIMO Ant.5+4(5)>


<1Mbps>

Hopping Mode Low Band Edge Plot



Date: 5.DEC.2023 10:01:26


Hopping Mode High Band Edge Plot



Date: 5.DEC.2023 10:00:56


<2Mbps>

Hopping Mode Low Band Edge Plot



Date: 5.DEC.2023 10:25:47

Hopping Mode High Band Edge Plot




Date: 5.DEC.2023 10:25:17




<3Mbps>

Hopping Mode Low Band Edge Plot



Date: 5 DEC.2023 11:30:51

Hopping Mode High Band Edge Plot




Date: 5 DEC.2023 11:29:33



<MIMO Ant.5+4(4)>


<1Mbps>

Hopping Mode Low Band Edge Plot



Date: 5 DEC.2023 12:08:04

Hopping Mode High Band Edge Plot




Date: 5 DEC.2023 12:07:39




<2Mbps>

Hopping Mode Low Band Edge Plot



Date: 5.DEC.2023 15:31:44

Hopping Mode High Band Edge Plot




Date: 5.DEC.2023 15:31:18




<3Mbps>

Hopping Mode Low Band Edge Plot



Date: 5 DEC.2023 15:47:33

Hopping Mode High Band Edge Plot




Date: 5 DEC.2023 15:47:09



<MIMO Ant.5+6(5)>


<1Mbps>

Hopping Mode Low Band Edge Plot



Date: 4 DEC.2023 14:13:03

Hopping Mode High Band Edge Plot




Date: 4 DEC.2023 14:13:38




<2Mbps>

Hopping Mode Low Band Edge Plot



Date: 4 DEC.2023 14:38:50

Hopping Mode High Band Edge Plot




Date: 4 DEC.2023 14:39:25




<3Mbps>

Hopping Mode Low Band Edge Plot



Date: 4 DEC.2023 15:06:45

Hopping Mode High Band Edge Plot




Date: 4 DEC.2023 15:06:14



<MIMO Ant.5+6(6)>


<1Mbps>

Hopping Mode Low Band Edge Plot



Date: 4 DEC.2023 15:22:52

Hopping Mode High Band Edge Plot




Date: 4 DEC.2023 15:22:12




<2Mbps>

Hopping Mode Low Band Edge Plot



Date: 4 DEC.2023 15:38:17


Hopping Mode High Band Edge Plot



Date: 4 DEC.2023 15:37:46


<3Mbps>

Hopping Mode Low Band Edge Plot



Date: 4.DEC.2023 16:15:58

Hopping Mode High Band Edge Plot



Date: 4.DEC.2023 16:16:28

3.7 Conducted Spurious Emission Measurement

3.7.1 Limit of Spurious Emission Measurement

In any 100 kHz bandwidth outside the intentional radiation frequency band, the radio frequency power shall be at least 20 dB below the highest level of the radiated power. In addition, radiated emissions which fall in the restricted bands must also comply with the radiated emission limits.


3.7.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.7.3 Test Procedure

1. The testing follows ANSI C63.10-2013 clause 7.8.8.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. Set to the maximum power setting and enable the EUT transmit continuously.
4. Set RBW = 100 kHz, VBW = 300kHz, scan up through 10th harmonic. All harmonics / spurs must be at least 20 dB down from the highest emission level within the authorized band as measured with a 100 kHz RBW.
5. Measure and record the results in the test report.
6. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

3.7.4 Test Setup






3.7.5 Test Result of Conducted Spurious Emission

<SISO Ant.5>


<1Mbps>

CSE Plot on Ch 00



Date: 4 DEC.2023 22:49:24


CSE Plot on Ch 00



Date: 4 DEC.2023 22:48:48




CSE Plot on Ch 39



Date: 4 DEC.2023 22:53:49


CSE Plot on Ch 39



Date: 4 DEC.2023 22:53:18




CSE Plot on Ch 78



Date: 4 DEC.2023 22:58:37

CSE Plot on Ch 78



Date: 4 DEC.2023 22:58:08