Photographs of EUT Setup and Antenna Location

The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet



Antenna	To Top Side	To Baseline Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN Main Ant 0	1.00	238.80	42.25	287.25
WLAN/BT Aux Ant 1	1.00	238.80	287.25	42.25

<Right Side View> Tablet



Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WLAN Main Ant 0	3.55	18.50
WLAN/BT Aux Ant 1	3.55	18.50

<Front Face View>Laptop Mode (180°)



Antenna	To Top Side (mm)	To Baseline (mm)	To Left Side (mm)	To Right Side (mm)
WLAN Main Ant 0	1.00	227.70	42.25	287.25
WLAN/BT Aux Ant 1	1.00	227.70	287.25	42.25

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face (mm)
WLAN Main Ant 0	244.66
WLAN/BT Aux Ant 1	244.66

<Photographs of Body SAR Test Setup>



Rear Face of Tablet Mode Tested at 0 mm



Left Side of Tablet Mode Tested at 0 mm



Right Side of Tablet Mode Tested at 0 mm

Top Side of Tablet Mode Tested at 0 mm

Bottom Side of Tablet Mode Tested at 0 mm

<Photographs of Bottom Body SAR Test Setup>

Bottom of EUT Tested at 0 mm

<Photographs of Lid Closed Mode SAR Test Setup>



Lid Closed Mode of EUT Tested at 0 mm