Appendix E - Test Setup Photographs

Antenna Location

<BR1204CGA>

<Front Face View> Tablet



Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN Main Ant 0	57.00	114.00	1.79	286.50
WLAN/BT Aux Ant 1	56.22	5.00	244.50	17.60

<Right Side View> Convertible PC Tablet Mode



Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WLAN Main Ant 0	6.20	18.51
WLAN/BT Aux Ant 1	20.15	5.45

<Front Face View>Laptop Mode (180°)



Antenna	To Top/Bottom Side	To Baseline	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN Main Ant 0	57.00	114.00	1.79	286.50
WLAN/BT Aux Ant 1	5.00	201.00	244.50	17.60

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face
	(mm)
WLAN Main Ant 0	125.00
WLAN/BT Aux Ant 1	10.85

<BR1104CGA>

<Front Face View> Tablet



Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN Main Ant 0	57.00	114.00	1.79	286.50
WLAN/BT Aux Ant 1	56.22	5.00	244.50	17.60

<Right Side View> Convertible PC Tablet Mode



Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WLAN Main Ant 0	6.20	18.51
WLAN/BT Aux Ant 1	20.15	5.45

<Front Face View>Laptop Mode (180°)



Antenna	To Top/Bottom Side	To Baseline	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN Main Ant 0	57.00	114.00	1.79	286.50
WLAN/BT Aux Ant 1	5.00	201.00	244.50	17.60

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face
	(mm)
WLAN Main Ant 0	125.00
WLAN/BT Aux Ant 1	10.85

SAR Test Setup Photos

Phantom Type : ELI	EUT side : Bottom of laptop
Separation Distance : 0 mm	Accessory : N/A

Phantom Type : ELI	EUT side : Back of display screen
Separation Distance : 25 mm	Accessory : N/A



Phantom Type： ELI	EUT side： Front Side of laptop
Separation Distance： 0 mm	Accessory： N/A

Phantom Type： ELI	EUT side： Rear Face
Separation Distance： 0 mm	Accessory： N/A

Phantom Type： ELI	EUT side： Left Side
Separation Distance： 0 mm	Accessory： N/A

Phantom Type： ELI	EUT side： Right Side
Separation Distance： 0 mm	Accessory： N/A

Phantom Type : ELI	EUT side : Top Side
Separation Distance : 0 mm	Accessory : N/A

Phantom Type : ELI	EUT side : Bottom Side
Separation Distance : 0 mm	Accessory : N/A