

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF INVENTEC CORPORATION AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION, COPYRIGHT © 2023 INVENTEC CORPORATION.

| LEGEND       |     |           |
|--------------|-----|-----------|
| PART NO      | REV | VARIATION |
| 6060B3654702 | A01 | As Shown  |

NOTE:

(1) THE CIRCLE MARK DIMENSION IS THE KEY DIMENSION FOR REFERENCE.

(2) PART TO BE PACKAGED TO PREVENT DAMAGED IN SHIPPING AND HANDLING.

(3) OTHERS: ACCORDING TO IQC INSPECTION STANDARD OF INVENTEC (IF NOT SPECIFIED).

(4) MATERIAL:

A: 1.面材 (Code):Lexan 8010 polycarbonate film  
2.表面處理 (Code):霧油  
3.膠性：平膠+網格膠  
or equivalent material.(the material spec as same as Q-Form spec)

B.ADHESIVE: 3M-SP7533

C.THICKNESS: 0.125mm

D. RAW MATERIAL COLOR: Transparent

(5) INK COLOR: Black, Pantone Cool Gray 7U

(6) THERMAL TRANSFER RIBBON:N/A


(7) MATERIAL AND RIBBON NEED UL CERTIFICATION: Yes, 正永-Material UL Code :CM-100-011

(8) HSF PROPERTY: COMPLY iSupplier SYSTEM HSF PROPERTY ATTRIBUTE UP-TO-DATE VALUE.

(9) MUST CHECK WITH INVENTEC TO UPDATE “MANUFACTURE YEAR”  
AT LEAST 3 MONTHS BEFORE THE NEXT ANNUAL.(內文有製造年份時需定義年份轉換規則)



出標樣式/佈膠示意圖



測試規範

|   | Paste Location | Glue Type | Paste method | Peel off method | Test Criteria                                                     | Remark      |
|---|----------------|-----------|--------------|-----------------|-------------------------------------------------------------------|-------------|
|   | Carton         | 一般膠       | 食指推平         | No              | 1. 不脫落<br>2. 不龜裂<br>3. 氣泡在 5*5cm 或以下面積範圍內，不超過兩個 <5mm 直徑           | 濕測結束需靜置12hr |
| V | Cover          | 一般膠       | 食指推平         | No              | 1. 不脫落<br>2. 不龜裂<br>3. 氣泡在 5*5cm 或以下面積範圍內，不超過兩個 <5mm 直徑           | 濕測結束需靜置12hr |
|   |                | R 膠       | 食指推平         | 在一角以90° (慢慢撕下)  | 1. 不脫落<br>2. 不可殘膠 (輕微可用3M)<br>3. 氣泡在 5*5cm 或以下面積範圍內，不超過兩個 <5mm 直徑 |             |

| 橡皮擦型號         | 次數                           | 重量   | 長度   | 清潔 | 測試標準                                                                                                                                  |
|---------------|------------------------------|------|------|----|---------------------------------------------------------------------------------------------------------------------------------------|
| CS-10F rubber | 1.2 cycles /sec<br>300cycles | 500g | 5 cm |    | 1. Outline of printing is intact and not damaged and the substrate is not visible.<br>2. The substrate or Undercoating is not visible |

| 公差         | Dimension |
|------------|-----------|
| 材料         |           |
| Label長寬    | -0.4mm    |
| Label面材+膠材 | ±0.02mm   |

| REVISION HISTORY |            | DOC | DATE       |
|------------------|------------|-----|------------|
| DESIGNER         | CHANGE NO. | REV | dd/mm/yyyy |
|                  |            | A   |            |

卷芯要有以下資訊

IEC PN: 6060BXXXXXX  
ASUS PN: XXXXX-XXXXXXXX

離型紙後請印刷以下資訊

IEC PN: 6060BXXXXXX-IV0-XXXX  
ASUS PN: 151XX-XXXXXXXX-XXXX  
Vendor code(數字): XXXX

★注意：ASUS PN和Vendor code只能用“英文-”分開

MODEL: S5406M

DESIGNER: Fair Wu

MANAGER: Jane Lee

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

LINEAR: X, X.X, X.XX

mm, INCH

Inventec CORPORATION

TITLE: S5406M RATING LABEL (WO/3C+JP) V1.0 90W(S5406MA)

DOCUMENT NUMBER: 6060-B36547-02-AI

SCALE: 1:1, UNIT:mm, SHEET:10F1

FILE NAME: S5406M-l-rating\_WO3C\_15105-18341000\_6060B3654702

THIS DRAWING AND SPECIFICATIONS , HEREIN , ARE THE PROPERTY OF INVENTEC CORPORATION AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION, COPYRIGHT © 2023 INVENTEC CORPORATION .

| LEGEND       |     |           |
|--------------|-----|-----------|
| PART NO      | REV | VARIATION |
| 6060B3654703 | A01 | As Shown  |

NOTE:

(1) THE CIRCLE MARK DIMENSION IS THE KEY DIMENSION FOR REFERENCE.

(2) PART TO BE PACKAGED TO PREVENT DAMAGED IN SHIPPING AND HANDLING.

(3) OTHERS:ACCORDING TO IQC INSPECTION STANDARD OF INVENTEC (IF NOT SPECIFIED).

(4) MATERIAL:

A: 1.面材 (Code):Lexan 8010 polycarbonate film  
2.表面處理 (Code):霧油  
3.膠性：平膠+網格膠  
or equivalent material.(the material spec as same as Q-Form spec)

B.ADHESIVE: 3M-SP7533

C.THICKNESS: 0.125mm

D. RAW MATERIAL COLOR: Transparent

(5) INK COLOR: Black, Pantone Cool Gray 7U

(6) THERMAL TRANSFER RIBBON:N/A


(7) MATERIAL AND RIBBON NEED UL CERTIFICATION: Yes, 正永-Material UL Code :CM-100-011

(8) HSF PROPERTY: COMPLY iSupplier SYSTEM HSF PROPERTY ATTRIBUTE UP-TO-DATE VALUE.

(9) MUST CHECK WITH INVENTEC TO UPDATE “MANUFACTURE YEAR”  
AT LEAST 3 MONTHS BEFORE THE NEXT ANNUAL.(內文有製造年份時需定義年份轉換規則)



出標樣式/佈膠示意圖



Output direction

測試規範


|   | Paste Location | Glue Type | Paste method | Peel off method | Test Criteria                                           | Remark      |
|---|----------------|-----------|--------------|-----------------|---------------------------------------------------------|-------------|
|   | Carton         | 一般膠       | 食指推平         | No              | 1. 不脫落<br>2. 不龜裂<br>3. 氣泡在 5*5cm 或以下面積範圍內，不超過兩個 <5mm 直徑 | 濕測結束需靜置12hr |
| V | Cover          | 一般膠       | 食指推平         | No              | 1. 不脫落<br>2. 不龜裂<br>3. 氣泡在 5*5cm 或以下面積範圍內，不超過兩個 <5mm 直徑 | 濕測結束需靜置12hr |
|   |                | R 膠       | 食指推平         | 在一角以90° (慢慢撕下)  | 1. 不脫落<br>2. 不可殘膠 (輕微可用3M)                              |             |

| 橡皮擦型號         | 次數                           | 重量   | 長度   | 清潔 | 測試標準                                                                                                                                  |
|---------------|------------------------------|------|------|----|---------------------------------------------------------------------------------------------------------------------------------------|
| CS-10F rubber | 1.2 cycles /sec<br>300cycles | 500g | 5 cm |    | 1. Outline of printing is intact and not damaged and the substrate is not visible.<br>2. The substrate or Undercoating is not visible |

|            | 公差        |
|------------|-----------|
| 材料         | Dimension |
| Label長寬    | -0.4mm    |
| Label面材+膠材 | ±0.02mm   |

| REVISION HISTORY |            | DOC DATE       |
|------------------|------------|----------------|
| DESIGNER         | CHANGE NO. | REV dd/mm/yyyy |
|                  | INITIAL    | A              |

卷芯要有以下資訊




IEC PN 6060BXXXXXX  
ASUS PN XXXXX-XXXXXXXX

離型紙後請印刷以下資訊

IEC PN 圖紙版本 廠商代碼


6060BXXXXXXXX-1V0-XXXX



151XX-XXXXXXXX-XXXX

Barcode內容 同下方顯示文字  
ASUS PN Vendor code(數字)

★注意：ASUS PN和Vendor code只能用“英文-” 分開

|                                                                                                                 |   |                         |      |                                                              |      |                   |     |     |
|-----------------------------------------------------------------------------------------------------------------|---|-------------------------|------|--------------------------------------------------------------|------|-------------------|-----|-----|
| MODEL<br>K5406M                                                                                                 |   |                         |      | <div>InventecCORPORATION</div> <div>CONFIDENTIAL</div>       |      |                   |     |     |
| DESIGNER<br>Fair Wu                                                                                             |   | D:28<br>M:11<br>Y:23    |      | TITLE<br>K5406M RATING LABEL (WO/3C+JP)<br>V1.0 90W(S5406MA) |      |                   |     |     |
| MANAGER<br>Jane Lee                                                                                             |   | D:28<br>M:11<br>Y:23    |      | DOCUMENT NUMBER                                              |      |                   |     |     |
|  THIRD ANGLE<br>PROJECTION |   | DO NOT SCALE<br>DRAWING |      | SIZE                                                         | CODE | NUMBER            | REV | VER |
|                                                                                                                 |   |                         |      | B                                                            | PS   | 6060-B36547-03-AI | A   | 0   |
| SCALE: 1:1                                                                                                      |   | UNIT:mm                 |      | SHEET:10F1                                                   |      |                   |     |     |
| FILE NAME                                                                                                       |   |                         |      | K5406M-l-rating_WO3C_15105-18342000_6060B3654703             |      |                   |     |     |
| LINEAR                                                                                                          | X | X.X                     | X.XX |                                                              |      |                   |     |     |
| mm                                                                                                              |   |                         |      |                                                              |      |                   |     |     |
| INCH                                                                                                            |   |                         |      |                                                              |      |                   |     |     |


THIS DRAWING AND SPECIFICATIONS , HEREIN , ARE THE PROPERTY OF INVENTEC CORPORATION AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION, COPYRIGHT © 2023 INVENTEC CORPORATION .

| LEGEND       |     |           |
|--------------|-----|-----------|
| PART NO      | REV | VARIATION |
| 6060B3654704 | A01 | As Shown  |

- NOTE:
- (1) THE CIRCLE MARK DIMENSION IS THE KEY DIMENSION FOR REFERENCE.
- (2) PART TO BE PACKAGED TO PREVENT DAMAGED IN SHIPPING AND HANDLING.
- (3) OTHERS:ACCORDING TO IQC INSPECTION STANDARD OF INVENTEC (IF NOT SPECIFIED).
- (4) MATERIAL:
- A: 1.面材 (Code):Lexan 8010 polycarbonate film  
2.表面處理 (Code):霧油  
3.膠性：平膠+網格膠  
or equivalent material.(the material spec as same as Q-Form spec)
- B.ADHESIVE: 3M-SP7533
- C.THICKNESS: 0.125mm
- D. RAW MATERIAL COLOR: Transparent
- (5) INK COLOR: Black, Pantone Cool Gray 7U
- (6) THERMAL TRANSFER RIBBON:N/A
- (7) MATERIAL AND RIBBON NEED UL CERTIFICATION: Yes, 正永-Material UL Code :CM-100-011
- (8) HSF PROPERTY: COMPLY iSupplier SYSTEM HSF PROPERTY ATTRIBUTE UP-TO-DATE VALUE.
- (9) MUST CHECK WITH INVENTEC TO UPDATE “MANUFACTURE YEAR”  
AT LEAST 3 MONTHS BEFORE THE NEXT ANNUAL.(內文有製造年份時需定義年份轉換規則)



出標樣式/佈膠示意圖



測試規範


|   | Paste Location | Glue Type | Paste method | Peel off method | Test Criteria                                           | Remark      |
|---|----------------|-----------|--------------|-----------------|---------------------------------------------------------|-------------|
|   | Carton         | 一般膠       | 食指推平         | No              | 1. 不脫落<br>2. 不龜裂<br>3. 氣泡在 5*5cm 或以下面積範圍內，不超過兩個 <5mm 直徑 | 濕測結束需靜置12hr |
| V | Cover          | 一般膠       | 食指推平         | No              | 1. 不脫落<br>2. 不龜裂<br>3. 氣泡在 5*5cm 或以下面積範圍內，不超過兩個 <5mm 直徑 | 濕測結束需靜置12hr |
|   |                | R 膠       | 食指推平         | 在一角以90° (慢慢撕下)  | 1. 不脫落<br>2. 不可殘膠 (輕微可用3M)                              |             |

| 橡皮擦型號         | 次數                           | 重量   | 長度   | 清潔 | 測試標準                                                                                                                                  |
|---------------|------------------------------|------|------|----|---------------------------------------------------------------------------------------------------------------------------------------|
| CS-10F rubber | 1.2 cycles /sec<br>300cycles | 500g | 5 cm |    | 1. Outline of printing is intact and not damaged and the substrate is not visible.<br>2. The substrate or Undercoating is not visible |

|            | 公差        |
|------------|-----------|
| 材料         | Dimension |
| Label長寬    | -0.4mm    |
| Label面材+膠材 | ±0.02mm   |

| REVISION HISTORY |            | DOC DATE       |
|------------------|------------|----------------|
| DESIGNER         | CHANGE NO. | REV dd/mm/yyyy |
|                  | INITIAL    | A              |

卷芯要有以下資訊



IEC PN 6060BXXXXXX  
ASUS PN XXXXX-XXXXXXXX

離型紙後請印刷以下資訊

IEC PN 圖紙版本 廠商代碼  
6060BXXXXXXXX-IV0-XXXX  
Barcode內容 同下方顯示文字  
ASUS PN Vendor code(數字)  
151XX-XXXXXXXX-XXXX

★注意：ASUS PN和Vendor code只能用“英文-” 分開

|                                                                                                              |   |                      |      |                                                              |      |                   |     |            |
|--------------------------------------------------------------------------------------------------------------|---|----------------------|------|--------------------------------------------------------------|------|-------------------|-----|------------|
| MODEL<br>V5406M                                                                                              |   |                      |      | <div>InventecCORPORATION</div> <div>CONFIDENTIAL</div>       |      |                   |     |            |
| DESIGNER<br>Fair Wu                                                                                          |   | D:28                 |      | TITLE<br>V5406M RATING LABEL (WO/3C+JP)<br>V1.0 90W(S5406MA) |      |                   |     |            |
|                                                                                                              |   | M:11                 |      |                                                              |      |                   |     |            |
|                                                                                                              |   | Y:23                 |      |                                                              |      |                   |     |            |
| MANAGER<br>Jane Lee                                                                                          |   | D:28                 |      | DOCUMENT NUMBER                                              |      |                   |     |            |
|                                                                                                              |   | M:11                 |      |                                                              |      |                   |     |            |
|                                                                                                              |   | Y:23                 |      |                                                              |      |                   |     |            |
|  THIRD AHGLE PROJECTION |   | DO NOT SCALE DRAWING |      | SIZE                                                         | CODE | NUMBER            | REV | VER        |
|                                                                                                              |   |                      |      | B                                                            | PS   | 6060-B36547-04-AI | A   | 0          |
|                                                                                                              |   |                      |      | SCALE: 1:1                                                   |      | UNIT:mm           |     | SHEET:10F1 |
| LINEAR                                                                                                       | X | X.X                  | X.XX | FILE NAME                                                    |      |                   |     |            |
| mm                                                                                                           |   |                      |      | V5406M-l-rating_WO3C_15105-18343000_6060B3654704             |      |                   |     |            |
| INCH                                                                                                         |   |                      |      |                                                              |      |                   |     |            |


THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF INVENTEC CORPORATION AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION, COPYRIGHT © 2023 INVENTEC CORPORATION.

| LEGEND       |     |           |
|--------------|-----|-----------|
| PART NO      | REV | VARIATION |
| 6060B3654705 | A01 | As Shown  |

- NOTE:
- (1) THE CIRCLE MARK DIMENSION IS THE KEY DIMENSION FOR REFERENCE.
- (2) PART TO BE PACKAGED TO PREVENT DAMAGED IN SHIPPING AND HANDLING.
- (3) OTHERS: ACCORDING TO IQC INSPECTION STANDARD OF INVENTEC (IF NOT SPECIFIED).
- (4) MATERIAL:
- A: 1.面材 (Code):Lexan 8010 polycarbonate film  
2.表面處理 (Code):霧油  
3.膠性：平膠+網格膠  
or equivalent material.(the material spec as same as Q-Form spec)
- B.ADHESIVE: 3M-SP7533
- C.THICKNESS: 0.125mm
- D. RAW MATERIAL COLOR: Transparent
- (5) INK COLOR: Black, Pantone Cool Gray 7U
- (6) THERMAL TRANSFER RIBBON:N/A
- (7) MATERIAL AND RIBBON NEED UL CERTIFICATION: Yes, 正永-Material UL Code :CM-100-011
- (8) HSF PROPERTY: COMPLY iSupplier SYSTEM HSF PROPERTY ATTRIBUTE UP-TO-DATE VALUE.
- (9) MUST CHECK WITH INVENTEC TO UPDATE “MANUFACTURE YEAR”  
AT LEAST 3 MONTHS BEFORE THE NEXT ANNUAL.(內文有製造年份時需定義年份轉換規則)



出標樣式/佈膠示意圖



測試規範


|   | Paste Location | Glue Type | Paste method | Peel off method | Test Criteria                                           | Remark      |
|---|----------------|-----------|--------------|-----------------|---------------------------------------------------------|-------------|
|   | Carton         | 一般膠       | 食指推平         | No              | 1. 不脫落<br>2. 不龜裂<br>3. 氣泡在 5*5cm 或以下面積範圍內，不超過兩個 <5mm 直徑 | 濕測結束需靜置12hr |
| V | Cover          | 一般膠       | 食指推平         | No              | 1. 不脫落<br>2. 不龜裂<br>3. 氣泡在 5*5cm 或以下面積範圍內，不超過兩個 <5mm 直徑 | 濕測結束需靜置12hr |
|   |                | R 膠       | 食指推平         | 在一角以90° (慢慢撕下)  | 1. 不脫落<br>2. 不可殘膠 (輕微可用3M)                              |             |

| 橡皮擦型號         | 次數                           | 重量   | 長度   | 清潔 | 測試標準                                                                                                                                  |
|---------------|------------------------------|------|------|----|---------------------------------------------------------------------------------------------------------------------------------------|
| CS-10F rubber | 1.2 cycles /sec<br>300cycles | 500g | 5 cm |    | 1. Outline of printing is intact and not damaged and the substrate is not visible.<br>2. The substrate or Undercoating is not visible |

|            | 公差        |
|------------|-----------|
| 材料         | Dimension |
| Label長寬    | -0.4mm    |
| Label面材+膠材 | ±0.02mm   |

| REVISION HISTORY |            | DOC DATE       |
|------------------|------------|----------------|
| DESIGNER         | CHANGE NO. | REV dd/mm/yyyy |
|                  | INITIAL    | A              |

卷芯要有以下資訊



IEC PN 6060BXXXXXX  
ASUS PN XXXXX-XXXXXXXX

離型紙後請印刷以下資訊

IEC PN 圖紙版本 廠商代碼  
6060BXXXXXXXX-IV0-XXXX  
Barcode內容 同下方顯示文字  
ASUS PN Vendor code(數字)  
151XX-XXXXXXXX-XXXX

★注意：ASUS PN和Vendor code只能用“英文-”分開


|                                                |  |                                                            |         |                          |                                                                |
|------------------------------------------------|--|------------------------------------------------------------|---------|--------------------------|----------------------------------------------------------------|
| MODEL P5406CM                                  |  | Inventec CORPORATION <i>CONFIDENTIAL</i>                   |         |                          |                                                                |
| DESIGNER Fair Wu                               |  | TITLE P5406CM RATING LABEL (WO/3C+JP)<br>V1.0 90W(S5406MA) |         |                          |                                                                |
| MANAGER Jane Lee                               |  | DOCUMENT NUMBER                                            |         |                          |                                                                |
| THIRD ANGLE PROJECTION<br>DO NOT SCALE DRAWING |  | SIZE B                                                     | CODE PS | NUMBER 6060-B36547-05-AI | REV A<br>VER 0                                                 |
| LINEAR mm                                      |  | X                                                          | X.X     | X.XX                     | SCALE: 1:1<br>UNIT:mm<br>SHEET:10F1                            |
| INCH                                           |  |                                                            |         |                          | FILE NAME<br>P5406CM-l-rating_WO3C_15105-18344000_6060B3654705 |

THIS DRAWING AND SPECIFICATIONS , HEREIN , ARE THE PROPERTY OF INVENTEC CORPORATION AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION, COPYRIGHT © 2024 INVENTEC CORPORATION .

| LEGEND       |     |           |
|--------------|-----|-----------|
| PART NO      | REV | VARIATION |
| 6060B3668503 | A01 | As show   |

NOTE:

- (1) THE CIRCLE MARK DIMENSION IS THE KEY DIMENSION FOR REFERENCE.  
(2) PART TO BE PACKAGED TO PREVENT DAMAGED IN SHIPPING AND HANDLING.  
(3) OTHERS:ACCORDING TO IQC INSPECTION STANDARD OF INVENTEC (IF NOT SPECIFIED).  
(4) MATERIAL:  
A: 1.面材 (Code) : 25#白色PET (BW0128)  
2.表面處理 (Code): 霧P (PPATM(T)(30)(N))  
3.膠性 : 平膠  
B. ADHESIVE: NA  
C. THICKNESS: 0.084mm (面材+膠材)  
D. RAW MATERIAL COLOR: WHITE  
(5) INK COLOR: 黑底白字  
(6) THERMAL TRANSFER RIBBON:NA  
(7) MATERIAL AND RIBBON NEED UL CERTIFICATION: NA  
(8) HSF PROPERTY: COMPLY iSupplier SYSTEM HSF PROPERTY ATTRIBUTE UP-TO-DATE VALUE.  
(9) MUST CHECK WITH INVENTEC TO UPDATE “MANUFACTURE YEAR”  
AT LEAST 3 MONTHS BEFORE THE NEXT ANNUAL. 內文有製造年份時需定義年份轉換規則



印刷色 : 黑底+白字

藍色框線不印出




Output direction

| 材 料        | 公 差     |
|------------|---------|
| Label長寬    | ±0.2mm  |
| Label面材+膠材 | ±0.02mm |

IEC  
MERD  
正式圖面

| REVISION HISTORY |            | DOC     | DATE       |
|------------------|------------|---------|------------|
| DESIGNER         | CHANGE NO. | REV     | dd/mm/yyyy |
|                  |            | INITIAL | A          |

卷芯要有以下資訊



IEC PN ← 6060BXXXXXX  
ASUS PN ← XXXXX-XXXXXXXXXX

離型紙後請印刷以下資訊

IEC PN 圖紙版本 廠商代碼  
6060BXXXXXXXXX-V0-XXXX  
Barcode內容 同下方顯示文字  
151XX-XXXXXXXXXX-XXXX  
ASUS PN Vendor code(數字)

★注意 : ASUS PN和Vendor code只能“ - ” 分開

|                           |  |                                                       |     |                                                                                     |                             |
|---------------------------|--|-------------------------------------------------------|-----|-------------------------------------------------------------------------------------|-----------------------------|
| MODEL<br>S5406MA          |  | Inventec CORPORATION <i>CONFIDENTIAL</i>              |     |                                                                                     |                             |
| DESIGNER<br>Fair Wu       |  | D:27<br>M:12<br>Y:23                                  |     | TITLE<br>RF LB_INTEL AX211.D2WG.NV 999M5T BLK//<br>WIFI6E V1.0 COMBO 5G 40*20MM MSQ |                             |
| MANAGER<br>Jane Lee       |  | D:27<br>M:12<br>Y:23                                  |     | DOCUMENT NUMBER                                                                     |                             |
| THIRD AHGLE<br>PROJECTION |  | DO NOT SCALE<br>DRAWING                               |     | SIZE<br>B                                                                           | CODE<br>PS                  |
| LINEAR<br>mm              |  | X                                                     | X.X | X.XX                                                                                | NUMBER<br>6060-B36685-03-AI |
| INCH                      |  |                                                       |     |                                                                                     | REV<br>A                    |
|                           |  |                                                       |     |                                                                                     | VER<br>0                    |
|                           |  | SCALE: 1:1                                            |     | UNIT:mm                                                                             | SHEET:10F1                  |
|                           |  | FILE NAME<br>s5406ma-l-RF_15100-28782000_6060B3668503 |     |                                                                                     |                             |