

Report No.: 9901759

Mode: Charging

Tested By: Hong, Report ID: 9901759

Scan Settings: 1 Range

Frequency: 1000 Hz, Step: 100 Hz, Preset: 100 Hz, Preset: 100 Hz

Start: 1000 Hz, Stop: 1000 Hz, IF BW: 100 Hz, Resolution: 10 Hz, Auto: Preset, Off, On

End: 1000 Hz, Stop: 1000 Hz, IF BW: 100 Hz, Resolution: 10 Hz, Auto: Preset, Off, On

Unit: dBm, Instrument: 100 dBm, Transducer: 100 dBm, Start: 1000 Hz, Stop: 1000 Hz, Name: 1000 Hz

Unit: dBm, Instrument: 100 dBm, Transducer: 100 dBm, Start: 1000 Hz, Stop: 1000 Hz, Name: 1000 Hz

Unit: dBm, Instrument: 100 dBm, Transducer: 100 dBm, Start: 1000 Hz, Stop: 1000 Hz, Name: 1000 Hz

Unit: dBm, Instrument: 100 dBm, Transducer: 100 dBm, Start: 1000 Hz, Stop: 1000 Hz, Name: 1000 Hz

Unit: dBm, Instrument: 100 dBm, Transducer: 100 dBm, Start: 1000 Hz, Stop: 1000 Hz, Name: 1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

1000 Hz

Ctrl. No.: N/A

Report No.: 9901759

Mode: Charging

Tested By: Hong, Report No.: 9901759

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results


Ctrl. No.: N/A

Mode : Standby

Author: JEFFREY S. FRANK

Model	Group	Seq	IP Sec	Ext-IP	IS-Tun	Att-En	Pre-amp	OpRq
Model	Group	Seq	IP Sec	Ext-IP	IS-Tun	Att-En	Pre-amp	OpRq

Final Measurement: 0.00	9.	1994	BI078
Mass (mg): 1.0			
Substrate: 1.0			
Acid (mg): 1.000			



Report No.: 9901759

Mode: Standby

Tested By: Hong, Report No.: 9901759

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF 60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

Report No.: 9901759

Mode: Transmission

Tested By: Hong, Report No.: 9901759

Scan Settings: 11 Range


Frequency: 100.000000 MHz IF BW: 100.000000 Hz Detector: PK Video BW: 100.000000 Hz Attenuation: 60dB Preset: 60dB

Start: 100.000000 Stop: 100.000000 Step: 100.000000 IF BW: 100.000000 Detector: PK Video BW: 100.000000 Hz Attenuation: 60dB Preset: 60dB

Final Measurements: 11 dB

Max: 11.00
Min: 11.00
Avg: 11.00

Transceiver: Hec Start: 100.000000 Stop: 100.000000 Name: E1078



Ctrl. No.: N/A

Report No.: 9901759

Mode : Transmission

Tested By: Hong, Report No.: 9901759

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A