




Band Edge measurement

Appendix D

Modulation	11a	Test Freq. (MHz)	7115																														
Polarization	Vertical-Average																																
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																																	
Level (dBuV/m)  Frequency (MHz) <table><tr><th></th><th>Freq.</th><th>Emission level</th><th>Limit</th><th>Margin</th><th>SA reading</th><th>Factor</th><th>Remark</th><th>ANT High</th><th>Turn Table</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>67.86</td><td>68.20</td><td>-0.34</td><td>61.39</td><td>6.47</td><td>Average</td><td>166</td><td>229</td></tr></table>					Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg	1	7125.00	67.86	68.20	-0.34	61.39	6.47	Average	166	229
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg																								
1	7125.00	67.86	68.20	-0.34	61.39	6.47	Average	166	229																								



Band Edge measurement


Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	5955																				
Polarization	Horizontal-Peak																						
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																							
Level (dBUV/m) Frequency (MHz) <table><tr><th></th><th>Freq. MHz</th><th>Emission level dBUV/m</th><th>Limit dBUV/m</th><th>Margin dB</th><th>SA reading dBUV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr><tr><td>1</td><td>5910.49</td><td>55.33</td><td>88.20</td><td>-32.87</td><td>52.52</td><td>2.81</td><td>Peak</td><td>229</td><td>325</td></tr></table>					Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	5910.49	55.33	88.20	-32.87	52.52	2.81	Peak	229	325
	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	5910.49	55.33	88.20	-32.87	52.52	2.81	Peak	229	325														



Band Edge measurement

Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	5955																				
Polarization	Horizontal-Average																						
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																							
Level (dBUV/m)  Frequency (MHz) <table><tr><th></th><th>Freq. MHz</th><th>Emission level dBUV/m</th><th>Limit dBUV/m</th><th>Margin dB</th><th>SA reading dBUV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr><tr><td>1</td><td>5906.26</td><td>42.96</td><td>68.20</td><td>-25.24</td><td>40.15</td><td>2.81</td><td>Average</td><td>229</td><td>325</td></tr></table>					Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	5906.26	42.96	68.20	-25.24	40.15	2.81	Average	229	325
	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	5906.26	42.96	68.20	-25.24	40.15	2.81	Average	229	325														



Band Edge measurement

Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	5955
Polarization	Vertical-Peak		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBUV/m) </			



Band Edge measurement

Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	5955																				
Polarization	Vertical-Average																						
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																							
Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>5920.59</td><td>43.14</td><td>68.20</td><td>-25.06</td><td>40.32</td><td>2.82</td><td>Average</td><td>162</td><td>47</td></tr></tbody></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	5920.59	43.14	68.20	-25.06	40.32	2.82	Average	162	47
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	5920.59	43.14	68.20	-25.06	40.32	2.82	Average	162	47														



Band Edge measurement

Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	7095
Polarization	Horizontal-Peak		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBuV/m) </			



Band Edge measurement


Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	7095
Polarization	Horizontal-Average		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBuV/m) </			



Band Edge measurement

Appendix D





Band Edge measurement

Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	7095
Polarization	Vertical-Average		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBuV/m) <			



Band Edge measurement

Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	7115																														
Polarization	Horizontal-Peak																																
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																																	
Level (dBuV/m) UNII 5~8-PK Frequency (MHz) <table><tr><th></th><th>Freq.</th><th>Emission level</th><th>Limit</th><th>Margin</th><th>SA reading</th><th>Factor</th><th>Remark</th><th>ANT High</th><th>Turn Table</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>77.70</td><td>88.20</td><td>-10.50</td><td>71.23</td><td>6.47</td><td>BP-PK</td><td>138</td><td>248</td></tr></table>					Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg	1	7125.00	77.70	88.20	-10.50	71.23	6.47	BP-PK	138	248
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg																								
1	7125.00	77.70	88.20	-10.50	71.23	6.47	BP-PK	138	248																								



Band Edge measurement

Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	7115
Polarization	Horizontal-Average		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBuV/m) </			



Band Edge measurement


Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	7115
Polarization	Vertical-Peak		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBuV/m) <			



Band Edge measurement


Appendix D

Modulation	11be EHT20_OFDMA	Test Freq. (MHz)	7115																				
Polarization	Vertical-Average																						
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																							
Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>67.78</td><td>68.20</td><td>-0.42</td><td>61.31</td><td>6.47</td><td>BP-AV</td><td>133</td><td>10</td></tr></tbody></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7125.00	67.78	68.20	-0.42	61.31	6.47	BP-AV	133	10
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	7125.00	67.78	68.20	-0.42	61.31	6.47	BP-AV	133	10														



Band Edge measurement

Appendix D

Modulation	11be EHT40_OFDMA	Test Freq. (MHz)	5965																																				
Polarization	Horizontal-Peak																																						
Test By		:Akun Chung-		Temperature(°C):24			Humidity(%):64																																
Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Freq.</th><th>Emission level</th><th>Limit</th><th>Margin</th><th>SA reading</th><th>Factor</th><th>Remark</th><th>ANT High</th><th>Turn Table</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5908.61</td><td>56.11</td><td>88.20</td><td>-32.09</td><td>53.30</td><td>2.81</td><td>Peak</td><td>237</td><td>322</td></tr></tbody></table>											Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg	1	5908.61	56.11	88.20	-32.09	53.30	2.81	Peak	237	322
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg																														
1	5908.61	56.11	88.20	-32.09	53.30	2.81	Peak	237	322																														



Band Edge measurement


Appendix D

Modulation	11be EHT40_OFDMA	Test Freq. (MHz)	5965																				
Polarization	Horizontal-Average																						
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																							
Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr><tr><td>1</td><td>5921.53</td><td>43.37</td><td>68.20</td><td>-24.83</td><td>40.55</td><td>2.82</td><td>Average</td><td>237</td><td>322</td></tr></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	5921.53	43.37	68.20	-24.83	40.55	2.82	Average	237	322
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	5921.53	43.37	68.20	-24.83	40.55	2.82	Average	237	322														



Band Edge measurement

Appendix D





Band Edge measurement

Appendix D

Modulation	11be EHT40_OFDMA	Test Freq. (MHz)	5965																				
Polarization	Vertical-Average																						
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																							
Level (dBuV/m) 1 Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>5922.71</td><td>43.00</td><td>68.20</td><td>-25.20</td><td>40.18</td><td>2.82</td><td>Average</td><td>232</td><td>50</td></tr></tbody></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	5922.71	43.00	68.20	-25.20	40.18	2.82	Average	232	50
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	5922.71	43.00	68.20	-25.20	40.18	2.82	Average	232	50														



Band Edge measurement

Appendix D

Modulation	11be EHT40_OFDMA	Test Freq. (MHz)	7085
Polarization	Horizontal-Peak		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBuV/m)			



Band Edge measurement


Appendix D

Modulation	11be EHT40_OFDMA	Test Freq. (MHz)	7085
Polarization	Horizontal-Average		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBuV/m) </			



Band Edge measurement

Appendix D





Band Edge measurement


Appendix D

Modulation	11be EHT40_OFDMA	Test Freq. (MHz)	7085
Polarization	Vertical-Average		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBuV/m) </			



Band Edge measurement

Appendix D





Band Edge measurement

Appendix D

Modulation	11be EHT80_OFDMA	Test Freq. (MHz)	5985
Polarization	Horizontal-Average		
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62			
Level (dBuV/m)			



Band Edge measurement

Appendix D

Modulation	11be EHT80_OFDMA	Test Freq. (MHz)	5985
Polarization	Vertical-Peak		
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62			
Level (dBuV/m)			



Band Edge measurement

Appendix D

Modulation	11be EHT80_OFDMA	Test Freq. (MHz)	5985																				
Polarization	Vertical-Average																						
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62																							
Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>5922.71</td><td>46.59</td><td>68.20</td><td>-21.61</td><td>43.77</td><td>2.82</td><td>Average</td><td>113</td><td>40</td></tr></tbody></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	5922.71	46.59	68.20	-21.61	43.77	2.82	Average	113	40
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	5922.71	46.59	68.20	-21.61	43.77	2.82	Average	113	40														



Band Edge measurement

Appendix D

Modulation	11be EHT80_OFDMA	Test Freq. (MHz)	7025																				
Polarization	Horizontal-Peak																						
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62																							
Level (dBuV/m) UNII 5~8-PK Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>7126.27</td><td>59.75</td><td>88.20</td><td>-28.45</td><td>53.29</td><td>6.46</td><td>Peak</td><td>184</td><td>3</td></tr></tbody></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7126.27	59.75	88.20	-28.45	53.29	6.46	Peak	184	3
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	7126.27	59.75	88.20	-28.45	53.29	6.46	Peak	184	3														



Band Edge measurement

Appendix D

Modulation	11be EHT80_OFDMA	Test Freq. (MHz)	7025
Polarization	Horizontal-Average		
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62			
Level (dBuV/m)			



Band Edge measurement

Appendix D

Modulation	11be EHT80_OFDMA	Test Freq. (MHz)	7025
Polarization	Vertical-Peak		
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62			
Level (dBuV/m)			



Band Edge measurement


Appendix D

Modulation	11be EHT80_OFDMA	Test Freq. (MHz)	7025																				
Polarization	Vertical-Average																						
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62																							
Level (dBUV/m) UNII 5~8-AV Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBUV/m</th><th>Limit dBUV/m</th><th>Margin dB</th><th>SA reading dBUV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>7127.98</td><td>47.91</td><td>68.20</td><td>-20.29</td><td>41.44</td><td>6.47</td><td>Average</td><td>184</td><td>286</td></tr></tbody></table>					Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7127.98	47.91	68.20	-20.29	41.44	6.47	Average	184	286
	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	7127.98	47.91	68.20	-20.29	41.44	6.47	Average	184	286														



Band Edge measurement

Appendix D





Band Edge measurement

Appendix D

Modulation	11be EHT160_OFDMA	Test Freq. (MHz)	6025
Polarization	Horizontal-Average		
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62			
Level (dBuV/m) </			



Band Edge measurement


Appendix D

Modulation	11be EHT160_OFDMA		Test Freq. (MHz)	6025																																									
Polarization	Vertical-Peak																																												
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62																																													
Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq.</th><th>Emission</th><th>Limit</th><th>Margin</th><th>SA</th><th>Factor</th><th>Remark</th><th>ANT</th><th>Turn</th></tr><tr><th></th><th>MHz</th><th>level</th><th></th><th></th><th>reading</th><th></th><th></th><th>High</th><th>Table</th></tr><tr><th></th><th></th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5890.75</td><td>58.87</td><td>88.20</td><td>-29.33</td><td>56.08</td><td>2.79</td><td>Peak</td><td>298</td><td>18</td></tr></tbody></table>							Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn		MHz	level			reading			High	Table			dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg	1	5890.75	58.87	88.20	-29.33	56.08	2.79	Peak	298	18
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn																																				
	MHz	level			reading			High	Table																																				
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg																																				
1	5890.75	58.87	88.20	-29.33	56.08	2.79	Peak	298	18																																				



Band Edge measurement


Appendix D





Band Edge measurement


Appendix D

Modulation	11be EHT160_OFDMA	Test Freq. (MHz)	6985																				
Polarization	Horizontal-Peak																						
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62																							
Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>59.23</td><td>88.20</td><td>-28.97</td><td>52.76</td><td>6.47</td><td>Peak</td><td>172</td><td>351</td></tr></tbody></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7125.00	59.23	88.20	-28.97	52.76	6.47	Peak	172	351
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	7125.00	59.23	88.20	-28.97	52.76	6.47	Peak	172	351														



Band Edge measurement

Appendix D





Band Edge measurement


Appendix D

Modulation	11be EHT160_OFDMA	Test Freq. (MHz)	6985																														
Polarization	Vertical-Peak																																
Test By :Akun Chung- Temperature(°C):25 Humidity(%):62																																	
Level (dBuV/m) UNII 5~8-PK Frequency (MHz) <table><thead><tr><th></th><th>Freq.</th><th>Emission level</th><th>Limit</th><th>Margin</th><th>SA reading</th><th>Factor</th><th>Remark</th><th>ANT High</th><th>Turn Table</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7138.52</td><td>59.78</td><td>88.20</td><td>-28.42</td><td>53.29</td><td>6.49</td><td>Peak</td><td>114</td><td>24</td></tr></tbody></table>					Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg	1	7138.52	59.78	88.20	-28.42	53.29	6.49	Peak	114	24
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg																								
1	7138.52	59.78	88.20	-28.42	53.29	6.49	Peak	114	24																								



Band Edge measurement

Appendix D





Band Edge measurement

Appendix D

Modulation	11be EHT320_OFDMA	Test Freq. (MHz)	6105
Polarization	Horizontal-Peak		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBuV/m)			



Band Edge measurement

Appendix D

Modulation	11be EHT320_OFDMA	Test Freq. (MHz)	6105
Polarization	Horizontal-Average		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBUV/m) </			



Band Edge measurement

Appendix D

Modulation	11be EHT320_OFDMA	Test Freq. (MHz)	6105
Polarization	Vertical-Peak		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBUV/m) <			



Band Edge measurement


Appendix D

Modulation	11be EHT320_OFDMA	Test Freq. (MHz)	6105
Polarization	Vertical-Average		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBUV/m) <			



Band Edge measurement

Appendix D

Modulation	11be EHT320_OFDMA	Test Freq. (MHz)	6745																				
Polarization	Horizontal-Peak																						
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																							
Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>7189.18</td><td>66.93</td><td>88.20</td><td>-21.27</td><td>60.30</td><td>6.63</td><td>Peak</td><td>121</td><td>328</td></tr></tbody></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7189.18	66.93	88.20	-21.27	60.30	6.63	Peak	121	328
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	7189.18	66.93	88.20	-21.27	60.30	6.63	Peak	121	328														



Band Edge measurement

Appendix D

Modulation	11be EHT320_OFDMA		Test Freq. (MHz)	6745																					
Polarization	Horizontal-Average																								
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																									
Level (dBuV/m) UNII 5~8-AV Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>7189.18</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>48.32</td><td>6.63</td><td>Average</td><td>121</td><td>328</td></tr></tbody></table>							Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7189.18	54.95	68.20	-13.25	48.32	6.63	Average	121	328
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																
1	7189.18	54.95	68.20	-13.25	48.32	6.63	Average	121	328																



Band Edge measurement

Appendix D

Modulation	11be EHT320_OFDMA		Test Freq. (MHz)	6745	
Polarization	Vertical-Peak				
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64					
Level (dBuV/m) UNII 5-8-PK Freq. Emission Limit Margin SA Factor Remark ANT Turn level MHz dBuV/m dBuV/m dB reading dBuV dB/m cm deg 1 7210.96 68.55 88.20 -19.65 61.87 6.68 Peak 138 285					



Band Edge measurement


Appendix D

Modulation	11be EHT320_OFDMA		Test Freq. (MHz)		6745	
Polarization	Vertical-Average					
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64						
Level (dBuV/m)						



Band Edge measurement

Appendix D

Modulation	11be EHT320_OFDMA	Test Freq. (MHz)	6905																														
Polarization	Horizontal-Peak																																
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																																	
Level (dBuV/m)  Frequency (MHz) <table><tr><th></th><th>Freq.</th><th>Emission level</th><th>Limit</th><th>Margin</th><th>SA reading</th><th>Factor</th><th>Remark</th><th>ANT High</th><th>Turn Table</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7188.50</td><td>69.84</td><td>88.20</td><td>-18.36</td><td>63.22</td><td>6.62</td><td>Peak</td><td>125</td><td>330</td></tr></table>					Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg	1	7188.50	69.84	88.20	-18.36	63.22	6.62	Peak	125	330
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg																								
1	7188.50	69.84	88.20	-18.36	63.22	6.62	Peak	125	330																								



Band Edge measurement

Appendix D

Modulation	11be EHT320_OFDMA		Test Freq. (MHz)		6905	
Polarization	Horizontal-Average					
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64						
Level (dBuV/m) </						



Band Edge measurement


Appendix D

Modulation	11be EHT320_OFDMA	Test Freq. (MHz)	6905
Polarization	Vertical-Peak		
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64			
Level (dBuV/m) </			



Band Edge measurement

Appendix D

Modulation	11be EHT320_OFDMA	Test Freq. (MHz)	6905																														
Polarization	Vertical-Average																																
Test By :Akun Chung- Temperature(°C):24 Humidity(%):64																																	
Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Freq.</th><th>Emission level</th><th>Limit</th><th>Margin</th><th>SA reading</th><th>Factor</th><th>Remark</th><th>ANT High</th><th>Turn Table</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7144.00</td><td>58.77</td><td>68.20</td><td>-9.43</td><td>52.28</td><td>6.49</td><td>Average</td><td>134</td><td>284</td></tr></tbody></table>					Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg	1	7144.00	58.77	68.20	-9.43	52.28	6.49	Average	134	284
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg																								
1	7144.00	58.77	68.20	-9.43	52.28	6.49	Average	134	284																								

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.40751G	-11.07	6.3733G	-61.26	-51.07	-10.19	2
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	Pass	6.16641G	-11.49	6.2214G	-61.39	-51.49	-9.90	1
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	Pass	6.17679G	-9.18	6.2458G	-58.28	-49.18	-9.10	4
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	Pass	6.17737G	-7.61	6.345G	-55.20	-47.61	-7.59	4
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	Pass	6.10092G	-4.18	6.3754G	-45.49	-44.18	-1.31	4
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	Pass	6.2506G	4.39	6.7866G	-41.24	-35.61	-5.63	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.44189G	-11.24	6.3966G	-61.22	-51.24	-9.98	2
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	Pass	6.42631G	-11.34	6.3887G	-61.38	-51.34	-10.04	2
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	Pass	6.47381G	-9.06	6.396G	-58.53	-49.06	-9.47	2
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	Pass	6.43623G	-7.76	6.2778G	-55.82	-47.76	-8.06	2
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	Pass	6.49861G	-3.87	6.189G	-47.01	-43.87	-3.14	4
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	Pass	6.6186G	3.76	7.1658G	-42.87	-36.24	-6.63	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.8581G	-10.33	6.8159G	-60.55	-50.33	-10.22	3
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	Pass	6.8589G	-11.16	6.816G	-60.56	-51.16	-9.40	3
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	Pass	6.85979G	-9.55	6.914G	-57.83	-49.55	-8.28	1
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	Pass	6.79019G	-7.95	6.9806G	-54.89	-47.95	-6.94	1
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	Pass	6.64182G	-4.36	6.3194G	-46.45	-44.36	-2.09	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	7.00781G	-10.82	6.9794G	-60.79	-50.82	-9.97	2
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	Pass	7.10651G	-16.96	7.1612G	-61.38	-56.96	-4.42	4
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	Pass	6.88G	-9.27	6.954G	-56.27	-49.27	-7.00	1
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	Pass	6.87619G	-7.88	7.0034G	-54.93	-47.88	-7.05	1
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	Pass	6.8282G	-5.01	6.5074G	-45.93	-45.01	-0.92	4
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	Pass	6.7548G	3.11	7.457G	-38.99	-36.89	-2.10	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96G	-10.75	6.0003G	-61.08	-50.75	-10.33	1
5955MHz	Pass	5.96179G	-10.43	5.9935G	-60.79	-50.43	-10.36	2
5955MHz	Pass	5.96189G	-10.43	5.9921G	-61.11	-50.43	-10.68	3
5955MHz	Pass	5.96249G	-10.32	5.9913G	-60.90	-50.32	-10.58	4
6175MHz	Pass	6.1775G	-10.85	6.2206G	-61.37	-50.85	-10.52	1
6175MHz	Pass	6.18249G	-10.22	6.2178G	-61.24	-50.22	-11.02	2
6175MHz	Pass	6.17G	-10.56	6.2212G	-61.38	-50.56	-10.82	3
6175MHz	Pass	6.18249G	-10.69	6.2175G	-61.52	-50.69	-10.83	4
6415MHz	Pass	6.40811G	-10.91	6.4563G	-61.51	-50.91	-10.60	1
6415MHz	Pass	6.40751G	-11.07	6.3733G	-61.26	-51.07	-10.19	2
6415MHz	Pass	6.42189G	-10.47	6.3726G	-61.27	-50.47	-10.80	3
6415MHz	Pass	6.42249G	-10.97	6.3709G	-61.46	-50.97	-10.49	4
6435MHz	Pass	6.42781G	-10.82	6.4001G	-61.43	-50.82	-10.61	1
6435MHz	Pass	6.44189G	-11.24	6.3966G	-61.22	-51.24	-9.98	2
6435MHz	Pass	6.4379G	-10.68	6.48G	-61.24	-50.68	-10.56	3
6435MHz	Pass	6.42751G	-10.62	6.48G	-61.29	-50.62	-10.67	4
6475MHz	Pass	6.48G	-10.85	6.432G	-60.97	-50.85	-10.12	1
6475MHz	Pass	6.48189G	-11.26	6.4319G	-61.51	-51.26	-10.25	2
6475MHz	Pass	6.4778G	-10.60	6.432G	-61.11	-50.60	-10.51	3
6475MHz	Pass	6.48189G	-10.71	6.432G	-61.37	-50.71	-10.66	4
6515MHz	Pass	6.50781G	-10.82	6.47G	-61.49	-50.82	-10.67	1
6515MHz	Pass	6.52249G	-10.94	6.465G	-61.54	-50.94	-10.60	2
6515MHz	Pass	6.5178G	-10.65	6.48G	-61.17	-50.65	-10.52	3
6515MHz	Pass	6.52249G	-10.88	6.4738G	-61.43	-50.88	-10.55	4
6535MHz	Pass	6.54249G	-10.98	6.4897G	-61.35	-50.98	-10.37	1
6535MHz	Pass	6.52751G	-11.01	6.4981G	-61.40	-51.01	-10.39	2
6535MHz	Pass	6.5381G	-10.64	6.5761G	-61.30	-50.64	-10.66	3
6535MHz	Pass	6.52771G	-10.93	6.4926G	-61.48	-50.93	-10.55	4
6715MHz	Pass	6.72189G	-10.93	6.7508G	-61.55	-50.93	-10.62	1
6715MHz	Pass	6.70811G	-10.60	6.672G	-61.79	-50.60	-11.19	2
6715MHz	Pass	6.7182G	-10.45	6.6719G	-61.30	-50.45	-10.85	3
6715MHz	Pass	6.70781G	-10.47	6.7562G	-61.75	-50.47	-11.28	4
6855MHz	Pass	6.8515G	-10.69	6.9047G	-61.23	-50.69	-10.54	1
6855MHz	Pass	6.84741G	-10.70	6.8984G	-61.25	-50.70	-10.55	2
6855MHz	Pass	6.8581G	-10.33	6.8159G	-60.55	-50.33	-10.22	3
6855MHz	Pass	6.84751G	-10.43	6.9038G	-61.27	-50.43	-10.84	4
6875MHz Straddle 6.875-7.125GHz	Pass	6.86981G	-10.54	6.9222G	-61.11	-50.54	-10.57	1
6875MHz Straddle 6.875-7.125GHz	Pass	6.86811G	-10.47	6.9191G	-61.03	-50.47	-10.56	2
6875MHz Straddle 6.875-7.125GHz	Pass	6.8778G	-10.15	6.9121G	-60.90	-50.15	-10.75	3
6875MHz Straddle 6.875-7.125GHz	Pass	6.88249G	-10.33	6.9092G	-61.03	-50.33	-10.70	4
6895MHz	Pass	6.89G	-10.36	6.9394G	-60.92	-50.36	-10.56	1
6895MHz	Pass	6.88751G	-10.34	6.9427G	-60.83	-50.34	-10.49	2
6895MHz	Pass	6.8978G	-9.99	6.9429G	-60.80	-49.99	-10.81	3
6895MHz	Pass	6.88771G	-10.09	6.9382G	-60.84	-50.09	-10.75	4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7015MHz	Pass	7.0103G	-10.74	6.974G	-60.87	-50.74	-10.13	1
7015MHz	Pass	7.00781G	-10.82	6.9794G	-60.79	-50.82	-9.97	2
7015MHz	Pass	7.0193G	-10.54	6.979G	-60.88	-50.54	-10.34	3
7015MHz	Pass	7.00781G	-10.51	6.9755G	-60.99	-50.51	-10.48	4
7095MHz	Pass	7.08841G	-10.39	7.1359G	-61.60	-50.39	-11.21	1
7095MHz	Pass	7.08751G	-10.29	7.1349G	-61.39	-50.29	-11.10	2
7095MHz	Pass	7.10249G	-10.29	7.136G	-61.62	-50.29	-11.33	3
7095MHz	Pass	7.08751G	-10.13	7.1434G	-61.34	-50.13	-11.21	4
7115MHz	Pass	7.11G	-10.41	7.149G	-61.37	-50.41	-10.96	1
7115MHz	Pass	7.10741G	-10.64	7.1543G	-61.36	-50.64	-10.72	2
7115MHz	Pass	7.1184G	-10.29	7.1593G	-61.43	-50.29	-11.14	3
7115MHz	Pass	7.10781G	-10.37	7.1587G	-61.33	-50.37	-10.96	4
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96229G	-10.98	5.9903G	-61.11	-50.98	-10.13	1
5955MHz	Pass	5.96329G	-10.89	6G	-60.99	-50.89	-10.10	2
5955MHz	Pass	5.96259G	-10.47	5.993G	-61.20	-50.47	-10.73	3
5955MHz	Pass	5.96279G	-10.20	6.0048G	-61.14	-50.20	-10.94	4
6175MHz	Pass	6.16641G	-11.49	6.2214G	-61.39	-51.49	-9.90	1
6175MHz	Pass	6.18109G	-10.91	6.221G	-61.18	-50.91	-10.27	2
6175MHz	Pass	6.16731G	-11.23	6.1296G	-61.28	-51.23	-10.05	3
6175MHz	Pass	6.18419G	-11.27	6.22G	-61.31	-51.27	-10.04	4
6415MHz	Pass	6.4137G	-11.09	6.373G	-61.40	-51.09	-10.31	1
6415MHz	Pass	6.40601G	-10.87	6.3745G	-61.24	-50.87	-10.37	2
6415MHz	Pass	6.42G	-10.60	6.4545G	-61.28	-50.60	-10.68	3
6415MHz	Pass	6.40771G	-10.79	6.3741G	-61.15	-50.79	-10.36	4
6435MHz	Pass	6.4313G	-10.84	6.3902G	-61.40	-50.84	-10.56	1
6435MHz	Pass	6.42631G	-11.34	6.3887G	-61.38	-51.34	-10.04	2
6435MHz	Pass	6.44379G	-10.81	6.4801G	-61.22	-50.81	-10.41	3
6435MHz	Pass	6.42701G	-10.81	6.3997G	-61.18	-50.81	-10.37	4
6475MHz	Pass	6.46751G	-11.11	6.4319G	-61.33	-51.11	-10.22	1
6475MHz	Pass	6.48269G	-11.21	6.4302G	-61.36	-51.21	-10.15	2
6475MHz	Pass	6.4788G	-10.55	6.4319G	-61.15	-50.55	-10.60	3
6475MHz	Pass	6.48249G	-10.75	6.434G	-61.37	-50.75	-10.62	4
6515MHz	Pass	6.50861G	-11.01	6.4756G	-61.43	-51.01	-10.42	1
6515MHz	Pass	6.52359G	-11.01	6.4705G	-61.34	-51.01	-10.33	2
6515MHz	Pass	6.52G	-10.72	6.4705G	-61.29	-50.72	-10.57	3
6515MHz	Pass	6.50751G	-10.91	6.476G	-61.41	-50.91	-10.50	4
6535MHz	Pass	6.54299G	-11.17	6.4889G	-61.37	-51.17	-10.20	1
6535MHz	Pass	6.52601G	-10.76	6.4881G	-61.42	-50.76	-10.66	2
6535MHz	Pass	6.52681G	-10.98	6.4927G	-61.38	-50.98	-10.40	3
6535MHz	Pass	6.52861G	-11.09	6.496G	-61.41	-51.09	-10.32	4
6715MHz	Pass	6.72159G	-11.65	6.7553G	-61.87	-51.65	-10.22	1
6715MHz	Pass	6.70651G	-10.89	6.672G	-61.96	-50.89	-11.07	2
6715MHz	Pass	6.72249G	-11.20	6.672G	-61.50	-51.20	-10.30	3
6715MHz	Pass	6.7112G	-10.71	6.6719G	-61.88	-50.71	-11.17	4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6855MHz	Pass	6.8537G	-11.42	6.8973G	-61.16	-51.42	-9.74	1
6855MHz	Pass	6.86G	-11.44	6.9043G	-61.09	-51.44	-9.65	2
6855MHz	Pass	6.8589G	-11.16	6.816G	-60.56	-51.16	-9.40	3
6855MHz	Pass	6.84771G	-11.24	6.9018G	-61.22	-51.24	-9.98	4
6875MHz Straddle 6.875-7.125GHz	Pass	6.86871G	-11.05	6.9189G	-61.02	-51.05	-9.97	1
6875MHz Straddle 6.875-7.125GHz	Pass	6.86591G	-10.90	6.9158G	-61.00	-50.90	-10.10	2
6875MHz Straddle 6.875-7.125GHz	Pass	6.88249G	-10.79	6.9224G	-61.02	-50.79	-10.23	3
6875MHz Straddle 6.875-7.125GHz	Pass	6.86881G	-11.18	6.9136G	-61.02	-51.18	-9.84	4
6895MHz	Pass	6.88861G	-10.95	6.9374G	-60.81	-50.95	-9.86	1
6895MHz	Pass	6.88751G	-11.14	6.9446G	-60.85	-51.14	-9.71	2
6895MHz	Pass	6.8986G	-10.71	6.9387G	-60.84	-50.71	-10.13	3
6895MHz	Pass	6.88731G	-10.86	6.9443G	-60.90	-50.86	-10.04	4
7015MHz	Pass	7.0113G	-11.12	6.966G	-60.89	-51.12	-9.77	1
7015MHz	Pass	7.00751G	-10.93	6.9763G	-60.77	-50.93	-9.84	2
7015MHz	Pass	7.02129G	-10.72	6.969G	-60.97	-50.72	-10.25	3
7015MHz	Pass	7.02259G	-10.54	6.9794G	-60.88	-50.54	-10.34	4
7095MHz	Pass	7.08881G	-11.02	7.134G	-61.61	-51.02	-10.59	1
7095MHz	Pass	7.10249G	-10.89	7.1427G	-61.38	-50.89	-10.49	2
7095MHz	Pass	7.0986G	-10.94	7.1361G	-61.44	-50.94	-10.50	3
7095MHz	Pass	7.10119G	-10.72	7.1439G	-61.50	-50.72	-10.78	4
7115MHz	Pass	7.10741G	-16.95	7.1648G	-61.54	-56.95	-4.59	1
7115MHz	Pass	7.10841G	-17.00	7.1579G	-61.47	-57.00	-4.47	2
7115MHz	Pass	7.10601G	-16.96	7.1631G	-61.54	-56.96	-4.58	3
7115MHz	Pass	7.10651G	-16.96	7.1612G	-61.38	-56.96	-4.42	4
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98238G	-9.15	6.0336G	-58.31	-49.15	-9.16	1
5965MHz	Pass	5.98118G	-9.35	6.0374G	-58.56	-49.35	-9.21	2
5965MHz	Pass	5.97759G	-9.40	6.0482G	-58.86	-49.40	-9.46	3
5965MHz	Pass	5.97999G	-8.98	6.053G	-58.25	-48.98	-9.27	4
6165MHz	Pass	6.17099G	-9.22	6.074G	-58.55	-49.22	-9.33	1
6165MHz	Pass	6.17259G	-9.06	6.2516G	-58.64	-49.06	-9.58	2
6165MHz	Pass	6.18018G	-9.22	6.0964G	-58.61	-49.22	-9.39	3
6165MHz	Pass	6.17679G	-9.18	6.2458G	-58.28	-49.18	-9.10	4
6405MHz	Pass	6.42118G	-8.92	6.3196G	-58.63	-48.92	-9.71	1
6405MHz	Pass	6.4G	-9.05	6.3112G	-58.43	-49.05	-9.38	2
6405MHz	Pass	6.41139G	-8.68	6.336G	-58.51	-48.68	-9.83	3
6405MHz	Pass	6.408G	-8.58	6.499G	-58.32	-48.58	-9.74	4
6445MHz	Pass	6.4424G	-8.89	6.3492G	-58.69	-48.89	-9.80	1
6445MHz	Pass	6.45239G	-8.96	6.358G	-58.55	-48.96	-9.59	2
6445MHz	Pass	6.4498G	-9.03	6.36G	-58.79	-49.03	-9.76	3
6445MHz	Pass	6.45339G	-8.75	6.3594G	-58.30	-48.75	-9.55	4
6485MHz	Pass	6.47381G	-8.89	6.4034G	-58.66	-48.89	-9.77	1
6485MHz	Pass	6.47381G	-9.06	6.396G	-58.53	-49.06	-9.47	2
6485MHz	Pass	6.50338G	-8.78	6.4066G	-58.66	-48.78	-9.88	3
6485MHz	Pass	6.46662G	-8.81	6.3948G	-58.41	-48.81	-9.60	4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6525MHz Straddle 6.425-6.525GHz	Pass	6.54258G	-8.71	6.4546G	-58.71	-48.71	-10.00	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.51041G	-9.08	6.4338G	-58.62	-49.08	-9.54	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.50642G	-8.92	6.433G	-58.89	-48.92	-9.97	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.5212G	-8.59	6.4318G	-58.29	-48.59	-9.70	4
6565MHz	Pass	6.55721G	-8.94	6.4904G	-58.68	-48.94	-9.74	1
6565MHz	Pass	6.55141G	-8.91	6.4802G	-58.65	-48.91	-9.74	2
6565MHz	Pass	6.54702G	-8.73	6.4862G	-58.86	-48.73	-10.13	3
6565MHz	Pass	6.55761G	-8.79	6.47G	-58.63	-48.79	-9.84	4
6725MHz	Pass	6.73779G	-9.52	6.8162G	-58.72	-49.52	-9.20	1
6725MHz	Pass	6.73619G	-9.47	6.816G	-59.06	-49.47	-9.59	2
6725MHz	Pass	6.74018G	-8.91	6.816G	-58.39	-48.91	-9.48	3
6725MHz	Pass	6.71641G	-9.41	6.8162G	-58.71	-49.41	-9.30	4
6845MHz	Pass	6.85979G	-9.55	6.914G	-57.83	-49.55	-8.28	1
6845MHz	Pass	6.85639G	-9.34	6.912G	-58.02	-49.34	-8.68	2
6845MHz	Pass	6.82742G	-8.74	6.9348G	-58.00	-48.74	-9.26	3
6845MHz	Pass	6.83641G	-9.14	6.9438G	-58.11	-49.14	-8.97	4
6885MHz Straddle 6.875-7.125GHz	Pass	6.88G	-9.27	6.954G	-56.27	-49.27	-7.00	1
6885MHz Straddle 6.875-7.125GHz	Pass	6.87401G	-9.10	6.9598G	-57.78	-49.10	-8.68	2
6885MHz Straddle 6.875-7.125GHz	Pass	6.86742G	-8.53	6.9602G	-57.38	-48.53	-8.85	3
6885MHz Straddle 6.875-7.125GHz	Pass	6.87981G	-9.11	6.9726G	-57.56	-49.11	-8.45	4
6925MHz	Pass	6.94058G	-9.00	7.0022G	-57.95	-49.00	-8.95	1
6925MHz	Pass	6.91901G	-8.90	7.0032G	-57.96	-48.90	-9.06	2
6925MHz	Pass	6.93G	-8.38	7.0088G	-57.81	-48.38	-9.43	3
6925MHz	Pass	6.91581G	-8.87	7.0048G	-57.76	-48.87	-8.89	4
7005MHz	Pass	6.99981G	-9.13	6.935G	-58.51	-49.13	-9.38	1
7005MHz	Pass	6.99741G	-9.01	6.9304G	-58.50	-49.01	-9.49	2
7005MHz	Pass	6.99381G	-8.20	6.926G	-58.35	-48.20	-10.15	3
7005MHz	Pass	7.01459G	-8.92	6.912G	-58.25	-48.92	-9.33	4
7085MHz	Pass	7.06762G	-9.24	6.9906G	-58.08	-49.24	-8.84	1
7085MHz	Pass	7.07021G	-8.86	7.0048G	-58.08	-48.86	-9.22	2
7085MHz	Pass	7.07221G	-8.68	6.994G	-58.18	-48.68	-9.50	3
7085MHz	Pass	7.07101G	-8.75	7G	-57.64	-48.75	-8.89	4
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02176G	-7.80	6.165G	-56.23	-47.80	-8.43	1
5985MHz	Pass	6.01697G	-7.22	6.1718G	-55.65	-47.22	-8.43	2
5985MHz	Pass	6.01977G	-7.73	6.1798G	-55.94	-47.73	-8.21	3
5985MHz	Pass	6.02136G	-7.30	6.1794G	-55.23	-47.30	-7.93	4
6145MHz	Pass	6.11783G	-7.74	5.9918G	-55.77	-47.74	-8.03	1
6145MHz	Pass	6.17657G	-6.97	6.3266G	-55.48	-46.97	-8.51	2
6145MHz	Pass	6.11783G	-7.57	5.9774G	-55.48	-47.57	-7.91	3
6145MHz	Pass	6.17737G	-7.61	6.345G	-55.20	-47.61	-7.59	4
6385MHz	Pass	6.36942G	-7.42	6.2182G	-55.92	-47.42	-8.50	1
6385MHz	Pass	6.37221G	-7.61	6.2038G	-55.91	-47.61	-8.30	2
6385MHz	Pass	6.36142G	-7.10	6.2102G	-55.62	-47.10	-8.52	3
6385MHz	Pass	6.42016G	-6.94	6.231G	-55.64	-46.94	-8.70	4


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6465MHz	Pass	6.43903G	-7.41	6.3006G	-55.83	-47.41	-8.42	1
6465MHz	Pass	6.43623G	-7.76	6.2778G	-55.82	-47.76	-8.06	2
6465MHz	Pass	6.47299G	-7.16	6.2878G	-55.48	-47.16	-8.32	3
6465MHz	Pass	6.49017G	-7.06	6.2878G	-55.53	-47.06	-8.47	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.51983G	-7.48	6.5902G	-36.09	-27.49	-8.60	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.51583G	-7.27	6.3898G	-55.86	-47.27	-8.59	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.53101G	-6.85	6.7318G	-55.64	-46.85	-8.79	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.53341G	-7.31	6.3702G	-55.56	-47.31	-8.25	4
6625MHz	Pass	6.64698G	-7.71	6.8158G	-55.77	-47.71	-8.06	1
6625MHz	Pass	6.59143G	-7.12	6.455G	-55.69	-47.12	-8.57	2
6625MHz	Pass	6.66016G	-7.11	6.8162G	-55.13	-47.11	-8.02	3
6625MHz	Pass	6.63179G	-7.28	6.8242G	-55.48	-47.28	-8.20	4
6705MHz	Pass	6.68262G	-7.75	6.903G	-54.97	-47.75	-7.22	1
6705MHz	Pass	6.69861G	-7.52	6.9042G	-55.01	-47.52	-7.49	2
6705MHz	Pass	6.69101G	-7.52	6.891G	-54.76	-47.52	-7.24	3
6705MHz	Pass	6.67343G	-7.35	6.895G	-54.86	-47.35	-7.51	4
6785MHz	Pass	6.79019G	-7.95	6.9806G	-54.89	-47.95	-6.94	1
6785MHz	Pass	6.79619G	-7.26	6.9834G	-54.80	-47.26	-7.54	2
6785MHz	Pass	6.77861G	-7.50	6.9602G	-54.67	-47.50	-7.17	3
6785MHz	Pass	6.81697G	-7.53	6.9806G	-54.54	-47.53	-7.01	4
6865MHz Straddle 6.875-7.125GHz	Pass	6.87619G	-7.88	7.0034G	-54.93	-47.88	-7.05	1
6865MHz Straddle 6.875-7.125GHz	Pass	6.87379G	-7.26	7.0066G	-54.93	-47.26	-7.67	2
6865MHz Straddle 6.875-7.125GHz	Pass	6.8698G	-7.15	7.009G	-55.09	-47.15	-7.94	3
6865MHz Straddle 6.875-7.125GHz	Pass	6.87859G	-7.36	6.9966G	-54.97	-47.36	-7.61	4
6945MHz	Pass	6.9422G	-7.03	7.145G	-56.13	-47.03	-9.10	1
6945MHz	Pass	6.90864G	-7.10	7.1346G	-56.06	-47.10	-8.96	2
6945MHz	Pass	6.93021G	-6.58	6.9906G	-35.14	-26.63	-8.51	3
6945MHz	Pass	6.92942G	-7.08	6.9906G	-35.82	-27.13	-8.69	4
7025MHz	Pass	6.99983G	-6.94	7.2242G	-55.67	-46.94	-8.73	1
7025MHz	Pass	6.98824G	-7.17	7.2146G	-55.68	-47.17	-8.51	2
7025MHz	Pass	7.00942G	-6.69	7.2206G	-55.46	-46.69	-8.77	3
7025MHz	Pass	6.99703G	-7.03	6.8714G	-55.45	-47.03	-8.42	4
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04738G	-4.64	6.285G	-52.51	-44.64	-7.87	1
6025MHz	Pass	6.08974G	-4.27	6.281G	-51.85	-44.27	-7.58	2
6025MHz	Pass	6.03859G	-5.03	6.2866G	-51.44	-45.03	-6.41	3
6025MHz	Pass	6.10092G	-4.18	6.3754G	-45.49	-44.18	-1.31	4
6185MHz	Pass	6.26172G	-5.13	6.4554G	-51.77	-45.13	-6.64	1
6185MHz	Pass	6.23295G	-4.70	6.4506G	-50.95	-44.70	-6.25	2
6185MHz	Pass	6.25293G	-4.50	6.4482G	-51.00	-44.50	-6.50	3
6185MHz	Pass	6.25453G	-4.28	6.541G	-46.38	-44.28	-2.10	4
6345MHz	Pass	6.30024G	-4.64	6.0706G	-51.18	-44.64	-6.54	1
6345MHz	Pass	6.33701G	-4.22	6.0786G	-51.21	-44.22	-6.99	2
6345MHz	Pass	6.27227G	-4.29	6.077G	-49.06	-44.29	-4.77	3
6345MHz	Pass	6.31543G	-4.60	6.6618G	-47.07	-44.60	-2.47	4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz Straddle 6.425-6.525GHz	Pass	6.47783G	-4.99	6.7714G	-50.65	-44.99	-5.66	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.47303G	-5.14	6.2378G	-50.65	-45.14	-5.51	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.51139G	-4.64	6.7714G	-49.08	-44.64	-4.44	3
6505MHz Straddle 6.425-6.525GHz	Pass	6.49861G	-3.87	6.189G	-47.01	-43.87	-3.14	4
6665MHz	Pass	6.64822G	-5.18	6.9362G	-49.72	-45.18	-4.54	1
6665MHz	Pass	6.58908G	-4.69	6.9418G	-50.76	-44.69	-6.07	2
6665MHz	Pass	6.59707G	-4.85	6.9298G	-48.53	-44.85	-3.68	3
6665MHz	Pass	6.64182G	-4.36	6.3194G	-46.45	-44.36	-2.09	4
6825MHz Straddle 6.875-7.125GHz	Pass	6.86176G	-4.78	7.0906G	-51.29	-44.78	-6.51	1
6825MHz Straddle 6.875-7.125GHz	Pass	6.77705G	-4.41	6.5586G	-51.05	-44.41	-6.64	2
6825MHz Straddle 6.875-7.125GHz	Pass	6.8218G	-4.87	7.1042G	-50.23	-44.87	-5.36	3
6825MHz Straddle 6.875-7.125GHz	Pass	6.8282G	-5.01	6.5074G	-45.93	-45.01	-0.92	4
6985MHz	Pass	6.95143G	-3.95	6.7098G	-50.75	-43.95	-6.80	1
6985MHz	Pass	6.97941G	-4.54	6.7098G	-49.61	-44.54	-5.07	2
6985MHz	Pass	6.90908G	-3.95	6.7162G	-49.68	-43.95	-5.73	3
6985MHz	Pass	6.94264G	-4.28	6.6738G	-45.26	-44.28	-0.98	4
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0075G	1.67	6.8954G	-47.46	-38.33	-9.13	1
6105MHz	Pass	6.0746G	1.25	6.9018G	-47.91	-38.75	-9.16	2
6105MHz	Pass	6.0171G	1.04	6.8954G	-47.71	-38.96	-8.75	3
6105MHz	Pass	6.0315G	1.75	6.9034G	-47.47	-38.25	-9.22	4
6265MHz	Pass	6.2506G	4.39	6.7866G	-41.24	-35.61	-5.63	1
6265MHz	Pass	6.2362G	4.49	5.465G	-45.72	-29.27	-16.45	2
6265MHz	Pass	6.1515G	4.19	5.465G	-45.73	-31.27	-14.46	3
6265MHz	Pass	6.3321G	4.67	6.9946G	-43.83	-35.30	-8.53	4
6425MHz Straddle 6.425-6.525GHz	Pass	6.3083G	4.16	7.2074G	-45.48	-35.84	-9.64	1
6425MHz Straddle 6.425-6.525GHz	Pass	6.2923G	4.13	5.625G	-45.84	-30.79	-15.05	2
6425MHz Straddle 6.425-6.525GHz	Pass	6.4426G	4.23	7.225G	-45.23	-35.21	-10.02	3
6425MHz Straddle 6.425-6.525GHz	Pass	6.4362G	4.21	6.7402G	-28.54	-15.91	-12.63	4
6585MHz Straddle 6.425-6.525GHz	Pass	6.6186G	3.76	7.1658G	-42.87	-36.24	-6.63	1
6585MHz Straddle 6.425-6.525GHz	Pass	6.4843G	3.84	7.385G	-45.15	-36.16	-8.99	2
6585MHz Straddle 6.425-6.525GHz	Pass	6.7209G	3.68	7.385G	-44.99	-33.99	-11.00	3
6585MHz Straddle 6.425-6.525GHz	Pass	6.5323G	3.83	6.233G	-31.69	-16.29	-15.40	4
6745MHz Straddle 6.875-7.125GHz	Pass	6.8121G	4.59	7.4986G	-39.43	-24.27	-15.16	1
6745MHz Straddle 6.875-7.125GHz	Pass	6.6763G	4.59	7.4986G	-39.45	-29.62	-9.83	2
6745MHz Straddle 6.875-7.125GHz	Pass	6.8105G	4.82	7.4986G	-39.44	-25.01	-14.43	3
6745MHz Straddle 6.875-7.125GHz	Pass	6.7594G	4.44	7.4986G	-39.42	-24.97	-14.45	4
6905MHz Straddle 6.875-7.125GHz	Pass	6.8379G	3.65	6.105G	-42.52	-32.70	-9.82	1
6905MHz Straddle 6.875-7.125GHz	Pass	6.7548G	3.11	7.457G	-38.99	-36.89	-2.10	2
6905MHz Straddle 6.875-7.125GHz	Pass	6.9306G	3.63	6.4954G	-32.50	-17.52	-14.98	3
6905MHz Straddle 6.875-7.125GHz	Pass	6.8507G	3.86	6.105G	-42.40	-32.21	-10.19	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


5955MHz_TX



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


6175MHz_TX



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


6415MHz_TX



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6435MHz_TX






6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


6475MHz_TX



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


6515MHz_TX



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


6535MHz_TX



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


6715MHz_TX



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


6855MHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6875MHz Straddle 6.875-7.125GHz_TX






6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


6895MHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


7015MHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


7095MHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK


7115MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK


5955MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6175MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4137G	-11.09	6.373G	-61.40	-51.09	-10.31	1
6.40601G	-10.87	6.3745G	-61.24	-50.87	-10.37	2
6.42G	-10.60	6.4545G	-61.28	-50.60	-10.68	3
6.40771G	-10.79	6.3741G	-61.15	-50.79	-10.36	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

CF (Hz)
6.435G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4313G	-10.84	6.3902G	-61.40	-50.84	-10.56	1
6.42631G	-11.34	6.3887G	-61.38	-51.34	-10.04	2
6.44379G	-10.81	6.4801G	-61.22	-50.81	-10.41	3
6.42701G	-10.81	6.3997G	-61.18	-50.81	-10.37	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK


6475MHz_TX



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK


6515MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK


6535MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK


6715MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK


6855MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK


6875MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK


6895MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7015MHz_TX






6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK


7095MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX






5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK


5965MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6165MHz_TX






5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK


6405MHz_TX



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK


6445MHz_TX



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK


6485MHz_TX



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX






6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK


6565MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6725MHz_TX






6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK


6845MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.875-7.125GHz_TX






6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK


6925MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX






6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK


7085MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK


6145MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK


6385MHz_TX



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK


6465MHz_TX



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK


6545MHz Straddle 6.425-6.525GHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK


6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK


6705MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK


6785MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.875-7.125GHz_TX






6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK


6945MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK


7025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK


6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK


6185MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK


6345MHz_TX



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK


6505MHz Straddle 6.425-6.525GHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK


6665MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK


6825MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK


6985MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK


6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK


6265MHz_TX



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK


6425MHz Straddle 6.425-6.525GHz_TX



6.425-6.525GHz 802.11be EHT320_Nss1,(MCS0)_4TX

MASK


6585MHz Straddle 6.425-6.525GHz_TX



6.875-7.125GHz 802.11be EHT320_Nss1,(MCS0)_4TX

MASK


6745MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz 802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz Straddle 6.875-7.125GHz_TX





Frequency: 6475 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-3.55	-3.38	-3.72	-3.45
T20°CVmin	-3.55	-3.99	-3.59	-3.89
T40°CVnom	-4.94	-5.04	-5.03	-4.76
T30°CVnom	-1.16	-0.61	-0.57	-1.31
T20°CVnom	2.63	3.01	2.83	3.16
T10°CVnom	6.41	6.86	6.69	6.02
T0°CVnom	10.19	9.96	9.92	10.75
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	

Frequency: 7015 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-2.78	-2.67	-2.26	-2.51
T20°CVmin	-3.17	-2.69	-3.24	-3.01
T40°CVnom	-4.14	-3.94	-4.20	-4.07
T30°CVnom	-0.48	-0.63	-0.54	-0.25
T20°CVnom	2.88	2.54	3.26	2.80
T10°CVnom	6.21	6.68	6.55	6.19
T0°CVnom	9.48	9.84	9.54	9.30
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain With path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT20	5	6195	6194	-64.05	2.07	-66.12	-62	Ceased
				-66.05	2.07	-68.12	-62	Minimal
				-84.05	2.07	-86.12	-62	Normal
	6	6475	6474	-63.51	2.13	-65.64	-62	Ceased
				-65.51	2.13	-67.64	-62	Minimal
				-83.51	2.13	-85.64	-62	Normal
	7	6695	6694	-63.65	2.27	-65.92	-62	Ceased
				-65.65	2.27	-67.92	-62	Minimal
				-83.65	2.27	-85.92	-62	Normal
	8	6995	6994	-64.14	2.18	-66.32	-62	Ceased
				-66.14	2.18	-68.32	-62	Minimal
				-84.14	2.18	-86.32	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain with path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT320	5	6105	6100	-63.62	2.07	-65.69	-62	Ceased
				-65.62	2.07	-67.69	-62	Minimal
				-83.62	2.07	-85.69	-62	Normal
	5 / 6 / 7	6425	6580	-64.91	2.07	-66.98	-62	Ceased
				-66.91	2.07	-68.98	-62	Minimal
				-84.91	2.07	-86.98	-62	Normal
	7 / 8	6905	6900	-64.74	2.18	-66.92	-62	Ceased
				-66.74	2.18	-68.92	-62	Minimal
				-84.74	2.18	-86.92	-62	Normal


Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
be EHT20	5	6195	6194	-64.05	-66.12	V	V	V	V	V	V	V	X	V	V	90	90
	6	6475	6474	-63.51	-65.64	V	V	V	V	V	V	V	V	X	V	90	90
	7	6695	6694	-63.65	-65.92	V	V	V	V	V	V	V	V	V	V	100	90
	8	6995	6994	-64.14	-66.32	V	V	V	V	V	V	V	V	V	V	100	90

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
be EHT320	5	6105	5950	-65.22	-67.29	V	V	V	V	V	V	V	V	V	V	100	90
			6100	-63.62	-65.69	V	V	V	V	V	V	V	V	V	V	100	90
			6260	-64.14	-66.21	V	V	V	V	V	V	V	V	V	X	90	90
	5 / 6 / 7	6425	6270	-65.4	-67.47	V	V	V	V	V	V	V	V	X	V	90	90
			6420	-65.35	-67.42	V	V	V	V	V	V	V	V	V	V	100	90
			6580	-64.91	-66.98	V	V	V	V	V	V	V	V	V	V	100	90
	7 / 8	6905	6750	-65.23	-67.41	V	V	V	V	V	V	V	V	X	V	90	90
			6900	-64.74	-66.92	V	V	V	V	V	V	V	V	V	V	100	90
			7060	-65.22	-67.4	V	V	V	V	V	V	X	V	V	V	90	90

Test plot of Incumbent signal


BW: 20 MHz / Frequency: 6194 MHz




BW: 20 MHz / Frequency: 6474 MHz




BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz




BW: 320 MHz / Frequency: 5950 MHz




BW: 320 MHz / Frequency: 6100 MHz




BW: 320 MHz / Frequency: 6260 MHz




BW: 320 MHz / Frequency: 6270 MHz




BW: 320 MHz / Frequency: 6420 MHz




BW: 320 MHz / Frequency: 6580 MHz




BW: 320 MHz / Frequency: 6750 MHz



BW: 320 MHz / Frequency: 6900 MHz



BW: 320 MHz / Frequency: 7060 MHz




Test plot of Contention Based Protocol EUT Normal transmission


BW: 20 MHz / Frequency: 6194 MHz




BW: 20 MHz / Frequency: 6474 MHz



BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz



BW: 320 MHz / Frequency: 6100 MHz



BW: 320 MHz / Frequency: 6580 MHz



BW: 320 MHz / Frequency: 6900 MHz



EUT Minimal transmission


BW: 20 MHz / Frequency: 6194 MHz




BW: 20 MHz / Frequency: 6474 MHz




BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz




BW: 320 MHz / Frequency: 6100 MHz



BW: 320 MHz / Frequency: 6580 MHz




BW: 320 MHz / Frequency: 6900 MHz




EUT ceased transmission

BW: 20 MHz / Frequency: 6194 MHz




BW: 20 MHz / Frequency: 6474 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.

BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.

BW: 320 MHz / Frequency: 5950 MHz




BW: 320 MHz / Frequency: 6100 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.

BW: 320 MHz / Frequency: 6260 MHz




BW: 320 MHz / Frequency: 6270 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.

BW: 320 MHz / Frequency: 6420 MHz




BW: 320 MHz / Frequency: 6580 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.


BW: 320 MHz / Frequency: 6750 MHz



BW: 320 MHz / Frequency: 6900 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.



Note: T1: AWGN signal is injected, T2: AWGN signal is removed.


Modulation Mode	be EHT320_OFDMA	Test Freq. (MHz)	6745
Power Phase	Line		



	Freq MHz	Level dBuV	Limit Line dBuV	Over Limit dB	Read Level dBuV	LISN factor dB	cable loss dB	Remark
1	0.150	38.10	56.00	-17.90	28.21	9.65	0.03	Average
2*	0.150	53.76	66.00	-12.24	43.87	9.65	0.03	QP
3	0.152	37.34	55.87	-18.53	27.45	9.65	0.03	Average
4	0.152	52.74	65.87	-13.13	42.85	9.65	0.03	QP
5	0.165	37.16	55.21	-18.05	27.25	9.65	0.03	Average
6	0.165	51.86	65.21	-13.35	41.95	9.65	0.03	QP
7	0.177	33.08	54.64	-21.56	23.16	9.64	0.04	Average
8	0.177	47.89	64.64	-16.75	37.97	9.64	0.04	QP
9	0.207	29.18	53.32	-24.14	19.24	9.64	0.04	Average
10	0.207	42.98	63.32	-20.34	33.04	9.64	0.04	QP
11	0.454	23.69	46.80	-23.11	13.68	9.64	0.04	Average
12	0.454	34.40	56.80	-22.40	24.39	9.64	0.04	QP

Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).
 2: Over Limit (dB) = Level (dBuV) – Limit Line (dBuV).

Modulation Mode	be EHT320_OFDMA	Test Freq. (MHz)	6745
Power Phase	Neutral		



	Freq MHz	Level dBuV	Limit Line dBuV	Over Limit dB	Read Level dBuV	LISN factor dB	cable loss dB	Remark
1	0.150	36.77	56.00	-19.23	26.88	9.64	0.03	Average
2*	0.150	52.94	66.00	-13.06	43.05	9.64	0.03	QP
3	0.162	36.06	55.34	-19.28	26.15	9.64	0.03	Average
4	0.162	51.62	65.34	-13.72	41.71	9.64	0.03	QP
5	0.174	32.03	54.77	-22.74	22.09	9.64	0.04	Average
6	0.174	48.02	64.77	-16.75	38.08	9.64	0.04	QP
7	0.177	33.06	54.64	-21.58	23.11	9.64	0.04	Average
8	0.177	48.05	64.64	-16.59	38.10	9.64	0.04	QP
9	0.201	30.31	53.58	-23.27	20.33	9.64	0.04	Average
10	0.201	43.94	63.58	-19.64	33.96	9.64	0.04	QP
11	0.449	22.42	46.89	-24.47	12.39	9.63	0.04	Average
12	0.449	32.47	56.89	-24.42	22.44	9.63	0.04	QP

Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).
 2: Over Limit (dB) = Level (dBuV) – Limit Line (dBuV).