



UNIVERSITY OF MICHIGAN
COLLEGE OF ENGINEERING
THE RADIATION LABORATORY
DEPARTMENT OF ELECTRICAL ENGINEERING
AND COMPUTER SCIENCE

3228 EECS BUILDING
1301 BEAL AVENUE
ANN ARBOR, MICHIGAN 48109-2122
734 764-0500 FAX 734 647-2106
<http://www.eecs.umich.edu/RADLAB/>

Re: Certification for Hyperlink DSS System
Model: HA2401GX-325
FCC ID: MYF-XI-325X
IC: 2837A-XI-325X

POWER OF ATTORNEY

A letter granting Valdis V. Liepa the Power of Attorney is on file and can be provided when so requested.



UNIVERSITY OF MICHIGAN
COLLEGE OF ENGINEERING
THE RADIATION LABORATORY
DEPARTMENT OF ELECTRICAL ENGINEERING
AND COMPUTER SCIENCE

3228 EECS BUILDING
1301 BEAL AVENUE
ANN ARBOR, MICHIGAN 48109-2122
734 764-0500 FAX 734 647-2106
<http://www.eecs.umich.edu/RADLAB/>

Re: Certification for Hyperlink DSS System
Model: HA2401GX-325
FCC ID: MYF-XI-325X
IC: 2837A-XI-325X

REQUEST FOR CONFIDENTIALITY

Pursuant to 47 CFR 0.459, Hyperlink requests that a part of the subject application be held confidential. This comprises Exhibits

- (4) Block Diagram (Part of Exhibit only)
- (5) Schematics
- (10) Parts List (Part of Exhibit only)

Hyperlink has spent substantial effort in developing this product and it is one of the first of its kind in industry. Having the subject information easily available to "competition" would negate the advantage they have achieved by developing this product. Not protecting the details of the design will result in financial hardship.

If there are any questions regarding this request, please contact me at the above address or call 734-483-4211, fax 734-647-2106 or e-mail liepa@umich.edu.

Sincerely,

A handwritten signature in black ink that reads "Valdis V. Liepa".

Valdis V. Liepa
Research Scientist
University of Michigan



UNIVERSITY OF MICHIGAN
COLLEGE OF ENGINEERING
THE RADIATION LABORATORY
DEPARTMENT OF ELECTRICAL ENGINEERING
AND COMPUTER SCIENCE

3228 EECS BUILDING
1301 BEAL AVENUE
ANN ARBOR, MICHIGAN 48109-2122
734 764-0500 FAX 734 647-2106
<http://www.eecs.umich.edu/RADLAB/>

April 22, 2004

Re: Certification for Hyperlink DSS System
Model: HA2401GX-325
FCC ID: MYF-XI-325X
IC: 2837A-XI-325X

STATEMENT OF MODIFICATIONS

There were no modifications made to the DUT by this test laboratory. However, the number of channels used in any particular configuration was adjusted (if necessary) so as to meet the FCC and IC limits in restricted bands. (Also see Section 3.1 of the attached Test Report).

A handwritten signature in black ink, reading "Valdis V. Liepa".

Valdis V. Liepa
Research Scientist



UNIVERSITY OF MICHIGAN
COLLEGE OF ENGINEERING
THE RADIATION LABORATORY
DEPARTMENT OF ELECTRICAL ENGINEERING
AND COMPUTER SCIENCE

3228 EECS BUILDING
1301 BEAL AVENUE
ANN ARBOR, MICHIGAN 48109-2122
734 764-0500 FAX 734 647-2106
<http://www.eecs.umich.edu/RADLAB/>

Re: Certification for Hyperlink DSS System
Model: HA2401GX-325
FCC ID: MYF-XI-325X
IC: 2837A-XI-325X

GENERAL PRODUCT INFORMATION

The device, for which certification is pursued, has been designed by:

Hyperlink Technologies Inc
1200 Clint Moore Road, Suite 14
Boca Raton, Florida 33487

Peter Roth
Tel: (561) 995-2256
Fax: (561) 995-2432

It will be manufactured by:

Hyperlink Technologies Inc
1200 Clint Moore Road, Suite 14
Boca Raton, Florida 33487

Peter Roth
Tel: (561) 995-2256
Fax: (561) 995-2432

Canadian Contact:

Guy Simard
619 Ermitage
Rosemere, Quebec Canada
J7A 4Y8
Tel: 450-621-0491



Joseph D Brunett
[jbrunett@eecs.umich.edu]

U of Michigan RAD Lab
734-483-4211

Joe,

Hyperlink Technologies Inc.'s power amplifiers are factory tuned to specific output power levels by a factory technician. The amplifiers will not be adjustable by the professional installers or end users.

A handwritten signature in dark ink that reads 'Patrick Pesa'.

Patrick Pesa
Hyperlink Technologies, Inc.
1201 Clint Moore Road
Boca Raton, FL 33487



May 12, 2004

Joseph Brunett
University of Michigan Radiation Laboratory
3228 EECS Building
Ann Arbor, MI 48109

Re: FCC ID: MYF-XI-325X
Non-standard connectors

Dear Mr. Brunett:

It is our intention to market our end-user system with non-standard (Reverse-Polarity TNC) connectors. Only the professionally installed version will be offered with standard N type connectors.

Sincerely,

A handwritten signature in black ink, appearing to read 'Patrick Pesa', with a stylized flourish at the end.

Patrick Pesa
Engineering Manager



May 12, 2004

Joseph Brunett
University of Michigan Radiation Laboratory
3228 EECS Building
Ann Arbor, MI 48109

Re: FCC ID: MYF-XI-325X
Operating Channel Limitation

Dear Mr. Brunett:

The operating channel limitation for the end-user system are fixed in the firmware of the card, preventing the user from changing channels.

Sincerely,

A handwritten signature in black ink, appearing to read "P. Pesa", written over a horizontal line.

Patrick Pesa
Engineering Manager