


TOUCH SCREEN & SERIAL NO	ON TOUCHSCREEN	FCC ID LABEL & SERIAL NO	PVC	CABLE TIES FOR SERIAL CABLE	ACCESSORIES AND FITTING PARTS	HEXAGON KEYS FOR TECHNICIANS	CROSSHEAD SCREWDRIVER	BAG WITH MISC FIXING SCREWS	8 CORE CABLE (INTERNAL)	8 CORE CABLE (EXTERNAL)	SERIAL RS232 CABLE/CONUS	CONTROLER AND CABLE ASSEY	3525L FIXING CLIPS & SCREW FIXING	SCREEN TO CABINET - FIXING SCREEN	SCREEN TO CABINET - FIXING SCREEN/NT	STEEL - NYLOC	M4 X 12	M4 X 25 + NYLOC	M4 THREADED PLATE	EPOXY COATED	FACTORY REPAIR KIT	FACTORY REPAIR KIT	TOUCH SCREEN - LESS 3525L	TOUCH SCREEN & SERIAL NO
TOUCH SCREEN & SERIAL NO	ON TOUCHSCREEN	FCC ID LABEL & SERIAL NO	PVC	CABLE TIES FOR SERIAL CABLE	ACCESSORIES AND FITTING PARTS	HEXAGON KEYS FOR TECHNICIANS	CROSSHEAD SCREWDRIVER	BAG WITH MISC FIXING SCREWS	8 CORE CABLE (INTERNAL)	8 CORE CABLE (EXTERNAL)	SERIAL RS232 CABLE/CONUS	CONTROLER AND CABLE ASSEY	3525L FIXING CLIPS & SCREW FIXING	SCREEN TO CABINET - FIXING SCREEN	SCREEN TO CABINET - FIXING SCREEN/NT	STEEL - NYLOC	M4 X 12	M4 X 25 + NYLOC	M4 THREADED PLATE	EPOXY COATED	FACTORY REPAIR KIT	FACTORY REPAIR KIT	TOUCH SCREEN - LESS 3525L	TOUCH SCREEN & SERIAL NO



Interactive Displays Limited
manufactured in the United Kingdom

CONTROLLER

Voltage: 12.0 V dc

Current: 10 mA

Power Source: Personal Computer RS232 Serial Port only

Serial No: DYN 9901 789

TOUCHSCREEN

3.3V dc

35 - 40 mA

Controller

DAY- 9812 567



approved

(47CFR) Part 15 subpart B, Class B,
PC peripheral for home and office use.

FCC ID: NSB RP-FP-PL



Recognised to US & Canadian requirements under the Company
Recognition Program of Underwriters Laboratory Inc.
This class B digital apparatus meets all requirements of the Canadian
Interference causing equipment regulations.
Cet appareil numérique de la Classe B respecte toutes les exigences
réglementaires du matériel brouilleur du Canada.

By: MSB
Document: FCC Certificate
Sheet: Exhibit A

EXHIBIT A

ID LABEL PHOTOS/PRINTS

Actual size of touchscreen label

INTERACTIVE
DISPLAYS

EXHIBIT A
ID LABEL PHOTOS/PRINTS
Actual size of controller label

Interactive Displays Limited manufactured in the United Kingdom		Voltage: 12.0 V dc Current: 10 mA Power Source: Personal Computer RS232 Serial Port only Serial No: DYN 9901 789	CONTROLLER 3.3V dc 35 - 40 mA Controller DAV- 9812 567
FC approved UL AND UL CE		(47CFR) Part 15 subpart B, Class B, PC peripheral for home and office use. FCC ID: NSB RP-FP-PL Recognised to US & Canadian requirements under the Component Recognition Program of Underwriters Laboratory Inc. This class B digital apparatus meets all requirements of the Canadian, Interference causing equipment regulations. Cet appareil numerique de la Classe B respecte toutes les exigences du reglement sur le materiel brouilleur du Canada.	

INTERACTIVE
DISPLAYS

EXHIBIT A

ID LABEL PHOTOS/PRINTS

Enlarged view of format

I teractive Displays Limited
manufactured in the United Kingdom

Voltage: 12.0 V dc
Current: 10 mA
Power Source: Personal Computer
RS232 Serial Port only
Serial No: DYN 9901 789

TOUCHSCREEN
3.3V dc
35 - 40 mA
Controller
DAV- 9812 567

FC approved

UL AND UL

CE

(47CFR) Part 15 subpart B. Class B. PC peripheral for home and office use.
FCC ID: N5B RP-FP-PL

Recognised to US & Canadian requirements under the Component
Recognition Program of Underwriters Laboratory Inc.
This class B digital apparatus meets all requirements of the Canadian,
Interference causing equipment regulations.
Cet appareil numerique de la Classe B respecte toutes les exigences du
reglement sur le materiel brouilleur du Canada.

INTERACTIVE
DISPLAYS