







Spurious Emission\_BLE 2M\_MidCH20-2442MHz




Spurious Emission\_BLE 2M\_HighCH39-2480MHz




Spurious Emission\_BLE 125k\_LowCH00-2402MHz



Spurious Emission\_BLE 125k\_MidCH20-2442MHz



Spurious Emission\_BLE 125k\_HighCH39-2480MHz





Spurious Emission\_BLE 500k\_LowCH00-2402MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 7.6 Unwanted Emissions

## 7.6.1 Radiated Band Edge Measurement Result

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2402 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.   | Detector      | Spectrum | Factor | Actual | Limit  | Margin |
|---------|---------------|----------|--------|--------|--------|--------|
| Mode    | Reading Level |          |        | FS     | @3m    |        |
| MHz     | PK/QP/AV      | dBμV     | dB     | dBμV/m | dBμV/m | dB     |
| 2349.94 | Average       | 43.58    | -1.95  | 41.63  | 54.00  | -12.37 |
| 2359.18 | Peak          | 53.46    | -2.04  | 51.42  | 74.00  | -22.58 |
| 2402.07 | Average       | 94.55    | -2.14  | 92.41  | -      | -      |
| 2402.07 | Peak          | 94.87    | -2.14  | 92.73  | -      | -      |
| 2492.96 | Peak          | 53.27    | -2.39  | 50.88  | 74.00  | -23.12 |
| 2499.45 | Average       | 43.52    | -2.46  | 41.06  | 54.00  | -12.94 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2402 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2344.63 | Average  | 43.66         | -2.01  | 41.65  | 54.00  | -12.35 |
| 2349.15 | Peak     | 53.73         | -1.96  | 51.77  | 74.00  | -22.23 |
| 2402.07 | Average  | 100.23        | -2.14  | 98.09  | -      | -      |
| 2402.07 | Peak     | 100.53        | -2.14  | 98.39  | -      | -      |
| 2487.26 | Peak     | 53.14         | -2.35  | 50.79  | 74.00  | -23.21 |
| 2498.86 | Average  | 43.71         | -2.46  | 41.25  | 54.00  | -12.75 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2480 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2348.95 | Average  | 43.80         | -1.96  | 41.84  | 54.00  | -12.16 |
| 2370.20 | Peak     | 53.68         | -2.23  | 51.45  | 74.00  | -22.55 |
| 2480.17 | Average  | 93.76         | -2.34  | 91.42  | -      | -      |
| 2480.17 | Peak     | 94.06         | -2.34  | 91.72  | -      | -      |
| 2483.50 | Average  | 43.79         | -2.34  | 41.45  | 54.00  | -12.55 |
| 2497.88 | Peak     | 53.31         | -2.44  | 50.87  | 74.00  | -23.13 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2480 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2311.18 | Average  | 43.58         | -1.91  | 41.67  | 54.00  | -12.33 |
| 2381.02 | Peak     | 54.03         | -2.29  | 51.74  | 74.00  | -22.26 |
| 2479.98 | Average  | 98.71         | -2.34  | 96.37  | -      | -      |
| 2479.98 | Peak     | 99.00         | -2.34  | 96.66  | -      | -      |
| 2483.50 | Average  | 45.55         | -2.34  | 43.21  | 54.00  | -10.79 |
| 2486.47 | Peak     | 53.18         | -2.34  | 50.84  | 74.00  | -23.16 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2402 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2344.04 | Peak     | 53.72         | -2.02  | 51.70  | 74.00  | -22.30 |
| 2347.77 | Average  | 44.11         | -1.97  | 42.14  | 54.00  | -11.86 |
| 2401.68 | Average  | 93.56         | -2.12  | 91.44  | -      | -      |
| 2401.68 | Peak     | 94.66         | -2.12  | 92.54  | -      | -      |
| 2486.86 | Average  | 44.31         | -2.35  | 41.96  | 54.00  | -12.04 |
| 2494.73 | Peak     | 53.89         | -2.41  | 51.48  | 74.00  | -22.52 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2402 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2349.94 | Average  | 44.04         | -1.95  | 42.09  | 54.00  | -11.91 |
| 2354.07 | Peak     | 53.97         | -1.99  | 51.98  | 74.00  | -22.02 |
| 2401.68 | Average  | 99.35         | -2.12  | 97.23  | -      | -      |
| 2401.68 | Peak     | 100.46        | -2.12  | 98.34  | -      | -      |
| 2488.24 | Average  | 44.08         | -2.35  | 41.73  | 54.00  | -12.27 |
| 2493.55 | Peak     | 53.28         | -2.40  | 50.88  | 74.00  | -23.12 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2480 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2344.43 | Average  | 44.27         | -2.02  | 42.25  | 54.00  | -11.75 |
| 2383.18 | Peak     | 54.36         | -2.25  | 52.11  | 74.00  | -21.89 |
| 2480.17 | Average  | 93.04         | -2.34  | 90.70  | -      | -      |
| 2480.17 | Peak     | 94.15         | -2.34  | 91.81  | -      | -      |
| 2483.50 | Average  | 45.46         | -2.34  | 43.12  | 54.00  | -10.88 |
| 2491.39 | Peak     | 53.85         | -2.37  | 51.48  | 74.00  | -22.52 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2480 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2311.18 | Average  | 43.89         | -1.91  | 41.98  | 54.00  | -12.02 |
| 2354.07 | Peak     | 53.33         | -1.99  | 51.34  | 74.00  | -22.66 |
| 2479.78 | Average  | 97.93         | -2.34  | 95.59  | -      | -      |
| 2479.78 | Peak     | 99.01         | -2.34  | 96.67  | -      | -      |
| 2483.50 | Average  | 44.80         | -2.34  | 42.46  | 54.00  | -11.54 |
| 2483.50 | Peak     | 54.07         | -2.34  | 51.73  | 74.00  | -22.27 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2402 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2311.57 | Peak     | 53.05         | -1.92  | 51.13  | 74.00  | -22.87 |
| 2351.51 | Average  | 42.76         | -1.98  | 40.78  | 54.00  | -13.22 |
| 2402.07 | Average  | 94.54         | -2.14  | 92.40  | -      | -      |
| 2402.07 | Peak     | 95.01         | -2.14  | 92.87  | -      | -      |
| 2484.11 | Average  | 42.67         | -2.34  | 40.33  | 54.00  | -13.67 |
| 2498.67 | Peak     | 54.23         | -2.46  | 51.77  | 74.00  | -22.23 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2402 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2322.39 | Average  | 42.77         | -2.01  | 40.76  | 54.00  | -13.24 |
| 2349.94 | Peak     | 53.91         | -1.95  | 51.96  | 74.00  | -22.04 |
| 2402.07 | Average  | 100.00        | -2.14  | 97.86  | -      | -      |
| 2402.07 | Peak     | 100.48        | -2.14  | 98.34  | -      | -      |
| 2486.67 | Peak     | 53.26         | -2.35  | 50.91  | 74.00  | -23.09 |
| 2487.45 | Average  | 42.76         | -2.35  | 40.41  | 54.00  | -13.59 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2480 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2343.64 | Peak     | 54.18         | -2.02  | 52.16  | 74.00  | -21.84 |
| 2350.72 | Average  | 42.92         | -1.97  | 40.95  | 54.00  | -13.05 |
| 2479.98 | Average  | 93.79         | -2.34  | 91.45  | -      | -      |
| 2479.98 | Peak     | 94.29         | -2.34  | 91.95  | -      | -      |
| 2483.50 | Average  | 43.76         | -2.34  | 41.42  | 54.00  | -12.58 |
| 2496.11 | Peak     | 53.22         | -2.42  | 50.80  | 74.00  | -23.20 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2480 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2338.53 | Peak     | 53.81         | -2.07  | 51.74  | 74.00  | -22.26 |
| 2349.54 | Average  | 42.96         | -1.95  | 41.01  | 54.00  | -12.99 |
| 2480.17 | Average  | 99.07         | -2.34  | 96.73  | -      | -      |
| 2480.17 | Peak     | 99.53         | -2.34  | 97.19  | -      | -      |
| 2483.50 | Average  | 43.34         | -2.34  | 41.00  | 54.00  | -13.00 |
| 2491.19 | Peak     | 53.31         | -2.37  | 50.94  | 74.00  | -23.06 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2402 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2330.26 | Peak     | 53.59         | -2.08  | 51.51  | 74.00  | -22.49 |
| 2354.46 | Average  | 43.43         | -1.99  | 41.43  | 54.00  | -12.57 |
| 2402.07 | Average  | 89.19         | -2.14  | 87.05  | -      | -      |
| 2402.07 | Peak     | 89.56         | -2.14  | 87.43  | -      | -      |
| 2491.39 | Average  | 43.21         | -2.37  | 40.84  | 54.00  | -13.16 |
| 2499.85 | Peak     | 53.94         | -2.47  | 51.48  | 74.00  | -22.52 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2402 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2353.87 | Average  | 43.44         | -1.99  | 41.45        | 54.00        | -12.55 |
| 2358.59 | Peak     | 53.72         | -2.03  | 51.69        | 74.00        | -22.31 |
| 2402.07 | Average  | 99.93         | -2.14  | 97.79        | -            | -      |
| 2402.07 | Peak     | 100.54        | -2.14  | 98.41        | -            | -      |
| 2492.76 | Average  | 43.28         | -2.38  | 40.90        | 54.00        | -13.10 |
| 2492.76 | Peak     | 54.06         | -2.38  | 51.68        | 74.00        | -22.32 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2480 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2318.66 | Peak     | 53.96         | -1.99  | 51.97  | 74.00  | -22.03 |
| 2351.51 | Average  | 43.23         | -1.98  | 41.25  | 54.00  | -12.75 |
| 2479.98 | Average  | 93.97         | -2.34  | 91.63  | -      | -      |
| 2479.98 | Peak     | 94.32         | -2.34  | 91.98  | -      | -      |
| 2483.50 | Average  | 43.76         | -2.34  | 41.42  | 54.00  | -12.58 |
| 2494.14 | Peak     | 53.83         | -2.39  | 51.44  | 74.00  | -22.56 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2480 MHz  
 Test Mode :Bandedge  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2350.53 | Average  | 43.42         | -1.97  | 41.45  | 54.00  | -12.55 |
| 2351.12 | Peak     | 53.98         | -1.97  | 52.01  | 74.00  | -21.99 |
| 2480.17 | Average  | 99.21         | -2.34  | 96.87  | -      | -      |
| 2480.17 | Peak     | 99.54         | -2.34  | 97.20  | -      | -      |
| 2483.50 | Average  | 44.62         | -2.34  | 42.28  | 54.00  | -11.72 |
| 2484.90 | Peak     | 53.08         | -2.34  | 50.74  | 74.00  | -23.26 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 7.6.2 Spurious Emission

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-12-09  
 Temp./Humi. :24.5°C/49%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.  | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|--------|----------|---------------|--------|--------|--------|--------|
| MHz    | Mode     | Reading Level |        | FS     | @3m    |        |
|        | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 32.91  | Peak     | 46.88         | -11.99 | 34.89  | 40.00  | -5.11  |
| 67.83  | QP       | 46.81         | -11.77 | 35.04  | 40.00  | -4.96  |
| 143.49 | Peak     | 39.21         | -9.93  | 29.28  | 43.50  | -14.22 |
| 344.28 | Peak     | 33.34         | -7.47  | 25.87  | 46.00  | -20.13 |
| 442.25 | Peak     | 34.10         | -5.35  | 28.75  | 46.00  | -17.25 |
| 685.72 | Peak     | 28.81         | -0.61  | 28.20  | 46.00  | -17.80 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-12-09  
 Temp./Humi. :24.5°C/49%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.  | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|--------|----------|---------------|--------|--------|--------|--------|
| Mode   |          | Reading Level |        | FS     | @3m    |        |
| MHz    | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 67.83  | Peak     | 39.65         | -11.77 | 27.88  | 40.00  | -12.12 |
| 142.52 | Peak     | 38.21         | -10.04 | 28.17  | 43.50  | -15.33 |
| 204.60 | Peak     | 40.11         | -12.43 | 27.68  | 43.50  | -15.82 |
| 392.78 | Peak     | 41.41         | -6.45  | 34.96  | 46.00  | -11.04 |
| 686.69 | Peak     | 28.41         | -0.61  | 27.80  | 46.00  | -18.20 |
| 847.71 | Peak     | 27.49         | 2.83   | 30.32  | 46.00  | -15.68 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4804.00 | Average  | 43.36         | 2.51   | 45.87  | 54.00  | -8.13  |
| 4804.00 | Peak     | 48.16         | 2.51   | 50.67  | 74.00  | -23.33 |
| 7206.00 | Average  | 31.04         | 8.72   | 39.76  | 54.00  | -14.24 |
| 7206.00 | Peak     | 41.32         | 8.72   | 50.04  | 74.00  | -23.96 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 25718.00 | Average  | 30.26         | 5.78   | 36.04  | 54.00  | -17.96 |
| 25718.00 | Peak     | 42.35         | 5.78   | 48.13  | 74.00  | -25.87 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4804.00 | Average  | 48.14         | 2.51   | 50.65  | 54.00  | -3.35  |
| 4804.00 | Peak     | 51.59         | 2.51   | 54.10  | 74.00  | -19.90 |
| 7206.00 | Average  | 31.01         | 8.72   | 39.73  | 54.00  | -14.27 |
| 7206.00 | Peak     | 41.11         | 8.72   | 49.83  | 74.00  | -24.17 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 26177.00 | Average  | 31.29         | 5.71   | 37.00  | 54.00  | -17.00 |
| 26177.00 | Peak     | 42.31         | 5.71   | 48.02  | 74.00  | -25.98 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4884.00 | Average  | 42.61         | 2.42   | 45.03  | 54.00  | -8.97  |
| 4884.00 | Peak     | 47.97         | 2.42   | 50.39  | 74.00  | -23.61 |
| 7326.00 | Average  | 31.79         | 9.02   | 40.81  | 54.00  | -13.19 |
| 7326.00 | Peak     | 41.63         | 9.02   | 50.65  | 74.00  | -23.35 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 26194.00 | Average  | 32.89         | 5.71   | 38.60  | 54.00  | -15.40 |
| 26194.00 | Peak     | 41.74         | 5.71   | 47.45  | 74.00  | -26.55 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4884.00 | Average  | 47.79         | 2.42   | 50.21  | 54.00  | -3.79  |
| 4884.00 | Peak     | 51.43         | 2.42   | 53.85  | 74.00  | -20.15 |
| 7326.00 | Average  | 32.08         | 9.02   | 41.10  | 54.00  | -12.90 |
| 7326.00 | Peak     | 41.84         | 9.02   | 50.86  | 74.00  | -23.14 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 24800.00 | Average  | 31.56         | 5.66   | 37.22  | 54.00  | -16.78 |
| 24800.00 | Peak     | 41.15         | 5.66   | 46.81  | 74.00  | -27.19 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4960.00 | Average  | 38.76         | 2.70   | 41.46  | 54.00  | -12.54 |
| 4960.00 | Peak     | 45.59         | 2.70   | 48.29  | 74.00  | -25.71 |
| 7440.00 | Average  | 31.98         | 8.79   | 40.77  | 54.00  | -13.23 |
| 7440.00 | Peak     | 41.83         | 8.79   | 50.62  | 74.00  | -23.38 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 25760.50 | Average  | 32.45         | 5.85   | 38.30  | 54.00  | -15.70 |
| 25760.50 | Peak     | 41.95         | 5.85   | 47.80  | 74.00  | -26.20 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4960.00 | Average  | 42.45         | 2.70   | 45.15  | 54.00  | -8.85  |
| 4960.00 | Peak     | 48.04         | 2.70   | 50.74  | 74.00  | -23.26 |
| 7440.00 | Average  | 31.81         | 8.79   | 40.60  | 54.00  | -13.40 |
| 7440.00 | Peak     | 41.84         | 8.79   | 50.63  | 74.00  | -23.37 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 1M  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
|          | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 24018.00 | Average  | 32.11         | 5.13   | 37.24  | 54.00  | -16.76 |
| 24018.00 | Peak     | 42.22         | 5.13   | 47.35  | 74.00  | -26.65 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4804.00 | Average  | 43.63         | 2.51   | 46.14  | 54.00  | -7.86  |
| 4804.00 | Peak     | 49.18         | 2.51   | 51.69  | 74.00  | -22.31 |
| 7206.00 | Average  | 31.71         | 8.72   | 40.43  | 54.00  | -13.57 |
| 7206.00 | Peak     | 41.26         | 8.72   | 49.98  | 74.00  | -24.02 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 24375.00 | Average  | 32.45         | 5.43   | 37.88  | 54.00  | -16.12 |
| 24375.00 | Peak     | 41.34         | 5.43   | 46.77  | 74.00  | -27.23 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4804.00 | Average  | 49.74         | 2.51   | 52.25  | 54.00  | -1.75  |
| 4804.00 | Peak     | 53.61         | 2.51   | 56.12  | 74.00  | -17.88 |
| 7206.00 | Average  | 32.06         | 8.72   | 40.78  | 54.00  | -13.22 |
| 7206.00 | Peak     | 42.19         | 8.72   | 50.91  | 74.00  | -23.09 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
|          | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 26083.50 | Average  | 31.96         | 5.81   | 37.77  | 54.00  | -16.23 |
| 26083.50 | Peak     | 41.25         | 5.81   | 47.06  | 74.00  | -26.94 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4884.00 | Average  | 41.20         | 2.42   | 43.62  | 54.00  | -10.38 |
| 4884.00 | Peak     | 47.27         | 2.42   | 49.69  | 74.00  | -24.31 |
| 7326.00 | Average  | 32.16         | 9.02   | 41.18  | 54.00  | -12.82 |
| 7326.00 | Peak     | 42.14         | 9.02   | 51.16  | 74.00  | -22.84 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 26202.50 | Average  | 32.54         | 5.69   | 38.23  | 54.00  | -15.77 |
| 26202.50 | Peak     | 41.35         | 5.69   | 47.04  | 74.00  | -26.96 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4884.00 | Average  | 46.40         | 2.42   | 48.82  | 54.00  | -5.18  |
| 4884.00 | Peak     | 50.96         | 2.42   | 53.38  | 74.00  | -20.62 |
| 7326.00 | Average  | 32.38         | 9.02   | 41.40  | 54.00  | -12.60 |
| 7326.00 | Peak     | 42.29         | 9.02   | 51.31  | 74.00  | -22.69 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 1  
 Test Date :2025-11-12  
 Temp./Humi. :19.3°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|----------|----------|---------------|--------|--------------|--------------|--------|
| Mode     |          | Reading Level |        | FS           | @3m          |        |
| MHz      | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 26415.00 | Average  | 32.12         | 5.77   | 37.89        | 54.00        | -16.11 |
| 26415.00 | Peak     | 41.47         | 5.77   | 47.24        | 74.00        | -26.76 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4960.00 | Average  | 38.29         | 2.70   | 40.99  | 54.00  | -13.01 |
| 4960.00 | Peak     | 44.71         | 2.70   | 47.41  | 74.00  | -26.59 |
| 7440.00 | Average  | 32.28         | 8.79   | 41.07  | 54.00  | -12.93 |
| 7440.00 | Peak     | 42.24         | 8.79   | 51.03  | 74.00  | -22.97 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
|          | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 26440.50 | Average  | 32.87         | 5.76   | 38.63  | 54.00  | -15.37 |
| 26440.50 | Peak     | 40.95         | 5.76   | 46.71  | 74.00  | -27.29 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4960.00 | Average  | 42.94         | 2.70   | 45.64        | 54.00        | -8.36  |
| 4960.00 | Peak     | 48.35         | 2.70   | 51.05        | 74.00        | -22.95 |
| 7440.00 | Average  | 32.09         | 8.79   | 40.88        | 54.00        | -13.12 |
| 7440.00 | Peak     | 41.96         | 8.79   | 50.75        | 74.00        | -23.25 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 2M  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
|          | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 24791.50 | Average  | 31.86         | 5.67   | 37.53  | 54.00  | -16.47 |
| 24791.50 | Peak     | 41.19         | 5.67   | 46.86  | 74.00  | -27.14 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4804.00 | Average  | 42.62         | 2.51   | 45.13  | 54.00  | -8.87  |
| 4804.00 | Peak     | 48.13         | 2.51   | 50.64  | 74.00  | -23.36 |
| 7206.00 | Average  | 30.06         | 8.72   | 38.78  | 54.00  | -15.22 |
| 7206.00 | Peak     | 41.47         | 8.72   | 50.19  | 74.00  | -23.81 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 26177.00 | Average  | 32.56         | 5.71   | 38.27  | 54.00  | -15.73 |
| 26177.00 | Peak     | 41.50         | 5.71   | 47.21  | 74.00  | -26.79 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4804.00 | Average  | 47.93         | 2.51   | 50.44  | 54.00  | -3.56  |
| 4804.00 | Peak     | 51.87         | 2.51   | 54.38  | 74.00  | -19.62 |
| 7206.00 | Average  | 30.18         | 8.72   | 38.90  | 54.00  | -15.10 |
| 7206.00 | Peak     | 41.91         | 8.72   | 50.63  | 74.00  | -23.37 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
|          | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 25590.50 | Average  | 30.11         | 5.68   | 35.79  | 54.00  | -18.21 |
| 25590.50 | Peak     | 41.62         | 5.68   | 47.30  | 74.00  | -26.70 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4884.00 | Average  | 41.22         | 2.42   | 43.64  | 54.00  | -10.36 |
| 4884.00 | Peak     | 47.67         | 2.42   | 50.09  | 74.00  | -23.91 |
| 7326.00 | Average  | 30.86         | 9.02   | 39.88  | 54.00  | -14.12 |
| 7326.00 | Peak     | 42.04         | 9.02   | 51.06  | 74.00  | -22.94 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
|          | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 24587.50 | Average  | 33.08         | 5.67   | 38.75  | 54.00  | -15.25 |
| 24587.50 | Peak     | 41.25         | 5.67   | 46.92  | 74.00  | -27.08 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4884.00 | Average  | 47.81         | 2.42   | 50.23        | 54.00        | -3.77  |
| 4884.00 | Peak     | 52.02         | 2.42   | 54.44        | 74.00        | -19.56 |
| 7326.00 | Average  | 30.97         | 9.02   | 39.99        | 54.00        | -14.01 |
| 7326.00 | Peak     | 41.92         | 9.02   | 50.94        | 74.00        | -23.06 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| MHz      | Mode     | Reading Level |        | FS     | @3m    |        |
|          | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 23372.00 | Average  | 32.12         | 4.82   | 36.94  | 54.00  | -17.06 |
| 23372.00 | Peak     | 42.27         | 4.82   | 47.09  | 74.00  | -26.91 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4960.00 | Average  | 37.51         | 2.70   | 40.21  | 54.00  | -13.79 |
| 4960.00 | Peak     | 45.15         | 2.70   | 47.85  | 74.00  | -26.15 |
| 7440.00 | Average  | 31.01         | 8.79   | 39.80  | 54.00  | -14.20 |
| 7440.00 | Peak     | 42.17         | 8.79   | 50.96  | 74.00  | -23.04 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
|          | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 26474.50 | Average  | 32.42         | 5.79   | 38.21  | 54.00  | -15.79 |
| 26474.50 | Peak     | 40.78         | 5.79   | 46.57  | 74.00  | -27.43 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4960.00 | Average  | 42.79         | 2.70   | 45.49  | 54.00  | -8.51  |
| 4960.00 | Peak     | 48.51         | 2.70   | 51.21  | 74.00  | -22.79 |
| 7440.00 | Average  | 31.09         | 8.79   | 39.88  | 54.00  | -14.12 |
| 7440.00 | Peak     | 42.25         | 8.79   | 51.04  | 74.00  | -22.96 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 125K  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 24451.50 | Average  | 32.18         | 5.59   | 37.77  | 54.00  | -16.23 |
| 24451.50 | Peak     | 41.18         | 5.59   | 46.77  | 74.00  | -27.23 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4804.00 | Average  | 42.89         | 2.51   | 45.40  | 54.00  | -8.60  |
| 4804.00 | Peak     | 47.66         | 2.51   | 50.17  | 74.00  | -23.83 |
| 7206.00 | Average  | 30.63         | 8.72   | 39.35  | 54.00  | -14.65 |
| 7206.00 | Peak     | 40.75         | 8.72   | 49.47  | 74.00  | -24.53 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
|          | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 25726.50 | Average  | 32.22         | 5.80   | 38.02  | 54.00  | -15.98 |
| 25726.50 | Peak     | 41.29         | 5.80   | 47.09  | 74.00  | -26.91 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4804.00 | Average  | 48.31         | 2.51   | 50.82  | 54.00  | -3.18  |
| 4804.00 | Peak     | 51.91         | 2.51   | 54.42  | 74.00  | -19.58 |
| 7206.00 | Average  | 30.45         | 8.72   | 39.17  | 54.00  | -14.83 |
| 7206.00 | Peak     | 40.79         | 8.72   | 49.51  | 74.00  | -24.49 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2402 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 25726.50 | Average  | 31.78         | 5.80   | 37.58  | 54.00  | -16.42 |
| 25726.50 | Peak     | 40.96         | 5.80   | 46.76  | 74.00  | -27.24 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4884.00 | Average  | 41.63         | 2.42   | 44.05  | 54.00  | -9.95  |
| 4884.00 | Peak     | 47.29         | 2.42   | 49.71  | 74.00  | -24.29 |
| 7326.00 | Average  | 31.32         | 9.02   | 40.34  | 54.00  | -13.66 |
| 7326.00 | Peak     | 42.45         | 9.02   | 51.47  | 74.00  | -22.53 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
|          | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 26117.50 | Average  | 31.63         | 5.76   | 37.39  | 54.00  | -16.61 |
| 26117.50 | Peak     | 40.81         | 5.76   | 46.57  | 74.00  | -27.43 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2442 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4884.00 | Average  | 48.28         | 2.42   | 50.70  | 54.00  | -3.30  |
| 4884.00 | Peak     | 51.74         | 2.42   | 54.16  | 74.00  | -19.84 |
| 7326.00 | Average  | 31.28         | 9.02   | 40.30  | 54.00  | -13.70 |
| 7326.00 | Peak     | 42.99         | 9.02   | 52.01  | 74.00  | -21.99 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




|                |                   |              |             |
|----------------|-------------------|--------------|-------------|
| Report Number  | :TERF2509002841ER | Test Site    | :SAC 1      |
| Operation Mode | :BLE 500K         | Test Date    | :2025-11-17 |
| Test Frequency | :2442 MHz         | Temp./Humi.  | :22.6°C/73% |
| Test Mode      | :Tx               | Antenna Pol. | :Horizontal |
| EUT Pol        | :H Plane          | Engineer     | :WJ Lin     |



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
|          | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 25633.00 | Average  | 32.31         | 5.73   | 38.04  | 54.00  | -15.96 |
| 25633.00 | Peak     | 40.76         | 5.73   | 46.49  | 74.00  | -27.51 |

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Vertical  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4960.00 | Average  | 38.08         | 2.70   | 40.78  | 54.00  | -13.22 |
| 4960.00 | Peak     | 44.78         | 2.70   | 47.48  | 74.00  | -26.52 |
| 7440.00 | Average  | 31.32         | 8.79   | 40.11  | 54.00  | -13.89 |
| 7440.00 | Peak     | 41.98         | 8.79   | 50.77  | 74.00  | -23.23 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
Operation Mode :BLE 500K  
Test Frequency :2480 MHz  
Test Mode :Tx  
EUT Pol :H Plane

Test Site :SAC 1  
Test Date :2025-11-17  
Temp./Humi. :22.6°C/73%  
Antenna Pol. :Vertical  
Engineer :WJ Lin




| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| Mode     |          | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 25862.50 | Average  | 32.43         | 5.87   | 38.30  | 54.00  | -15.70 |
| 25862.50 | Peak     | 41.24         | 5.87   | 47.11  | 74.00  | -26.89 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
 Operation Mode :BLE 500K  
 Test Frequency :2480 MHz  
 Test Mode :Tx  
 EUT Pol :H Plane

Test Site :SAC 1  
 Test Date :2025-11-17  
 Temp./Humi. :22.6°C/73%  
 Antenna Pol. :Horizontal  
 Engineer :WJ Lin



| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4960.00 | Average  | 43.28         | 2.70   | 45.98        | 54.00        | -8.02  |
| 4960.00 | Peak     | 48.25         | 2.70   | 50.95        | 74.00        | -23.05 |
| 7440.00 | Average  | 31.37         | 8.79   | 40.16        | 54.00        | -13.84 |
| 7440.00 | Peak     | 42.02         | 8.79   | 50.81        | 74.00        | -23.19 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER  
Operation Mode :BLE 500K  
Test Frequency :2480 MHz  
Test Mode :Tx  
EUT Pol :H Plane

Test Site :SAC 1  
Test Date :2025-11-17  
Temp./Humi. :22.6°C/73%  
Antenna Pol. :Horizontal  
Engineer :WJ Lin



| Freq.    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|----------|----------|---------------|--------|--------------|--------------|--------|
|          | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz      | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 24825.50 | Average  | 32.63         | 5.67   | 38.30        | 54.00        | -15.70 |
| 24825.50 | Peak     | 41.06         | 5.67   | 46.73        | 74.00        | -27.27 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 7.7 AC Power Line Conducted Emission

Report Number :TERF2509002841ER

Operation Mode :BLE

Power :120V/60Hz


Probe :L

Test Site :Conduction 1

Test Date :2025-12-18

Temp./Humi. :23.1°C/56%

Engineer :WJ Lin



| Freq.  | Detector      | Spectrum   | Factor | Actual     | Limit      | Margin |
|--------|---------------|------------|--------|------------|------------|--------|
| Mode   | Reading Level | FS         |        |            |            |        |
| MHz    | PK/QP/AV      | dB $\mu$ V | dB     | dB $\mu$ V | dB $\mu$ V | dB     |
| 0.150  | Average       | 26.61      | 10.13  | 36.74      | 56.00      | -19.26 |
| 0.150  | QP            | 50.65      | 10.13  | 60.78      | 66.00      | -5.22  |
| 0.174  | Average       | 24.11      | 10.13  | 34.24      | 54.77      | -20.53 |
| 0.174  | QP            | 48.57      | 10.13  | 58.70      | 64.77      | -6.07  |
| 0.668  | Average       | 22.11      | 10.18  | 32.29      | 46.00      | -13.71 |
| 0.668  | QP            | 26.05      | 10.18  | 36.23      | 56.00      | -19.77 |
| 3.241  | Peak          | 28.90      | 10.26  | 39.16      | 56.00      | -16.84 |
| 8.776  | Peak          | 25.31      | 10.37  | 35.69      | 60.00      | -24.31 |
| 25.321 | Peak          | 14.08      | 10.54  | 24.61      | 60.00      | -35.39 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2509002841ER

Operation Mode :BLE

Power :120V/60Hz


Probe :N

Test Site :Conduction 1

Test Date :2025-12-18

Temp./Humi. :23.1°C/56%

Engineer :WJ Lin



| Freq.  | Detector | Spectrum      | Factor | Actual     | Limit      | Margin |
|--------|----------|---------------|--------|------------|------------|--------|
| Mode   |          | Reading Level |        | FS         |            |        |
| MHz    | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V | dB $\mu$ V | dB     |
| 0.150  | Average  | 26.63         | 10.12  | 36.75      | 56.00      | -19.25 |
| 0.150  | QP       | 50.68         | 10.12  | 60.80      | 66.00      | -5.20  |
| 0.170  | Average  | 23.36         | 10.12  | 33.48      | 54.94      | -21.46 |
| 0.170  | QP       | 48.62         | 10.12  | 58.74      | 64.94      | -6.20  |
| 0.683  | Average  | 13.83         | 10.17  | 24.00      | 46.00      | -22.00 |
| 0.683  | QP       | 25.77         | 10.17  | 35.94      | 56.00      | -20.06 |
| 0.862  | Peak     | 30.99         | 10.18  | 41.18      | 56.00      | -14.82 |
| 9.757  | Peak     | 31.07         | 10.40  | 41.47      | 60.00      | -18.53 |
| 15.552 | Peak     | 18.63         | 10.52  | 29.15      | 60.00      | -30.85 |

### ~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group