


N6SGBIR15 FCC and IC Labels



FCC and IC label locations on Encore S series fuel dispenser for N6SGBIR15 TRIND

M02962Z

71

135

MANUFACTURED OR SOLD UNDER ONE OR MORE OF THE FOLLOWING U.S. PATENTS:
4,556,927; 5,543,849; 6,089,284; 6,421,616; 6,763,974; D422,604
4,566,504; 5,546,981; 6,092,410; 6,422,464; 6,766,949; D426,555
4,570,686; 5,557,084; 6,098,879; 6,431,226; D262,971; D428,424
4,687,033; 5,571,310; 6,102,085; 6,438,452; D265,092; D428,897
4,728,788; 5,602,745; 6,109,477; 6,460,579; D306,719; D429,739
4,748,846; 5,626,649; 6,112,134; 6,463,389; D309,144; D429,740
4,799,940; 5,630,528; 6,113,039; 6,466,842; D316,471; D431,039
4,805,453; 5,708,580; 6,116,505; 6,470,233; D413,124; D431,252
4,876,653; 5,719,779; 6,119,110; 6,493,440; D413,311; D431,573
4,890,210; 5,719,781; 6,123,118; 6,499,516; D413,336; D432,140
4,913,813; 5,720,325; 6,149,033; 6,505,134; D413,337; D432,141
4,930,655; 5,724,067; 6,167,923; 6,522,947; D413,610; D432,548
4,934,565; 5,734,851; 6,176,421; 6,523,744; D413,901; D432,552
4,938,054; 5,755,854; 6,184,846; 6,529,800; D413,902; D433,031
4,938,251; 5,782,275; 6,185,307; 6,532,999; D414,192; D433,032
4,939,730; 5,794,667; 6,227,227; 6,535,726; D414,501; D433,033
4,967,366; 5,798,931; 6,250,151; 6,546,882; D414,778; D433,034
4,986,455; 5,803,136; 6,253,779; 6,571,151; D414,779; D433,035
5,040,577; 5,843,212; 6,263,319; 6,571,201; D414,780; D433,036
5,098,179; 5,857,500; 6,275,746; 6,573,884; D414,781; D433,037
5,134,548; 5,868,179; 6,296,148; 6,574,603; D414,782; D433,420
5,156,199; 5,871,651; 6,302,165; 6,578,145; D415,166; D433,421
5,228,084; 5,890,520; 6,313,737; 6,618,362; D415,167; D433,422
5,269,353; 5,954,080; 6,325,112; 6,644,360; D415,168; D433,423
5,325,706; 5,956,259; 6,326,934; 6,681,814; D415,169; D433,424
5,345,979; 5,969,691; 6,336,479; 6,685,089; D415,170; D433,685
5,355,915; 5,971,042; 6,338,369; 6,690,275; D415,171; D433,686
5,363,988; 5,979,705; 6,347,649; 6,697,705; D415,172; D433,687
5,384,850; 5,980,090; 6,352,176; 6,704,774; D415,501; D433,688
5,407,115; 6,026,866; 6,357,493; 6,708,797; D415,777; D434,424
5,417,256; 6,052,629; 6,360,137; 6,710,701; D416,915; D434,780
5,448,638; 6,073,840; 6,363,299; 6,712,101; D416,916; D435,051
5,450,883; 6,078,888; 6,364,206; 6,721,669; D417,226; D440,579
5,464,466; 6,078,896; 6,380,853; 6,736,313; D418,523; D443,624
5,501,246; 6,082,415; 6,381,514; 6,741,909; D420,684; D456,820
5,535,130; 6,085,775; 6,386,246; 6,745,104; D421,612; D457,084
5,542,458; 6,087,954; 6,418,983; 6,761,190; D422,285; RE35,238
ADDITIONAL U.S. AND FOREIGN PATENTS APPLIED FOR OR PENDING

N.Y.F.D. C.OF A.#4986

Mfd By Gilbarco Inc. Greensboro, NC USA



THIS DEVICE COMPLIES WITH FCC RULE, PART 15. OPERATIONS IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE THAT MAY BE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE OPERATION.
THIS CLASS A DIGITAL APPARATUS COMPLIES WITH CANADIAN ICES-003.
CET APPAREIL NUMÉRIQUE DE LA CLASSE A EST CONFORME A LA NORME NMB-003 DU CANADA.
M02962B006 REV F

All computer programs (including software on diskettes and with memory chips) are copyrighted and shall remain the property of Gilbarco Inc. These programs may also contain trade secret information. Duplication, disclosure, modification, or unauthorized use of such computer programs is prohibited unless licensed by Gilbarco Inc.

NOTES:
1. MATERIALS AND FINISH PER Q11490.
2. UNLESS OTHERWISE SPECIFIED, UPPER & LOWER CASE LETTERING SHALL BE .05 HELVETICA MEDIUM CHARACTERS. ALL PRINTING TO BE BLACK WITH WHITE BACKGROUND.
3. ADHESIVE RELEASE LINER TO BE SCORED FOR EASY REMOVAL.
4. M02962B001 WAS RELEASED AND THEN OBSOLETED. IT WAS REPLACED BY M02962B006.

REVISIONS
SYMDESCRIPTION
A PRODUCTION RELEASE.
B ADDED: B002 THRU B004.
ECO: 02/14/03 TJP
0664864
C CHANGED: B001 BY ADDING N.Y.F.D..., MOVING GILBARCO INC... & UPPING THE REV.
ECO: 10/17/03 RAK
0665515
D ADDED: M02962B005. CHNG: DRAWING WAS 1 SHEET; MOVED B001 TO B004 TO SH2.
ECO: 10/23/03 DRS
0665544
E REV SH INDEX. ADDED B006 & NOTE 4. REMOVED: B001 THAT WAS 120 TALL.
ECO: 08/30/04 RAK
0666577
F REV SH INDEX. CHANGED: HEIGHT OF B006 WAS 145. REMOVED: DUPLICATE PATENT NUMBERS
ECO: 09/14/04 RAK
0666633
G REVISED SH INDEX.
ECO: 09/19/05 DRS
0667752
H REVISED SH INDEX.
ECO: 11/30/05 WMH
0667301

PART NO M02962B006

Label 1:FCC and Patent Label combination
Units are millimeters. Location: exterior to dispenser on inner dispenser column sheathing.
Page 2 of 4


H H REV SHEET
2 1 SH INDEX

ENCORE
NEXT ASSY USED ON
APPLICATION

LEGAL NOTICE
This document contains proprietary information of Gilbarco Inc. See M00800 for legal instructions.
UNLESS OTHERWISE SPECIFIED:
• DIMENSIONS ARE IN MILLIMETERS (mm).
• FOR TOLERANCES SEE THE LATEST REVISION OF M00800.
• THIRD ANGLE PROJECTION


FINAL PROTECTIVE FINISH
MATERIAL

©Gilbarco Inc.
©Gasboy International LLC
DECAL, PATENT AND FCC
DR RAK 08/19/02 TR
CK APP
ECO 0664551 SYM NO. M02962
SCALE 2:1
SH NO. 1 OF 2



PART NO M02962B007

Label 2: Equipment contains FCC Interntional Radiator Label
Units are millimeters. Location: exterior to dispenser on inner dispenser column sheathing.
Page 3 of 4



PART NUMBER N23951 10

Label 3: FCC and IC Interntional Radiator Label

Units are inches. Location: interior to dispenser on sheet metal for mounting the Gateway board (T20678 G1).

Page 4 of 4