

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

29/10/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.67

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.33	8.33	5.91	4.99

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

29/10/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.67

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.19	8.19	5.61	4.93

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

29/10/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.11	4.11	1.52	1.05

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

29/10/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.06	16.06	13.44	12.74


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

29/10/2025

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
1.67
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
16.11	16.11	13.33	12.91


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

29/10/2025

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
1.67
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
16.05	16.05	13.24	12.86

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5180MHz

22/10/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.67

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.74	11.74	8.77	8.87

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5200MHz

22/10/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.67

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.74	11.74	8.55	8.98

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5240MHz

22/10/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.67

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.01	12.01	9.14	8.95

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5260MHz

20/10/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.41	7.41	5.14	3.70

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5300MHz

20/10/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.40	7.40	4.66	4.13

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5320MHz

20/10/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
39.989

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.70	7.70	5.03	4.40


5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5500MHz

20/10/2025

CF (Hz)
5.5G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
39.989
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.61	7.61	4.92	4.38


5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5580MHz

20/10/2025

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
1.68
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.28	8.28	5.65	4.99

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5700MHz

20/10/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
39.989

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.24	8.24	5.66	4.89

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

20/10/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
39.989

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.20	8.20	5.79	4.67

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

20/10/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.63	4.63	2.13	1.20

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5745MHz

20/10/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
14.95	14.95	12.24	11.63

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5785MHz

20/10/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.64	14.64	11.93	11.36

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5825MHz

20/10/2025

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.75	14.75	12.19	11.30

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5190MHz

29/10/2025




5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5230MHz

22/10/2025



5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5270MHz

20/10/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.03	6.03	3.60	2.36

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5310MHz

20/10/2025

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
37.567

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.52	5.52	2.45	2.61

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5510MHz

20/10/2025

CF (Hz)
5.51G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
37.567

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.96	5.96	3.27	2.68

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5550MHz

20/10/2025

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.08	6.08	3.53	2.61

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5670MHz

20/10/2025

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
37.567

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.10	6.10	3.39	2.89

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

20/10/2025

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.01	7.01	4.77	3.17

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

20/10/2025




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5755MHz

29/10/2025



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5795MHz

29/10/2025

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
1.67

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.01	12.01	9.32	8.71

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5210MHz

20/10/2025

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
39.914

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.94	2.94	1.53	1.36

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5290MHz

20/10/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
39.914

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.51	3.51	1.52	1.12

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5530MHz

20/10/2025

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
39.914

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.11	5.11	2.67	1.91

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5610MHz

20/10/2025

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.93	2.93	0.34	-0.22

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

20/10/2025

CF (Hz)
5.65G


Span (Hz)
300M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.80	2.80	0.12	-0.57

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

20/10/2025




5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5775MHz

29/10/2025




5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

20/10/2025



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.67	2.67	0.11	2.07

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.74	-0.74	-3.08	-3.99

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

PSD

5570MHz

20/10/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.62	2.62	1.46	1.64

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

PSD

5610MHz Straddle 5.47-5.725GHz

20/10/2025




5.725-5.85GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

PSD

5610MHz Straddle 5.725-5.85GHz

20/10/2025






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 4	Pass	QP	36.79M	36.92	40.00	-3.08	Vertical

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	36.79M	36.92	40.00	-3.08	-10.69	3	Vertical	6	1.00	"Worst"	47.61	20.51	0.57	31.77		
PK	67.83M	34.03	40.00	-5.97	-18.88	3	Vertical	115	1.00	-	52.91	12.30	0.79	31.97		
PK	75.59M	34.04	40.00	-5.96	-18.52	3	Vertical	120	1.00	-	52.56	12.65	0.82	31.99		
PK	138.64M	31.44	43.50	-12.06	-13.77	3	Vertical	0	1.00	-	45.21	17.22	1.13	32.12		
PK	537.31M	36.84	46.00	-9.16	-5.91	3	Vertical	183	1.00	-	42.75	24.06	2.35	32.32		
PK	893.3M	29.94	46.00	-16.06	-2.95	3	Vertical	308	1.00	-	32.89	26.45	3.14	32.54		

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	33.88M	31.83	40.00	-8.17	-9.43	3	Horizontal	296	1.00	"Worst"	41.26	21.95	0.55	31.93		
PK	92.08M	19.61	43.50	-23.89	-15.78	3	Horizontal	0	1.00	-	35.39	15.30	0.92	32.00		
PK	262.8M	23.67	46.00	-22.33	-11.18	3	Horizontal	54	1.00	-	34.85	19.32	1.59	32.09		
PK	439.34M	26.64	46.00	-19.36	-7.90	3	Horizontal	353	1.00	-	34.54	22.27	2.09	32.26		
PK	515.97M	31.17	46.00	-14.83	-6.78	3	Horizontal	314	1.00	-	37.95	23.29	2.30	32.37		
PK	896.21M	29.38	46.00	-16.62	-2.91	3	Horizontal	21	1.00	-	32.29	26.48	3.15	32.54		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.3526G	73.76	74.00	-0.24	3	Horizontal	360	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX

EUT Y_2TX
Setting Z1
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1473G	64.92	74.00	-9.08	53.88	3	Vertical	17	1.08	-	33.59	7.58	30.13			
AV	5.1473G	51.95	54.00	-2.05	40.91	3	Vertical	17	1.08	-	33.59	7.58	30.13			
PK	5.1819G	123.48	Inf	-Inf	112.37	3	Vertical	17	1.08	-	33.66	7.59	30.14			
AV	5.1816G	113.09	Inf	-Inf	101.98	3	Vertical	17	1.08	-	33.66	7.59	30.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
Setting Z1
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1493G	67.12	74.00	-6.88	56.07	3	Horizontal	10	1.24	-	33.60	7.58	30.13			
AV	5.1497G	53.05	54.00	-0.95	42.00	3	Horizontal	10	1.24	-	33.60	7.58	30.13			
PK	5.1792G	125.17	Inf	-Inf	114.06	3	Horizontal	10	1.24	-	33.66	7.59	30.14			
AV	5.1792G	114.88	Inf	-Inf	103.77	3	Horizontal	10	1.24	-	33.66	7.59	30.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX

EUT_Y_2TX
Setting 21
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35644G	54.99	68.20	-13.21	38.91	3	Vertical	118	2.53	-	39.63	10.68	34.23			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX

EUT_Y_2TX
Setting Z1
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35658G	54.81	68.20	-13.39	38.73	3	Horizontal	32	1.22	-	39.63	10.68	34.23			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX

EUT Y_2TX
Setting 25
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	65.34	74.00	-8.66	60.26	3	Vertical	193	1.73	-	31.89	6.91	33.72			
AV	5.1466G	52.07	54.00	-1.93	46.99	3	Vertical	193	1.73	-	31.89	6.91	33.72			
PK	5.2016G	128.15	Inf	-Inf	123.36	3	Vertical	193	1.73	-	31.59	6.93	33.73			
AV	5.2016G	117.38	Inf	-Inf	112.59	3	Vertical	193	1.73	-	31.59	6.93	33.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
Setting 25
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.76	74.00	-8.24	60.67	3	Horizontal	191	1.74	-	31.90	6.91	33.72			
AV	5.1492G	52.96	54.00	-1.04	47.87	3	Horizontal	191	1.74	-	31.90	6.91	33.72			
PK	5.199G	128.36	Inf	-Inf	123.55	3	Horizontal	191	1.74	-	31.61	6.93	33.73			
AV	5.1992G	118.59	Inf	-Inf	113.79	3	Horizontal	191	1.74	-	31.60	6.93	33.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 25
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4069G	54.09	68.20	-14.11	37.85	3	Vertical	213	2.46	-	39.81	10.69	34.26			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
Setting 25
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39452G	53.93	68.20	-14.27	37.71	3	Horizontal	240	2.53	-	39.78	10.69	34.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1443G	63.47	74.00	-10.53	58.41	3	Vertical	193	1.70	-	31.88	6.90	33.72			
AV	5.1455G	50.51	54.00	-3.49	45.44	3	Vertical	193	1.70	-	31.88	6.91	33.72			
PK	5.2412G	130.51	Inf	-Inf	125.95	3	Vertical	193	1.70	-	31.35	6.95	33.74			
AV	5.2412G	119.98	Inf	-Inf	115.42	3	Vertical	193	1.70	-	31.35	6.95	33.74			
PK	5.387G	61.87	74.00	-12.13	57.28	3	Vertical	193	1.70	-	31.37	7.00	33.78			
AV	5.3525G	47.97	54.00	-6.03	43.44	3	Vertical	193	1.70	-	31.31	6.99	33.77			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	63.80	74.00	-10.20	58.71	3	Horizontal	188	1.74	-	31.90	6.91	33.72			
AV	5.1434G	51.31	54.00	-2.69	46.26	3	Horizontal	188	1.74	-	31.87	6.90	33.72			
PK	5.2391G	131.42	Inf	-Inf	126.84	3	Horizontal	188	1.74	-	31.37	6.95	33.74			
AV	5.2391G	120.97	Inf	-Inf	116.39	3	Horizontal	188	1.74	-	31.37	6.95	33.74			
PK	5.3642G	62.37	74.00	-11.63	57.81	3	Horizontal	188	1.74	-	31.33	7.00	33.77			
AV	5.3507G	48.73	54.00	-5.27	44.21	3	Horizontal	188	1.74	-	31.30	6.99	33.77			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47486G	55.06	68.20	-13.14	38.74	3	Vertical	192	1.74	-	39.90	10.71	34.29			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4716G	55.51	68.20	-12.69	39.19	3	Horizontal	159	1.77	-	39.90	10.71	34.29			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX

EUT_Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1361G	61.87	74.00	-12.13	56.85	3	Vertical	198	1.80	-	31.84	6.90	33.72			
AV	5.1496G	48.09	54.00	-5.91	43.00	3	Vertical	198	1.80	-	31.90	6.91	33.72			
PK	5.2615G	130.46	Inf	-Inf	125.98	3	Vertical	198	1.80	-	31.28	6.95	33.75			
AV	5.2618G	120.07	Inf	-Inf	115.59	3	Vertical	198	1.80	-	31.28	6.95	33.75			
PK	5.3527G	63.99	74.00	-10.01	59.46	3	Vertical	198	1.80	-	31.31	6.99	33.77			
AV	5.3575G	50.71	54.00	-3.29	46.17	3	Vertical	198	1.80	-	31.32	6.99	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.134G	62.16	74.00	-11.84	57.13	3	Horizontal	188	1.80	-	31.84	6.90	33.71			
AV	5.1499G	48.69	54.00	-5.31	43.60	3	Horizontal	188	1.80	-	31.90	6.91	33.72			
PK	5.2591G	131.18	Inf	-Inf	126.70	3	Horizontal	188	1.80	-	31.28	6.95	33.75			
AV	5.2591G	121.09	Inf	-Inf	116.61	3	Horizontal	188	1.80	-	31.28	6.95	33.75			
PK	5.3551G	63.48	74.00	-10.52	58.95	3	Horizontal	188	1.80	-	31.31	6.99	33.77			
AV	5.3551G	51.67	54.00	-2.33	47.14	3	Horizontal	188	1.80	-	31.31	6.99	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52059G	53.23	68.20	-14.97	36.95	3	Vertical	268	2.37	-	39.86	10.72	34.30			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51756G	53.32	68.20	-14.88	37.04	3	Horizontal	325	2.33	-	39.86	10.72	34.30			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT Y_2TX
Setting 25
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3014G	128.11	Inf	-Inf	123.70	3	Vertical	199	1.80	-	31.20	6.97	33.76			
AV	5.3018G	117.74	Inf	-Inf	113.33	3	Vertical	199	1.80	-	31.20	6.97	33.76			
PK	5.3516G	65.51	74.00	-8.49	60.99	3	Vertical	199	1.80	-	31.30	6.99	33.77			
AV	5.352G	50.36	54.00	-3.64	45.84	3	Vertical	199	1.80	-	31.30	6.99	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT Y_2TX
Setting 25
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2992G	128.67	Inf	-Inf	124.26	3	Horizontal	182	1.80	-	31.20	6.97	33.76			
AV	5.2992G	118.87	Inf	-Inf	114.46	3	Horizontal	182	1.80	-	31.20	6.97	33.76			
PK	5.351G	65.69	74.00	-8.31	61.17	3	Horizontal	182	1.80	-	31.30	6.99	33.77			
AV	5.35G	52.88	54.00	-1.12	48.36	3	Horizontal	182	1.80	-	31.30	6.99	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT Y_2TX
Setting 25
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60075G	53.97	74.00	-20.03	37.65	3	Vertical	7	1.92	-	39.90	10.74	34.32			
AV	10.60048G	40.38	54.00	-13.62	24.06	3	Vertical	7	1.92	-	39.90	10.74	34.32			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT Y_2TX
Setting 25
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60048G	54.47	74.00	-19.53	38.15	3	Horizontal	27	2.87	-	39.90	10.74	34.32			
AV	10.60188G	40.39	54.00	-13.61	24.07	3	Horizontal	27	2.87	-	39.90	10.74	34.32			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX

EUT Y_2TX
Setting 21.5
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3214G	124.87	Inf	-Inf	120.41	3	Vertical	197	1.80	-	31.24	6.98	33.76			
AV	5.3216G	114.43	Inf	-Inf	109.97	3	Vertical	197	1.80	-	31.24	6.98	33.76			
PK	5.3529G	66.72	74.00	-7.28	62.19	3	Vertical	197	1.80	-	31.31	6.99	33.77			
AV	5.3517G	52.13	54.00	-1.87	47.61	3	Vertical	197	1.80	-	31.30	6.99	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
Setting 21.5
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3192G	125.71	Inf	-Inf	121.25	3	Horizontal	181	1.73	-	31.24	6.98	33.76			
AV	5.3191G	115.70	Inf	-Inf	111.24	3	Horizontal	181	1.73	-	31.24	6.98	33.76			
PK	5.3501G	66.29	74.00	-7.71	61.77	3	Horizontal	181	1.73	-	31.30	6.99	33.77			
AV	5.35G	52.91	54.00	-1.09	48.39	3	Horizontal	181	1.73	-	31.30	6.99	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX

EUT Y_2TX
Setting 21.5
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64945G	54.53	74.00	-19.47	38.22	3	Vertical	163	1.86	-	39.90	10.75	34.34			
AV	10.65203G	40.87	54.00	-13.13	24.56	3	Vertical	163	1.86	-	39.90	10.75	34.34			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX

EUT Y_2TX
Setting 21.5
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65113G	54.46	74.00	-19.54	38.15	3	Horizontal	236	1.24	-	39.90	10.75	34.34			
AV	10.65095G	40.85	54.00	-13.15	24.54	3	Horizontal	236	1.24	-	39.90	10.75	34.34			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT Y_2TX
Setting 20.5
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	62.48	74.00	-11.52	57.64	3	Vertical	198	1.75	-	31.53	7.11	33.80			
AV	5.4567G	49.11	54.00	-4.89	44.28	3	Vertical	198	1.75	-	31.53	7.10	33.80			
PK	5.4668G	65.30	68.20	-2.90	60.41	3	Vertical	198	1.75	-	31.57	7.12	33.80			
PK	5.5017G	122.50	Inf	-Inf	117.43	3	Vertical	198	1.75	-	31.70	7.18	33.81			
AV	5.5014G	112.45	Inf	-Inf	107.38	3	Vertical	198	1.75	-	31.70	7.18	33.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT Y_2TX
Setting 20.5
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4593G	63.87	74.00	-10.13	59.02	3	Horizontal	167	1.70	-	31.54	7.11	33.80			
AV	5.4591G	50.04	54.00	-3.96	45.19	3	Horizontal	167	1.70	-	31.54	7.11	33.80			
PK	5.4697G	66.88	68.20	-1.32	61.97	3	Horizontal	167	1.70	-	31.58	7.13	33.80			
PK	5.4993G	124.76	Inf	-Inf	119.70	3	Horizontal	167	1.70	-	31.70	7.17	33.81			
AV	5.4993G	114.64	Inf	-Inf	109.58	3	Horizontal	167	1.70	-	31.70	7.17	33.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
Setting 20.5
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98968G	55.16	74.00	-18.84	38.52	3	Vertical	301	1.68	-	40.22	10.84	34.42			
AV	10.99766G	41.51	54.00	-12.49	24.89	3	Vertical	301	1.68	-	40.20	10.84	34.42			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT Y_2TX
Setting 20.5
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99937G	55.32	74.00	-18.68	38.70	3	Horizontal	33	2.92	-	40.20	10.84	34.42			
AV	10.9868G	41.49	54.00	-12.51	24.84	3	Horizontal	33	2.92	-	40.23	10.84	34.42			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	61.05	74.00	-12.95	56.23	3	Vertical	151	1.79	-	31.52	7.10	33.80			
PK	5.4624G	61.10	68.20	-7.10	56.24	3	Vertical	151	1.79	-	31.55	7.11	33.80			
AV	5.46G	47.55	54.00	-6.45	42.70	3	Vertical	151	1.79	-	31.54	7.11	33.80			
PK	5.5816G	129.44	Inf	-Inf	124.29	3	Vertical	151	1.79	-	31.64	7.31	33.80			
AV	5.5812G	119.22	Inf	-Inf	114.07	3	Vertical	151	1.79	-	31.64	7.31	33.80			
PK	5.7724G	60.76	68.20	-7.44	55.19	3	Vertical	151	1.79	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3932G	62.43	74.00	-11.57	57.81	3	Horizontal	170	1.70	-	31.39	7.01	33.78			
AV	5.3872G	48.51	54.00	-5.49	43.92	3	Horizontal	170	1.70	-	31.37	7.00	33.78			
PK	5.4688G	61.97	68.20	-6.23	57.07	3	Horizontal	170	1.70	-	31.58	7.12	33.80			
PK	5.5792G	130.78	Inf	-Inf	125.63	3	Horizontal	170	1.70	-	31.64	7.31	33.80			
AV	5.5792G	120.71	Inf	-Inf	115.56	3	Horizontal	170	1.70	-	31.64	7.31	33.80			
PK	5.7688G	61.34	68.20	-6.86	55.77	3	Horizontal	170	1.70	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.16201G	53.96	74.00	-20.04	38.09	3	Vertical	254	2.66	-	39.48	10.88	34.49				
AV	11.1517G	40.56	54.00	-13.44	24.67	3	Vertical	254	2.66	-	39.50	10.88	34.49				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16461G	54.30	74.00	-19.70	38.45	3	Horizontal	336	1.93	-	39.47	10.88	34.50			
AV	11.16743G	40.46	54.00	-13.54	24.61	3	Horizontal	336	1.93	-	39.47	10.88	34.50			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT Y_2TX
Setting 20
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7019G	122.19	Inf	-Inf	116.63	3	Vertical	159	1.59	-	32.00	7.35	33.79			
AV	5.7019G	111.92	Inf	-Inf	106.36	3	Vertical	159	1.59	-	32.00	7.35	33.79			
PK	5.7272G	66.87	68.20	-1.33	61.30	3	Vertical	159	1.59	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
Setting 20
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6993G	122.25	Inf	-Inf	116.70	3	Horizontal	163	1.78	-	32.00	7.34	33.79			
AV	5.6993G	112.35	Inf	-Inf	106.80	3	Horizontal	163	1.78	-	32.00	7.34	33.79			
PK	5.7256G	66.08	68.20	-2.12	60.51	3	Horizontal	163	1.78	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT Y_2TX
Setting 20
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4014G	54.70	74.00	-19.30	38.56	3	Vertical	21	2.77	-	39.80	10.94	34.60			
AV	11.4019G	40.76	54.00	-13.24	24.62	3	Vertical	21	2.77	-	39.80	10.94	34.60			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT Y_2TX
Setting 20
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41329G	55.53	74.00	-18.47	39.40	3	Horizontal	147	1.88	-	39.80	10.94	34.61			
AV	11.41011G	40.72	54.00	-13.28	24.59	3	Horizontal	147	1.88	-	39.80	10.94	34.61			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7192G	129.10	Inf	-Inf	123.53	3	Vertical	162.6	1.80	-	32.00	7.35	33.78			
AV	5.7196G	119.46	Inf	-Inf	113.89	3	Vertical	162.6	1.80	-	32.00	7.35	33.78			
PK	5.85G	61.28	68.20	-6.92	55.51	3	Vertical	162.6	1.80	-	32.10	7.44	33.77			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7192G	129.13	Inf	-Inf	123.56	3	Horizontal	162	1.80	-	32.00	7.35	33.78			
AV	5.7196G	119.45	Inf	-Inf	113.88	3	Horizontal	162	1.80	-	32.00	7.35	33.78			
PK	5.8628G	61.76	68.20	-6.44	55.94	3	Horizontal	162	1.80	-	32.13	7.46	33.77			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42465G	54.72	74.00	-19.28	38.59	3	Vertical	320	1.81	-	39.80	10.95	34.62			
AV	11.43785G	40.78	54.00	-13.22	24.65	3	Vertical	320	1.81	-	39.80	10.95	34.62			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4506G	54.60	74.00	-19.40	38.48	3	Horizontal	117	1.16	-	39.80	10.95	34.63			
AV	11.43525G	40.76	54.00	-13.24	24.63	3	Horizontal	117	1.16	-	39.80	10.95	34.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.646G	63.55	68.20	-4.65	58.31	3	Vertical	161	1.67	-	31.69	7.34	33.79			
PK	5.747G	130.06	Inf	-Inf	124.49	3	Vertical	161	1.67	-	32.00	7.35	33.78			
AV	5.747G	119.70	Inf	-Inf	114.13	3	Vertical	161	1.67	-	32.00	7.35	33.78			
PK	5.9285G	62.13	68.20	-6.07	56.05	3	Vertical	161	1.67	-	32.26	7.58	33.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	64.23	68.20	-3.97	58.98	3	Horizontal	166	1.79	-	31.70	7.34	33.79			
PK	5.7445G	129.18	Inf	-Inf	123.61	3	Horizontal	166	1.79	-	32.00	7.35	33.78			
AV	5.7445G	119.56	Inf	-Inf	113.99	3	Horizontal	166	1.79	-	32.00	7.35	33.78			
PK	5.9375G	61.33	68.20	-6.87	55.22	3	Horizontal	166	1.79	-	32.27	7.60	33.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.4731G	54.39	74.00	-19.61	38.27	3	Vertical	197	1.86	-	39.80	10.96	34.64				
AV	11.4704G	40.79	54.00	-13.21	24.67	3	Vertical	197	1.86	-	39.80	10.96	34.64				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4912G	54.84	74.00	-19.16	38.73	3	Horizontal	114	1.29	-	39.80	10.96	34.65			
AV	11.48785G	40.70	54.00	-13.30	24.58	3	Horizontal	114	1.29	-	39.80	10.96	34.64			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.555G	62.03	68.20	-6.17	56.87	3	Vertical	154	1.68	-	31.69	7.27	33.80			
PK	5.787G	130.55	Inf	-Inf	124.98	3	Vertical	154	1.68	-	32.00	7.35	33.78			
AV	5.787G	120.22	Inf	-Inf	114.65	3	Vertical	154	1.68	-	32.00	7.35	33.78			
PK	5.967G	61.79	68.20	-6.41	55.56	3	Vertical	154	1.68	-	32.33	7.65	33.75			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6195G	62.20	68.20	-6.00	57.02	3	Horizontal	169	1.79	-	31.64	7.34	33.80			
PK	5.7845G	129.74	Inf	-Inf	124.17	3	Horizontal	169	1.79	-	32.00	7.35	33.78			
AV	5.7845G	119.63	Inf	-Inf	114.06	3	Horizontal	169	1.79	-	32.00	7.35	33.78			
PK	5.9255G	61.25	68.20	-6.95	55.18	3	Horizontal	169	1.79	-	32.25	7.58	33.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.54635G	54.19	74.00	-19.81	38.15	3	Vertical	78	2.16	-	39.71	10.98	34.65				
AV	11.5711G	40.52	54.00	-13.48	24.57	3	Vertical	78	2.16	-	39.62	10.98	34.65				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55585G	54.75	74.00	-19.25	38.74	3	Horizontal	224	1.80	-	39.68	10.98	34.65			
AV	11.54555G	40.74	54.00	-13.26	24.70	3	Horizontal	224	1.80	-	39.71	10.98	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5805G	61.88	68.20	-6.32	56.73	3	Vertical	159	1.56	-	31.64	7.31	33.80			
PK	5.827G	130.30	Inf	-Inf	124.62	3	Vertical	159	1.56	-	32.05	7.40	33.77			
AV	5.8265G	120.11	Inf	-Inf	114.43	3	Vertical	159	1.56	-	32.05	7.40	33.77			
PK	5.928G	62.11	68.20	-6.09	56.03	3	Vertical	159	1.56	-	32.26	7.58	33.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.628G	62.23	68.20	-5.97	57.02	3	Horizontal	167	1.86	-	31.66	7.34	33.79			
PK	5.8245G	129.66	Inf	-Inf	123.99	3	Horizontal	167	1.86	-	32.05	7.39	33.77			
AV	5.8245G	119.31	Inf	-Inf	113.64	3	Horizontal	167	1.86	-	32.05	7.39	33.77			
PK	5.9625G	61.68	68.20	-6.52	55.47	3	Horizontal	167	1.86	-	32.32	7.64	33.75			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.62655G	54.58	74.00	-19.42	38.89	3	Vertical	162	2.42	-	39.34	11.00	34.65			
AV	11.63365G	40.89	54.00	-13.11	25.24	3	Vertical	162	2.42	-	39.30	11.00	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT Y_2TX
Setting 28
06-U-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64045G	54.39	74.00	-19.61	38.78	3	Horizontal	35	2.50	-	39.26	11.00	34.65			
AV	11.63025G	40.78	54.00	-13.22	25.11	3	Horizontal	35	2.50	-	39.32	11.00	34.65			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
Setting 23
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	64.86	74.00	-9.14	53.81	3	Vertical	18	1.10	-	33.60	7.58	30.13			
AV	5.1499G	52.59	54.00	-1.41	41.54	3	Vertical	18	1.10	-	33.60	7.58	30.13			
PK	5.1789G	123.82	Inf	-Inf	112.71	3	Vertical	18	1.10	-	33.66	7.59	30.14			
AV	5.1793G	110.44	Inf	-Inf	99.33	3	Vertical	18	1.10	-	33.66	7.59	30.14			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
Setting 23
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	65.76	74.00	-8.24	54.71	3	Horizontal	3	1.23	-	33.60	7.58	30.13			
AV	5.15G	52.88	54.00	-1.12	41.83	3	Horizontal	3	1.23	-	33.60	7.58	30.13			
PK	5.1791G	123.69	Inf	-Inf	112.58	3	Horizontal	3	1.23	-	33.66	7.59	30.14			
AV	5.1791G	110.63	Inf	-Inf	99.52	3	Horizontal	3	1.23	-	33.66	7.59	30.14			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36304G	55.28	68.20	-12.92	46.81	3	Vertical	354	1.80	-	39.13	12.42	43.08			
PK	15.54524G	61.58	74.00	-12.42	49.75	3	Vertical	349	1.80	-	37.92	16.17	42.26			
AV	15.5432G	47.50	54.00	-6.50	35.65	3	Vertical	349	1.80	-	37.93	16.17	42.25			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36698G	55.68	68.20	-12.52	47.21	3	Horizontal	20	1.80	-	39.13	12.42	43.08			
PK	15.5376G	61.75	74.00	-12.25	49.88	3	Horizontal	67	3.00	-	37.95	16.17	42.25			
AV	15.5405G	47.47	54.00	-6.53	35.61	3	Horizontal	67	3.00	-	37.94	16.17	42.25			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5200MHz_TX

EUT Y_2TX
Setting 26
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	63.42	74.00	-10.58	57.44	3	Vertical	194	1.69	-	33.90	7.01	34.93			
AV	5.15G	52.07	54.00	-1.93	46.09	3	Vertical	194	1.69	-	33.90	7.01	34.93			
PK	5.2008G	126.81	Inf	-Inf	120.57	3	Vertical	194	1.69	-	34.10	7.06	34.92			
AV	5.2008G	115.26	Inf	-Inf	109.02	3	Vertical	194	1.69	-	34.10	7.06	34.92			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5200MHz_TX

EUT Y_2TX
Setting 26
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	64.90	74.00	-9.10	58.92	3	Horizontal	193	1.79	-	33.90	7.01	34.93			
AV	5.1498G	52.34	54.00	-1.66	46.36	3	Horizontal	193	1.79	-	33.90	7.01	34.93			
PK	5.199G	126.96	Inf	-Inf	120.72	3	Horizontal	193	1.79	-	34.10	7.06	34.92			
AV	5.1992G	115.80	Inf	-Inf	109.56	3	Horizontal	193	1.79	-	34.10	7.06	34.92			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39684G	55.48	68.20	-12.72	46.96	3	Vertical	360	1.80	-	39.19	12.44	43.11			
PK	15.59438G	60.72	74.00	-13.28	49.20	3	Vertical	55	1.80	-	37.63	16.18	42.29			
AV	15.59078G	46.76	54.00	-7.24	35.21	3	Vertical	55	1.80	-	37.66	16.18	42.29			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5200MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40232G	55.89	68.20	-12.31	47.36	3	Horizontal	346	1.51	-	39.20	12.45	43.12			
PK	15.60056G	60.77	74.00	-13.23	49.29	3	Horizontal	106	1.80	-	37.60	16.18	42.30			
AV	15.59294G	46.68	54.00	-7.32	35.15	3	Horizontal	106	1.80	-	37.64	16.18	42.29			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 30
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1371G	63.63	74.00	-10.37	57.66	3	Vertical	192	1.72	-	33.90	7.00	34.93			
AV	5.1446G	52.46	54.00	-1.54	46.48	3	Vertical	192	1.72	-	33.90	7.01	34.93			
PK	5.2379G	131.03	Inf	-Inf	124.75	3	Vertical	192	1.72	-	34.10	7.09	34.91			
AV	5.2391G	119.58	Inf	-Inf	113.30	3	Vertical	192	1.72	-	34.10	7.09	34.91			
PK	5.3519G	63.17	74.00	-10.83	56.38	3	Vertical	192	1.72	-	34.51	7.17	34.89			
AV	5.35G	51.46	54.00	-2.54	44.68	3	Vertical	192	1.72	-	34.50	7.17	34.89			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 30
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1416G	63.85	74.00	-10.15	57.88	3	Horizontal	189	1.80	-	33.90	7.00	34.93			
AV	5.1434G	52.90	54.00	-1.10	46.92	3	Horizontal	189	1.80	-	33.90	7.01	34.93			
PK	5.2394G	130.56	Inf	-Inf	124.28	3	Horizontal	189	1.80	-	34.10	7.09	34.91			
AV	5.2388G	120.39	Inf	-Inf	114.11	3	Horizontal	189	1.80	-	34.10	7.09	34.91			
PK	5.3522G	63.92	74.00	-10.08	57.13	3	Horizontal	189	1.80	-	34.51	7.17	34.89			
AV	5.3513G	52.17	54.00	-1.83	45.38	3	Horizontal	189	1.80	-	34.51	7.17	34.89			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47282G	56.29	68.20	-11.91	47.63	3	Vertical	45	1.72	-	39.35	12.50	43.19			
PK	15.72694G	58.90	74.00	-15.10	47.47	3	Vertical	9	2.82	-	37.65	16.18	42.40			
AV	15.72436G	44.91	54.00	-9.09	33.48	3	Vertical	9	2.82	-	37.65	16.18	42.40			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48906G	55.80	68.20	-12.40	47.12	3	Horizontal	170	1.72	-	39.38	12.51	43.21			
PK	15.71874G	58.97	74.00	-15.03	47.54	3	Horizontal	87	1.80	-	37.64	16.18	42.39			
AV	15.72866G	44.77	54.00	-9.23	33.33	3	Horizontal	87	1.80	-	37.66	16.18	42.40			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
Setting 26
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	62.90	74.00	-11.10	56.93	3	Vertical	193	1.80	-	33.90	7.00	34.93			
AV	5.1475G	50.92	54.00	-3.08	44.94	3	Vertical	193	1.80	-	33.90	7.01	34.93			
PK	5.2597G	127.83	Inf	-Inf	121.48	3	Vertical	193	1.80	-	34.16	7.10	34.91			
AV	5.2594G	115.94	Inf	-Inf	109.59	3	Vertical	193	1.80	-	34.16	7.10	34.91			
PK	5.3569G	64.18	74.00	-9.82	57.37	3	Vertical	193	1.80	-	34.53	7.17	34.89			
AV	5.3557G	51.86	54.00	-2.14	45.06	3	Vertical	193	1.80	-	34.52	7.17	34.89			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5260MHz_TX

EUT Y_2TX
Setting 26
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	63.04	74.00	-10.96	57.06	3	Horizontal	182	1.72	-	33.90	7.01	34.93			
AV	5.1484G	50.93	54.00	-3.07	44.95	3	Horizontal	182	1.72	-	33.90	7.01	34.93			
PK	5.2606G	127.13	Inf	-Inf	120.78	3	Horizontal	182	1.72	-	34.16	7.10	34.91			
AV	5.2594G	116.53	Inf	-Inf	110.18	3	Horizontal	182	1.72	-	34.16	7.10	34.91			
PK	5.3623G	65.66	74.00	-8.34	58.83	3	Horizontal	182	1.72	-	34.55	7.17	34.89			
AV	5.3566G	52.66	54.00	-1.34	45.85	3	Horizontal	182	1.72	-	34.53	7.17	34.89			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5260MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52132G	56.02	68.20	-12.18	47.30	3	Vertical	0	1.80	-	39.40	12.53	43.21			
PK	15.77416G	58.06	74.00	-15.94	46.70	3	Vertical	1	1.07	-	37.60	16.19	42.43			
AV	15.78096G	44.19	54.00	-9.81	32.86	3	Vertical	1	1.07	-	37.58	16.19	42.44			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52694G	55.16	68.20	-13.04	46.42	3	Horizontal	359	1.40	-	39.40	12.54	43.20			
PK	15.7785G	57.34	74.00	-16.66	46.00	3	Horizontal	212	2.97	-	37.59	16.19	42.44			
AV	15.77358G	44.06	54.00	-9.94	32.69	3	Horizontal	212	2.97	-	37.61	16.19	42.43			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5300MHz_TX

EUT Y_2TX
Setting 26
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3006G	127.61	Inf	-Inf	120.98	3	Vertical	194	1.83	-	34.40	7.13	34.90			
AV	5.2992G	116.30	Inf	-Inf	109.67	3	Vertical	194	1.83	-	34.40	7.13	34.90			
PK	5.352G	64.30	74.00	-9.70	57.51	3	Vertical	194	1.83	-	34.51	7.17	34.89			
AV	5.3506G	52.26	54.00	-1.74	45.48	3	Vertical	194	1.83	-	34.50	7.17	34.89			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5300MHz_TX

EUT Y_2TX
Setting 26
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2992G	127.26	Inf	-Inf	120.63	3	Horizontal	183	1.39	-	34.40	7.13	34.90			
AV	5.2992G	116.36	Inf	-Inf	109.73	3	Horizontal	183	1.39	-	34.40	7.13	34.90			
PK	5.3524G	63.77	74.00	-10.23	56.98	3	Horizontal	183	1.39	-	34.51	7.17	34.89			
AV	5.3504G	52.66	54.00	-1.34	45.88	3	Horizontal	183	1.39	-	34.50	7.17	34.89			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5300MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60708G	55.97	74.00	-18.03	47.12	3	Vertical	350	1.80	-	39.41	12.59	43.15			
AV	10.60672G	42.35	54.00	-11.65	33.50	3	Vertical	350	1.80	-	39.41	12.59	43.15			
PK	15.908G	58.16	74.00	-15.84	47.24	3	Vertical	36	2.49	-	37.27	16.19	42.54			
AV	15.90568G	44.80	54.00	-9.20	33.87	3	Vertical	36	2.49	-	37.28	16.19	42.54			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5300MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59098G	56.46	68.20	-11.74	47.64	3	Horizontal	6	1.80	-	39.40	12.58	43.16			
AV	10.60412G	42.23	54.00	-11.77	33.39	3	Horizontal	6	1.80	-	39.41	12.59	43.16			
PK	15.90324G	57.63	74.00	-16.37	46.68	3	Horizontal	214	1.81	-	37.29	16.19	42.53			
AV	15.90564G	44.50	54.00	-9.50	33.57	3	Horizontal	214	1.81	-	37.28	16.19	42.54			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5320MHz_TX

EUT Y_2TX
Setting 23
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3184G	123.36	Inf	-Inf	112.06	3	Vertical	17	1.28	-	33.84	7.68	30.22			
AV	5.3193G	110.63	Inf	-Inf	99.33	3	Vertical	17	1.28	-	33.84	7.68	30.22			
PK	5.3502G	66.30	74.00	-7.70	54.93	3	Vertical	17	1.28	-	33.90	7.70	30.23			
AV	5.3504G	52.41	54.00	-1.59	41.04	3	Vertical	17	1.28	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 23
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3193G	122.56	Inf	-Inf	111.26	3	Horizontal	0	1.19	-	33.84	7.68	30.22			
AV	5.319G	110.70	Inf	-Inf	99.40	3	Horizontal	0	1.19	-	33.84	7.68	30.22			
PK	5.3508G	65.04	74.00	-8.96	53.67	3	Horizontal	0	1.19	-	33.90	7.70	30.23			
AV	5.3502G	52.91	54.00	-1.09	41.54	3	Horizontal	0	1.19	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5320MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64236G	56.28	74.00	-17.72	47.31	3	Vertical	178	1.80	-	39.48	12.62	43.13			
AV	10.64612G	42.51	54.00	-11.49	33.53	3	Vertical	178	1.80	-	39.49	12.62	43.13			
PK	15.95828G	59.96	74.00	-14.04	49.27	3	Vertical	274	2.67	-	37.07	16.20	42.58			
AV	15.95G	46.61	54.00	-7.39	35.88	3	Vertical	274	2.67	-	37.10	16.20	42.57			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5320MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63632G	56.33	74.00	-17.67	47.39	3	Horizontal	360	1.80	-	39.47	12.61	43.14			
AV	10.6471G	42.63	54.00	-11.37	33.65	3	Horizontal	360	1.80	-	39.49	12.62	43.13			
PK	15.9647G	61.02	74.00	-12.98	50.36	3	Horizontal	33	2.18	-	37.04	16.20	42.58			
AV	15.95414G	46.49	54.00	-7.51	35.78	3	Horizontal	33	2.18	-	37.08	16.20	42.57			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5500MHz_TX

EUT Y_2TX
Setting 24
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4514G	64.50	74.00	-9.50	53.11	3	Vertical	22	1.50	-	33.90	7.77	30.28			
AV	5.4599G	51.28	54.00	-2.72	39.87	3	Vertical	22	1.50	-	33.92	7.78	30.29			
PK	5.47G	66.10	68.20	-2.10	54.67	3	Vertical	22	1.50	-	33.94	7.78	30.29			
PK	5.499G	124.04	Inf	-Inf	112.55	3	Vertical	22	1.50	-	34.00	7.80	30.31			
AV	5.499G	110.94	Inf	-Inf	99.45	3	Vertical	22	1.50	-	34.00	7.80	30.31			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5500MHz_TX

EUT Y_2TX
Setting 24
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4527G	64.04	74.00	-9.96	52.65	3	Horizontal	11	1.27	-	33.91	7.77	30.29			
AV	5.4598G	51.61	54.00	-2.39	40.20	3	Horizontal	11	1.27	-	33.92	7.78	30.29			
PK	5.4698G	66.56	68.20	-1.64	55.13	3	Horizontal	11	1.27	-	33.94	7.78	30.29			
PK	5.5007G	125.13	Inf	-Inf	113.64	3	Horizontal	11	1.27	-	34.00	7.80	30.31			
AV	5.5007G	111.84	Inf	-Inf	100.35	3	Horizontal	11	1.27	-	34.00	7.80	30.31			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00084G	56.85	74.00	-17.15	46.88	3	Vertical	141	2.78	-	40.00	12.88	42.91			
AV	11.0087G	43.27	54.00	-10.73	33.32	3	Vertical	141	2.78	-	39.98	12.88	42.91			
PK	16.4998G	62.24	68.20	-5.96	49.02	3	Vertical	139	1.94	-	39.10	16.25	42.13			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5500MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99386G	56.86	74.00	-17.14	46.90	3	Horizontal	227	1.80	-	40.00	12.87	42.91			
AV	11.006G	43.28	54.00	-10.72	33.32	3	Horizontal	227	1.80	-	39.99	12.88	42.91			
PK	16.50818G	62.68	68.20	-5.52	49.47	3	Horizontal	294	2.70	-	39.08	16.26	42.13			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5580MHz_TX

EUT Y_2TX
Setting 30
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4488G	63.36	74.00	-10.64	56.39	3	Vertical	156	1.80	-	34.60	7.24	34.87			
PK	5.4628G	63.66	68.20	-4.54	56.68	3	Vertical	156	1.80	-	34.60	7.25	34.87			
AV	5.4572G	51.36	54.00	-2.64	44.39	3	Vertical	156	1.80	-	34.60	7.24	34.87			
PK	5.5816G	130.40	Inf	-Inf	123.57	3	Vertical	156	1.80	-	34.37	7.34	34.88			
AV	5.5792G	119.50	Inf	-Inf	112.67	3	Vertical	156	1.80	-	34.38	7.33	34.88			
PK	5.74G	62.56	68.20	-5.64	55.83	3	Vertical	156	1.80	-	34.20	7.46	34.93			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5580MHz_TX

EUT Y_2TX
Setting 30
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4516G	65.34	74.00	-8.66	58.37	3	Horizontal	160	1.70	-	34.60	7.24	34.87			
AV	5.4532G	52.76	54.00	-1.24	45.79	3	Horizontal	160	1.70	-	34.60	7.24	34.87			
PK	5.4636G	64.37	68.20	-3.83	57.39	3	Horizontal	160	1.70	-	34.60	7.25	34.87			
PK	5.5788G	129.94	Inf	-Inf	123.11	3	Horizontal	160	1.70	-	34.38	7.33	34.88			
AV	5.5808G	119.68	Inf	-Inf	112.84	3	Horizontal	160	1.70	-	34.38	7.34	34.88			
PK	5.742G	61.96	68.20	-6.24	55.23	3	Horizontal	160	1.70	-	34.20	7.46	34.93			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15912G	56.72	74.00	-17.28	47.11	3	Vertical	17	1.12	-	39.48	12.99	42.86			
AV	11.15106G	43.25	54.00	-10.75	33.63	3	Vertical	17	1.12	-	39.50	12.98	42.86			
PK	16.74516G	62.71	68.20	-5.49	49.22	3	Vertical	360	1.80	-	39.47	16.28	42.26			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5580MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15424G	57.37	74.00	-16.63	47.75	3	Horizontal	98	1.05	-	39.49	12.99	42.86			
AV	11.15102G	43.45	54.00	-10.55	33.83	3	Horizontal	98	1.05	-	39.50	12.98	42.86			
PK	16.74644G	61.87	68.20	-6.33	48.37	3	Horizontal	124	3.00	-	39.48	16.28	42.26			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX

EUT Y_2TX
Setting 22
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7006G	122.28	Inf	-Inf	110.48	3	Vertical	343	1.02	-	34.00	8.04	30.24			
AV	5.6996G	109.46	Inf	-Inf	97.67	3	Vertical	343	1.02	-	34.00	8.03	30.24			
PK	5.7271G	66.94	68.20	-1.26	55.09	3	Vertical	343	1.02	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 22
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6996G	120.82	Inf	-Inf	109.03	3	Horizontal	9	1.15	-	34.00	8.03	30.24			
AV	5.6994G	107.62	Inf	-Inf	95.83	3	Horizontal	9	1.15	-	34.00	8.03	30.24			
PK	5.7251G	66.15	68.20	-2.05	54.30	3	Horizontal	9	1.15	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4097G	58.07	74.00	-15.93	47.77	3	Vertical	304	1.80	-	39.90	13.17	42.77			
AV	11.39826G	44.14	54.00	-9.86	33.85	3	Vertical	304	1.80	-	39.90	13.16	42.77			
PK	17.10692G	63.67	68.20	-4.53	49.85	3	Vertical	54	1.80	-	40.06	16.32	42.56			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4089G	56.86	74.00	-17.14	46.56	3	Horizontal	358	1.51	-	39.90	13.17	42.77			
AV	11.39852G	44.03	54.00	-9.97	33.74	3	Horizontal	358	1.51	-	39.90	13.16	42.77			
PK	17.10598G	63.32	68.20	-4.88	49.51	3	Horizontal	6	2.99	-	40.05	16.32	42.56			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 30
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7216G	129.94	Inf	-Inf	118.10	3	Vertical	345	1.33	-	34.00	8.07	30.23			
AV	5.7208G	117.61	Inf	-Inf	105.77	3	Vertical	345	1.33	-	34.00	8.07	30.23			
PK	5.8564G	63.71	68.20	-4.49	51.78	3	Vertical	345	1.33	-	33.93	8.18	30.18			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 30
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7208G	128.44	Inf	-Inf	116.60	3	Horizontal	346	1.03	-	34.00	8.07	30.23			
AV	5.7208G	115.67	Inf	-Inf	103.83	3	Horizontal	346	1.03	-	34.00	8.07	30.23			
PK	5.9052G	62.81	68.20	-5.39	50.70	3	Horizontal	346	1.03	-	34.11	8.16	30.16			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43224G	57.32	74.00	-16.68	47.00	3	Vertical	23	1.80	-	39.90	13.18	42.76			
AV	11.4372G	43.88	54.00	-10.12	33.55	3	Vertical	23	1.80	-	39.90	13.19	42.76			
PK	17.15702G	62.64	68.20	-5.56	48.52	3	Vertical	71	1.14	-	40.43	16.33	42.64			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43098G	57.74	74.00	-16.26	47.42	3	Horizontal	325	1.80	-	39.90	13.18	42.76			
AV	11.43764G	44.07	54.00	-9.93	33.74	3	Horizontal	325	1.80	-	39.90	13.19	42.76			
PK	17.16234G	62.22	68.20	-5.98	48.09	3	Horizontal	301	1.56	-	40.45	16.33	42.65			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5745MHz_TX

EUT Y_2TX
Setting 30
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6475G	64.54	68.20	-3.66	57.75	3	Vertical	150	1.80	-	34.30	7.39	34.90			
PK	5.7435G	129.93	Inf	-Inf	123.20	3	Vertical	150	1.80	-	34.20	7.46	34.93			
AV	5.7465G	119.50	Inf	-Inf	112.76	3	Vertical	150	1.80	-	34.20	7.47	34.93			
PK	5.944G	62.22	68.20	-5.98	55.01	3	Vertical	150	1.80	-	34.68	7.52	34.99			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5745MHz_TX

EUT Y_2TX
Setting 30
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.528G	64.90	68.20	-3.30	57.93	3	Horizontal	167	1.76	-	34.54	7.30	34.87			
PK	5.7445G	128.17	Inf	-Inf	121.43	3	Horizontal	167	1.76	-	34.20	7.47	34.93			
AV	5.7455G	117.61	Inf	-Inf	110.87	3	Horizontal	167	1.76	-	34.20	7.47	34.93			
PK	5.9925G	62.69	68.20	-5.51	55.47	3	Horizontal	167	1.76	-	34.70	7.53	35.01			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5745MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49554G	56.84	74.00	-17.16	46.36	3	Vertical	62	1.97	-	39.99	13.23	42.74			
AV	11.49832G	44.16	54.00	-9.84	33.67	3	Vertical	62	1.97	-	40.00	13.23	42.74			
PK	17.22588G	62.02	68.20	-6.18	47.84	3	Vertical	356	1.80	-	40.60	16.33	42.75			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5745MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4916G	57.40	74.00	-16.60	46.93	3	Horizontal	34	2.68	-	39.98	13.23	42.74			
AV	11.49582G	44.10	54.00	-9.90	33.62	3	Horizontal	34	2.68	-	39.99	13.23	42.74			
PK	17.24044G	62.63	68.20	-5.57	48.46	3	Horizontal	338	1.80	-	40.60	16.34	42.77			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5785MHz_TX

EUT Y_2TX
Setting 30
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.61G	63.85	68.20	-4.35	57.08	3	Vertical	159	1.80	-	34.30	7.36	34.89			
PK	5.7865G	130.21	Inf	-Inf	123.46	3	Vertical	159	1.80	-	34.20	7.50	34.95			
AV	5.7845G	120.11	Inf	-Inf	113.36	3	Vertical	159	1.80	-	34.20	7.50	34.95			
PK	6.0335G	63.39	68.20	-4.81	56.07	3	Vertical	159	1.80	-	34.77	7.57	35.02			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5785MHz_TX

EUT Y_2TX
Setting 30
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6135G	62.44	68.20	-5.76	55.67	3	Horizontal	210	1.80	-	34.30	7.36	34.89			
PK	5.7845G	127.71	Inf	-Inf	120.96	3	Horizontal	210	1.80	-	34.20	7.50	34.95			
AV	5.7855G	116.73	Inf	-Inf	109.98	3	Horizontal	210	1.80	-	34.20	7.50	34.95			
PK	5.979G	62.89	68.20	-5.31	55.66	3	Horizontal	210	1.80	-	34.70	7.53	35.00			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5785MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57646G	58.32	74.00	-15.68	48.09	3	Vertical	24	1.80	-	39.79	13.29	42.85			
AV	11.57376G	44.13	54.00	-9.87	33.88	3	Vertical	24	1.80	-	39.80	13.29	42.84			
PK	17.3487G	62.44	68.20	-5.76	47.75	3	Vertical	102	1.94	-	41.28	16.35	42.94			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5785MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56374G	57.31	74.00	-16.69	47.01	3	Horizontal	189	1.71	-	39.85	13.28	42.83			
AV	11.57166G	44.03	54.00	-9.97	33.78	3	Horizontal	189	1.71	-	39.81	13.28	42.84			
PK	17.34652G	62.46	68.20	-5.74	47.79	3	Horizontal	45	2.95	-	41.26	16.35	42.94			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5825MHz_TX

EUT Y_2TX
Setting 30
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.575G	62.99	68.20	-5.21	56.14	3	Vertical	157	1.76	-	34.40	7.33	34.88			
PK	5.8265G	130.94	Inf	-Inf	124.14	3	Vertical	157	1.76	-	34.25	7.51	34.96			
AV	5.8245G	120.46	Inf	-Inf	113.66	3	Vertical	157	1.76	-	34.25	7.51	34.96			
PK	5.931G	63.93	68.20	-4.27	56.78	3	Vertical	157	1.76	-	34.62	7.52	34.99			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5825MHz_TX

EUT Y_2TX
Setting 30
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6355G	63.72	68.20	-4.48	56.94	3	Horizontal	168	1.68	-	34.30	7.38	34.90			
PK	5.8245G	128.77	Inf	-Inf	121.97	3	Horizontal	168	1.68	-	34.25	7.51	34.96			
AV	5.824G	117.84	Inf	-Inf	111.04	3	Horizontal	168	1.68	-	34.25	7.51	34.96			
PK	5.9265G	63.37	68.20	-4.83	56.23	3	Horizontal	168	1.68	-	34.61	7.52	34.99			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5825MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65722G	57.03	74.00	-16.97	47.16	3	Vertical	198	2.43	-	39.49	13.34	42.96			
AV	11.64472G	43.61	54.00	-10.39	33.70	3	Vertical	198	2.43	-	39.52	13.34	42.95			
PK	17.47G	62.04	68.20	-6.16	46.65	3	Vertical	177	2.68	-	42.16	16.36	43.13			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5825MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64214G	57.26	74.00	-16.74	47.34	3	Horizontal	336	1.80	-	39.53	13.33	42.94			
AV	11.6472G	43.68	54.00	-10.32	33.78	3	Horizontal	336	1.80	-	39.51	13.34	42.95			
PK	17.46554G	62.16	68.20	-6.04	46.81	3	Horizontal	242	2.48	-	42.12	16.36	43.13			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 17
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1416G	69.36	74.00	-4.64	58.32	3	Vertical	348	1.19	-	33.58	7.58	30.12			
AV	5.15G	52.12	54.00	-1.88	41.07	3	Vertical	348	1.19	-	33.60	7.58	30.13			
PK	5.1724G	113.01	Inf	-Inf	101.93	3	Vertical	348	1.19	-	33.64	7.58	30.14			
AV	5.1912G	100.75	Inf	-Inf	89.63	3	Vertical	348	1.19	-	33.68	7.59	30.15			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 17
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	67.00	74.00	-7.00	55.95	3	Horizontal	360	1.10	-	33.60	7.58	30.13			
AV	5.15G	53.12	54.00	-0.88	42.07	3	Horizontal	360	1.10	-	33.60	7.58	30.13			
PK	5.1788G	117.12	Inf	-Inf	106.01	3	Horizontal	360	1.10	-	33.66	7.59	30.14			
AV	5.1892G	102.30	Inf	-Inf	91.18	3	Horizontal	360	1.10	-	33.68	7.59	30.15			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37324G	55.11	68.20	-13.09	46.62	3	Vertical	54	1.41	-	39.15	12.43	43.09			
PK	15.56642G	60.45	74.00	-13.55	48.75	3	Vertical	338	2.34	-	37.80	16.17	42.27			
AV	15.56378G	46.96	54.00	-7.04	35.24	3	Vertical	338	2.34	-	37.82	16.17	42.27			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38574G	54.99	68.20	-13.21	46.48	3	Horizontal	141	1.80	-	39.17	12.44	43.10			
PK	15.56724G	60.52	74.00	-13.48	48.82	3	Horizontal	288	1.67	-	37.80	16.17	42.27			
AV	15.56196G	46.90	54.00	-7.10	35.17	3	Horizontal	288	1.67	-	37.83	16.17	42.27			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 26
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1355G	64.40	74.00	-9.60	58.43	3	Vertical	183	1.74	-	33.90	7.00	34.93			
AV	5.1475G	52.64	54.00	-1.36	46.66	3	Vertical	183	1.74	-	33.90	7.01	34.93			
PK	5.2282G	122.42	Inf	-Inf	116.15	3	Vertical	183	1.74	-	34.10	7.08	34.91			
AV	5.2222G	113.69	Inf	-Inf	107.43	3	Vertical	183	1.74	-	34.10	7.08	34.92			
PK	5.3797G	63.57	74.00	-10.43	56.64	3	Vertical	183	1.74	-	34.62	7.19	34.88			
AV	5.3548G	51.54	54.00	-2.46	44.74	3	Vertical	183	1.74	-	34.52	7.17	34.89			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 26
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	64.59	74.00	-9.41	58.61	3	Horizontal	194	1.55	-	33.90	7.01	34.93			
AV	5.1496G	52.77	54.00	-1.23	46.79	3	Horizontal	194	1.55	-	33.90	7.01	34.93			
PK	5.2246G	124.12	Inf	-Inf	117.86	3	Horizontal	194	1.55	-	34.10	7.08	34.92			
AV	5.2243G	113.84	Inf	-Inf	107.58	3	Horizontal	194	1.55	-	34.10	7.08	34.92			
PK	5.3557G	63.68	74.00	-10.32	56.88	3	Horizontal	194	1.55	-	34.52	7.17	34.89			
AV	5.3539G	51.68	54.00	-2.32	44.88	3	Horizontal	194	1.55	-	34.52	7.17	34.89			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46276G	54.63	68.20	-13.57	45.99	3	Vertical	34	2.57	-	39.33	12.49	43.18			
PK	15.68928G	59.22	74.00	-14.78	47.87	3	Vertical	14	1.99	-	37.54	16.18	42.37			
AV	15.6825G	45.35	54.00	-8.65	34.04	3	Vertical	14	1.99	-	37.49	16.18	42.36			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46706G	55.40	68.20	-12.80	46.77	3	Horizontal	43	2.06	-	39.33	12.49	43.19			
PK	15.69134G	58.87	74.00	-15.13	47.51	3	Horizontal	317	1.80	-	37.55	16.18	42.37			
AV	15.68222G	45.22	54.00	-8.78	33.91	3	Horizontal	317	1.80	-	37.49	16.18	42.36			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5270MHz_TX

EUT Y_2TX
Setting 26
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1479G	62.59	74.00	-11.41	56.61	3	Vertical	197	1.78	-	33.90	7.01	34.93			
AV	5.1434G	50.45	54.00	-3.55	44.47	3	Vertical	197	1.78	-	33.90	7.01	34.93			
PK	5.2613G	127.19	Inf	-Inf	120.83	3	Vertical	197	1.78	-	34.17	7.10	34.91			
AV	5.2577G	114.30	Inf	-Inf	107.96	3	Vertical	197	1.78	-	34.15	7.10	34.91			
PK	5.354G	64.23	74.00	-9.77	57.43	3	Vertical	197	1.78	-	34.52	7.17	34.89			
AV	5.351G	52.28	54.00	-1.72	45.50	3	Vertical	197	1.78	-	34.50	7.17	34.89			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5270MHz_TX

EUT Y_2TX
Setting 26
03-W-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	63.94	74.00	-10.06	57.96	3	Horizontal	179	1.80	-	33.90	7.01	34.93			
AV	5.1467G	50.86	54.00	-3.14	44.88	3	Horizontal	179	1.80	-	33.90	7.01	34.93			
PK	5.267G	125.64	Inf	-Inf	119.24	3	Horizontal	179	1.80	-	34.20	7.11	34.91			
AV	5.2538G	114.94	Inf	-Inf	108.63	3	Horizontal	179	1.80	-	34.12	7.10	34.91			
PK	5.3777G	64.39	74.00	-9.61	57.48	3	Horizontal	179	1.80	-	34.61	7.18	34.88			
AV	5.35G	52.57	54.00	-1.43	45.79	3	Horizontal	179	1.80	-	34.50	7.17	34.89			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5270MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5317G	55.25	68.20	-12.95	46.51	3	Vertical	90	2.84	-	39.40	12.54	43.20			
PK	15.80486G	57.17	74.00	-16.83	45.97	3	Vertical	137	2.99	-	37.47	16.19	42.46			
AV	15.80324G	44.10	54.00	-9.90	32.89	3	Vertical	137	2.99	-	37.48	16.19	42.46			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5270MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53946G	55.27	68.20	-12.93	46.52	3	Horizontal	201	2.99	-	39.40	12.55	43.20			
PK	15.81336G	58.13	74.00	-15.87	46.98	3	Horizontal	307	1.69	-	37.42	16.19	42.46			
AV	15.80844G	44.13	54.00	-9.87	32.95	3	Horizontal	307	1.69	-	37.45	16.19	42.46			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5310MHz_TX

EUT Y_2TX
Setting 18
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.308G	116.23	Inf	-Inf	111.80	3	Vertical	14	1.78	-	31.22	6.97	33.76			
AV	5.311G	103.53	Inf	-Inf	99.10	3	Vertical	14	1.78	-	31.22	6.97	33.76			
PK	5.3532G	66.17	74.00	-7.83	61.64	3	Vertical	14	1.78	-	31.31	6.99	33.77			
AV	5.35G	51.85	54.00	-2.15	47.33	3	Vertical	14	1.78	-	31.30	6.99	33.77			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 18
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.307G	116.65	Inf	-Inf	112.23	3	Horizontal	360	1.80	-	31.21	6.97	33.76			
AV	5.3092G	104.25	Inf	-Inf	99.82	3	Horizontal	360	1.80	-	31.22	6.97	33.76			
PK	5.3526G	73.76	74.00	-0.24	69.23	3	Horizontal	360	1.80	-	31.31	6.99	33.77			
AV	5.35G	53.15	54.00	-0.85	48.63	3	Horizontal	360	1.80	-	31.30	6.99	33.77			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5310MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60953G	57.86	74.00	-16.14	48.99	3	Vertical	190	1.80	-	39.42	12.60	43.15			
AV	10.63446G	44.04	54.00	-9.96	35.10	3	Vertical	190	1.80	-	39.47	12.61	43.14			
PK	15.94416G	59.38	74.00	-14.62	48.63	3	Vertical	139	1.97	-	37.12	16.20	42.57			
AV	15.9417G	46.20	54.00	-7.80	35.43	3	Vertical	139	1.97	-	37.13	16.20	42.56			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62708G	57.24	74.00	-16.76	48.32	3	Horizontal	219	1.34	-	39.45	12.61	43.14			
AV	10.60512G	43.68	54.00	-10.32	34.83	3	Horizontal	219	1.34	-	39.41	12.59	43.15			
PK	15.9351G	59.90	74.00	-14.10	49.10	3	Horizontal	46	1.80	-	37.16	16.20	42.56			
AV	15.94485G	46.46	54.00	-7.54	35.71	3	Horizontal	46	1.80	-	37.12	16.20	42.57			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5510MHz_TX

EUT Y_2TX
Setting 19
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4466G	70.26	74.00	-3.74	58.87	3	Vertical	10	1.49	-	33.90	7.77	30.28			
PK	5.4696G	64.55	68.20	-3.65	53.12	3	Vertical	10	1.49	-	33.94	7.78	30.29			
AV	5.46G	50.22	54.00	-3.78	38.81	3	Vertical	10	1.49	-	33.92	7.78	30.29			
PK	5.4962G	113.56	Inf	-Inf	102.08	3	Vertical	10	1.49	-	33.99	7.80	30.31			
AV	5.5106G	101.22	Inf	-Inf	89.70	3	Vertical	10	1.49	-	34.02	7.81	30.31			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 19
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.448G	66.60	74.00	-7.40	55.21	3	Horizontal	0	1.08	-	33.90	7.77	30.28			
PK	5.47G	66.00	68.20	-2.20	54.57	3	Horizontal	0	1.08	-	33.94	7.78	30.29			
PK	5.509G	116.60	Inf	-Inf	105.08	3	Horizontal	0	1.08	-	34.02	7.81	30.31			
AV	5.509G	103.65	Inf	-Inf	92.13	3	Horizontal	0	1.08	-	34.02	7.81	30.31			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5510MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01601G	57.40	74.00	-16.60	47.44	3	Vertical	213	1.25	-	39.97	12.89	42.90			
AV	11.01943G	44.17	54.00	-9.83	34.22	3	Vertical	213	1.25	-	39.96	12.89	42.90			
PK	16.54158G	63.02	68.20	-5.18	49.89	3	Vertical	236	1.05	-	39.02	16.26	42.15			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5510MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00713G	58.76	74.00	-15.24	48.80	3	Horizontal	193	1.80	-	39.99	12.88	42.91			
AV	11.01547G	44.30	54.00	-9.70	34.34	3	Horizontal	193	1.80	-	39.97	12.89	42.90			
PK	16.52349G	62.48	68.20	-5.72	49.31	3	Horizontal	55	2.28	-	39.05	16.26	42.14			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5550MHz_TX

EUT Y_2TX
Setting 26
06-U-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4324G	65.33	74.00	-8.67	60.60	3	Vertical	153.9	1.80	-	31.46	7.06	33.79			
PK	5.469G	65.58	68.20	-2.62	60.68	3	Vertical	153.9	1.80	-	31.58	7.12	33.80			
AV	5.4576G	52.43	54.00	-1.57	47.59	3	Vertical	153.9	1.80	-	31.53	7.11	33.80			
PK	5.5515G	123.48	Inf	-Inf	118.32	3	Vertical	153.9	1.80	-	31.70	7.26	33.80			
AV	5.5509G	111.09	Inf	-Inf	105.93	3	Vertical	153.9	1.80	-	31.70	7.26	33.80			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5550MHz_TX

EUT Y_2TX
Setting 26
06-U-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4294G	66.14	74.00	-7.86	61.41	3	Horizontal	174.9	1.80	-	31.46	7.06	33.79			
PK	5.469G	65.91	68.20	-2.29	61.01	3	Horizontal	174.9	1.80	-	31.58	7.12	33.80			
AV	5.4591G	52.81	54.00	-1.19	47.96	3	Horizontal	174.9	1.80	-	31.54	7.11	33.80			
PK	5.5482G	122.98	Inf	-Inf	117.83	3	Horizontal	174.9	1.80	-	31.70	7.25	33.80			
AV	5.5491G	111.33	Inf	-Inf	106.17	3	Horizontal	174.9	1.80	-	31.70	7.26	33.80			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5550MHz_TX

EUT Y_2TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08794G	57.94	74.00	-16.06	48.13	3	Vertical	195	1.72	-	39.75	12.94	42.88			
AV	11.09229G	44.27	54.00	-9.73	34.48	3	Vertical	195	1.72	-	39.73	12.94	42.88			
PK	16.63503G	63.07	68.20	-5.13	49.96	3	Vertical	123	1.14	-	39.04	16.27	42.20			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11098G	57.98	74.00	-16.02	48.24	3	Horizontal	30	1.61	-	39.66	12.95	42.87			
AV	11.08641G	44.36	54.00	-9.64	34.55	3	Horizontal	30	1.61	-	39.75	12.94	42.88			
PK	16.65219G	62.07	68.20	-6.13	48.91	3	Horizontal	3	1.59	-	39.10	16.27	42.21			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT Y_2TX
Setting 25
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6612G	124.88	Inf	-Inf	113.16	3	Vertical	337	1.48	-	34.00	7.97	30.25			
AV	5.6708G	110.49	Inf	-Inf	98.76	3	Vertical	337	1.48	-	34.00	7.98	30.25			
PK	5.7568G	67.10	68.20	-1.10	55.19	3	Vertical	337	1.48	-	34.00	8.13	30.22			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 25
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6648G	123.47	Inf	-Inf	111.75	3	Horizontal	8	1.19	-	34.00	7.97	30.25			
AV	5.6686G	108.94	Inf	-Inf	97.21	3	Horizontal	8	1.19	-	34.00	7.98	30.25			
PK	5.7252G	65.36	68.20	-2.84	53.51	3	Horizontal	8	1.19	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35125G	57.17	74.00	-16.83	47.03	3	Vertical	327	2.87	-	39.80	13.13	42.79			
AV	11.32863G	44.26	54.00	-9.74	34.24	3	Vertical	327	2.87	-	39.71	13.11	42.80			
PK	17.02041G	62.45	68.20	-5.75	48.58	3	Vertical	160	2.85	-	39.98	16.31	42.42			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34873G	57.91	74.00	-16.09	47.79	3	Horizontal	93	2.96	-	39.79	13.12	42.79			
AV	11.32629G	44.20	54.00	-9.80	34.18	3	Horizontal	93	2.96	-	39.71	13.11	42.80			
PK	16.99626G	62.89	68.20	-5.31	49.07	3	Horizontal	309	1.17	-	39.90	16.31	42.39			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 30
06-U-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7088G	127.28	Inf	-Inf	121.71	3	Vertical	162	1.80	-	32.00	7.35	33.78			
AV	5.7112G	114.28	Inf	-Inf	108.71	3	Vertical	162	1.80	-	32.00	7.35	33.78			
PK	5.8584G	66.53	68.20	-1.67	60.72	3	Vertical	162	1.80	-	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 30
06-U-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7108G	125.87	Inf	-Inf	120.30	3	Horizontal	167	1.80	-	32.00	7.35	33.78			
AV	5.7088G	113.43	Inf	-Inf	107.86	3	Horizontal	167	1.80	-	32.00	7.35	33.78			
PK	5.894G	66.47	68.20	-1.73	60.52	3	Horizontal	167	1.80	-	32.19	7.52	33.76			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4137G	57.33	74.00	-16.67	47.03	3	Vertical	327	2.68	-	39.90	13.17	42.77			
AV	11.42099G	44.53	54.00	-9.47	34.22	3	Vertical	327	2.68	-	39.90	13.18	42.77			
PK	17.13225G	62.72	68.20	-5.48	48.74	3	Vertical	84	1.80	-	40.26	16.32	42.60			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43473G	57.55	74.00	-16.45	47.22	3	Horizontal	190	1.80	-	39.90	13.19	42.76			
AV	11.4098G	44.37	54.00	-9.63	34.07	3	Horizontal	190	1.80	-	39.90	13.17	42.77			
PK	17.11764G	61.85	68.20	-6.35	47.97	3	Horizontal	96	2.72	-	40.14	16.32	42.58			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT Y_2TX
Setting 28
06-U-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.593G	65.92	68.20	-2.28	60.78	3	Vertical	154.9	1.80	-	31.61	7.33	33.80			
PK	5.757G	125.09	Inf	-Inf	119.52	3	Vertical	154.9	1.80	-	32.00	7.35	33.78			
AV	5.756G	112.64	Inf	-Inf	107.07	3	Vertical	154.9	1.80	-	32.00	7.35	33.78			
PK	5.9585G	66.90	68.20	-1.30	60.69	3	Vertical	154.9	1.80	-	32.32	7.64	33.75			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT Y_2TX
Setting 28
06-U-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.605G	66.97	68.20	-1.23	61.82	3	Horizontal	172	1.77	-	31.61	7.34	33.80			
PK	5.758G	123.65	Inf	-Inf	118.08	3	Horizontal	172	1.77	-	32.00	7.35	33.78			
AV	5.754G	110.86	Inf	-Inf	105.29	3	Horizontal	172	1.77	-	32.00	7.35	33.78			
PK	5.993G	66.75	68.20	-1.45	60.41	3	Horizontal	172	1.77	-	32.39	7.70	33.75			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50208G	58.04	74.00	-15.96	47.55	3	Vertical	284	1.60	-	40.00	13.23	42.74			
AV	11.50754G	44.58	54.00	-9.42	34.11	3	Vertical	284	1.60	-	39.98	13.24	42.75			
PK	17.25909G	62.64	68.20	-5.56	48.48	3	Vertical	318	2.67	-	40.62	16.34	42.80			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50685G	58.12	74.00	-15.88	47.64	3	Horizontal	236	1.80	-	39.99	13.24	42.75			
AV	11.50733G	44.62	54.00	-9.38	34.14	3	Horizontal	236	1.80	-	39.99	13.24	42.75			
PK	17.27283G	62.61	68.20	-5.59	48.44	3	Horizontal	226	3.00	-	40.65	16.34	42.82			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT Y_2TX
Setting 28
06-U-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	66.71	68.20	-1.49	61.46	3	Vertical	210	1.50	-	31.70	7.34	33.79			
PK	5.7975G	124.99	Inf	-Inf	119.41	3	Vertical	210	1.50	-	32.00	7.35	33.77			
AV	5.796G	112.82	Inf	-Inf	107.24	3	Vertical	210	1.50	-	32.00	7.35	33.77			
PK	5.944G	66.99	68.20	-1.21	60.85	3	Vertical	210	1.50	-	32.29	7.61	33.76			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT Y_2TX
Setting 28
06-U-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5525G	67.09	68.20	-1.11	61.94	3	Horizontal	169	1.65	-	31.69	7.26	33.80			
PK	5.7925G	123.99	Inf	-Inf	118.41	3	Horizontal	169	1.65	-	32.00	7.35	33.77			
AV	5.796G	111.16	Inf	-Inf	105.58	3	Horizontal	169	1.65	-	32.00	7.35	33.77			
PK	6.0335G	67.14	68.20	-1.06	60.71	3	Horizontal	169	1.65	-	32.47	7.69	33.73			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5828G	57.78	74.00	-16.22	47.58	3	Vertical	127	2.82	-	39.77	13.29	42.86			
AV	11.57725G	44.36	54.00	-9.64	34.13	3	Vertical	127	2.82	-	39.79	13.29	42.85			
PK	17.38788G	62.98	68.20	-5.22	48.03	3	Vertical	122	1.80	-	41.60	16.35	43.00			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57911G	57.68	74.00	-16.32	47.46	3	Horizontal	214	1.74	-	39.78	13.29	42.85			
AV	11.58013G	44.40	54.00	-9.60	34.18	3	Horizontal	214	1.74	-	39.78	13.29	42.85			
PK	17.3811G	62.74	68.20	-5.46	47.83	3	Horizontal	359	1.80	-	41.55	16.35	42.99			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 17
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	64.84	74.00	-9.16	53.80	3	Vertical	343	1.46	-	33.59	7.58	30.13			
AV	5.149G	51.96	54.00	-2.04	40.91	3	Vertical	343	1.46	-	33.60	7.58	30.13			
PK	5.172G	111.21	Inf	-Inf	100.13	3	Vertical	343	1.46	-	33.64	7.58	30.14			
AV	5.2115G	97.16	Inf	-Inf	86.02	3	Vertical	343	1.46	-	33.70	7.60	30.16			
PK	5.4465G	61.82	74.00	-12.18	50.43	3	Vertical	343	1.46	-	33.90	7.77	30.28			
AV	5.437G	49.08	54.00	-4.92	37.70	3	Vertical	343	1.46	-	33.90	7.76	30.28			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5210MHz_TX

EUT Y_2TX
Setting 17
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1465G	65.53	74.00	-8.47	54.49	3	Horizontal	356	1.49	-	33.59	7.58	30.13			
AV	5.15G	52.60	54.00	-1.40	41.55	3	Horizontal	356	1.49	-	33.60	7.58	30.13			
PK	5.179G	116.82	Inf	-Inf	105.71	3	Horizontal	356	1.49	-	33.66	7.59	30.14			
AV	5.211G	97.84	Inf	-Inf	86.70	3	Horizontal	356	1.49	-	33.70	7.60	30.16			
PK	5.4135G	62.62	74.00	-11.38	51.24	3	Horizontal	356	1.49	-	33.90	7.75	30.27			
AV	5.356G	49.15	54.00	-4.85	37.78	3	Horizontal	356	1.49	-	33.90	7.71	30.24			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5210MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40749G	55.90	68.20	-12.30	47.37	3	Vertical	58	1.80	-	39.21	12.45	43.13			
PK	15.63111G	60.74	74.00	-13.26	49.47	3	Vertical	342	2.94	-	37.41	16.18	42.32			
AV	15.61554G	46.79	54.00	-7.21	35.41	3	Vertical	342	2.94	-	37.51	16.18	42.31			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5210MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41289G	55.70	68.20	-12.50	47.14	3	Horizontal	22	1.22	-	39.23	12.46	43.13			
PK	15.63525G	60.32	74.00	-13.68	49.08	3	Horizontal	82	1.80	-	37.39	16.18	42.33			
AV	15.61623G	46.83	54.00	-7.17	35.46	3	Horizontal	82	1.80	-	37.50	16.18	42.31			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 19
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.096G	58.44	74.00	-15.56	53.57	3	Vertical	18	1.61	-	31.69	6.88	33.70			
AV	5.15G	44.86	54.00	-9.14	39.77	3	Vertical	18	1.61	-	31.90	6.91	33.72			
PK	5.286G	112.94	Inf	-Inf	108.50	3	Vertical	18	1.61	-	31.23	6.96	33.75			
AV	5.288G	100.94	Inf	-Inf	96.51	3	Vertical	18	1.61	-	31.22	6.97	33.76			
PK	5.3552G	65.42	74.00	-8.58	60.89	3	Vertical	18	1.61	-	31.31	6.99	33.77			
AV	5.35G	52.74	54.00	-1.26	48.22	3	Vertical	18	1.61	-	31.30	6.99	33.77			
PK	5.4784G	58.19	68.20	-10.01	53.24	3	Vertical	18	1.61	-	31.61	7.14	33.80			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5290MHz_TX

EUT Y_2TX
Setting 19
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1056G	58.26	74.00	-15.74	53.36	3	Horizontal	351	2.00	-	31.72	6.89	33.71			
AV	5.1496G	44.91	54.00	-9.09	39.82	3	Horizontal	351	2.00	-	31.90	6.91	33.72			
PK	5.2908G	114.18	Inf	-Inf	109.75	3	Horizontal	351	2.00	-	31.22	6.97	33.76			
AV	5.2908G	100.92	Inf	-Inf	96.49	3	Horizontal	351	2.00	-	31.22	6.97	33.76			
PK	5.3564G	66.85	74.00	-7.15	62.32	3	Horizontal	351	2.00	-	31.31	6.99	33.77			
AV	5.3508G	53.24	54.00	-0.76	48.72	3	Horizontal	351	2.00	-	31.30	6.99	33.77			
PK	5.4644G	57.97	68.20	-10.23	53.09	3	Horizontal	351	2.00	-	31.56	7.12	33.80			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59479G	56.65	68.20	-11.55	47.82	3	Vertical	-0	1.80	-	39.40	12.59	43.16			
PK	15.87549G	58.39	74.00	-15.61	47.46	3	Vertical	360	1.80	-	37.25	16.19	42.51			
AV	15.88479G	44.70	54.00	-9.30	33.76	3	Vertical	360	1.80	-	37.27	16.19	42.52			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5290MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58858G	56.03	68.20	-12.17	47.22	3	Horizontal	332	2.08	-	39.40	12.58	43.17			
PK	15.88464G	58.36	74.00	-15.64	47.42	3	Horizontal	7	2.53	-	37.27	16.19	42.52			
AV	15.88101G	45.04	54.00	-8.96	34.11	3	Horizontal	7	2.53	-	37.26	16.19	42.52			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 19
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.319G	59.51	68.20	-8.69	55.05	3	Vertical	347	1.80	-	31.24	6.98	33.76			
PK	5.459G	64.81	74.00	-9.19	59.96	3	Vertical	347	1.80	-	31.54	7.11	33.80			
AV	5.4595G	51.93	54.00	-2.07	47.08	3	Vertical	347	1.80	-	31.54	7.11	33.80			
PK	5.467G	65.53	68.20	-2.67	60.64	3	Vertical	347	1.80	-	31.57	7.12	33.80			
PK	5.5015G	119.29	Inf	-Inf	114.22	3	Vertical	347	1.80	-	31.70	7.18	33.81			
AV	5.5285G	101.04	Inf	-Inf	95.93	3	Vertical	347	1.80	-	31.70	7.22	33.81			
PK	5.7305G	58.14	68.20	-10.06	52.57	3	Vertical	347	1.80	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5530MHz_TX

EUT Y_2TX
Setting 19
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3185G	60.09	68.20	-8.11	55.63	3	Horizontal	0	1.80	-	31.24	6.98	33.76			
PK	5.4575G	65.91	74.00	-8.09	61.08	3	Horizontal	0	1.80	-	31.53	7.10	33.80			
AV	5.4595G	52.94	54.00	-1.06	48.09	3	Horizontal	0	1.80	-	31.54	7.11	33.80			
PK	5.469G	67.44	68.20	-0.76	62.54	3	Horizontal	0	1.80	-	31.58	7.12	33.80			
PK	5.526G	114.37	Inf	-Inf	109.26	3	Horizontal	0	1.80	-	31.70	7.22	33.81			
AV	5.531G	101.13	Inf	-Inf	96.01	3	Horizontal	0	1.80	-	31.70	7.23	33.81			
PK	5.7705G	58.88	68.20	-9.32	53.31	3	Horizontal	0	1.80	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5530MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05052G	57.54	74.00	-16.46	47.62	3	Vertical	110	1.80	-	39.90	12.91	42.89			
AV	11.07308G	43.77	54.00	-10.23	33.92	3	Vertical	110	1.80	-	39.81	12.93	42.89			
PK	16.58334G	62.17	68.20	-6.03	49.15	3	Vertical	360	1.80	-	38.93	16.26	42.17			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5530MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05427G	57.34	74.00	-16.66	47.44	3	Horizontal	132	1.80	-	39.88	12.91	42.89			
AV	11.06639G	43.77	54.00	-10.23	33.91	3	Horizontal	132	1.80	-	39.83	12.92	42.89			
PK	16.58184G	62.73	68.20	-5.47	49.70	3	Horizontal	315	1.77	-	38.94	16.26	42.17			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT Y_2TX
Setting 27
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.432G	65.13	74.00	-8.87	60.40	3	Vertical	157	1.65	-	31.46	7.06	33.79			
PK	5.4616G	65.67	68.20	-2.53	60.81	3	Vertical	157	1.65	-	31.55	7.11	33.80			
AV	5.4584G	51.86	54.00	-2.14	47.02	3	Vertical	157	1.65	-	31.53	7.11	33.80			
PK	5.6108G	122.33	Inf	-Inf	117.17	3	Vertical	157	1.65	-	31.62	7.34	33.80			
AV	5.6088G	108.71	Inf	-Inf	103.55	3	Vertical	157	1.65	-	31.62	7.34	33.80			
PK	5.7372G	67.14	68.20	-1.06	61.57	3	Vertical	157	1.65	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT Y_2TX
Setting 27
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4544G	66.79	74.00	-7.21	61.97	3	Horizontal	160	1.77	-	31.52	7.10	33.80			
AV	5.4592G	52.96	54.00	-1.04	48.11	3	Horizontal	160	1.77	-	31.54	7.11	33.80			
PK	5.4696G	66.72	68.20	-1.48	61.82	3	Horizontal	160	1.77	-	31.58	7.12	33.80			
PK	5.584G	124.35	Inf	-Inf	119.21	3	Horizontal	160	1.77	-	31.63	7.31	33.80			
AV	5.6092G	108.17	Inf	-Inf	103.01	3	Horizontal	160	1.77	-	31.62	7.34	33.80			
PK	5.7544G	65.66	68.20	-2.54	60.09	3	Horizontal	160	1.77	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21697G	57.30	74.00	-16.70	47.68	3	Vertical	123	1.42	-	39.43	13.03	42.84			
AV	11.2104G	43.95	54.00	-10.05	34.34	3	Vertical	123	1.42	-	39.42	13.03	42.84			
PK	16.84476G	62.20	68.20	-6.00	47.96	3	Vertical	130	1.80	-	40.26	16.29	42.31			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21727G	57.55	74.00	-16.45	47.93	3	Horizontal	239	1.80	-	39.43	13.03	42.84			
AV	11.22204G	44.05	54.00	-9.95	34.41	3	Horizontal	239	1.80	-	39.44	13.03	42.83			
PK	16.83669G	61.90	68.20	-6.30	47.73	3	Horizontal	212	1.67	-	40.19	16.29	42.31			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 29
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.449G	62.70	74.00	-11.30	57.91	3	Vertical	160	1.77	-	31.50	7.09	33.80			
PK	5.465G	63.11	68.20	-5.09	58.23	3	Vertical	160	1.77	-	31.56	7.12	33.80			
AV	5.46G	49.53	54.00	-4.47	44.68	3	Vertical	160	1.77	-	31.54	7.11	33.80			
PK	5.693G	123.41	Inf	-Inf	117.90	3	Vertical	160	1.77	-	31.96	7.34	33.79			
AV	5.6885G	110.33	Inf	-Inf	104.85	3	Vertical	160	1.77	-	31.93	7.34	33.79			
PK	5.855G	66.96	68.20	-1.24	61.17	3	Vertical	160	1.77	-	32.11	7.45	33.77			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 29
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4505G	64.15	74.00	-9.85	59.36	3	Horizontal	162	1.80	-	31.50	7.09	33.80			
AV	5.4575G	51.10	54.00	-2.90	46.27	3	Horizontal	162	1.80	-	31.53	7.10	33.80			
PK	5.4685G	65.56	68.20	-2.64	60.67	3	Horizontal	162	1.80	-	31.57	7.12	33.80			
PK	5.693G	122.07	Inf	-Inf	116.56	3	Horizontal	162	1.80	-	31.96	7.34	33.79			
AV	5.692G	108.90	Inf	-Inf	103.40	3	Horizontal	162	1.80	-	31.95	7.34	33.79			
PK	5.854G	64.42	68.20	-3.78	58.63	3	Horizontal	162	1.80	-	32.11	7.45	33.77			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38105G	57.76	74.00	-16.24	47.53	3	Vertical	301	2.03	-	39.86	13.15	42.78			
AV	11.39347G	44.44	54.00	-9.56	34.17	3	Vertical	301	2.03	-	39.89	13.16	42.78			
PK	17.06406G	62.54	68.20	-5.66	48.64	3	Vertical	14	2.60	-	40.07	16.32	42.49			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37289G	58.09	74.00	-15.91	47.88	3	Horizontal	223	1.80	-	39.85	13.14	42.78			
AV	11.39287G	44.47	54.00	-9.53	34.20	3	Horizontal	223	1.80	-	39.89	13.16	42.78			
PK	17.07504G	61.85	68.20	-6.35	47.99	3	Horizontal	23	2.76	-	40.05	16.32	42.51			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 27
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.646G	66.92	68.20	-1.28	61.68	3	Vertical	162	1.80	-	31.69	7.34	33.79			
PK	5.782G	121.45	Inf	-Inf	115.88	3	Vertical	162	1.80	-	32.00	7.35	33.78			
AV	5.7735G	108.82	Inf	-Inf	103.25	3	Vertical	162	1.80	-	32.00	7.35	33.78			
PK	5.929G	62.66	68.20	-5.54	56.58	3	Vertical	162	1.80	-	32.26	7.58	33.76			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5775MHz_TX

EUT Y_2TX
Setting 27
06-U-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	67.04	68.20	-1.16	61.79	3	Horizontal	175	1.80	-	31.70	7.34	33.79			
PK	5.7775G	119.81	Inf	-Inf	114.24	3	Horizontal	175	1.80	-	32.00	7.35	33.78			
AV	5.776G	106.87	Inf	-Inf	101.30	3	Horizontal	175	1.80	-	32.00	7.35	33.78			
PK	5.93G	62.41	68.20	-5.79	56.33	3	Horizontal	175	1.80	-	32.26	7.58	33.76			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5775MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55741G	57.95	74.00	-16.05	47.63	3	Vertical	360	1.80	-	39.87	13.27	42.82			
AV	11.5635G	44.35	54.00	-9.65	34.05	3	Vertical	360	1.80	-	39.85	13.28	42.83			
PK	17.33544G	62.95	68.20	-5.25	48.39	3	Vertical	232	2.97	-	41.13	16.35	42.92			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5775MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5419G	57.99	74.00	-16.01	47.61	3	Horizontal	209	1.80	-	39.92	13.26	42.80			
AV	11.56314G	44.30	54.00	-9.70	34.00	3	Horizontal	209	1.80	-	39.85	13.28	42.83			
PK	17.33088G	62.41	68.20	-5.79	47.90	3	Horizontal	117	2.43	-	41.07	16.35	42.91			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_2TX
Setting 18
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1265G	68.02	74.00	-5.98	63.02	3	Vertical	0	1.80	-	31.81	6.90	33.71			
AV	5.143G	52.05	54.00	-1.95	47.00	3	Vertical	0	1.80	-	31.87	6.90	33.72			
AV	5.1815G	96.58	Inf	-Inf	91.68	3	Vertical	0	1.80	-	31.71	6.92	33.73			
PK	5.2395G	108.55	Inf	-Inf	103.98	3	Vertical	0	1.80	-	31.36	6.95	33.74			
PK	5.356G	60.86	74.00	-13.14	56.33	3	Vertical	0	1.80	-	31.31	6.99	33.77			
AV	5.35G	48.96	54.00	-5.04	44.44	3	Vertical	0	1.80	-	31.30	6.99	33.77			
PK	5.473G	58.29	68.20	-9.91	53.37	3	Vertical	0	1.80	-	31.59	7.13	33.80			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 18
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1135G	70.45	74.00	-3.55	65.52	3	Horizontal	358	1.80	-	31.75	6.89	33.71			
AV	5.142G	53.56	54.00	-0.44	48.51	3	Horizontal	358	1.80	-	31.87	6.90	33.72			
PK	5.2475G	110.19	Inf	-Inf	105.66	3	Horizontal	358	1.80	-	31.32	6.95	33.74			
AV	5.252G	97.50	Inf	-Inf	93.00	3	Horizontal	358	1.80	-	31.30	6.95	33.75			
PK	5.351G	64.62	74.00	-9.38	60.10	3	Horizontal	358	1.80	-	31.30	6.99	33.77			
AV	5.3505G	51.09	54.00	-2.91	46.57	3	Horizontal	358	1.80	-	31.30	6.99	33.77			
PK	5.467G	59.86	68.20	-8.34	54.97	3	Horizontal	358	1.80	-	31.57	7.12	33.80			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50669G	56.55	68.20	-11.65	47.85	3	Vertical	146	1.80	-	39.40	12.52	43.22			
PK	15.73785G	59.50	74.00	-14.50	48.05	3	Vertical	1	1.04	-	37.68	16.18	42.41			
AV	15.73626G	45.82	54.00	-8.18	34.37	3	Vertical	1	1.04	-	37.67	16.18	42.40			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49682G	56.43	68.20	-11.77	47.74	3	Horizontal	142	2.95	-	39.39	12.52	43.22			
PK	15.73782G	59.06	74.00	-14.94	47.61	3	Horizontal	152	1.80	-	37.68	16.18	42.41			
AV	15.73896G	45.81	54.00	-8.19	34.36	3	Horizontal	152	1.80	-	37.68	16.18	42.41			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


5570MHz_TX

EUT Y_2TX
Setting 17
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2268G	62.20	68.20	-6.00	66.07	3	Vertical	353	1.80	-	31.54	8.43	43.84			
PK	5.438G	66.59	74.00	-7.41	70.24	3	Vertical	353	1.80	-	31.55	8.53	43.73			
PK	5.4644G	64.60	68.20	-3.60	68.10	3	Vertical	353	1.80	-	31.66	8.56	43.72			
AV	5.4596G	52.50	54.00	-1.50	56.03	3	Vertical	353	1.80	-	31.64	8.55	43.72			
PK	5.5068G	113.66	Inf	-Inf	116.96	3	Vertical	353	1.80	-	31.79	8.60	43.69			
AV	5.5684G	93.63	Inf	-Inf	96.93	3	Vertical	353	1.80	-	31.66	8.67	43.63			
PK	5.782G	66.88	68.20	-1.32	69.31	3	Vertical	353	1.80	-	32.10	8.89	43.42			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
Setting 17
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3452G	61.72	68.20	-6.48	65.65	3	Horizontal	343	1.80	-	31.38	8.47	43.78			
PK	5.434G	70.50	74.00	-3.50	74.16	3	Horizontal	343	1.80	-	31.54	8.53	43.73			
PK	5.466G	66.41	68.20	-1.79	69.91	3	Horizontal	343	1.80	-	31.66	8.56	43.72			
AV	5.4588G	53.07	54.00	-0.93	56.60	3	Horizontal	343	1.80	-	31.64	8.55	43.72			
PK	5.4924G	105.55	Inf	-Inf	108.89	3	Horizontal	343	1.80	-	31.77	8.59	43.70			
AV	5.5036G	94.85	Inf	-Inf	98.16	3	Horizontal	343	1.80	-	31.79	8.60	43.70			
PK	5.8452G	61.26	68.20	-6.94	63.55	3	Horizontal	343	1.80	-	32.10	8.96	43.35			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


5570MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1289G	57.83	74.00	-16.17	48.15	3	Vertical	299	1.80	-	39.58	12.97	42.87			
AV	11.14615G	44.20	54.00	-9.80	34.56	3	Vertical	299	1.80	-	39.52	12.98	42.86			
PK	16.70913G	62.66	68.20	-5.54	49.37	3	Vertical	195	2.95	-	39.25	16.28	42.24			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


5570MHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1415G	58.12	74.00	-15.88	48.47	3	Horizontal	1	1.80	-	39.53	12.98	42.86			
AV	11.14612G	44.20	54.00	-9.80	34.56	3	Horizontal	1	1.80	-	39.52	12.98	42.86			
PK	16.70559G	62.20	68.20	-6.00	48.93	3	Horizontal	350	1.05	-	39.23	16.28	42.24			

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 17
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.254G	64.64	68.20	-3.56	53.48	3	Vertical	332	1.28	-	33.71	7.63	30.18			
PK	5.4516G	67.37	74.00	-6.63	55.98	3	Vertical	332	1.28	-	33.90	7.77	30.28			
AV	5.4324G	52.24	54.00	-1.76	40.85	3	Vertical	332	1.28	-	33.90	7.76	30.27			
PK	5.462G	66.42	68.20	-1.78	55.01	3	Vertical	332	1.28	-	33.92	7.78	30.29			
PK	5.602G	114.06	Inf	-Inf	102.47	3	Vertical	332	1.28	-	34.00	7.86	30.27			
AV	5.6532G	92.70	Inf	-Inf	81.00	3	Vertical	332	1.28	-	34.00	7.95	30.25			
PK	5.8692G	63.63	68.20	-4.57	51.65	3	Vertical	332	1.28	-	33.98	8.18	30.18			

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX


5610MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 17
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3148G	66.10	68.20	-2.10	54.80	3	Horizontal	0	1.04	-	33.83	7.68	30.21			
PK	5.454G	68.09	74.00	-5.91	56.70	3	Horizontal	0	1.04	-	33.91	7.77	30.29			
AV	5.422G	52.69	54.00	-1.31	41.31	3	Horizontal	0	1.04	-	33.90	7.75	30.27			
PK	5.4652G	67.06	68.20	-1.14	55.64	3	Horizontal	0	1.04	-	33.93	7.78	30.29			
PK	5.5028G	104.73	Inf	-Inf	93.23	3	Horizontal	0	1.04	-	34.01	7.80	30.31			
AV	5.494G	92.85	Inf	-Inf	81.37	3	Horizontal	0	1.04	-	33.99	7.80	30.31			
PK	5.8788G	63.14	68.20	-5.06	51.12	3	Horizontal	0	1.04	-	34.02	8.17	30.17			

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX


5610MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23266G	57.82	74.00	-16.18	48.14	3	Vertical	230	1.80	-	39.47	13.04	42.83			
AV	11.21112G	44.14	54.00	-9.86	34.53	3	Vertical	230	1.80	-	39.42	13.03	42.84			
PK	16.83888G	62.32	68.20	-5.88	48.13	3	Vertical	307	1.63	-	40.21	16.29	42.31			

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 30
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21115G	57.91	74.00	-16.09	48.30	3	Horizontal	114	1.80	-	39.42	13.03	42.84			
AV	11.20932G	44.03	54.00	-9.97	34.43	3	Horizontal	114	1.80	-	39.42	13.02	42.84			
PK	16.82862G	62.17	68.20	-6.03	48.05	3	Horizontal	155	1.78	-	40.13	16.29	42.30			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.4596G	52.97	54.00	-1.03	3	Vertical	139	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
Setting 24
04-E-5-5-13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	65.60	74.00	-8.40	69.09	3	Vertical	175.1	1.85	-	32.00	8.39	43.88			
AV	5.15G	52.80	54.00	-1.20	56.28	3	Vertical	175.1	1.85	-	32.00	8.39	43.87			
PK	5.1806G	122.79	Inf	-Inf	126.42	3	Vertical	175.1	1.85	-	31.82	8.41	43.86			
AV	5.1806G	113.71	Inf	-Inf	117.34	3	Vertical	175.1	1.85	-	31.82	8.41	43.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
Setting 27
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35546G	56.77	68.20	-11.43	48.32	3	Vertical	26	1.80	-	39.11	12.41	43.07			
PK	15.54038G	62.06	74.00	-11.94	50.20	3	Vertical	360	1.80	-	37.94	16.17	42.25			
AV	15.5342G	47.57	54.00	-6.43	35.69	3	Vertical	360	1.80	-	37.96	16.17	42.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
Setting 27
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3639G	55.86	68.20	-12.34	47.39	3	Horizontal	72	1.80	-	39.13	12.42	43.08			
PK	15.53058G	62.63	74.00	-11.37	50.72	3	Horizontal	66	1.40	-	37.98	16.17	42.24			
AV	15.54038G	48.46	54.00	-5.54	36.60	3	Horizontal	66	1.40	-	37.94	16.17	42.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT V_2TX
Setting 26
05-U-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	64.68	74.00	-9.32	58.46	3	Vertical	179	1.80	-	33.10	8.23	35.11			
AV	5.15G	52.31	54.00	-1.69	46.09	3	Vertical	179	1.80	-	33.10	8.23	35.11			
PK	5.2008G	127.13	Inf	-Inf	120.87	3	Vertical	179	1.80	-	33.10	8.25	35.09			
AV	5.2008G	118.90	Inf	-Inf	112.64	3	Vertical	179	1.80	-	33.10	8.25	35.09			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3977G	56.76	68.20	-11.44	48.24	3	Vertical	262	1.78	-	39.20	12.44	43.12			
PK	15.5996G	62.15	74.00	-11.85	50.67	3	Vertical	17	1.66	-	37.60	16.18	42.30			
AV	15.6005G	48.69	54.00	-5.31	37.21	3	Vertical	17	1.66	-	37.60	16.18	42.30			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39865G	56.36	68.20	-11.84	47.83	3	Horizontal	151	2.96	-	39.20	12.45	43.12			
PK	15.59852G	62.37	74.00	-11.63	50.88	3	Horizontal	290	2.27	-	37.61	16.18	42.30			
AV	15.60038G	48.14	54.00	-5.86	36.66	3	Horizontal	290	2.27	-	37.60	16.18	42.30			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT V_2TX
Setting 27
04-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1395G	57.73	74.00	-16.27	61.28	3	Vertical	196	1.80	-	31.94	8.39	43.88			
AV	5.1434G	45.77	54.00	-8.23	49.30	3	Vertical	196	1.80	-	31.96	8.39	43.88			
PK	5.2391G	123.78	Inf	-Inf	127.71	3	Vertical	196	1.80	-	31.47	8.43	43.83			
AV	5.2391G	114.35	Inf	-Inf	118.28	3	Vertical	196	1.80	-	31.47	8.43	43.83			
PK	5.366G	57.34	74.00	-16.66	61.23	3	Vertical	196	1.80	-	31.40	8.48	43.77			
AV	5.3507G	44.65	54.00	-9.35	48.55	3	Vertical	196	1.80	-	31.40	8.47	43.77			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48058G	56.77	68.20	-11.43	48.11	3	Vertical	212	1.96	-	39.36	12.50	43.20			
PK	15.72115G	61.23	74.00	-12.77	49.80	3	Vertical	228	2.25	-	37.64	16.18	42.39			
AV	15.72043G	46.92	54.00	-7.08	35.49	3	Vertical	228	2.25	-	37.64	16.18	42.39			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47941G	56.89	68.20	-11.31	48.23	3	Horizontal	316	1.43	-	39.36	12.50	43.20			
PK	15.71846G	59.99	74.00	-14.01	48.56	3	Horizontal	189	2.14	-	37.64	16.18	42.39			
AV	15.71981G	46.81	54.00	-7.19	35.38	3	Horizontal	189	2.14	-	37.64	16.18	42.39			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT V_2TX
Setting 27
04-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1445G	57.61	74.00	-16.39	61.13	3	Vertical	124	1.80	-	31.97	8.39	43.88			
AV	5.1496G	44.93	54.00	-9.07	48.42	3	Vertical	124	1.80	-	32.00	8.39	43.88			
PK	5.2588G	123.56	Inf	-Inf	127.58	3	Vertical	124	1.80	-	31.36	8.44	43.82			
AV	5.2594G	113.71	Inf	-Inf	117.73	3	Vertical	124	1.80	-	31.36	8.44	43.82			
PK	5.365G	58.35	74.00	-15.65	62.24	3	Vertical	124	1.80	-	31.40	8.48	43.77			
AV	5.3554G	45.75	54.00	-8.25	49.65	3	Vertical	124	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52238G	56.69	68.20	-11.51	47.97	3	Vertical	226	1.85	-	39.40	12.53	43.21			
PK	15.77845G	59.50	74.00	-14.50	48.16	3	Vertical	71	1.31	-	37.59	16.19	42.44			
AV	15.77826G	45.74	54.00	-8.26	34.40	3	Vertical	71	1.31	-	37.59	16.19	42.44			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52026G	56.86	68.20	-11.34	48.14	3	Horizontal	187	2.09	-	39.40	12.53	43.21			
PK	15.78095G	60.20	74.00	-13.80	48.87	3	Horizontal	239	1.19	-	37.58	16.19	42.44			
AV	15.77796G	45.90	54.00	-8.10	34.56	3	Horizontal	239	1.19	-	37.59	16.19	42.44			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT V_2TX
Setting 27
04-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	55.05	74.00	-18.95	58.53	3	Vertical	58	1.80	-	32.00	8.39	43.87			
AV	5.15G	44.79	54.00	-9.21	48.27	3	Vertical	58	1.80	-	32.00	8.39	43.87			
PK	5.2991G	123.57	Inf	-Inf	127.72	3	Vertical	58	1.80	-	31.20	8.45	43.80			
AV	5.2991G	113.68	Inf	-Inf	117.83	3	Vertical	58	1.80	-	31.20	8.45	43.80			
PK	5.3504G	66.44	74.00	-7.56	70.34	3	Vertical	58	1.80	-	31.40	8.47	43.77			
AV	5.3501G	49.08	54.00	-4.92	52.98	3	Vertical	58	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59766G	57.66	68.20	-10.54	48.83	3	Vertical	166	1.53	-	39.40	12.59	43.16			
PK	15.9001G	59.58	74.00	-14.42	48.62	3	Vertical	131	1.63	-	37.30	16.19	42.53			
AV	15.90229G	44.77	54.00	-9.23	33.82	3	Vertical	131	1.63	-	37.29	16.19	42.53			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59793G	57.02	68.20	-11.18	48.19	3	Horizontal	331	1.27	-	39.40	12.59	43.16			
PK	15.89929G	58.75	74.00	-15.25	47.79	3	Horizontal	170	1.66	-	37.30	16.19	42.53			
AV	15.89908G	44.71	54.00	-9.29	33.75	3	Horizontal	170	1.66	-	37.30	16.19	42.53			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_V_2TX
Setting 22
04-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3189G	120.81	Inf	-Inf	124.86	3	Vertical	165	1.80	-	31.28	8.46	43.79			
AV	5.3194G	111.13	Inf	-Inf	115.18	3	Vertical	165	1.80	-	31.28	8.46	43.79			
PK	5.35G	69.57	74.00	-4.43	73.48	3	Vertical	165	1.80	-	31.40	8.47	43.78			
AV	5.35G	52.07	54.00	-1.93	55.98	3	Vertical	165	1.80	-	31.40	8.47	43.78			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64185G	57.80	74.00	-16.20	48.83	3	Vertical	177	2.25	-	39.48	12.62	43.13			
AV	10.64167G	43.45	54.00	-10.55	34.48	3	Vertical	177	2.25	-	39.48	12.62	43.13			
PK	15.96074G	59.22	74.00	-14.78	48.54	3	Vertical	323	1.17	-	37.06	16.20	42.58			
AV	15.95991G	45.59	54.00	-8.41	34.91	3	Vertical	323	1.17	-	37.06	16.20	42.58			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63995G	57.40	74.00	-16.60	48.43	3	Horizontal	272	1.67	-	39.48	12.62	43.13			
AV	10.63887G	43.43	54.00	-10.57	34.46	3	Horizontal	272	1.67	-	39.48	12.62	43.13			
PK	15.95907G	59.55	74.00	-14.45	48.87	3	Horizontal	121	2.81	-	37.06	16.20	42.58			
AV	15.95988G	45.70	54.00	-8.30	35.02	3	Horizontal	121	2.81	-	37.06	16.20	42.58			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT V_2TX
Setting 21
04-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4599G	59.60	74.00	-14.40	63.13	3	Vertical	173	1.80	-	31.64	8.55	43.72			
AV	5.46G	46.83	54.00	-7.17	50.36	3	Vertical	173	1.80	-	31.64	8.55	43.72			
PK	5.4696G	66.92	68.20	-1.28	70.40	3	Vertical	173	1.80	-	31.68	8.56	43.72			
PK	5.5006G	120.80	Inf	-Inf	124.10	3	Vertical	173	1.80	-	31.80	8.60	43.70			
AV	5.5006G	111.06	Inf	-Inf	114.36	3	Vertical	173	1.80	-	31.80	8.60	43.70			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00233G	57.33	74.00	-16.67	47.36	3	Vertical	263	1.70	-	40.00	12.88	42.91			
AV	10.99849G	43.61	54.00	-10.39	33.65	3	Vertical	263	1.70	-	40.00	12.87	42.91			
PK	16.49919G	62.96	68.20	-5.24	49.75	3	Vertical	183	1.12	-	39.09	16.25	42.13			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00231G	57.20	74.00	-16.80	47.23	3	Horizontal	53	1.97	-	40.00	12.88	42.91			
AV	11.00134G	43.55	54.00	-10.45	33.58	3	Horizontal	53	1.97	-	40.00	12.88	42.91			
PK	16.49886G	62.82	68.20	-5.38	49.61	3	Horizontal	220	2.75	-	39.09	16.25	42.13			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT V_2TX
Setting 27
04-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4548G	57.74	74.00	-16.26	61.29	3	Vertical	20	1.80	-	31.62	8.55	43.72			
PK	5.4612G	58.28	68.20	-9.92	61.81	3	Vertical	20	1.80	-	31.64	8.55	43.72			
AV	5.46G	45.25	54.00	-8.75	48.78	3	Vertical	20	1.80	-	31.64	8.55	43.72			
PK	5.5792G	123.37	Inf	-Inf	126.67	3	Vertical	20	1.80	-	31.64	8.68	43.62			
AV	5.5792G	113.56	Inf	-Inf	116.86	3	Vertical	20	1.80	-	31.64	8.68	43.62			
PK	5.7592G	58.34	68.20	-9.86	60.81	3	Vertical	20	1.80	-	32.10	8.87	43.44			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15789G	57.46	74.00	-16.54	47.85	3	Vertical	264	1.50	-	39.48	12.99	42.86			
AV	11.16072G	43.91	54.00	-10.09	34.30	3	Vertical	264	1.50	-	39.48	12.99	42.86			
PK	16.73988G	62.58	68.20	-5.62	49.11	3	Vertical	324	2.56	-	39.44	16.28	42.25			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15949G	57.53	74.00	-16.47	47.92	3	Horizontal	35	1.74	-	39.48	12.99	42.86			
AV	11.15793G	43.76	54.00	-10.24	34.15	3	Horizontal	35	1.74	-	39.48	12.99	42.86			
PK	16.74015G	62.98	68.20	-5.22	49.51	3	Horizontal	62	2.53	-	39.44	16.28	42.25			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
Setting 22.5
04-E-E-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7007G	123.16	Inf	-Inf	125.85	3	Vertical	12	1.80	-	32.00	8.81	43.50				
AV	5.7006G	113.13	Inf	-Inf	115.82	3	Vertical	12	1.80	-	32.00	8.81	43.50				
PK	5.7254G	67.07	68.20	-1.13	69.66	3	Vertical	12	1.80	-	32.05	8.83	43.47				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 27
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3907G	56.34	74.00	-17.66	42.03	3	Vertical	169	1.78	-	38.68	10.71	35.08			
AV	11.39466G	44.59	54.00	-9.41	30.27	3	Vertical	169	1.78	-	38.69	10.71	35.08			
PK	17.10243G	62.77	68.20	-5.43	44.01	3	Vertical	211	1.80	-	40.11	12.88	34.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 27
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39241G	56.76	74.00	-17.24	42.45	3	Horizontal	188	1.49	-	38.68	10.71	35.08			
AV	11.40843G	44.58	54.00	-9.42	30.22	3	Horizontal	188	1.49	-	38.72	10.72	35.08			
PK	17.09529G	62.16	68.20	-6.04	43.43	3	Horizontal	19	2.40	-	40.09	12.88	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 27
04-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7216G	123.47	Inf	-Inf	126.08	3	Vertical	172	1.80	-	32.04	8.83	43.48			
AV	5.7212G	113.73	Inf	-Inf	116.34	3	Vertical	172	1.80	-	32.04	8.83	43.48			
PK	5.904G	58.09	68.20	-10.11	60.06	3	Vertical	172	1.80	-	32.30	9.03	43.30			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 27
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43943G	56.66	74.00	-17.34	42.24	3	Vertical	274	1.81	-	38.78	10.73	35.09			
AV	11.44858G	44.84	54.00	-9.16	30.40	3	Vertical	274	1.81	-	38.80	10.73	35.09			
PK	17.15676G	62.10	68.20	-6.10	43.02	3	Vertical	30	1.36	-	40.33	12.90	34.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 27
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.45374G	56.81	74.00	-17.19	42.36	3	Horizontal	343	1.80	-	38.81	10.73	35.09			
AV	11.44762G	44.74	54.00	-9.26	30.30	3	Horizontal	343	1.80	-	38.80	10.73	35.09			
PK	17.15196G	62.67	68.20	-5.53	43.62	3	Horizontal	29	1.03	-	40.31	12.90	34.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT V_2TX
Setting 27
04-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.576G	58.69	68.20	-9.51	61.99	3	Vertical	10	1.80	-	31.65	8.67	43.62			
PK	5.7455G	123.69	Inf	-Inf	126.20	3	Vertical	10	1.80	-	32.09	8.85	43.45			
AV	5.7455G	114.25	Inf	-Inf	116.76	3	Vertical	10	1.80	-	32.09	8.85	43.45			
PK	5.951G	57.57	68.20	-10.63	59.44	3	Vertical	10	1.80	-	32.30	9.08	43.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 27
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50086G	57.62	74.00	-16.38	43.07	3	Vertical	0	1.01	-	38.90	10.75	35.10			
AV	11.49756G	44.83	54.00	-9.17	30.28	3	Vertical	0	1.01	-	38.90	10.75	35.10			
PK	17.24742G	62.79	68.20	-5.41	43.10	3	Vertical	89	1.80	-	40.78	12.94	34.03			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 27
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48796G	57.15	74.00	-16.85	42.63	3	Horizontal	273	1.80	-	38.88	10.74	35.10			
AV	11.48451G	44.88	54.00	-9.12	30.37	3	Horizontal	273	1.80	-	38.87	10.74	35.10			
PK	17.24502G	62.42	68.20	-5.78	42.74	3	Horizontal	289	1.96	-	40.77	12.94	34.03			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
Setting 27
04-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.57G	58.18	68.20	-10.02	61.48	3	Vertical	8	1.80	-	31.66	8.67	43.63			
PK	5.7865G	123.40	Inf	-Inf	125.81	3	Vertical	8	1.80	-	32.10	8.90	43.41			
AV	5.786G	113.91	Inf	-Inf	116.32	3	Vertical	8	1.80	-	32.10	8.90	43.41			
PK	5.9985G	58.49	68.20	-9.71	60.15	3	Vertical	8	1.80	-	32.40	9.14	43.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
02-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55986G	56.84	74.00	-17.16	42.04	3	Vertical	87	1.80	-	39.14	10.77	35.11			
AV	11.58194G	44.80	54.00	-9.20	29.91	3	Vertical	87	1.80	-	39.23	10.77	35.11			
PK	17.34072G	63.22	68.20	-4.98	42.80	3	Vertical	249	1.53	-	41.34	12.98	33.90			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
02-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57429G	56.58	74.00	-17.42	41.72	3	Horizontal	323	1.80	-	39.20	10.77	35.11			
AV	11.58095G	44.80	54.00	-9.20	29.92	3	Horizontal	323	1.80	-	39.22	10.77	35.11			
PK	17.36031G	63.21	68.20	-4.99	42.63	3	Horizontal	69	1.80	-	41.46	12.99	33.87			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 27
05-U-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6165G	62.78	68.20	-5.42	56.18	3	Vertical	173	1.80	-	32.93	8.59	34.92				
PK	5.826G	127.66	Inf	-Inf	119.80	3	Vertical	173	1.80	-	33.85	8.83	34.82				
AV	5.8255G	119.60	Inf	-Inf	111.74	3	Vertical	173	1.80	-	33.85	8.83	34.82				
PK	5.9925G	64.10	68.20	-4.10	55.62	3	Vertical	173	1.80	-	34.20	9.02	34.74				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 27
02-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.646555G	57.16	74.00	-16.84	42.10	3	Vertical	25	1.77	-	39.39	10.80	35.13			
AV	11.64835G	45.16	54.00	-8.84	30.09	3	Vertical	25	1.77	-	39.40	10.80	35.13			
PK	17.47503G	64.40	68.20	-3.80	42.77	3	Vertical	171	1.80	-	42.30	13.04	33.71			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX


EUT_Y_2TX
Setting 27
02-W-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.63623G	57.44	74.00	-16.56	42.40	3	Horizontal	67	1.80	-	39.37	10.79	35.12				
AV	11.65873G	45.03	54.00	-8.97	29.96	3	Horizontal	67	1.80	-	39.40	10.80	35.13				
PK	17.48181G	64.45	68.20	-3.75	42.77	3	Horizontal	348	1.80	-	42.35	13.04	33.71				

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
Setting 26
04-E-G-5-13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	65.34	74.00	-8.66	68.83	3	Vertical	158	2.06	-	32.00	8.39	43.88			
AV	5.1497G	52.54	54.00	-1.46	56.03	3	Vertical	158	2.06	-	32.00	8.39	43.88			
PK	5.1788G	123.81	Inf	-Inf	127.43	3	Vertical	158	2.06	-	31.83	8.41	43.86			
AV	5.1794G	110.67	Inf	-Inf	114.30	3	Vertical	158	2.06	-	31.82	8.41	43.86			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34584G	55.70	68.20	-12.50	42.27	3	Vertical	94	1.80	-	38.09	10.37	35.03			
PK	15.53865G	59.90	74.00	-14.10	44.49	3	Vertical	175	1.36	-	38.35	12.19	35.13			
AV	15.5259G	47.30	54.00	-6.70	31.85	3	Vertical	175	1.36	-	38.40	12.18	35.13			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34893G	55.76	68.20	-12.44	42.32	3	Horizontal	185	1.80	-	38.10	10.37	35.03			
PK	15.53241G	58.30	74.00	-15.70	42.87	3	Horizontal	3	1.80	-	38.37	12.19	35.13			
AV	15.53049G	46.99	54.00	-7.01	31.55	3	Horizontal	3	1.80	-	38.38	12.19	35.13			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
Setting 28
05-U-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1482G	64.93	74.00	-9.07	58.71	3	Vertical	185	1.80	-	33.10	8.23	35.11			
AV	5.15G	52.44	54.00	-1.56	46.22	3	Vertical	185	1.80	-	33.10	8.23	35.11			
PK	5.1982G	125.43	Inf	-Inf	119.17	3	Vertical	185	1.80	-	33.10	8.25	35.09			
AV	5.2006G	114.58	Inf	-Inf	108.32	3	Vertical	185	1.80	-	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40297G	55.41	68.20	-12.79	42.10	3	Vertical	37	1.80	-	37.90	10.39	34.98			
PK	15.59421G	58.39	74.00	-15.61	43.18	3	Vertical	40	2.88	-	38.12	12.22	35.13			
AV	15.60222G	46.41	54.00	-7.59	31.23	3	Vertical	40	2.88	-	38.09	12.22	35.13			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39991G	56.11	68.20	-12.09	42.81	3	Horizontal	133	1.82	-	37.90	10.39	34.99			
PK	15.60888G	58.59	74.00	-15.41	43.45	3	Horizontal	158	1.80	-	38.05	12.22	35.13			
AV	15.5982G	46.42	54.00	-7.58	31.22	3	Horizontal	158	1.80	-	38.11	12.22	35.13			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
Setting 30
05-U-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1443G	61.30	74.00	-12.70	55.09	3	Vertical	168	1.80	-	33.09	8.23	35.11			
AV	5.1455G	50.02	54.00	-3.98	43.81	3	Vertical	168	1.80	-	33.09	8.23	35.11			
PK	5.2394G	127.11	Inf	-Inf	120.88	3	Vertical	168	1.80	-	33.02	8.28	35.07			
AV	5.2406G	115.54	Inf	-Inf	109.31	3	Vertical	168	1.80	-	33.02	8.28	35.07			
PK	5.3597G	61.39	74.00	-12.61	55.13	3	Vertical	168	1.80	-	32.90	8.39	35.03			
AV	5.3606G	49.44	54.00	-4.56	43.18	3	Vertical	168	1.80	-	32.90	8.39	35.03			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47514G	55.97	68.20	-12.23	42.48	3	Vertical	18	1.80	-	38.00	10.41	34.92			
PK	15.72516G	58.66	74.00	-15.34	43.82	3	Vertical	234	1.80	-	37.70	12.27	35.13			
AV	15.723G	46.52	54.00	-7.48	31.67	3	Vertical	234	1.80	-	37.71	12.27	35.13			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46899G	55.88	68.20	-12.32	42.42	3	Horizontal	292	1.03	-	37.98	10.41	34.93			
PK	15.71223G	58.78	74.00	-15.22	43.89	3	Horizontal	160	1.80	-	37.75	12.27	35.13			
AV	15.70887G	46.47	54.00	-7.53	31.57	3	Horizontal	160	1.80	-	37.76	12.27	35.13			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT V_2TX
Setting 30
05-U-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1406G	61.15	74.00	-12.85	54.95	3	Vertical	173	1.80	-	33.08	8.23	35.11					
AV	5.1478G	49.31	54.00	-4.69	43.09	3	Vertical	173	1.80	-	33.10	8.23	35.11					
PK	5.2597G	126.99	Inf	-Inf	120.78	3	Vertical	173	1.80	-	32.98	8.30	35.07					
AV	5.2606G	115.76	Inf	-Inf	109.55	3	Vertical	173	1.80	-	32.98	8.30	35.07					
PK	5.3566G	62.33	74.00	-11.67	56.08	3	Vertical	173	1.80	-	32.90	8.38	35.03					
AV	5.3548G	50.48	54.00	-3.52	44.23	3	Vertical	173	1.80	-	32.90	8.38	35.03					

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53323G	56.11	68.20	-12.09	42.42	3	Vertical	193	1.88	-	38.17	10.43	34.91			
PK	15.78252G	58.17	74.00	-15.83	43.48	3	Vertical	171	1.80	-	37.53	12.30	35.14			
AV	15.79068G	46.47	54.00	-7.53	31.79	3	Vertical	171	1.80	-	37.52	12.30	35.14			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5260MHz_TX

EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.523G	56.03	68.20	-12.17	42.35	3	Horizontal	130	2.97	-	38.15	10.43	34.90			
PK	15.78345G	58.34	74.00	-15.66	43.65	3	Horizontal	258	1.32	-	37.53	12.30	35.14			
AV	15.78537G	46.56	54.00	-7.44	31.87	3	Horizontal	258	1.32	-	37.53	12.30	35.14			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 29
05-U-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3008G	125.77	Inf	-Inf	119.58	3	Vertical	198.9	1.80	-	32.90	8.34	35.05				
AV	5.3006G	115.09	Inf	-Inf	108.90	3	Vertical	198.9	1.80	-	32.90	8.34	35.05				
PK	5.3506G	65.84	74.00	-8.16	59.59	3	Vertical	198.9	1.80	-	32.90	8.38	35.03				
AV	5.3508G	52.96	54.00	-1.04	46.71	3	Vertical	198.9	1.80	-	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60684G	56.40	74.00	-17.60	42.66	3	Vertical	0	2.96	-	38.20	10.46	34.92			
PK	15.90735G	58.08	74.00	-15.92	43.09	3	Vertical	152	2.58	-	37.77	12.36	35.14			
AV	15.8898G	46.42	54.00	-7.58	31.43	3	Vertical	152	2.58	-	37.78	12.35	35.14			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6108G	56.23	74.00	-17.77	42.49	3	Horizontal	131	1.80	-	38.20	10.46	34.92			
AV	10.60099G	44.00	54.00	-10.00	30.26	3	Horizontal	131	1.80	-	38.20	10.46	34.92			
PK	15.91005G	57.91	74.00	-16.09	42.93	3	Horizontal	276	1.03	-	37.76	12.36	35.14			
AV	15.89709G	46.43	54.00	-7.57	31.43	3	Horizontal	276	1.03	-	37.79	12.35	35.14			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 25
04-E-G-5-13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3195G	123.20	Inf	-Inf	127.25	3	Vertical	154	1.80	-	31.28	8.46	43.79			
AV	5.319G	109.12	Inf	-Inf	113.17	3	Vertical	154	1.80	-	31.28	8.46	43.79			
PK	5.35025G	65.04	74.00	-8.96	68.94	3	Vertical	154	1.80	-	31.40	8.47	43.77			
AV	5.35025G	51.68	54.00	-2.32	55.58	3	Vertical	154	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63985G	55.87	74.00	-18.13	42.13	3	Vertical	45	1.80	-	38.20	10.47	34.93			
AV	10.63382G	43.96	54.00	-10.04	30.21	3	Vertical	45	1.80	-	38.20	10.47	34.92			
PK	15.95199G	58.61	74.00	-15.39	43.78	3	Vertical	168	2.88	-	37.59	12.38	35.14			
AV	15.96984G	46.76	54.00	-7.24	31.99	3	Vertical	168	2.88	-	37.52	12.39	35.14			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65335G	56.11	74.00	-17.89	42.37	3	Horizontal	126	2.69	-	38.20	10.47	34.93			
AV	10.63865G	43.92	54.00	-10.08	30.17	3	Horizontal	126	2.69	-	38.20	10.47	34.92			
PK	15.9498G	58.70	74.00	-15.30	43.86	3	Horizontal	280	1.80	-	37.60	12.38	35.14			
AV	15.94908G	46.73	54.00	-7.27	31.89	3	Horizontal	280	1.80	-	37.60	12.38	35.14			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 27
04-E-G-5-13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.458G	65.07	74.00	-8.93	68.61	3	Vertical	167	1.80	-	31.63	8.55	43.72			
AV	5.4598G	52.46	54.00	-1.54	55.99	3	Vertical	167	1.80	-	31.64	8.55	43.72			
PK	5.4688G	67.10	68.20	-1.10	70.58	3	Vertical	167	1.80	-	31.68	8.56	43.72			
PK	5.5057G	124.54	Inf	-Inf	127.84	3	Vertical	167	1.80	-	31.79	8.60	43.69			
AV	5.4991G	113.01	Inf	-Inf	116.32	3	Vertical	167	1.80	-	31.80	8.59	43.70			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01047G	55.71	74.00	-18.29	41.79	3	Vertical	98	1.86	-	38.32	10.59	34.99			
AV	11.00072G	44.07	54.00	-9.93	30.17	3	Vertical	98	1.86	-	38.30	10.59	34.99			
PK	16.49988G	59.53	68.20	-8.67	43.72	3	Vertical	360	1.80	-	38.00	12.62	34.81			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99421G	55.58	74.00	-18.42	41.69	3	Horizontal	334	1.80	-	38.30	10.58	34.99			
AV	10.99538G	44.00	54.00	-10.00	30.11	3	Horizontal	334	1.80	-	38.30	10.58	34.99			
PK	16.50267G	59.49	68.20	-8.71	43.66	3	Horizontal	7	1.80	-	38.02	12.62	34.81			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT V_2TX
Setting 30
05-U-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4536G	62.77	74.00	-11.23	56.40	3	Vertical	200	1.80	-	32.91	8.46	35.00			
AV	5.4576G	50.67	54.00	-3.33	44.29	3	Vertical	200	1.80	-	32.92	8.46	35.00			
PK	5.4684G	62.87	68.20	-5.33	56.45	3	Vertical	200	1.80	-	32.94	8.47	34.99			
PK	5.5812G	127.10	Inf	-Inf	120.54	3	Vertical	200	1.80	-	32.94	8.56	34.94			
AV	5.5792G	116.52	Inf	-Inf	109.97	3	Vertical	200	1.80	-	32.94	8.55	34.94			
PK	5.742G	63.36	68.20	-4.84	55.92	3	Vertical	200	1.80	-	33.57	8.73	34.86			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16009G	56.11	74.00	-17.89	42.08	3	Vertical	0	2.40	-	38.42	10.64	35.03			
AV	11.1654G	44.07	54.00	-9.93	30.03	3	Vertical	0	2.40	-	38.43	10.64	35.03			
PK	16.73124G	59.86	68.20	-8.34	42.95	3	Vertical	18	1.13	-	38.80	12.72	34.61			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX



EUT_Y_2TX
Setting 30
03-W-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15106G	55.79	74.00	-18.21	41.78	3	Horizontal	3	2.97	-	38.40	10.63	35.02			
AV	11.16483G	44.06	54.00	-9.94	30.02	3	Horizontal	3	2.97	-	38.43	10.64	35.03			
PK	16.72548G	60.18	68.20	-8.02	43.27	3	Horizontal	355	1.69	-	38.80	12.72	34.61			