


Appendix-B Field Strength of Spurious Radiation-LTE

Project Information			
Mode:	LTE	Band:	2
Bandwidth	20MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List										
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1871.07	119.36	-94.77	24.59	-	-	150	RMS	Horizontal	NA
2	3742.00	46.72	-105.58	-58.86	-13.00	45.86	150	RMS	Horizontal	PASS
3	7484.50	41.87	-94.99	-53.12	-13.00	40.12	150	RMS	Horizontal	PASS
4	17734.50	31.82	-79.49	-47.67	-13.00	34.67	150	RMS	Horizontal	PASS

Project Information

Mode:	LTE	Band:	2
Bandwidth	20MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1871.07	122.20	-94.77	27.43	-	-	150	RMS	Vertical	NA
2	3742.00	51.31	-105.58	-54.27	-13.00	41.27	150	RMS	Vertical	PASS
3	7484.50	45.71	-94.99	-49.28	-13.00	36.28	150	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth	20MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List										
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1723.60	117.95	-95.21	22.74	-	-	150	RMS	Horizontal	NA
2	6894.00	43.68	-96.79	-53.11	-13.00	40.11	150	RMS	Horizontal	PASS
3	8617.50	40.30	-93.97	-53.67	-13.00	40.67	150	RMS	Horizontal	PASS
4	13755.00	38.91	-86.74	-47.83	-13.00	34.83	150	RMS	Horizontal	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth	20MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1723.60	121.52	-95.21	26.31	-	-	150	RMS	Vertical	NA
2	3447.00	56.82	-108.17	-51.35	-13.00	38.35	150	RMS	Vertical	PASS
3	6894.00	47.65	-96.79	-49.14	-13.00	36.14	150	RMS	Vertical	PASS
4	8617.50	47.53	-93.97	-46.44	-13.00	33.44	150	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth	10MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			


Test Graph



Data List										
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1664.27	69.80	-114.13	-44.33	-13.00	31.33	150	RMS	Horizontal	PASS
2	2496.27	58.41	-110.38	-51.97	-13.00	38.97	150	RMS	Horizontal	PASS
3	6159.73	42.55	-98.13	-55.58	-13.00	42.58	150	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth	10MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List										
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1664.27	67.92	-114.13	-46.21	-13.00	33.21	150	RMS	Vertical	PASS
2	2496.27	61.20	-110.38	-49.18	-13.00	36.18	150	RMS	Vertical	PASS
3	5828.27	41.76	-98.06	-56.30	-13.00	43.30	150	RMS	Vertical	PASS

Project Information

Mode:	LTE	Band:	12
Bandwidth	10MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1406.23	69.01	-116.18	-47.17	-13.00	34.17	150	RMS	Horizontal	PASS
2	2109.50	60.57	-112.24	-51.67	-13.00	38.67	150	RMS	Horizontal	PASS
3	2812.30	45.00	-110.18	-65.18	-13.00	52.18	150	RMS	Horizontal	PASS

Project Information

Mode:	LTE	Band:	12
Bandwidth	10MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1406.00	69.80	-116.18	-46.38	-13.00	33.38	150	RMS	Vertical	PASS
2	2109.50	60.22	-112.24	-52.02	-13.00	39.02	150	RMS	Vertical	PASS
3	2812.30	52.52	-110.18	-57.66	-13.00	44.66	150	RMS	Vertical	PASS

Project Information

Mode:	LTE	Band:	13
Bandwidth	10MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1555.10	67.08	-115.40	-48.32	-13.00	35.32	150	RMS	Horizontal	PASS
2	2332.80	57.37	-112.15	-54.78	-13.00	41.78	150	RMS	Horizontal	PASS
3	6117.93	41.36	-98.34	-56.98	-13.00	43.98	150	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth	10MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List										
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1555.10	64.88	-115.40	-50.52	-13.00	37.52	150	RMS	Vertical	PASS
2	2333.03	59.30	-112.15	-52.85	-13.00	39.85	150	RMS	Vertical	PASS
3	3110.50	50.00	-109.11	-59.11	-13.00	46.11	150	RMS	Vertical	PASS

Project Information

Mode:	LTE	Band:	25
Bandwidth	20MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1873.53	120.22	-94.77	25.45	-	-	150	RMS	Horizontal	NA
2	3747.50	47.34	-105.57	-58.23	-13.00	45.23	150	RMS	Horizontal	PASS
3	7494.50	41.07	-94.98	-53.91	-13.00	40.91	150	RMS	Horizontal	PASS
4	17963.50	30.78	-78.50	-47.72	-13.00	34.72	150	RMS	Horizontal	PASS

Project Information

Mode:	LTE	Band:	25
Bandwidth	20MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1873.67	122.09	-94.77	27.32	-	-	150	RMS	Vertical	NA
2	3747.00	51.90	-105.57	-53.67	-13.00	40.67	150	RMS	Vertical	PASS
3	5620.50	46.06	-99.50	-53.44	-13.00	40.44	150	RMS	Vertical	PASS
4	7494.00	44.79	-94.99	-50.20	-13.00	37.20	150	RMS	Vertical	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth	20MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1736.00	117.19	-95.11	22.08	-	-	150	RMS	Horizontal	NA
2	3472.00	48.83	-108.04	-59.21	-13.00	46.21	150	RMS	Horizontal	PASS
3	6944.00	42.08	-96.83	-54.75	-13.00	41.75	150	RMS	Horizontal	PASS
4	13755.00	39.24	-86.74	-47.50	-13.00	34.50	150	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth	20MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List										
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1736.00	120.61	-95.11	25.50	-	-	150	RMS	Vertical	NA
2	3472.00	58.72	-108.04	-49.32	-13.00	36.32	150	RMS	Vertical	PASS
3	6944.50	46.93	-96.83	-49.90	-13.00	36.90	150	RMS	Vertical	PASS
4	8680.50	44.86	-93.93	-49.07	-13.00	36.07	150	RMS	Vertical	PASS

Project Information

Mode:	LTE	Band:	71
Bandwidth	20MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1343.00	63.22	-116.18	-52.96	-13.00	39.96	150	RMS	Horizontal	PASS
2	2014.77	57.76	-112.25	-54.49	-13.00	41.49	150	RMS	Horizontal	PASS
3	2686.53	55.31	-110.61	-55.30	-13.00	42.30	150	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth	20MHz	Channel	mid
IMEI:	869540080007250	Engineer:	Oushuyan
Remark:			

Test Graph



Data List										
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	1343.00	58.88	-116.18	-57.30	-13.00	44.30	150	RMS	Vertical	PASS
2	2014.77	59.11	-112.25	-53.14	-13.00	40.14	150	RMS	Vertical	PASS
3	2686.30	60.01	-110.61	-50.60	-13.00	37.60	150	RMS	Vertical	PASS

~The End~