

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:00 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 1: Transmit at channel 2462MHz by 802.11b Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2461.072        | 108.204                | 76.412               | N/A             | N/A            | 31.792      | AV   |
| 2  |      |      | 2483.500        | 49.389                 | 17.542               | -4.611          | 54.000         | 31.848      | AV   |
| 3  |      |      | 2490.112        | 49.456                 | 17.591               | -4.544          | 54.000         | 31.865      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 1: Transmit at channel 2412MHz by 802.11b Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2359.784        | 59.786                 | 27.882               | -14.214         | 74.000         | 31.904      | PK   |
| 2  |      |      | 2390.000        | 58.202                 | 26.346               | -15.798         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2413.208        | 96.296                 | 64.477               | N/A             | N/A            | 31.819      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 1: Transmit at channel 2412MHz by 802.11b Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2360.120        | 45.679                 | 13.775               | -8.321          | 54.000         | 31.903      | AV   |
| 2  |      |      | 2390.000        | 45.147                 | 13.291               | -8.853          | 54.000         | 31.856      | AV   |
| 3  |      | *    | 2411.136        | 92.799                 | 60.977               | N/A             | N/A            | 31.822      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:06 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 1: Transmit at channel 2412MHz by 802.11b Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 65.990                 | 34.134               | -8.010          | 74.000         | 31.856      | PK   |
| 2  |      | *    | 2412.984        | 114.910                | 83.091               | N/A             | N/A            | 31.820      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:09 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 1: Transmit at channel 2412MHz by 802.11b Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 50.675                 | 18.819               | -3.325          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2411.304        | 110.353                | 78.531               | N/A             | N/A            | 31.822      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:13 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 1: Transmit at channel 2462MHz by 802.11b Ant 1 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2460.856        | 93.937                 | 62.146               | N/A             | N/A            | 31.791      | PK   |
| 2  |      |      | 2483.500        | 57.617                 | 25.770               | -16.383         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2484.280        | 59.526                 | 27.677               | -14.474         | 74.000         | 31.849      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:15 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 1: Transmit at channel 2462MHz by 802.11b Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2461.384        | 90.369                 | 58.577               | N/A             | N/A            | 31.792      | AV   |
| 2  |      |      | 2483.500        | 44.678                 | 12.831               | -9.322          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:16 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 1: Transmit at channel 2462MHz by 802.11b Ant 1 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2460.400        | 111.587                | 79.796               | N/A             | N/A            | 31.791      | PK   |
| 2  |      |      | 2483.500        | 61.779                 | 29.932               | -12.221         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2487.976        | 63.023                 | 31.164               | -10.977         | 74.000         | 31.859      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:19 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 1: Transmit at channel 2462MHz by 802.11b Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2461.024        | 107.735                | 75.943               | N/A             | N/A            | 31.791      | AV   |
| 2  |      |      | 2483.500        | 49.262                 | 17.415               | -4.738          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:20 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2412MHz by 802.11g Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2377.256        | 59.969                 | 28.093               | -14.031         | 74.000         | 31.876      | PK   |
| 2  |      |      | 2390.000        | 58.278                 | 26.422               | -15.722         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2405.200        | 86.027                 | 54.195               | N/A             | N/A            | 31.832      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:27 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2412MHz by 802.11g Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 44.965                 | 13.109               | -9.035          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2404.864        | 75.857                 | 44.025               | N/A             | N/A            | 31.833      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:28 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2412MHz by 802.11g Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2359.672        | 63.100                 | 31.196               | -10.900         | 74.000         | 31.905      | PK   |
| 2  |      |      | 2390.000        | 61.398                 | 29.542               | -12.602         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2404.920        | 106.875                | 75.043               | N/A             | N/A            | 31.832      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:31 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2412MHz by 802.11g Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2375.016        | 48.423                 | 16.543               | -5.577          | 54.000         | 31.880      | AV   |
| 2  |      |      | 2390.000        | 48.038                 | 16.182               | -5.962          | 54.000         | 31.856      | AV   |
| 3  |      | *    | 2412.984        | 95.014                 | 63.195               | N/A             | N/A            | 31.820      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:33 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2462MHz by 802.11g Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2465.584        | 85.809                 | 54.008               | N/A             | N/A            | 31.801      | PK   |
| 2  |      |      | 2483.500        | 57.725                 | 25.878               | -16.275         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2495.032        | 59.635                 | 27.757               | -14.365         | 74.000         | 31.877      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:36 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2462MHz by 802.11g Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2468.536        | 74.632                 | 42.823               | N/A             | N/A            | 31.809      | AV   |
| 2  |      |      | 2483.500        | 44.611                 | 12.764               | -9.389          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:37 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2462MHz by 802.11g Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2462.464        | 106.816                | 75.022               | N/A             | N/A            | 31.794      | PK   |
| 2  |      |      | 2483.500        | 60.316                 | 28.469               | -13.684         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2493.376        | 61.139                 | 29.266               | -12.861         | 74.000         | 31.873      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/18 - 10:40 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2462MHz by 802.11g Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2468.032        | 95.388                 | 63.581               | N/A             | N/A            | 31.808      | AV   |
| 2  |      |      | 2483.500        | 47.569                 | 15.722               | -6.431          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/19 - 09:34 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2412MHz by 802.11g Ant 1 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2370.648        | 59.602                 | 27.715               | -14.398         | 74.000         | 31.887      | PK   |
| 2  |      |      | 2390.000        | 57.973                 | 26.117               | -16.027         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2413.656        | 92.610                 | 60.792               | N/A             | N/A            | 31.818      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/19 - 09:41 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2412MHz by 802.11g Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 45.030                 | 13.174               | -8.970          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2415.336        | 81.155                 | 49.340               | N/A             | N/A            | 31.815      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/19 - 09:42 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2412MHz by 802.11g Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 61.506                 | 29.650               | -12.494         | 74.000         | 31.856      | PK   |
| 2  |      | *    | 2415.504        | 108.441                | 76.626               | N/A             | N/A            | 31.815      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/19 - 09:45 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2412MHz by 802.11g Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 47.892                 | 16.036               | -6.108          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2413.600        | 97.119                 | 65.301               | N/A             | N/A            | 31.818      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/19 - 09:47 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2462MHz by 802.11g Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2456.848        | 93.861                 | 62.077               | N/A             | N/A            | 31.785      | PK   |
| 2  |      |      | 2483.500        | 57.909                 | 26.062               | -16.091         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2493.976        | 59.370                 | 27.495               | -14.630         | 74.000         | 31.875      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/19 - 09:52 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Horizontal     |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2462MHz by 802.11g Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2458.240        | 81.755                 | 49.968               | N/A             | N/A            | 31.787      | AV   |
| 2  |      |      | 2483.500        | 44.658                 | 12.811               | -9.342          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/19 - 09:55 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2462MHz by 802.11g Ant 1 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2458.096        | 108.671                | 76.884               | N/A             | N/A            | 31.787      | PK   |
| 2  |      |      | 2483.500        | 60.776                 | 28.929               | -13.224         | 74.000         | 31.848      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Site: AC1                                            | Time: 2014/12/19 - 09:58 |
| Limit: FCC_Part15.209_RE(3m)                         | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                             | Polarity: Vertical       |
| EUT: Altum AC600                                     | Power: AC 120V/60Hz      |
| Mode 2: Transmit at channel 2462MHz by 802.11g Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2455.792        | 97.542                 | 65.759               | N/A             | N/A            | 31.783      | AV   |
| 2  |      |      | 2483.500        | 47.411                 | 15.564               | -6.589          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:00 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 57.722                 | 25.866               | -16.278         | 74.000         | 31.856      | PK   |
| 2  |      | *    | 2405.088        | 89.241                 | 57.409               | N/A             | N/A            | 31.832      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:04 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 45.006                 | 13.150               | -8.994          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2404.864        | 77.173                 | 45.341               | N/A             | N/A            | 31.833      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:04 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2333.912        | 62.008                 | 30.017               | -11.992         | 74.000         | 31.991      | PK   |
| 2  |      |      | 2390.000        | 61.589                 | 29.733               | -12.411         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2406.040        | 107.944                | 76.114               | N/A             | N/A            | 31.831      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:07 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 48.462                 | 16.606               | -5.538          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2405.760        | 95.019                 | 63.188               | N/A             | N/A            | 31.830      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:09 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2467.576        | 85.740                 | 53.934               | N/A             | N/A            | 31.806      | PK   |
| 2  |      |      | 2483.500        | 57.338                 | 25.491               | -16.662         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2489.224        | 59.427                 | 27.565               | -14.573         | 74.000         | 31.862      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:14 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2457.952        | 74.668                 | 42.882               | N/A             | N/A            | 31.787      | AV   |
| 2  |      |      | 2483.500        | 44.606                 | 12.759               | -9.394          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:15 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2457.184        | 105.795                | 74.010               | N/A             | N/A            | 31.785      | PK   |
| 2  |      |      | 2483.500        | 60.552                 | 28.705               | -13.448         | 74.000         | 31.848      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:18 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2467.408        | 93.453                 | 61.647               | N/A             | N/A            | 31.806      | AV   |
| 2  |      |      | 2483.500        | 47.181                 | 15.334               | -6.819          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:19 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2386.496        | 59.949                 | 28.088               | -14.051         | 74.000         | 31.861      | PK   |
| 2  |      |      | 2390.000        | 58.208                 | 26.352               | -15.792         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2407.384        | 94.255                 | 62.427               | N/A             | N/A            | 31.828      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:26 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 45.232                 | 13.376               | -8.768          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2417.688        | 82.896                 | 51.084               | N/A             | N/A            | 31.811      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:27 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2369.808        | 59.060                 | 27.172               | -14.940         | 74.000         | 31.888      | PK   |
| 2  |      |      | 2390.000        | 57.849                 | 25.993               | -16.151         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2412.088        | 94.025                 | 62.204               | N/A             | N/A            | 31.821      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:29 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 45.237                 | 13.381               | -8.763          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2404.864        | 82.725                 | 50.893               | N/A             | N/A            | 31.833      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:33 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2463.760        | 92.412                 | 60.616               | N/A             | N/A            | 31.796      | PK   |
| 2  |      |      | 2483.500        | 57.767                 | 25.920               | -16.233         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2493.184        | 59.355                 | 27.482               | -14.645         | 74.000         | 31.873      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:36 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2458.984        | 80.500                 | 48.712               | N/A             | N/A            | 31.789      | AV   |
| 2  |      |      | 2483.500        | 44.686                 | 12.839               | -9.314          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:37 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2457.904        | 106.914                | 75.128               | N/A             | N/A            | 31.787      | PK   |
| 2  |      |      | 2483.500        | 60.184                 | 28.337               | -13.816         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2485.240        | 62.567                 | 30.715               | -11.433         | 74.000         | 31.852      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 10:40 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2456.728        | 95.318                 | 63.534               | N/A             | N/A            | 31.785      | AV   |
| 2  |      |      | 2483.500        | 47.306                 | 15.459               | -6.694          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/19 - 10:41 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Horizontal     |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2367.456        | 59.743                 | 27.851               | -14.257         | 74.000         | 31.891      | PK   |
| 2  |      |      | 2390.000        | 58.735                 | 26.879               | -15.265         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2413.768        | 91.804                 | 59.986               | N/A             | N/A            | 31.818      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/19 - 10:46 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Horizontal     |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 45.048                 | 13.192               | -8.952          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2406.096        | 79.255                 | 47.425               | N/A             | N/A            | 31.830      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/19 - 10:46 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Vertical       |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 61.654                 | 29.798               | -12.346         | 74.000         | 31.856      | PK   |
| 2  |      | *    | 2414.384        | 107.283                | 75.466               | N/A             | N/A            | 31.817      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/19 - 10:48 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Vertical       |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2412MHz by 802.11n-HT20 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 48.959                 | 17.103               | -5.041          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2418.304        | 94.471                 | 62.660               | N/A             | N/A            | 31.811      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/19 - 10:49 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Horizontal     |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2455.816        | 91.591                 | 59.808               | N/A             | N/A            | 31.783      | PK   |
| 2  |      |      | 2483.500        | 57.557                 | 25.710               | -16.443         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2497.216        | 59.360                 | 27.476               | -14.640         | 74.000         | 31.883      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/19 - 10:55 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Horizontal     |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2466.448        | 78.541                 | 46.738               | N/A             | N/A            | 31.803      | AV   |
| 2  |      |      | 2483.500        | 44.651                 | 12.804               | -9.349          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/19 - 10:56 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Vertical       |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2459.152        | 105.447                | 73.659               | N/A             | N/A            | 31.789      | PK   |
| 2  |      |      | 2483.500        | 60.581                 | 28.734               | -13.419         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2485.120        | 61.724                 | 29.872               | -12.276         | 74.000         | 31.852      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/19 - 10:58 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Vertical       |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 3: Transmit at channel 2462MHz by 802.11n-HT20 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2457.208        | 92.928                 | 61.143               | N/A             | N/A            | 31.785      | AV   |
| 2  |      |      | 2483.500        | 47.468                 | 15.621               | -6.532          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 16:01 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2373.624        | 59.617                 | 27.735               | -14.383         | 74.000         | 31.882      | PK   |
| 2  |      |      | 2390.000        | 58.543                 | 26.687               | -15.457         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2417.712        | 84.378                 | 52.567               | N/A             | N/A            | 31.811      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 16:06 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 45.140                 | 13.284               | -8.860          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2420.814        | 72.433                 | 40.626               | N/A             | N/A            | 31.807      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 16:10 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2389.794        | 71.139                 | 39.283               | -2.861          | 74.000         | 31.856      | PK   |
| 2  |      |      | 2390.000        | 70.880                 | 39.024               | -3.120          | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2428.470        | 104.163                | 72.369               | N/A             | N/A            | 31.794      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 16:14 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 51.012                 | 19.156               | -2.988          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2405.832        | 92.633                 | 60.802               | N/A             | N/A            | 31.830      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 16:15 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2438.120        | 79.239                 | 47.460               | N/A             | N/A            | 31.778      | PK   |
| 2  |      |      | 2483.500        | 57.585                 | 25.738               | -16.415         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2488.236        | 58.889                 | 27.029               | -15.111         | 74.000         | 31.860      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 16:24 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2436.624        | 68.435                 | 36.654               | N/A             | N/A            | 31.781      | AV   |
| 2  |      |      | 2483.500        | 44.688                 | 12.841               | -9.312          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 16:28 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2457.772        | 101.717                | 69.931               | N/A             | N/A            | 31.787      | PK   |
| 2  |      |      | 2483.500        | 67.749                 | 35.902               | -6.251          | 74.000         | 31.848      | PK   |
| 3  |      |      | 2483.918        | 68.699                 | 36.851               | -5.301          | 74.000         | 31.848      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 16:54 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 0 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2436.828        | 89.493                 | 57.712               | N/A             | N/A            | 31.781      | AV   |
| 2  |      |      | 2483.500        | 48.868                 | 17.021               | -5.132          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 16:55 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2368.542        | 59.556                 | 27.666               | -14.444         | 74.000         | 31.891      | PK   |
| 2  |      |      | 2390.000        | 58.482                 | 26.626               | -15.518         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2406.954        | 88.708                 | 56.879               | N/A             | N/A            | 31.828      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 17:09 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 45.310                 | 13.454               | -8.690          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2426.556        | 77.059                 | 45.262               | N/A             | N/A            | 31.797      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 17:10 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2389.728        | 71.739                 | 39.883               | -2.261          | 74.000         | 31.857      | PK   |
| 2  |      |      | 2390.000        | 71.265                 | 39.409               | -2.735          | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2437.050        | 105.978                | 74.198               | N/A             | N/A            | 31.780      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/19 - 17:13 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 51.331                 | 19.475               | -2.669          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2435.202        | 93.765                 | 61.982               | N/A             | N/A            | 31.783      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/20 - 17:22 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2468.006        | 80.402                 | 48.595               | N/A             | N/A            | 31.808      | PK   |
| 2  |      |      | 2483.500        | 57.458                 | 25.611               | -16.542         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2492.316        | 59.671                 | 27.800               | -14.329         | 74.000         | 31.871      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/20 - 17:29 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Horizontal     |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2467.496        | 68.609                 | 36.803               | N/A             | N/A            | 31.806      | AV   |
| 2  |      |      | 2483.500        | 44.740                 | 12.893               | -9.260          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/20 - 17:29 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2436.386        | 104.113                | 72.331               | N/A             | N/A            | 31.782      | PK   |
| 2  |      |      | 2483.500        | 69.155                 | 37.308               | -4.845          | 74.000         | 31.848      | PK   |
| 3  |      |      | 2483.544        | 70.363                 | 38.516               | -3.637          | 74.000         | 31.848      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Site: AC1                                                 | Time: 2014/12/20 - 17:31 |
| Limit: FCC_Part15.209_RE(3m)                              | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                  | Polarity: Vertical       |
| EUT: Altum AC600                                          | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2434.550        | 92.219                 | 60.435               | N/A             | N/A            | 31.784      | AV   |
| 2  |      |      | 2483.500        | 49.674                 | 17.827               | -4.326          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/20 - 17:33 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Horizontal     |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2370.588        | 59.606                 | 27.719               | -14.394         | 74.000         | 31.887      | PK   |
| 2  |      |      | 2390.000        | 57.441                 | 25.585               | -16.559         | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2412.234        | 77.950                 | 46.130               | N/A             | N/A            | 31.820      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/20 - 17:37 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Horizontal     |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 44.958                 | 13.102               | -9.042          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2427.348        | 65.328                 | 33.532               | N/A             | N/A            | 31.796      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/20 - 17:38 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Vertical       |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2389.530        | 69.199                 | 37.342               | -4.801          | 74.000         | 31.857      | PK   |
| 2  |      |      | 2390.000        | 68.951                 | 37.095               | -5.049          | 74.000         | 31.856      | PK   |
| 3  |      | *    | 2405.568        | 104.372                | 72.541               | N/A             | N/A            | 31.831      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/20 - 17:41 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Vertical       |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2422MHz by 802.11n-HT40 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      |      | 2390.000        | 50.785                 | 18.929               | -3.215          | 54.000         | 31.856      | AV   |
| 2  |      | *    | 2405.832        | 91.844                 | 60.013               | N/A             | N/A            | 31.830      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/20 - 17:41 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Horizontal     |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 0+1 |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2446.688        | 78.363                 | 46.596               | N/A             | N/A            | 31.767      | PK   |
| 2  |      |      | 2483.500        | 57.773                 | 25.926               | -16.227         | 74.000         | 31.848      | PK   |
| 3  |      |      | 2487.012        | 60.107                 | 28.250               | -13.893         | 74.000         | 31.857      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/20 - 17:45 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Horizontal     |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 0+1 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2454.712        | 65.416                 | 33.635               | N/A             | N/A            | 31.781      | AV   |
| 2  |      |      | 2483.500        | 44.632                 | 12.785               | -9.368          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/20 - 17:46 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Vertical       |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 0+1 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2435.706        | 103.168                | 71.385               | N/A             | N/A            | 31.782      | PK   |
| 2  |      |      | 2483.500        | 69.328                 | 37.481               | -4.672          | 74.000         | 31.848      | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Site: AC1                                                   | Time: 2014/12/20 - 17:49 |
| Limit: FCC_Part15.209_RE(3m)                                | Engineer: Knight Lu      |
| Probe: BBHA9120D_1-18GHz                                    | Polarity: Vertical       |
| EUT: Altum AC600                                            | Power: AC 120V/60Hz      |
| Mode 4: Transmit at channel 2452MHz by 802.11n-HT40 Ant 0+1 |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | *    | 2437.372        | 90.744                 | 58.964               | N/A             | N/A            | 31.780      | AV   |
| 2  |      |      | 2483.500        | 49.498                 | 17.651               | -4.502          | 54.000         | 31.848      | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

## 7.8. AC Conducted Emissions Measurement


### 7.8.1. Test Limit

| FCC Part 15 Subpart C Paragraph 15.207 Limits |           |           |
|-----------------------------------------------|-----------|-----------|
| Frequency (MHz)                               | QP (dBuV) | AV (dBuV) |
| 0.15 - 0.50                                   | 66 - 56   | 56 – 46   |
| 0.50 - 5.0                                    | 56        | 46        |
| 5.0 - 30                                      | 60        | 50        |

Note 1: The lower limit shall apply at the transition frequencies.


Note 2: The limit decreases linearly with the logarithm of the frequency in the range 0.15MHz to 0.5MHz.

### 7.8.2. Test Setup



### 7.8.3. Test Result

|                                   |                          |
|-----------------------------------|--------------------------|
| Site: SR2                         | Time: 2014/12/16 - 20:21 |
| Limit: FCC_Part15.207_CE_AC Power | Engineer: Milo Li        |
| Probe: ENV216_101683_Filter On    | Polarity: Line           |
| EUT: Altum AC600                  | Power: AC 120V/60Hz      |
| Note: Mode1                       |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV) | Factor (dB) | Type |
|----|------|------|-----------------|----------------------|----------------------|-----------------|--------------|-------------|------|
| 1  |      | *    | 0.154           | 54.602               | 43.863               | -11.179         | 65.781       | 10.740      | QP   |
| 2  |      |      | 0.154           | 39.352               | 28.612               | -16.429         | 55.781       | 10.740      | AV   |
| 3  |      |      | 0.190           | 49.365               | 39.336               | -14.671         | 64.037       | 10.029      | QP   |
| 4  |      |      | 0.190           | 33.079               | 23.050               | -20.958         | 54.037       | 10.029      | AV   |
| 5  |      |      | 0.222           | 45.093               | 35.153               | -17.650         | 62.744       | 9.941       | QP   |
| 6  |      |      | 0.222           | 28.112               | 18.172               | -24.631         | 52.744       | 9.941       | AV   |
| 7  |      |      | 0.242           | 42.586               | 32.629               | -19.441         | 62.027       | 9.958       | QP   |
| 8  |      |      | 0.242           | 24.547               | 14.589               | -27.480         | 52.027       | 9.958       | AV   |
| 9  |      |      | 0.482           | 42.466               | 32.314               | -13.839         | 56.305       | 10.152      | QP   |
| 10 |      |      | 0.482           | 34.715               | 24.563               | -11.590         | 46.305       | 10.152      | AV   |
| 11 |      |      | 20.858          | 38.340               | 28.204               | -21.660         | 60.000       | 10.136      | QP   |
| 12 |      |      | 20.858          | 31.187               | 21.051               | -18.813         | 50.000       | 10.136      | AV   |

Note: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + LISN Factor (dB)

|                                   |                          |
|-----------------------------------|--------------------------|
| Site: SR2                         | Time: 2014/12/16 - 20:25 |
| Limit: FCC_Part15.207_CE_AC Power | Engineer: Milo Li        |
| Probe: ENV216_101683_Filter On    | Polarity: Neutral        |
| EUT: Altum AC600                  | Power: AC 120V/60Hz      |
| Note: Mode1                       |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV) | Factor (dB) | Type |
|----|------|------|-----------------|----------------------|----------------------|-----------------|--------------|-------------|------|
| 1  |      | *    | 0.154           | 54.032               | 43.316               | -11.749         | 65.781       | 10.716      | QP   |
| 2  |      |      | 0.154           | 37.956               | 27.240               | -17.825         | 55.781       | 10.716      | AV   |
| 3  |      |      | 0.170           | 44.260               | 34.196               | -20.700         | 64.960       | 10.064      | QP   |
| 4  |      |      | 0.170           | 18.658               | 8.594                | -36.302         | 54.960       | 10.064      | AV   |
| 5  |      |      | 0.194           | 47.521               | 37.500               | -16.342         | 63.864       | 10.021      | QP   |
| 6  |      |      | 0.194           | 27.735               | 17.713               | -26.129         | 53.864       | 10.021      | AV   |
| 7  |      |      | 0.486           | 41.785               | 31.609               | -14.451         | 56.236       | 10.176      | QP   |
| 8  |      |      | 0.486           | 34.170               | 23.994               | -12.065         | 46.236       | 10.176      | AV   |
| 9  |      |      | 21.082          | 37.487               | 27.300               | -22.513         | 60.000       | 10.187      | QP   |
| 10 |      |      | 21.082          | 30.305               | 20.118               | -19.695         | 50.000       | 10.187      | AV   |
| 11 |      |      | 29.482          | 35.408               | 24.982               | -24.592         | 60.000       | 10.426      | QP   |
| 12 |      |      | 29.482          | 28.309               | 17.882               | -21.691         | 50.000       | 10.426      | AV   |

Note: Measure Level (dBuV) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + LISN Factor (dB)

## 8. CONCLUSION

The data collected relate only the item(s) tested and show that the **Altum AC600 FCC ID:**

**NCY-A600** is in compliance with Part 15C of the FCC Rules.

---

The End