


802.11a

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5483.50	56.85	12.66	44.19	74.00	-17.15	100	297 Peak	Horizontal	
2	5461.00	55.58	11.58	44.00	68.20	-12.62	100	297 Peak	Horizontal	
3 *	5580.00	113.17	69.18	43.99	68.20	44.97	100	297 Peak	Horizontal	
4	5827.50	57.69	13.24	44.45	68.20	-10.51	100	297 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5484.00	57.21	13.01	44.20	74.00	-16.79	100	85 Peak	Vertical	
2	5460.00	56.01	11.97	44.04	68.20	-12.19	100	85 Peak	Vertical	
3 *	5580.00	107.62	63.63	43.99	68.20	39.42	100	85 Peak	Vertical	
4	5822.50	57.93	13.49	44.44	68.20	-10.27	100	85 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5397.00	44.44	0.27	44.17	54.00	-9.56	100	297	Average	Horizontal	
2 *	5580.00	104.16	60.17	43.99	54.00	50.16	100	297	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5421.50	44.21	0.11	44.10	54.00	-9.79	100	85	Average	Vertical	
2 *	5580.00	98.06	54.07	43.99	54.00	44.06	100	85	Average	Vertical	

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5392.00	56.68	12.50	44.10	74.00	-17.40	100	297 Peak	Horizontal	
2	5469.00	55.47	11.42	44.05	68.20	-12.73	100	297 Peak	Horizontal	
3 *	5700.00	112.79	68.74	44.05	68.20	44.59	100	297 Peak	Horizontal	
4	5725.00	59.42	15.15	44.27	68.20	-8.78	100	297 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5404.00	56.32	12.12	44.20	74.00	-17.68	100	91 Peak	Vertical	
2	5469.50	56.10	12.05	44.05	68.20	-12.10	100	91 Peak	Vertical	
3 *	5700.00	106.46	62.41	44.05	68.20	38.26	100	91 Peak	Vertical	
4	5822.50	58.35	13.91	44.44	68.20	-9.85	100	91 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5407.58	44.21	0.03	44.18	54.00	-9.79	100	297	Average	Horizontal	
2 *	5700.00	103.91	59.66	44.05	54.00	49.91	100	297	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5412.00	44.17	0.02	44.15	54.00	-9.83	100	91	Average	Vertical	
2 *	5700.00	97.53	53.48	44.05	54.00	43.53	100	91	Average	Vertical	


802.11be EHT20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5488.50	57.28	13.29	43.99	74.00	-16.72	100	294	Peak	Horizontal		
2	5462.00	60.18	16.17	44.01	68.20	-8.02	100	294	Peak	Horizontal		
3 *	5500.00	115.52	71.33	44.19	68.20	47.32	100	294	Peak	Horizontal		
4	5801.00	58.78	14.36	44.42	68.20	-9.42	100	294	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5393.50	57.50	13.46	44.12	74.00	-16.42	100	82	Peak	Vertical		
2	5463.50	57.03	13.02	44.01	68.20	-11.17	100	82	Peak	Vertical		
3 *	5500.00	110.25	66.06	44.19	68.20	42.05	100	82	Peak	Vertical		
4	5764.00	57.74	13.27	44.47	68.20	-10.46	100	82	Peak	Vertical		

802.11be EHT20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.00	45.45	1.46	43.99	54.00	-8.55	100	294	Average	Horizontal	
2 *	5500.00	103.94	59.75	44.19	54.00	49.94	100	294	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.00	44.84	0.85	43.99	54.00	-9.16	100	82	Average	Vertical	
2 *	5500.00	98.78	54.59	44.19	54.00	44.78	100	82	Average	Vertical	


802.11be EHT20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.00	57.05	12.89	44.16	74.00	-16.95	100	294	Peak	Horizontal	
2	5469.50	57.15	13.10	44.05	68.20	-11.05	100	294	Peak	Horizontal	
3 *	5580.00	115.04	71.05	43.99	68.20	46.84	100	294	Peak	Horizontal	
4	5773.00	58.66	14.21	44.45	68.20	-9.54	100	294	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5382.50	57.00	13.04	43.96	74.00	-17.00	102	84	Peak	Vertical	
2	5470.00	56.98	12.93	44.05	68.20	-11.22	102	84	Peak	Vertical	
3 *	5580.00	109.02	65.03	43.99	68.20	40.82	102	84	Peak	Vertical	
4	5767.50	57.83	13.36	44.47	68.20	-10.37	102	84	Peak	Vertical	

802.11be EHT20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5482.58	44.51	0.31	44.20	54.00	-9.49	100	294	Average	Horizontal	
2 *	5500.00	103.94	59.95	43.99	54.00	49.94	100	294	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5484.00	44.31	0.11	44.20	54.00	-9.69	102	84	Average	Vertical	
2 *	5500.00	97.97	53.98	43.99	54.00	43.97	102	84	Average	Vertical	


802.11be EHT20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5398.00	57.52	13.34	44.18	74.00	-16.48	100	298 Peak	Horizontal	
2	5467.00	56.49	12.46	44.03	68.20	-11.71	100	298 Peak	Horizontal	
3 *	5700.00	114.54	70.49	44.05	68.20	46.34	100	298 Peak	Horizontal	
4 !	5726.58	62.72	18.44	44.28	68.20	-5.48	100	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5398.00	56.94	12.94	44.00	74.00	-17.06	103	83 Peak	Vertical	
2	5465.00	55.99	11.97	44.02	68.20	-12.21	103	83 Peak	Vertical	
3 *	5700.00	109.37	65.32	44.05	68.20	41.17	103	83 Peak	Vertical	
4	5725.00	61.21	16.94	44.27	68.20	-6.99	103	83 Peak	Vertical	

802.11be EHT20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5402.00	44.49	0.29	44.20	54.00	-9.51	100	298	Average	Horizontal	
2 *	5700.00	104.15	60.10	44.05	54.00	50.15	100	298	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5401.50	44.39	0.19	44.20	54.00	-9.61	103	83	Average	Vertical	
2 *	5700.00	98.16	54.11	44.05	54.00	44.16	103	83	Average	Vertical	


802.11be EHT40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5488.50	58.04	14.05	43.99	74.00	-15.96	100	296	Peak	Horizontal		
2	5469.50	63.54	19.49	44.05	68.20	-4.66	100	296	Peak	Horizontal		
3 *	5510.00	113.00	68.84	44.16	68.20	44.80	100	296	Peak	Horizontal		
4	5801.00	58.34	13.92	44.42	68.20	-9.86	100	296	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5395.50	57.90	13.83	44.15	74.00	-16.02	100	84	Peak	Vertical		
2	5469.00	59.72	15.67	44.05	68.20	-8.48	100	84	Peak	Vertical		
3 *	5510.00	105.50	61.34	44.16	68.20	37.30	100	84	Peak	Vertical		
4	5740.50	58.20	13.80	44.40	68.20	-10.00	100	84	Peak	Vertical		

802.11be EHT40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	45.84	1.84	44.00	54.00	-8.16	100	296 Average	Horizontal	
2 *	5510.00	100.81	50.65	44.16	54.00	46.81	100	296 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	44.58	0.42	44.16	54.00	-9.42	100	84 Average	Vertical	
2 *	5510.00	94.83	50.67	44.16	54.00	40.83	100	84 Average	Vertical	


802.11be EHT40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5429.00	57.38	13.22	44.06	74.00	-16.72	100	296 Peak	Horizontal	
2	5468.00	56.08	12.04	44.04	68.20	-12.12	100	296 Peak	Horizontal	
3 *	5558.00	113.60	69.57	44.03	68.20	45.40	100	296 Peak	Horizontal	
4	5736.50	58.81	14.45	44.36	68.20	-9.39	100	296 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5411.50	57.94	13.79	44.15	74.00	-16.06	100	84 Peak	Vertical	
2	5465.00	56.09	12.07	44.02	68.20	-12.11	100	84 Peak	Vertical	
3 *	5558.00	107.03	63.00	44.03	68.20	38.83	100	84 Peak	Vertical	
4	5763.00	58.66	14.19	44.47	68.20	-9.54	100	84 Peak	Vertical	


802.11be EHT40

CH 110 (Horizontal) Average

CH 110 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5420.50	44.67	0.56	44.11	54.00	-9.33	100	296	Average	Horizontal	
2 *	5550.00	101.27	57.24	44.03	54.00	47.27	100	296	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5407.50	44.49	0.31	44.18	54.00	-9.51	100	84	Average	Vertical	
2 *	5550.00	94.00	50.77	44.03	54.00	40.00	100	84	Average	Vertical	


802.11be EHT40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5482.00	57.75	13.55	44.20	74.00	-16.25	100	298 Peak	Horizontal	
2	5460.50	56.13	12.13	44.00	68.20	-12.07	100	298 Peak	Horizontal	
3 *	5670.00	112.40	68.38	44.02	68.20	44.20	100	298 Peak	Horizontal	
4	5793.00	58.98	14.55	44.43	68.20	-9.22	100	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5369.00	56.98	13.22	43.76	74.00	-17.02	100	88 Peak	Vertical	
2	5460.50	55.69	11.56	44.04	68.20	-12.60	100	88 Peak	Vertical	
3 *	5670.00	105.13	61.11	44.02	68.20	36.93	100	88 Peak	Vertical	
4	5749.50	57.95	13.47	44.48	68.20	-10.25	100	88 Peak	Vertical	

802.11be EHT40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.00	44.75	0.54	44.21	54.00	-9.25	100	298	Average	Horizontal	
2 *	5670.00	101.65	57.63	44.02	54.00	47.65	100	298	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5409.50	44.41	0.25	44.16	54.00	-9.59	100	88	Average	Vertical	
2 *	5670.00	94.62	50.60	44.02	54.00	40.62	100	88	Average	Vertical	


802.11be EHT80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5453.50	67.77	23.81	43.96	74.00	-6.23	100	294 Peak	Horizontal	
2	5463.50	67.05	23.04	44.01	68.20	-1.15	100	294 Peak	Horizontal	
3 *	5530.00	109.48	65.39	44.09	68.20	41.28	100	294 Peak	Horizontal	
4	5782.50	58.86	14.42	44.44	68.20	-9.34	100	294 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5442.00	61.80	17.81	43.99	74.00	-12.20	104	62 Peak	Vertical	
2	5469.00	63.88	19.83	44.05	68.20	-4.32	104	62 Peak	Vertical	
3 *	5530.00	105.89	61.80	44.09	68.20	37.69	104	62 Peak	Vertical	
4	5759.00	58.50	14.03	44.47	68.20	-9.70	104	62 Peak	Vertical	

802.11be EHT80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.58	52.38	8.38	44.00	54.00	-1.62	100	294	Average	Horizontal	
2	5530.00	98.26	54.17	44.09	54.00	44.26	100	294	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	47.98	3.98	44.00	54.00	-6.02	104	62	Average	Vertical	
2	5530.00	94.24	50.15	44.09	54.00	40.24	104	62	Average	Vertical	


802.11be EHT80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5391.50	57.53	13.44	44.09	74.00	-16.47	100	299	Peak	Horizontal	
2	5461.50	56.99	12.98	44.01	68.20	-11.21	100	299	Peak	Horizontal	
3 *	5610.00	109.83	65.85	43.98	68.20	41.63	100	299	Peak	Horizontal	
4	5732.50	60.61	16.28	44.33	68.20	-7.59	100	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5367.50	57.61	13.88	43.73	74.00	-16.39	100	63	Peak	Vertical	
2	5466.00	56.26	12.24	44.02	68.20	-11.94	100	63	Peak	Vertical	
3 *	5610.00	105.23	61.25	43.98	68.20	37.03	100	63	Peak	Vertical	
4	5752.50	58.84	14.36	44.48	68.20	-9.36	100	63	Peak	Vertical	

802.11be EHT80

CH 122 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5419.50	45.30	1.19	44.11	54.00	-8.70	100	299 Average	Horizontal	
2 *	5610.00	98.66	54.68	43.98	54.00	44.60	100	299 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5402.50	44.90	0.70	44.20	54.00	-9.10	100	63 Average	Vertical	
2 *	5610.00	94.03	50.05	43.98	54.00	40.03	100	63 Average	Vertical	

802.11be EHT160

CH 114 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5433.50	66.97	22.93	44.04	74.00	-7.03	100	259	Peak	Horizontal	
2	5463.00	59.13	15.12	44.01	68.20	-9.07	100	259	Peak	Horizontal	
3 *	5570.00	104.26	60.26	44.00	68.20	36.06	100	259	Peak	Horizontal	
4 !	5728.50	66.48	22.18	44.30	68.20	-1.72	100	259	Peak	Horizontal	

CH 114 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5433.00	67.13	23.09	44.04	74.00	-6.87	100	274	Peak	Vertical	
2	5460.50	59.23	15.23	44.00	68.20	-8.97	100	274	Peak	Vertical	
3 *	5570.00	95.30	51.30	44.00	68.20	27.10	100	274	Peak	Vertical	
4	5729.00	59.99	15.69	44.30	68.20	-8.21	100	274	Peak	Vertical	

802.11be EHT160

CH 114 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5432.50	50.65	6.60	44.05	54.00	-3.35	100	259	Average	Horizontal	
2 *	5578.00	93.22	49.22	44.00	54.00	39.22	100	259	Average	Horizontal	

CH 114 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5436.00	48.84	4.82	44.02	54.00	-5.16	100	274	Average	Vertical	
2 *	5578.00	83.79	39.79	44.00	54.00	29.79	100	274	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5514.00	57.02	12.88	44.14	68.20	-11.18	100	296 Peak	Horizontal	
2	5674.00	56.53	12.50	44.03	86.00	-29.47	100	296 Peak	Horizontal	
3	5718.50	58.05	13.84	44.21	110.38	-52.33	100	296 Peak	Horizontal	
4	5725.00	66.92	22.65	44.27	135.00	-68.08	100	296 Peak	Horizontal	
5	5745.00	112.87	68.43	44.44	135.00	-22.13	100	296 Peak	Horizontal	
6	5850.00	56.72	12.26	44.46	135.00	-78.28	100	296 Peak	Horizontal	
7	5875.00	57.25	12.72	44.53	105.20	-47.95	100	296 Peak	Horizontal	
8	5921.00	58.21	13.59	44.62	71.15	-12.94	100	296 Peak	Horizontal	
9	5981.00	57.69	12.83	44.86	68.20	-10.51	100	296 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5552.00	56.83	12.80	44.03	68.20	-11.37	100	91 Peak	Vertical	
2	5667.50	56.58	12.56	44.02	81.19	-24.61	100	91 Peak	Vertical	
3	5714.00	56.35	12.18	44.17	109.12	-52.77	100	91 Peak	Vertical	
4	5724.50	60.18	15.91	44.27	132.58	-72.40	100	91 Peak	Vertical	
5	5745.00	107.56	63.12	44.44	135.00	-27.44	100	91 Peak	Vertical	
6	5851.50	56.91	12.45	44.46	127.74	-70.83	100	91 Peak	Vertical	
7	5856.50	57.89	13.41	44.48	110.38	-52.49	100	91 Peak	Vertical	
8	5875.50	57.87	13.34	44.53	104.83	-46.96	100	91 Peak	Vertical	
9	5983.50	57.89	13.02	44.87	68.20	-10.31	100	91 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5564.50	57.50	13.49	44.01	68.20	-10.70	100	297 Peak	Horizontal	
2	5695.50	56.50	12.46	44.04	101.80	-45.30	100	297 Peak	Horizontal	
3	5700.50	57.71	13.66	44.05	105.34	-47.63	100	297 Peak	Horizontal	
4	5723.00	56.12	11.88	44.24	125.32	-69.20	100	297 Peak	Horizontal	
5	5785.00	112.71	68.27	44.44	135.00	-22.29	100	297 Peak	Horizontal	
6	5853.50	57.41	12.93	44.48	118.06	-60.65	100	297 Peak	Horizontal	
7	5860.50	57.93	13.44	44.49	109.26	-51.33	100	297 Peak	Horizontal	
8	5881.50	58.05	13.50	44.55	100.37	-42.32	100	297 Peak	Horizontal	
9	5929.50	58.25	13.62	44.63	68.20	-9.95	100	297 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5592.00	57.42	13.44	43.98	68.20	-10.78	100	90 Peak	Vertical	
2	5651.00	56.50	12.49	44.01	68.94	-12.44	100	90 Peak	Vertical	
3	5705.00	56.40	12.31	44.09	106.60	-50.20	100	90 Peak	Vertical	
4	5720.00	56.14	11.92	44.22	110.00	-54.66	100	90 Peak	Vertical	
5	5785.00	108.59	64.15	44.44	135.00	-26.41	100	90 Peak	Vertical	
6	5854.00	57.10	12.62	44.48	115.64	-50.54	100	90 Peak	Vertical	
7	5859.00	57.34	12.85	44.49	109.68	-52.34	100	90 Peak	Vertical	
8	5920.00	57.42	12.80	44.62	71.89	-14.47	100	90 Peak	Vertical	
9	5998.50	57.29	12.32	44.97	68.20	-10.91	100	90 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5582.50	57.66	13.68	43.90	68.20	-10.54	100	296 Peak	Horizontal	
2	5683.50	56.94	12.91	44.03	93.03	-36.09	100	296 Peak	Horizontal	
3	5701.50	56.66	12.60	44.06	105.62	-48.96	100	296 Peak	Horizontal	
4	5722.50	56.44	12.20	44.24	122.90	-66.46	100	296 Peak	Horizontal	
5	5825.00	113.22	68.78	44.44	135.00	-21.78	100	296 Peak	Horizontal	
6	5851.50	59.14	14.68	44.46	127.74	-68.60	100	296 Peak	Horizontal	
7	5872.50	58.36	13.83	44.53	105.50	-47.54	100	296 Peak	Horizontal	
8	5885.50	57.73	13.17	44.56	97.40	-39.67	100	296 Peak	Horizontal	
9	5959.50	58.33	13.62	44.71	68.20	-9.87	100	296 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5585.50	57.36	13.19	44.17	68.20	-10.84	100	93 Peak	Vertical	
2	5654.50	57.07	13.06	44.01	71.54	-14.47	100	93 Peak	Vertical	
3	5712.50	56.86	12.70	44.16	108.70	-51.84	100	93 Peak	Vertical	
4	5722.00	55.98	11.74	44.24	120.48	-64.50	100	93 Peak	Vertical	
5	5825.00	109.21	64.77	44.44	135.00	-25.79	100	93 Peak	Vertical	
6	5851.00	56.93	12.47	44.46	130.16	-73.23	100	93 Peak	Vertical	
7	5867.00	57.91	13.40	44.51	107.44	-49.53	100	93 Peak	Vertical	
8	5922.50	57.78	13.16	44.62	70.04	-12.26	100	93 Peak	Vertical	
9	5960.00	57.83	13.12	44.71	68.20	-10.37	100	93 Peak	Vertical	


802.11be EHT20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5559.50	57.88	13.86	44.82	68.20	-10.32	100	298 Peak	Horizontal	
2	5697.50	57.54	13.50	44.84	103.36	-45.82	100	298 Peak	Horizontal	
3	5719.50	60.91	16.69	44.22	110.66	-49.75	100	298 Peak	Horizontal	
4	5725.00	69.31	25.04	44.27	135.00	-65.69	100	298 Peak	Horizontal	
5	5745.00	115.02	70.58	44.44	135.00	-19.98	100	298 Peak	Horizontal	
6	5853.00	58.31	13.83	44.48	120.48	-62.17	100	298 Peak	Horizontal	
7	5864.00	57.37	12.87	44.50	106.28	-50.91	100	298 Peak	Horizontal	
8	5909.00	57.90	13.29	44.61	88.01	-22.11	100	298 Peak	Horizontal	
9	5997.00	58.09	13.13	44.96	68.20	-10.11	100	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5484.50	57.95	13.83	44.12	68.20	-10.25	100	92 Peak	Vertical	
2	5680.00	56.91	12.88	44.83	90.44	-33.53	100	92 Peak	Vertical	
3	5705.00	57.32	13.23	44.09	106.60	-49.28	100	92 Peak	Vertical	
4	5725.00	62.37	18.10	44.27	135.00	-72.63	100	92 Peak	Vertical	
5	5745.00	109.53	65.09	44.44	135.00	-25.47	100	92 Peak	Vertical	
6	5854.00	57.33	12.85	44.48	115.64	-58.31	100	92 Peak	Vertical	
7	5856.50	57.30	12.90	44.48	110.30	-53.00	100	92 Peak	Vertical	
8	5881.00	57.82	13.27	44.55	100.74	-42.92	100	92 Peak	Vertical	
9	5944.00	58.31	13.67	44.64	68.20	-9.89	100	92 Peak	Vertical	

802.11be EHT20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5610.50	57.91	13.93	43.90	68.20	-10.29	100	298 Peak	Horizontal	
2	5680.00	58.19	14.16	44.03	90.44	-32.25	100	298 Peak	Horizontal	
3	5707.50	57.54	13.43	44.11	107.30	-49.76	100	298 Peak	Horizontal	
4	5722.50	57.48	13.24	44.24	122.90	-65.42	100	298 Peak	Horizontal	
5	5785.00	115.36	70.92	44.44	135.00	-19.64	100	298 Peak	Horizontal	
6	5850.00	58.55	14.09	44.46	135.00	-76.45	100	298 Peak	Horizontal	
7	5868.50	58.31	13.79	44.52	107.02	-48.71	100	298 Peak	Horizontal	
8	5877.00	58.41	13.88	44.53	103.71	-45.30	100	298 Peak	Horizontal	
9	5999.00	58.58	13.61	44.97	68.20	-9.62	100	298 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5558.00	56.88	12.06	44.02	68.20	-11.32	100	90 Peak	Vertical	
2	5694.50	56.75	12.71	44.04	101.15	-44.40	100	90 Peak	Vertical	
3	5709.50	56.86	12.73	44.13	107.86	-51.00	100	90 Peak	Vertical	
4	5722.50	56.30	12.06	44.24	122.90	-66.60	100	90 Peak	Vertical	
5	5785.00	109.60	65.16	44.44	135.00	-25.40	100	90 Peak	Vertical	
6	5852.00	58.15	13.69	44.46	125.32	-67.17	100	90 Peak	Vertical	
7	5857.00	58.01	13.53	44.48	110.24	-52.23	100	90 Peak	Vertical	
8	5910.50	57.46	12.85	44.61	78.90	-21.44	100	90 Peak	Vertical	
9	5977.00	57.84	13.02	44.82	68.20	-10.36	100	90 Peak	Vertical	

802.11be EHT20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5531.00	58.82	14.73	44.09	68.20	-9.38	100	296 Peak	Horizontal	
2	5694.00	56.81	12.77	44.04	100.78	-43.97	100	296 Peak	Horizontal	
3	5701.50	56.96	12.90	44.06	105.62	-48.66	100	296 Peak	Horizontal	
4	5722.00	56.27	12.03	44.24	120.48	-64.21	100	296 Peak	Horizontal	
5	5825.00	115.31	70.87	44.44	135.00	-19.69	100	296 Peak	Horizontal	
6	5852.50	62.19	17.73	44.46	122.90	-68.71	100	296 Peak	Horizontal	
7	5861.00	60.41	15.92	44.49	109.12	-48.71	100	296 Peak	Horizontal	
8	5875.00	58.40	13.87	44.53	105.20	-46.80	100	296 Peak	Horizontal	
9	5999.00	58.94	13.97	44.97	68.20	-9.26	100	296 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5566.00	57.13	13.14	44.01	68.20	-11.05	100	93 Peak	Vertical	
2	5682.00	57.24	13.21	44.03	91.92	-34.68	100	93 Peak	Vertical	
3	5719.50	56.41	12.19	44.22	110.66	-54.25	100	93 Peak	Vertical	
4	5722.50	55.86	11.62	44.24	122.90	-67.04	100	93 Peak	Vertical	
5	5825.00	110.60	66.16	44.44	135.00	-24.40	100	93 Peak	Vertical	
6	5851.50	58.56	14.10	44.46	127.74	-69.18	100	93 Peak	Vertical	
7	5862.00	58.59	14.10	44.49	100.94	-50.25	100	93 Peak	Vertical	
8	5898.50	58.74	14.14	44.60	87.77	-29.83	100	93 Peak	Vertical	
9	5995.00	59.05	14.10	44.95	68.20	-9.15	100	93 Peak	Vertical	

802.11be EHT40

CH 151 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5573.00	57.41	13.41	44.00	68.20	-10.79	100	295 Peak	Horizontal	
2	5671.50	57.59	13.57	44.02	84.15	-26.56	100	295 Peak	Horizontal	
3	5717.00	70.67	26.47	44.20	109.96	-39.29	100	295 Peak	Horizontal	
4	5723.00	75.84	31.60	44.24	125.32	-49.48	100	295 Peak	Horizontal	
5	5755.00	113.11	68.63	44.48	135.00	-21.89	100	295 Peak	Horizontal	
6	5854.50	56.98	12.50	44.48	113.22	-56.24	100	295 Peak	Horizontal	
7	5873.00	57.77	13.24	44.53	105.76	-47.99	100	295 Peak	Horizontal	
8	5905.00	57.66	13.05	44.61	82.96	-25.30	100	295 Peak	Horizontal	
9	5930.50	57.79	13.16	44.63	68.20	-10.41	100	295 Peak	Horizontal	

CH 151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5585.50	57.42	13.25	44.17	68.20	-10.78	100	92 Peak	Vertical	
2	5700.00	57.32	13.27	44.05	105.20	-47.88	100	92 Peak	Vertical	
3	5719.00	66.01	21.80	44.21	110.52	-44.51	100	92 Peak	Vertical	
4	5725.00	66.19	21.92	44.27	135.00	-68.81	100	92 Peak	Vertical	
5	5755.00	107.27	62.79	44.48	135.00	-27.73	100	92 Peak	Vertical	
6	5850.00	57.56	13.10	44.46	135.00	-77.44	100	92 Peak	Vertical	
7	5866.50	57.89	13.38	44.51	107.58	-49.69	100	92 Peak	Vertical	
8	5876.50	58.28	13.75	44.53	104.09	-45.81	100	92 Peak	Vertical	
9	5942.50	58.12	13.48	44.64	68.20	-10.08	100	92 Peak	Vertical	

802.11be EHT40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5590.50	57.57	13.59	43.90	68.20	-10.63	100	295 Peak	Horizontal	
2	5694.00	56.96	12.82	44.04	100.78	-43.92	100	295 Peak	Horizontal	
3	5712.00	57.69	13.53	44.16	100.56	-50.87	100	295 Peak	Horizontal	
4	5723.50	57.36	13.11	44.25	127.74	-70.38	100	295 Peak	Horizontal	
5	5795.00	113.37	68.94	44.43	135.00	-21.63	100	295 Peak	Horizontal	
6	5852.50	58.56	14.10	44.46	122.90	-64.34	100	295 Peak	Horizontal	
7	5875.50	58.93	13.50	44.53	105.62	-47.59	100	295 Peak	Horizontal	
8	5914.00	58.40	13.79	44.61	76.31	-17.91	100	295 Peak	Horizontal	
9	5999.50	58.54	13.56	44.98	68.20	-9.66	100	295 Peak	Horizontal	

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5536.50	58.50	14.43	44.07	68.20	-9.70	100	94 Peak	Vertical	
2	5652.00	57.55	13.54	44.01	69.69	-12.14	100	94 Peak	Vertical	
3	5704.00	56.65	12.57	44.08	106.32	-49.67	100	94 Peak	Vertical	
4	5720.00	56.05	11.83	44.22	110.00	-54.75	100	94 Peak	Vertical	
5	5795.00	107.26	62.83	44.43	135.00	-27.74	100	94 Peak	Vertical	
6	5850.00	56.51	12.05	44.46	135.00	-70.40	100	94 Peak	Vertical	
7	5863.50	57.74	13.24	44.50	100.42	-50.68	100	94 Peak	Vertical	
8	5909.50	58.39	13.78	44.61	79.64	-21.25	100	94 Peak	Vertical	
9	5925.00	58.14	13.52	44.62	68.20	-10.06	100	94 Peak	Vertical	


802.11be EHT80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5547.50	58.24	14.20	44.04	68.20	-9.96	100	299 Peak	Horizontal	
2	5698.00	67.27	23.23	44.04	103.73	-36.46	100	299 Peak	Horizontal	
3	5720.00	70.92	26.70	44.22	110.80	-39.88	100	299 Peak	Horizontal	
4	5720.00	70.92	26.70	44.22	110.80	-39.88	100	299 Peak	Horizontal	
5	5775.00	109.57	65.12	44.45	135.00	-25.43	100	299 Peak	Horizontal	
6	5852.00	65.34	20.88	44.46	125.32	-59.98	100	299 Peak	Horizontal	
7	5862.50	66.24	21.75	44.49	108.70	-42.46	100	299 Peak	Horizontal	
8	5877.00	60.85	16.32	44.53	103.71	-42.86	100	299 Peak	Horizontal	
9	5933.00	59.12	14.49	44.63	68.20	-9.08	100	299 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5493.50	57.52	13.37	44.15	68.20	-10.68	100	71 Peak	Vertical	
2	5692.00	63.76	19.72	44.04	99.30	-35.54	100	71 Peak	Vertical	
3	5718.00	64.12	19.92	44.20	110.24	-46.12	100	71 Peak	Vertical	
4	5723.00	65.98	21.74	44.24	125.32	-59.34	100	71 Peak	Vertical	
5	5775.00	104.91	60.46	44.45	135.00	-30.09	100	71 Peak	Vertical	
6	5850.50	62.27	17.81	44.46	132.50	-70.31	100	71 Peak	Vertical	
7	5857.00	62.06	18.38	44.48	110.24	-47.38	100	71 Peak	Vertical	
8	5875.00	59.16	14.63	44.53	105.20	-46.04	100	71 Peak	Vertical	
9	5929.50	58.02	13.39	44.63	68.20	-10.18	100	71 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz

U-NII-2C


802.11be EHT20

CH 140(Open) (9kHz ~ 150kHz)

CH 140(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.03	64.01	44.18	19.83	119.13	-55.12	100	358	Peak	Open	
2	0.05	46.10	27.42	18.68	113.09	-66.99	100	368	Peak	Open	
3	0.06	41.52	23.47	18.05	111.72	-70.20	100	203	Peak	Open	
4	0.11	35.44	17.38	18.06	107.11	-71.67	100	135	Peak	Open	
5	0.12	33.75	15.58	18.17	105.74	-71.99	100	95	Peak	Open	
6	0.13	30.89	12.69	18.20	105.45	-74.56	100	45	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.33	50.09	31.52	18.57	97.26	-47.17	100	97	Peak	Open	
2	1.19	42.68	23.88	18.80	66.06	-23.38	100	108	Peak	Open	
3	2.39	34.27	15.37	18.90	69.50	-35.23	100	96	Peak	Open	
4	11.91	35.57	13.84	21.73	69.50	-33.93	100	234	Peak	Open	
5	17.02	37.08	14.76	22.32	69.50	-32.42	100	2	Peak	Open	
6	21.58	36.49	13.99	22.50	69.50	-33.01	100	38	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-2C


802.11be EHT20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	43.58	22.63	29.99	-7.36	48.00	-17.37	300	176	Peak	Horizontal	
2	167.74	24.49	31.15	-6.66	43.50	-19.01	200	220	Peak	Horizontal	
3	237.58	29.66	37.50	-7.84	46.00	-16.34	200	0	Peak	Horizontal	
4	304.51	30.09	36.40	-6.31	46.00	-15.91	100	51	Peak	Horizontal	
5	480.08	31.04	33.64	-2.60	46.00	-14.96	200	13	Peak	Horizontal	
6	806.00	35.19	31.76	3.43	46.00	-10.01	100	99	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	43.58	25.93	33.29	-7.36	48.00	-14.07	100	162	Peak	Vertical	
2	166.77	23.00	29.65	-6.65	43.50	-20.50	200	311	Peak	Vertical	
3	308.39	31.84	38.07	-6.23	46.00	-14.16	180	360	Peak	Vertical	
4	411.21	32.50	36.55	-4.05	46.00	-13.50	100	164	Peak	Vertical	
5	480.08	33.28	35.88	-2.60	46.00	-12.72	200	267	Peak	Vertical	
6	845.77	34.37	30.36	4.01	46.00	-11.63	300	312	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10400.00	51.38	51.89	-0.51	68.20	-16.82	100		50	Peak	Horizontal	
2	15600.00	38.96	31.98	6.98	54.00	-15.04	200		0	Average	Horizontal	
3	15800.00	53.49	46.51	6.98	74.00	-20.51	200		0	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10400.00	51.58	52.09	-0.51	68.20	-16.62	303		360	Peak	Vertical	
2	15600.00	42.42	35.44	6.98	54.00	-11.58	100		0	Average	Vertical	
3	15800.00	58.45	51.47	6.98	74.00	-15.55	100		0	Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	48.28	48.64	-0.36	68.20	-19.92	100	300	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	48.03	48.39	-0.36	68.20	-20.17	100	192	Peak	Vertical		


802.11be EHT20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10360.00	48.69	49.25	-0.56	68.20	-19.51	100	306	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10360.00	50.83	51.39	-0.56	68.20	-17.37	237	0	Peak	Vertical		


802.11be EHT20

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10488.00	46.02	46.38	-0.36	68.20	-22.18	100	99	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10488.00	47.89	48.25	-0.36	68.20	-20.31	260	0	Peak	Vertical	


802.11be EHT40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10380.00	47.15	47.68	-0.53	68.20	-21.05	300	110	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10380.00	46.76	47.29	-0.53	68.20	-21.44	200	327	Peak	Vertical	


802.11be EHT40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10460.00	48.35	48.74	-0.39	68.20	-19.85	200	61	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10460.00	46.33	46.72	-0.39	68.20	-21.87	121	360	Peak	Vertical		


802.11be EHT80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10420.00	45.12	45.60	-0.48	68.20	-23.08	100	239	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10420.00	45.47	45.95	-0.48	68.20	-22.73	100	360	Peak	Vertical		

U-NII-2A


802.11a

CH 52 (Horizontal)


CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	38.37	38.55	-0.18	54.00	-15.63	100	295	Average	Horizontal	
2	10600.00	52.08	52.26	-0.18	74.00	-21.92	100	295	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	37.62	37.80	-0.18	54.00	-16.38	100	152	Average	Vertical	
2	10600.00	50.97	51.15	-0.18	74.00	-23.03	100	152	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	34.52	34.69	-0.17	54.00	-19.48	300	116	Average	Horizontal	
2	10640.00	48.18	48.35	-0.17	74.00	-25.82	300	116	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	34.58	34.75	-0.17	54.00	-19.42	300	270	Average	Vertical	
2	10640.00	48.06	48.23	-0.17	74.00	-25.94	300	270	Peak	Vertical	


802.11be EHT20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10520.00	46.40	46.69	-0.29	68.20	-21.80	100	85	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10520.00	46.74	47.03	-0.29	68.20	-21.46	191	360	Peak	Vertical		


802.11be EHT20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	35.52	35.70	-0.18	54.00	-18.48	100	274	Average	Horizontal	
2	10600.00	48.71	48.89	-0.18	74.00	-25.29	100	274	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	36.43	36.61	-0.18	54.00	-17.57	100	357	Average	Vertical	
2	10600.00	49.37	49.55	-0.18	74.00	-24.63	100	357	Peak	Vertical	


802.11be EHT20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	34.81	34.98	-0.17	54.00	-19.19	100	360	Average	Horizontal	
2	10640.00	48.57	48.74	-0.17	74.00	-25.43	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	35.40	35.57	-0.17	54.00	-18.60	160	360	Average	Vertical	
2	10640.00	49.07	49.24	-0.17	74.00	-24.93	160	360	Peak	Vertical	


802.11be EHT40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10540.00	45.97	46.23	-0.26	68.20	-22.23		100	85	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10540.00	45.76	46.02	-0.26	68.20	-22.44		300	360	Peak	Vertical	


802.11be EHT40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	34.86	35.04	-0.18	54.00	-19.14	200	94	Average	Horizontal	
2	10620.00	48.16	48.34	-0.18	74.00	-25.84	200	94	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	35.22	35.40	-0.18	54.00	-18.78	256	0	Average	Vertical	
2	10620.00	50.08	50.26	-0.18	74.00	-23.92	256	0	Peak	Vertical	