


802.11be EHT160

CH111 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5748.03	55.35	61.75	-6.40	88.20	-32.85	100	228	Peak	Horizontal		
2 *	6505.00	109.17	109.83	-5.66	88.20	14.97	100	228	Peak	Horizontal		
3	7148.29	54.84	60.68	-5.24	88.20	-33.36	100	228	Peak	Horizontal		

CH111 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5682.99	53.96	60.75	-6.79	88.20	-34.24	112	72	Peak	Vertical		
2 *	6505.00	99.00	104.66	-5.66	88.20	10.80	112	72	Peak	Vertical		
3	7126.00	54.40	59.68	-5.28	88.20	-33.80	112	72	Peak	Vertical		


802.11be EHT160

CH111 (Horizontal) RMS


CH111 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





U-NII 7

802.11be EHT20

CH117 (Horizontal) Peak

CH117 (Vertical) Peak




802.11be EHT20

CH117 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5744.46	41.70	48.12	-6.42	68.20	-26.50	100	227 RMS	Horizontal		
2 *	6535.00	95.06	100.63	-5.57	68.20	26.06	100	227 RMS	Horizontal		
3	7165.31	42.61	47.82	-5.21	68.20	-25.59	100	227 RMS	Horizontal		

CH117 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5753.39	41.70	48.09	-6.39	68.20	-26.50	113	93 RMS	Vertical		
2 *	6535.00	90.79	96.36	-5.57	68.20	22.59	113	93 RMS	Vertical		
3	7127.78	42.57	47.84	-5.27	68.20	-25.63	113	93 RMS	Vertical		

802.11be EHT20

CH149 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT20


CH149 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT20

CH181 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5760.54	54.41	60.81	-6.40	88.20	-33.79	100	264	Peak	Horizontal		
2 *	6855.00	104.22	109.72	-5.50	88.20	16.02	100	264	Peak	Horizontal		
3	7228.92	55.72	60.84	-5.12	88.20	-32.48	100	264	Peak	Horizontal		

CH181 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5864.89	55.42	61.86	-6.44	88.20	-32.78	100	260	Peak	Vertical		
2 *	6855.00	102.72	108.22	-5.50	88.20	14.52	100	260	Peak	Vertical		
3	7196.04	55.46	60.65	-5.19	88.20	-32.74	100	260	Peak	Vertical		


802.11be EHT20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.82	41.86	48.25	-6.39	68.20	-26.34	100	264	RMS	Horizontal		
2 *	6855.00	99.73	99.23	-5.50	68.20	25.53	100	264	RMS	Horizontal		
3	7157.45	42.56	47.77	-5.21	68.20	-25.64	100	264	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5744.10	41.82	48.25	-6.43	68.20	-26.38	100	260	RMS	Vertical		
2 *	6855.00	92.80	98.30	-5.50	68.20	24.60	100	260	RMS	Vertical		
3	7210.69	42.55	47.72	-5.17	68.20	-25.65	100	260	RMS	Vertical		

802.11be EHT20

CH185 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH185 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT20

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5741.24	41.71	48.16	-6.45	68.20	-26.49	100	265	RMS	Horizontal		
2 *	6875.00	93.59	99.03	-5.44	68.20	25.39	100	265	RMS	Horizontal		
3	7134.57	42.64	47.90	-5.26	68.20	-25.56	100	265	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5741.24	41.74	48.19	-6.45	68.20	-26.46	100	260	RMS	Vertical		
2 *	6875.00	92.89	98.33	-5.44	68.20	24.69	100	260	RMS	Vertical		
3	7193.18	42.57	47.76	-5.19	68.20	-25.63	100	260	RMS	Vertical		

802.11be EHT40

CH123 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5715.51	54.53	61.19	-6.66	88.20	-33.67	100	296	Peak	Horizontal		
2 *	6565.00	105.38	111.02	-5.64	88.20	17.18	100	296	Peak	Horizontal		
3	7247.50	54.90	59.97	-5.07	88.20	-33.30	100	296	Peak	Horizontal		

CH123 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5803.06	54.90	61.38	-6.48	88.20	-33.30	291	259	Peak	Vertical		
2 *	6565.00	101.64	107.28	-5.64	88.20	13.44	291	259	Peak	Vertical		
3	7168.17	55.08	60.29	-5.21	88.20	-33.12	291	259	Peak	Vertical		


802.11be EHT40

CH123 (Horizontal) RMS

CH123 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.10	42.03	48.42	-6.39	68.20	-26.17	100	296 RMS	Horizontal		
2 *	6565.00	99.74	99.38	-5.64	68.20	25.54	100	296 RMS	Horizontal		
3	7204.97	42.86	48.04	-5.18	68.20	-25.34	100	296 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5757.32	42.03	48.42	-6.39	68.20	-26.17	291	259 RMS	Vertical		
2 *	6565.00	90.86	96.50	-5.64	68.20	22.66	291	259 RMS	Vertical		
3	7177.46	42.72	47.93	-5.21	68.20	-25.48	291	259 RMS	Vertical		

802.11be EHT40

CH155 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH155 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5768.04	41.93	48.34	-6.41	68.20	-26.27	100	269	RMS	Horizontal		
2 *	6725.00	93.51	99.26	-5.75	68.20	25.31	100	269	RMS	Horizontal		
3	7202.83	42.77	47.95	-5.18	68.20	-25.43	100	269	RMS	Horizontal		

CH155 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5743.38	41.95	48.38	-6.43	68.20	-26.25	100	262	RMS	Vertical		
2 *	6725.00	91.70	97.45	-5.75	68.20	23.50	100	262	RMS	Vertical		
3	7140.65	42.73	47.97	-5.24	68.20	-25.47	100	262	RMS	Vertical		

802.11be EHT40

CH179 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH179 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40


CH179 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH187 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5580.79	54.00	60.74	-6.74	88.20	-34.20		101	261 Peak	Horizontal		
2 *	6885.00	103.78	109.19	-5.41	88.20	15.58		101	261 Peak	Horizontal		
3	7138.86	55.03	60.27	-5.24	88.20	-33.17		101	261 Peak	Horizontal		

CH187 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5583.96	54.21	60.72	-6.51	88.20	-33.99		100	258 Peak	Vertical		
2 *	6885.00	103.43	108.84	-5.41	88.20	15.23		100	258 Peak	Vertical		
3	7144.58	54.68	59.91	-5.23	88.20	-33.52		100	258 Peak	Vertical		

802.11be EHT40


CH187 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT80

CH135 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5688.76	54.48	61.26	-6.78	88.20	-33.72	101	268	Peak	Horizontal		
2 *	6625.00	109.96	109.79	-5.83	88.20	15.76	101	268	Peak	Horizontal		
3	7175.54	55.31	60.52	-5.21	88.20	-32.89	101	268	Peak	Horizontal		

CH135 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5550.22	55.83	62.52	-6.69	88.20	-32.37	102	256	Peak	Vertical		
2 *	6625.00	101.08	106.91	-5.83	88.20	12.88	102	256	Peak	Vertical		
3	7219.93	55.89	61.03	-5.14	88.20	-32.31	102	256	Peak	Vertical		


802.11be EHT80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5743.18	41.85	48.28	-6.43	68.28	-26.35	181	268 RMS	Horizontal		
2 *	6625.00	92.69	98.52	-5.83	68.28	24.49	181	268 RMS	Horizontal		
3	7195.94	42.76	47.95	-5.19	68.28	-25.44	181	268 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5731.36	41.93	48.47	-6.54	68.28	-26.27	182	256 RMS	Vertical		
2 *	6625.00	89.95	95.78	-5.83	68.28	21.75	182	256 RMS	Vertical		
3	7218.98	42.88	47.97	-5.17	68.28	-25.40	182	256 RMS	Vertical		

802.11be EHT80

CH151 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5715.25	55.06	61.72	-6.66	88.20	-33.14	102	230	Peak	Horizontal	
2 *	6705.00	105.16	111.05	-5.89	88.20	16.96	102	230	Peak	Horizontal	
3	7142.60	55.49	60.72	-5.23	88.20	-32.71	102	230	Peak	Horizontal	

CH151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5714.54	54.70	61.36	-6.66	88.20	-33.50	100	262	Peak	Vertical	
2 *	6705.00	102.31	108.20	-5.89	88.20	14.11	100	262	Peak	Vertical	
3	7205.25	55.74	60.92	-5.18	88.20	-32.46	100	262	Peak	Vertical	

802.11be EHT80

CH151 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5749.26	41.80	40.19	-6.39	68.20	-26.40	182	230 RMS		Horizontal		
2 *	6705.00	92.61	98.59	-5.89	68.20	24.41	182	230 RMS		Horizontal		
3	7198.45	42.57	47.76	-5.19	68.20	-25.63	182	230 RMS		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5756.78	41.72	48.11	-6.39	68.20	-26.48	180	262 RMS		Vertical		
2 *	6705.00	90.13	96.02	-5.89	68.20	21.93	180	262 RMS		Vertical		
3	7193.79	42.65	47.84	-5.19	68.20	-25.55	180	262 RMS		Vertical		

802.11be EHT80

CH167 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5799.03	55.15	61.63	-6.48	88.20	-33.05	100	259 Peak	Horizontal		
2 *	6785.00	104.56	110.05	-5.49	88.20	16.36	100	259 Peak	Horizontal		
3	7173.39	55.77	60.98	-5.21	88.20	-32.43	100	259 Peak	Horizontal		

CH167 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5569.91	54.05	61.58	-6.73	88.20	-33.35	100	260 Peak	Vertical		
2 *	6785.00	103.35	108.84	-5.49	88.20	15.15	100	260 Peak	Vertical		
3	7222.43	55.15	60.29	-5.14	88.20	-33.05	100	260 Peak	Vertical		

802.11be EHT80

CH167 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5742.46	41.88	48.32	-6.44	68.20	-26.32	100	259 RMS	Horizontal		
2 *	6785.00	92.71	98.20	-5.49	68.20	24.51	100	259 RMS	Horizontal		
3	7151.91	42.83	48.84	-5.21	68.20	-25.37	100	259 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5754.99	41.83	48.22	-6.39	68.20	-26.37	100	260 RMS	Vertical		
2 *	6785.00	91.38	96.87	-5.49	68.20	23.18	100	260 RMS	Vertical		
3	7157.99	42.79	48.80	-5.21	68.20	-25.41	100	260 RMS	Vertical		

802.11be EHT80

CH183 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5784.71	54.57	61.02	-6.45	88.20	-33.63	100	264	Peak	Horizontal		
2 *	6865.00	105.39	110.86	-5.47	88.20	17.19	100	264	Peak	Horizontal		
3	7175.89	55.84	61.05	-5.21	88.20	-32.36	100	264	Peak	Horizontal		

CH183 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5530.88	54.64	61.24	-6.60	88.20	-33.56	100	258	Peak	Vertical		
2 *	6865.00	103.46	108.93	-5.47	88.20	15.26	100	258	Peak	Vertical		
3	7210.62	54.96	60.13	-5.17	88.20	-33.24	100	258	Peak	Vertical		

802.11be EHT80


CH183 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT160

CH143 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5814.14	53.95	60.43	-6.48	88.20	-34.25	100	226	Peak	Horizontal		
2 *	6665.00	102.75	100.55	-5.00	88.20	14.55	100	226	Peak	Horizontal		
3	7186.39	55.79	60.99	-5.20	88.20	-32.41	100	226	Peak	Horizontal		

CH143 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5712.29	54.40	61.00	-6.60	88.20	-33.80	101	256	Peak	Vertical		
2 *	6665.00	98.09	100.89	-5.00	88.20	9.89	101	256	Peak	Vertical		
3	7182.82	55.85	61.05	-5.20	88.20	-32.35	101	256	Peak	Vertical		

802.11be EHT160

CH143 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5767.33	42.65	49.06	-6.41	68.20	-25.55	100	226	RMS	Horizontal		
2 *	6665.00	91.11	96.91	-5.80	68.20	22.91	100	226	RMS	Horizontal		
3	7218.20	43.63	48.77	-5.14	68.20	-24.57	100	226	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5731.95	42.72	49.25	-6.53	68.20	-25.48	101	256	RMS	Vertical		
2 *	6665.00	88.32	94.12	-5.80	68.20	20.12	101	256	RMS	Vertical		
3	7195.68	43.39	48.58	-5.19	68.20	-24.81	101	256	RMS	Vertical		


802.11be EHT160

CH175 (Horizontal) Peak

CH175 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5769.83	54.80	61.22	-6.42	88.20	-33.40	100	267	Peak	Horizontal		
2 *	6825.00	101.46	106.94	-5.48	88.20	13.26	100	267	Peak	Horizontal		
3	7237.85	55.35	60.44	-5.09	88.20	-32.85	100	267	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5793.06	54.40	60.86	-6.46	88.20	-33.80	100	260	Peak	Vertical		
2 *	6825.00	99.37	104.85	-5.48	88.20	11.17	100	260	Peak	Vertical		
3	7150.30	55.01	60.23	-5.22	88.20	-33.19	100	260	Peak	Vertical		


802.11be EHT160

CH175 (Horizontal) RMS

CH175 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5756.96	42.74	49.13	-6.39	68.20	-25.46	100	267	RMS	Horizontal	
2 *	6825.00	89.98	95.46	-5.48	68.20	21.78	100	267	RMS	Horizontal	
3	7164.95	43.53	48.74	-5.21	68.20	-24.67	100	267	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5733.38	42.73	49.24	-6.51	68.20	-25.47	100	260	RMS	Vertical	
2 *	6825.00	89.24	94.72	-5.48	68.20	21.04	100	260	RMS	Vertical	
3	7177.46	43.66	48.87	-5.21	68.20	-24.54	100	260	RMS	Vertical	

U-NII 8

802.11be EHT20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




802.11be EHT20

CH189 (Horizontal) RMS


CH189 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5867.39	55.07	61.51	-6.44	88.20	-33.13	100	259 Peak	Horizontal			
2 *	6995.00	103.48	100.69	-5.21	88.20	15.28	100	259 Peak	Horizontal			
3	7207.83	55.20	60.37	-5.17	88.20	-33.00	100	259 Peak	Horizontal			



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5499.67	53.85	60.34	-6.49	88.20	-34.35	100	265 Peak	Vertical			
2 *	6995.00	102.54	107.75	-5.21	88.20	14.34	100	265 Peak	Vertical			
3	7171.38	54.57	59.78	-5.21	88.20	-33.63	100	265 Peak	Vertical			


802.11be EHT20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5730.15	41.66	40.20	-6.54	68.20	-26.54	100	259 RMS		Horizontal		
2 *	6995.00	92.74	97.95	-5.21	68.20	24.54	100	259 RMS		Horizontal		
3	7181.39	42.57	47.77	-5.20	68.20	-25.63	100	259 RMS		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5773.40	41.74	48.17	-6.43	68.20	-26.46	100	265 RMS		Vertical		
2 *	6995.00	92.23	97.44	-5.21	68.20	24.03	100	265 RMS		Vertical		
3	7204.26	42.56	47.73	-5.17	68.20	-25.64	100	265 RMS		Vertical		

802.11be EHT20

CH233 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5770.90	54.49	60.91	-6.42	88.20	-33.71	102	274 Peak	Horizontal			
2 *	7115.00	103.65	100.96	-5.31	88.20	15.45	102	274 Peak	Horizontal			
3	7125.00	69.96	75.25	-5.29	88.20	-18.24	102	274 Peak	Horizontal			

CH233 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5751.77	54.47	60.85	-6.38	88.20	-33.73	100	263 Peak	Vertical			
2 *	7115.00	103.22	100.53	-5.31	88.20	15.02	100	263 Peak	Vertical			
3	7125.00	69.41	74.70	-5.29	88.20	-18.79	100	263 Peak	Vertical			


802.11be EHT20

CH233 (Horizontal) RMS

CH233 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5753.03	41.66	48.05	-6.39	68.20	-26.54	182	274 RMS		Horizontal		
2 *	7115.00	92.71	98.02	-5.31	68.20	24.51	182	274 RMS		Horizontal		
3	7125.00	56.66	61.95	-5.29	68.20	-11.54	182	274 RMS		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5740.67	41.79	48.24	-6.45	68.20	-26.41	180	263 RMS		Vertical		
2 *	7115.00	92.18	97.41	-5.31	68.20	23.99	180	263 RMS		Vertical		
3	7125.00	54.88	60.09	-5.29	68.20	-13.40	180	263 RMS		Vertical		

802.11be EHT40

CH195 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH195 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH195 (Horizontal) RMS


CH195 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH211 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5789.79	54.10	60.80	-6.70	88.20	-34.10		103	266	Peak	Horizontal	
2 *	7005.00	104.68	109.91	-5.23	88.20	16.48		103	266	Peak	Horizontal	
3	7187.82	55.89	61.09	-5.20	88.20	-32.31		103	266	Peak	Horizontal	

CH211 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5620.10	54.87	61.66	-6.79	88.20	-33.33		100	257	Peak	Vertical	
2 *	7005.00	103.63	108.86	-5.23	88.20	15.43		100	257	Peak	Vertical	
3	7230.70	55.45	60.56	-5.11	88.20	-32.75		100	257	Peak	Vertical	


802.11be EHT40

CH211 (Horizontal) RMS

CH211 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5759.11	42.01	48.41	-6.40	68.20	-26.19	103	266	RMS	Horizontal		
2 *	7005.00	92.77	98.00	-5.23	68.20	24.57	103	266	RMS	Horizontal		
3	7191.75	42.83	48.02	-5.19	68.20	-25.37	103	266	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5763.40	41.07	48.28	-6.41	68.20	-26.33	100	257	RMS	Vertical		
2 *	7005.00	92.07	97.30	-5.23	68.20	23.87	100	257	RMS	Vertical		
3	7229.27	42.71	47.83	-5.12	68.20	-25.49	100	257	RMS	Vertical		