


802.11be EHT40

CH227 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5669.05	54.28	61.07	-6.79	88.20	-33.92	100	264	Peak	Horizontal		
2 *	7085.00	105.00	110.39	-5.39	88.20	16.00	100	264	Peak	Horizontal		
3	7126.35	55.99	61.27	-5.28	88.20	-32.21	100	264	Peak	Horizontal		

CH227 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5714.00	53.50	60.17	-6.67	88.20	-34.70	100	251	Peak	Vertical		
2 *	7085.00	103.89	109.28	-5.39	88.20	15.69	100	251	Peak	Vertical		
3	7154.59	54.30	59.51	-5.21	88.20	-33.90	100	251	Peak	Vertical		

802.11be EHT40

CH227 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5722.30	42.10	48.70	-6.60	68.20	-26.10	100	264	RMS	Horizontal		
2 *	7085.00	92.09	98.28	-5.39	68.20	24.69	100	264	RMS	Horizontal		
3	7125.64	43.71	48.99	-5.28	68.20	-24.49	100	264	RMS	Horizontal		

CH227 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5569.35	41.91	48.64	-6.73	68.20	-26.29	100	251	RMS	Vertical		
2 *	7085.00	91.99	97.38	-5.39	68.20	9.19	100	251	RMS	Vertical		
3	7126.35	43.24	48.52	-5.28	68.20	-24.96	100	251	RMS	Vertical		

802.11be EHT80

CH199 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5679.45	54.35	61.13	-6.78	88.20	-33.85	100	261	Peak	Horizontal	
2 *	6945.00	104.07	109.41	-5.34	88.20	15.87	100	261	Peak	Horizontal	
3	7135.44	55.86	61.12	-5.26	88.20	-32.34	100	261	Peak	Horizontal	

CH199 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5807.26	54.71	61.19	-6.48	88.20	-33.49	100	248	Peak	Vertical	
2 *	6945.00	103.37	108.71	-5.34	88.20	15.17	100	248	Peak	Vertical	
3	7217.06	55.08	60.24	-5.16	88.20	-33.12	100	248	Peak	Vertical	


802.11be EHT80

CH199 (Horizontal) RMS

CH199 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5742.82	41.89	48.33	-6.44	68.20	-26.31	100	261 RMS	Horizontal		
2 *	6945.00	92.70	98.04	-5.34	68.20	24.50	100	261 RMS	Horizontal		
3	7198.57	42.85	48.05	-5.20	68.20	-25.35	100	261 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5739.96	41.82	48.28	-6.46	68.20	-26.38	100	248 RMS	Vertical		
2 *	6945.00	92.37	97.71	-5.34	68.20	24.17	100	248 RMS	Vertical		
3	7141.17	42.80	48.04	-5.24	68.20	-25.40	100	248 RMS	Vertical		


802.11be EHT80

CH215 (Horizontal) Peak

CH215 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5719.91	54.40	61.03	-6.63	88.20	-33.80	100	266	Peak	Horizontal		
2 *	7025.00	105.98	111.32	-5.34	88.20	17.78	100	266	Peak	Horizontal		
3	7135.08	55.29	60.55	-5.26	88.20	-32.91	100	266	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5839.12	54.19	60.67	-6.48	88.20	-34.01	100	251	Peak	Vertical		
2 *	7025.00	104.98	110.24	-5.34	88.20	16.79	100	251	Peak	Vertical		
3	7161.57	55.64	60.86	-5.22	88.20	-32.56	100	251	Peak	Vertical		


802.11be EHT80

CH215 (Horizontal) RMS

CH215 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5737.01	41.86	48.34	-6.48	68.20	-26.34	100	266	RMS	Horizontal		
2 *	7025.00	93.73	99.07	-5.34	68.20	25.53	100	266	RMS	Horizontal		
3	7124.70	43.62	48.91	-5.29	68.20	-24.58	100	266	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5750.70	41.69	48.07	-6.38	68.20	-26.51	100	251	RMS	Vertical		
2 *	7025.00	92.95	98.29	-5.34	68.20	24.75	100	251	RMS	Vertical		
3	7124.70	43.18	48.47	-5.29	68.20	-25.02	100	251	RMS	Vertical		


802.11be EHT160

CH207 (Horizontal) Peak

CH207 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5739.01	54.77	61.23	-6.46	88.20	-33.43	100	260	Peak	Horizontal		
2 *	6985.00	103.21	108.45	-5.24	88.20	15.01	100	260	Peak	Horizontal		
3	7130.29	66.11	71.38	-5.27	88.20	-22.09	100	260	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5723.37	53.53	60.12	-6.59	88.20	-34.67	100	275	Peak	Vertical		
2 *	6985.00	101.68	106.92	-5.24	88.20	13.48	100	275	Peak	Vertical		
3	7130.64	63.12	68.39	-5.27	88.20	-25.08	100	275	Peak	Vertical		


802.11be EHT160

CH207 (Horizontal) RMS

CH207 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5987.41	42.78	49.16	-6.38	68.20	-25.42	100	260	RMS	Horizontal	
2 *	6985.00	90.23	95.47	-5.24	68.20	22.03	100	260	RMS	Horizontal	
3	7132.79	49.11	54.37	-5.26	68.20	-19.09	100	260	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5743.74	42.51	48.94	-6.43	68.20	-25.69	100	275	RMS	Vertical	
2 *	6985.00	89.74	94.98	-5.24	68.20	21.54	100	275	RMS	Vertical	
3	7130.64	47.34	52.61	-5.27	68.20	-20.86	100	275	RMS	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11be EHT80

CH119 9kHz~150kHz(Open)

CH119 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.03	64.11	44.27	19.84	119.08	-54.97	100	381	Peak	Open		
2	0.05	46.27	27.61	18.66	113.06	-66.79	100	99	Peak	Open		
3	0.06	41.23	23.18	18.05	111.72	-78.49	100	54	Peak	Open		
4	0.11	34.21	16.14	18.07	107.00	-72.79	100	125	Peak	Open		
5	0.12	34.26	16.09	18.17	105.75	-71.49	100	43	Peak	Open		
6	0.13	31.00	12.79	18.21	105.32	-74.32	100	203	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.33	50.16	31.59	18.57	97.26	-47.10	100	130	Peak	Open		
2	1.19	42.32	23.52	18.80	66.06	-23.74	100	90	Peak	Open		
3	3.61	34.43	15.19	19.24	69.50	-35.07	100	153	Peak	Open		
4	12.81	35.51	13.91	21.60	69.50	-33.99	100	53	Peak	Open		
5	19.28	35.57	12.79	22.78	69.50	-33.93	100	29	Peak	Open		
6	23.73	36.39	14.15	22.24	69.50	-33.11	100	74	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11be EHT80

CH119 (Horizontal)

CH119 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	42.61	23.84	31.23	-7.39	40.00	-16.16	200	182 Peak	Horizontal	
2	167.74	24.47	31.13	-6.66	43.50	-19.03	200	79 Peak	Horizontal	
3	304.51	33.42	39.73	-6.31	46.00	-12.58	100	75 Peak	Horizontal	
4	481.05	30.33	32.90	-2.57	46.00	-15.67	200	79 Peak	Horizontal	
5	709.00	32.52	30.57	1.95	46.00	-13.48	246	0 Peak	Horizontal	
6	845.77	34.10	30.09	4.01	46.00	-11.90	212	0 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	42.61	27.03	34.42	-7.39	40.00	-12.97	100	106 Peak	Vertical	
2	167.74	23.52	30.18	-6.66	43.50	-19.98	100	171 Peak	Vertical	
3	303.54	30.87	37.19	-6.32	46.00	-15.13	200	29 Peak	Vertical	
4	418.00	32.40	36.19	-3.79	46.00	-13.60	100	160 Peak	Vertical	
5	480.00	30.49	33.09	-2.60	46.00	-15.51	200	133 Peak	Vertical	
6	845.77	35.78	31.77	4.01	46.00	-10.22	300	72 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII 5


802.11be EHT20

CH01 (Horizontal)

CH01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	11910.00	35.95	34.23	1.72	54.00	-18.05	100	323 Average	Horizontal	
2	11910.00	46.67	44.95	1.72	74.00	-27.33	100	323 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	11910.00	35.88	34.16	1.72	54.00	-18.12	300	257 Average	Vertical	
2	11910.00	46.60	44.88	1.72	74.00	-27.40	300	257 Peak	Vertical	


802.11be EHT20

CH45 (Horizontal)

CH45 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12350.00	35.98	33.26	2.72	54.00	-18.02	400	311	Average	Horizontal	
2	12350.00	46.47	43.75	2.72	74.00	-27.53	400	311	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12350.00	36.02	33.30	2.72	54.00	-17.98	101	295	Average	Vertical	
2	12350.00	47.33	44.61	2.72	74.00	-26.67	101	295	Peak	Vertical	


802.11be EHT20

CH93 (Horizontal)

CH93 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12830.00	45.86	42.76	3.10	88.20	-42.34	170	360	Peak	Horizontal	
2	12830.00	35.79	32.69	3.10	68.20	-32.41	170	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12830.00	45.45	42.35	3.10	88.20	-42.75	200	310	Peak	Vertical	
2	12830.00	35.62	32.52	3.10	68.20	-32.58	200	310	RMS	Vertical	


802.11be EHT40

CH03 (Horizontal)

CH03 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11930.00	35.78	34.02	1.76	54.00	-18.22	185	114	Average	Horizontal	
2	11930.00	45.44	43.68	1.76	74.00	-28.56	185	114	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11930.00	35.72	33.96	1.76	54.00	-18.28	180	161	Average	Vertical	
2	11930.00	46.74	44.98	1.76	74.00	-27.26	180	161	Peak	Vertical	


802.11be EHT40

CH43 (Horizontal)

CH43 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12330.00	36.13	33.45	2.68	54.00	-17.87	100	73	Average	Horizontal	
2	12330.00	45.79	43.11	2.68	74.00	-28.21	100	73	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12330.00	36.21	33.53	2.68	54.00	-17.79	134	360	Average	Vertical	
2	12330.00	44.74	42.06	2.68	74.00	-29.26	134	360	Peak	Vertical	


802.11be EHT40

CH91 (Horizontal)

CH91 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12810.00	45.26	42.15	3.11	88.20	-42.94	258	0	Peak	Horizontal		
2	12810.00	35.90	32.79	3.11	68.20	-32.30	258	0	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12810.00	46.71	43.60	3.11	88.20	-41.49	201	34	Peak	Vertical		
2	12810.00	35.93	32.82	3.11	68.20	-32.27	201	34	RMS	Vertical		


802.11be EHT80

CH07 (Horizontal)

CH07 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11970.00	36.17	34.36	1.81	54.00	-17.83	100	61	Average	Horizontal		
2	11970.00	44.93	43.12	1.81	74.00	-29.07	100	61	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11970.00	36.00	34.19	1.81	54.00	-18.00	100	339	Average	Vertical		
2	11970.00	45.47	43.66	1.81	74.00	-28.53	100	339	Peak	Vertical		


802.11be EHT80

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12290.00	36.61	34.82	2.59	54.00	-17.39	100	108	Average	Horizontal	
2	12290.00	47.32	44.73	2.59	74.00	-26.68	100	108	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12290.00	36.64	34.85	2.59	54.00	-17.36	200	346	Average	Vertical	
2	12290.00	45.88	43.29	2.59	74.00	-28.12	200	346	Peak	Vertical	


802.11be EHT80

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12770.00	45.93	42.86	3.07	88.20	-42.27	100	41	Peak	Horizontal		
2	12770.00	36.78	33.71	3.07	68.20	-31.42	100	41	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12770.00	46.09	43.02	3.07	88.20	-42.11	200	120	Peak	Vertical		
2	12770.00	36.94	33.87	3.07	68.20	-31.26	200	120	RMS	Vertical		


802.11be EHT160

CH15 (Horizontal)

CH15 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12850.00	36.35	34.33	2.02	54.00	-17.65	227	14	Average	Horizontal	
2	12850.00	46.21	44.19	2.02	74.00	-27.79	227	14	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12850.00	36.38	34.36	2.02	54.00	-17.62	289	33	Average	Vertical	
2	12850.00	44.98	42.96	2.02	74.00	-29.02	289	33	Peak	Vertical	


802.11be EHT160

CH47 (Horizontal)

CH47 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12370.00	36.89	34.12	2.77	54.00	-17.11	273	0	Average	Horizontal		
2	12370.00	45.89	43.12	2.77	74.00	-28.11	273	0	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12370.00	36.83	34.06	2.77	54.00	-17.17	100	95	Average	Vertical		
2	12370.00	46.66	43.89	2.77	74.00	-27.34	100	95	Peak	Vertical		


802.11be EHT160

CH79 (Horizontal)

CH79 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12690.00	37.21	34.25	2.96	54.00	-16.79	100	146	Average	Horizontal	
2	12690.00	46.26	43.30	2.96	74.00	-27.74	100	146	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12690.00	37.38	34.42	2.96	54.00	-16.62	100	225	Average	Vertical	
2	12690.00	47.16	44.20	2.96	74.00	-26.84	100	225	Peak	Vertical	

U-NII 6


802.11be EHT20

CH97 (Horizontal)

CH97 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12870.00	48.82	45.74	3.08	88.20	-39.38	100	291	Peak	Horizontal	
2	12870.00	36.79	33.71	3.08	68.20	-31.41	100	291	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12870.00	47.19	44.11	3.08	88.20	-41.01	100	25	Peak	Vertical	
2	12870.00	35.76	32.68	3.08	68.20	-32.44	100	25	RMS	Vertical	


802.11be EHT20

CH105 (Horizontal)


CH105 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT20

CH113 (Horizontal)

CH113 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13030.00	46.72	43.79	2.93	88.20	-41.48	200	281	Peak	Horizontal		
2	13030.00	35.88	32.95	2.93	68.20	-32.32	200	281	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13030.00	45.95	43.02	2.93	88.20	-42.25	100	260	Peak	Vertical		
2	13030.00	35.62	32.69	2.93	68.20	-32.58	100	260	RMS	Vertical		

802.11be EHT40

CH99 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12899.00	45.89	42.81	3.08	88.20	-42.31	104	110	Peak	Horizontal	
2	12899.00	36.14	33.06	3.08	68.20	-32.06	104	110	RMS	Horizontal	

CH99 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12899.00	46.29	43.21	3.08	88.20	-41.91	100	226	Peak	Vertical	
2	12899.00	36.23	33.15	3.08	68.20	-31.97	100	226	RMS	Vertical	


802.11be EHT40

CH107 (Horizontal)

CH107 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12970.00	45.47	42.51	2.96	88.20	-42.73	120	360	Peak	Horizontal	
2	12970.00	35.31	32.35	2.96	68.20	-32.89	120	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12970.00	45.75	42.79	2.96	88.20	-42.45	200	268	Peak	Vertical	
2	12970.00	35.50	32.54	2.96	68.20	-32.70	200	268	RMS	Vertical	


802.11be EHT40

CH115 (Horizontal)

CH115 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13850.00	46.40	43.47	2.93	88.20	-41.80	200	232	Peak	Horizontal		
2	13850.00	35.61	32.69	2.92	68.20	-32.59	200	232	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13850.00	46.07	43.14	2.93	88.20	-42.13	100	192	Peak	Vertical		
2	13850.00	35.86	32.94	2.92	68.20	-32.34	100	192	RMS	Vertical		


802.11be EHT80

CH103 (Horizontal)

CH103 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12930.00	45.25	42.23	3.02	88.20	-42.95	220	0	Peak	Horizontal		
2	12930.00	36.33	33.31	3.02	68.20	-31.87	220	0	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12930.00	46.47	43.45	3.02	88.20	-41.73	185	360	Peak	Vertical		
2	12930.00	36.73	33.71	3.02	68.20	-31.47	185	360	RMS	Vertical		


802.11be EHT80

CH119 (Horizontal)

CH119 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 13099.00	46.13	43.21	2.92	88.20	-42.07	102	312	Peak	Horizontal		
2 13099.00	36.37	33.45	2.92	68.20	-31.83	102	312	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 13099.00	45.07	42.15	2.92	88.20	-43.13	100	228	Peak	Vertical		
2 13099.00	36.35	33.43	2.92	68.20	-31.85	100	228	RMS	Vertical		


802.11be EHT160

CH111 (Horizontal)

CH111 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13810.00	46.56	43.63	2.93	88.20	-41.64	100	252	Peak	Horizontal	
2	13810.00	36.44	33.52	2.92	68.20	-31.76	100	252	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13810.00	45.95	43.02	2.93	88.20	-42.25	302	117	Peak	Vertical	
2	13810.00	36.65	33.73	2.92	68.20	-31.55	302	117	RMS	Vertical	

U-NII 7


802.11be EHT20

CH117 (Horizontal)

CH117 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13870.00	46.72	43.79	2.93	88.20	-41.48	100	21	Peak	Horizontal		
2	13870.00	35.48	32.55	2.93	68.20	-32.72	100	21	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13870.00	47.42	44.49	2.93	88.20	-40.78	200	256	Peak	Vertical		
2	13870.00	35.48	32.47	2.93	68.20	-32.80	200	256	RMS	Vertical		


802.11be EHT20

CH149 (Horizontal)

CH149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13390.00	37.91	34.57	3.34	54.00	-16.09	100	173	Average	Horizontal	
2	13390.00	47.39	44.05	3.34	74.00	-26.61	100	173	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13390.00	37.62	34.28	3.34	54.00	-16.38	100	221	Average	Vertical	
2	13390.00	47.01	43.67	3.34	74.00	-26.99	100	221	Peak	Vertical	


802.11be EHT20

CH181 (Horizontal)

CH181 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 13710.00	46.26	42.76	3.50	88.20	-41.94	400	35	Peak	Horizontal		
2 13710.00	35.94	32.44	3.50	68.20	-32.26	400	35	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 13710.00	45.33	41.83	3.50	88.20	-42.87	400	28	Peak	Vertical		
2 13710.00	35.89	32.39	3.50	68.20	-32.31	400	28	RMS	Vertical		


802.11be EHT40

CH123 (Horizontal)

CH123 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13130.00	46.11	43.13	2.98	88.20	-42.09	200	30	Peak	Horizontal	
2	13130.00	35.65	32.67	2.98	68.20	-32.55	200	30	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13130.00	46.55	43.57	2.98	88.20	-41.65	128	360	Peak	Vertical	
2	13130.00	35.75	32.77	2.98	68.20	-32.45	128	360	RMS	Vertical	


802.11be EHT40

CH155 (Horizontal)

CH155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13450.00	45.30	41.97	3.33	88.20	-42.90	100	329	Peak	Horizontal		
2	13450.00	35.83	32.50	3.33	68.20	-32.37	100	329	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13450.00	45.46	42.13	3.33	88.20	-42.74	197	360	Peak	Vertical		
2	13450.00	35.73	32.40	3.33	68.20	-32.47	197	360	RMS	Vertical		


802.11be EHT40

CH179 (Horizontal)

CH179 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13690.00	44.84	41.36	3.48	88.20	-43.36	100	228	Peak	Horizontal	
2	13690.00	36.06	32.58	3.48	68.20	-32.14	100	228	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13690.00	45.53	42.05	3.48	88.20	-42.67	100	333	Peak	Vertical	
2	13690.00	36.32	32.84	3.48	68.20	-31.88	100	333	RMS	Vertical	

802.11be EHT40

CH0187 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 13770.00	43.45	39.87	3.58	88.20	-44.75	200	101	Peak	Horizontal		
2 13770.00	36.10	32.52	3.58	68.20	-32.10	200	101	RMS	Horizontal		

CH0187 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 13770.00	44.03	40.45	3.58	88.20	-44.17	200	356	Peak	Vertical		
2 13770.00	36.24	32.66	3.58	68.20	-31.96	200	356	RMS	Vertical		


802.11be EHT80

CH135 (Horizontal)

CH135 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13250.00	36.77	33.54	3.23	54.00	-17.23	100	358	Average	Horizontal	
2	13250.00	45.82	42.59	3.23	74.00	-28.18	100	358	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13250.00	36.85	33.62	3.23	54.00	-17.15	328	360	Average	Vertical	
2	13250.00	46.31	43.08	3.23	74.00	-27.69	328	360	Peak	Vertical	