


802.11be EHT80

CH151 (Horizontal)

CH151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13410.00	46.51	43.17	3.34	88.20	-41.69	100	114	Peak	Horizontal		
2	13410.00	36.59	33.26	3.33	68.20	-31.61	100	114	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13410.00	47.32	43.98	3.34	88.20	-40.88	400	256	Peak	Vertical		
2	13410.00	36.49	33.16	3.33	68.20	-31.71	400	256	RMS	Vertical		


802.11be EHT80

CH167 (Horizontal)

CH167 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13570.00	46.22	42.79	3.43	88.20	-41.98	200	49	Peak	Horizontal	
2	13570.00	36.67	33.24	3.43	68.20	-31.53	200	49	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13570.00	46.11	42.68	3.43	88.20	-42.09	100	104	Peak	Vertical	
2	13570.00	36.56	33.13	3.43	68.20	-31.64	100	104	RMS	Vertical	


802.11be EHT80

CH183 (Horizontal)

CH183 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13730.00	45.09	41.57	3.52	88.20	-43.11	300	8	Peak	Horizontal		
2	13730.00	36.92	33.40	3.52	68.20	-31.28	300	8	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13730.00	45.78	42.26	3.52	88.20	-42.42	300	316	Peak	Vertical		
2	13730.00	36.64	33.12	3.52	68.20	-31.56	300	316	RMS	Vertical		


802.11be EHT160

CH143 (Horizontal)

CH143 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13330.00	37.60	34.26	3.34	54.00	-16.40	400	187	Average	Horizontal	
2	13330.00	46.04	42.70	3.34	74.00	-27.96	400	187	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13330.00	37.30	33.96	3.34	54.00	-16.70	300	244	Average	Vertical	
2	13330.00	45.91	42.57	3.34	74.00	-28.09	300	244	Peak	Vertical	


802.11be EHT160

CH175 (Horizontal)

CH175 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13650.00	46.82	43.34	3.48	88.20	-41.38	264			0 Peak	Horizontal	
2	13650.00	37.83	33.55	3.48	68.20	-31.17	264			0 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13650.00	45.22	41.74	3.48	88.20	-42.98	100			313 Peak	Vertical	
2	13650.00	37.17	33.69	3.48	68.20	-31.03	100			313 RMS	Vertical	

U-NII 8


802.11be EHT20

CH189 (Horizontal)

CH189 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 13790.00	44.28	40.68	3.60	88.20	-43.92	383	360	Peak	Horizontal		
2 13790.00	36.05	32.45	3.60	68.20	-32.15	383	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 13790.00	45.22	41.62	3.60	88.20	-42.98	200	220	Peak	Vertical		
2 13790.00	36.16	32.56	3.60	68.20	-32.04	200	220	RMS	Vertical		


802.11be EHT20

CH209 (Horizontal)

CH209 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13999.00	46.80	42.67	4.13	88.20	-41.40	133	360	Peak	Horizontal	
2	13999.00	36.17	32.04	4.13	68.20	-32.03	133	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13999.00	46.96	42.83	4.13	88.20	-41.24	300	136	Peak	Vertical	
2	13999.00	36.37	32.24	4.13	68.20	-31.83	300	136	RMS	Vertical	


802.11be EHT20

CH233 (Horizontal)

CH233 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14230.00	46.55	41.70	4.85	88.20	-41.65	200	0	Peak	Horizontal	
2	14230.00	36.56	31.71	4.85	68.20	-31.64	200	0	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14230.00	47.60	42.75	4.85	88.20	-40.60	100	89	Peak	Vertical	
2	14230.00	37.50	32.65	4.85	68.20	-30.70	100	89	RMS	Vertical	


802.11be EHT40

CH195 (Horizontal)

CH195 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13850.00	42.08	38.31	3.77	88.20	-46.12	100	301	Peak	Horizontal	
2	13850.00	35.99	32.22	3.77	68.20	-32.21	100	301	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13850.00	43.76	39.99	3.77	88.20	-44.44	100	314	Peak	Vertical	
2	13850.00	36.10	32.33	3.77	68.20	-32.10	100	314	RMS	Vertical	


802.11be EHT40

CH211 (Horizontal)

CH211 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	14010.00	45.60	41.38	4.22	88.20	-42.60	200	350	Peak	Horizontal		
2	14010.00	36.02	31.80	4.22	68.20	-32.18	200	350	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	14010.00	45.97	41.75	4.22	88.20	-42.23	200	166	Peak	Vertical		
2	14010.00	36.28	32.06	4.22	68.20	-31.92	200	166	RMS	Vertical		


802.11be EHT40

CH227 (Horizontal)

CH227 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14170.00	47.37	42.64	4.73	88.20	-40.83	100	285	Peak	Horizontal	
2	14170.00	37.31	32.58	4.73	68.20	-30.89	100	285	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14170.00	46.53	41.80	4.73	88.20	-41.67	100	54	Peak	Vertical	
2	14170.00	38.15	33.42	4.73	68.20	-30.05	100	54	RMS	Vertical	


802.11be EHT80

CH199 (Horizontal)

CH199 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13899.00	47.49	43.59	3.90	88.20	-48.71	300	147	Peak	Horizontal	
2	13899.00	37.00	33.10	3.90	68.20	-31.20	300	147	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13899.00	46.35	42.45	3.90	88.20	-41.85	114	360	Peak	Vertical	
2	13899.00	37.16	33.26	3.90	68.20	-31.04	114	360	RMS	Vertical	


802.11be EHT80

CH215 (Horizontal)

CH215 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	14850.00	46.34	41.91	4.43	88.20	-41.86	100	138	Peak	Horizontal	
2	14850.00	37.34	32.91	4.43	68.20	-30.86	100	138	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	14850.00	47.05	42.62	4.43	88.20	-41.15	100	297	Peak	Vertical	
2	14850.00	37.47	33.04	4.43	68.20	-30.73	100	297	RMS	Vertical	


802.11be EHT160

CH207 (Horizontal)

CH207 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 13970.00	48.06	43.97	4.09	88.20	-40.14	100	153	Peak	Horizontal		
2 13970.00	37.67	33.58	4.09	68.20	-30.53	100	153	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 13970.00	47.39	43.30	4.09	88.20	-40.81	400	360	Peak	Vertical		
2 13970.00	37.38	33.29	4.09	68.20	-30.82	400	360	RMS	Vertical		


Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.19	34.08	24.45	9.63	54.22	-20.14	Average	line1	
2	0.19	50.86	41.23	9.63	64.22	-13.36	QP	line1	
3	0.25	27.85	17.40	9.63	51.82	-24.79	Average	line1	
4	0.25	41.32	31.69	9.63	61.82	-20.50	QP	line1	
5	0.33	22.04	12.41	9.63	49.42	-27.38	Average	line1	
6	0.33	35.96	26.33	9.63	59.42	-23.46	QP	line1	
7	1.33	20.24	10.60	9.64	46.00	-25.76	Average	line1	
8	1.33	31.63	21.99	9.64	56.00	-24.37	QP	line1	
9	4.63	25.69	16.00	9.69	46.00	-20.31	Average	line1	
10	4.63	32.43	22.74	9.69	56.00	-23.57	QP	line1	
11	7.58	26.08	16.35	9.73	50.00	-23.92	Average	line1	
12	7.58	31.42	21.69	9.73	60.00	-28.58	QP	line1	

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.19	33.70	24.07	9.63	54.18	-20.48	Average	neutral	
2	0.19	49.81	40.18	9.63	64.18	-14.37	QP	neutral	
3	0.27	23.90	14.27	9.63	53.24	-27.34	Average	neutral	
4	0.27	39.03	29.40	9.63	61.24	-22.21	QP	neutral	
5	0.31	23.35	13.72	9.63	50.00	-26.65	Average	neutral	
6	0.31	36.07	26.44	9.63	60.00	-23.93	QP	neutral	
7	3.54	21.34	11.65	9.69	46.00	-24.66	Average	neutral	
8	3.54	30.47	20.78	9.69	56.00	-25.53	QP	neutral	
9	12.05	25.49	15.69	9.80	50.00	-24.51	Average	neutral	
10	12.05	31.44	21.64	9.80	60.00	-28.56	QP	neutral	
11	15.54	21.63	11.80	9.83	50.00	-28.37	Average	neutral	
12	15.54	27.85	18.02	9.83	60.00	-32.15	QP	neutral	

<EUT with Cradle>

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII 6 & 7


802.11be EHT80

CH119 9kHz~150kHz(Open)

CH119 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	61.82	43.71	18.11	127.60	-65.78	100	280	Peak	Open	
2	0.03	68.96	49.13	19.83	119.13	-50.17	100	308	Peak	Open	
3	0.03	48.32	28.31	20.01	118.05	-69.73	100	278	Peak	Open	
4	0.05	48.07	29.38	18.69	113.11	-65.04	100	174	Peak	Open	
5	0.06	40.37	22.32	18.05	111.72	-71.35	100	236	Peak	Open	
6	0.12	29.47	11.29	18.18	105.71	-76.24	100	200	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	47.21	28.87	18.34	104.80	-56.87	100	187	Peak	Open	
2	0.78	48.30	29.38	18.92	69.80	-21.50	100	178	Peak	Open	
3	1.52	44.11	25.29	18.82	63.95	-19.84	100	164	Peak	Open	
4	1.73	37.48	18.65	18.83	69.50	-32.02	100	191	Peak	Open	
5	2.54	35.26	16.35	18.91	69.50	-34.24	100	160	Peak	Open	
6	21.61	36.48	13.99	22.49	69.50	-33.02	100	250	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII 6 & 7


802.11be EHT80

CH119 (Horizontal)

CH119 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	78.58	31.70	43.42	-11.72	40.00	-8.30	300	143 Peak	Horizontal	
2	195.87	33.91	43.10	-9.19	43.50	-9.59	100	204 Peak	Horizontal	
3	297.72	29.27	35.71	-6.44	46.00	-16.73	200	337 Peak	Horizontal	
4	461.65	29.50	32.54	-3.04	46.00	-16.50	200	195 Peak	Horizontal	
5	845.77	35.02	31.01	4.01	46.00	-10.98	200	11 Peak	Horizontal	
6	958.23	39.81	34.40	5.41	54.00	-14.19	200	291 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	45.52	27.00	34.18	-7.18	40.00	-13.00	100	243 Peak	Vertical	
2	78.58	24.97	36.69	-11.72	40.00	-15.03	400	76 Peak	Vertical	
3	190.05	26.02	34.87	-8.85	43.50	-17.48	200	154 Peak	Vertical	
4	279.29	26.90	33.77	-6.87	46.00	-19.10	100	173 Peak	Vertical	
5	712.88	33.00	31.01	1.99	46.00	-13.00	100	232 Peak	Vertical	
6	851.59	34.56	30.47	4.09	46.00	-11.44	400	6 Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band

(Line)

(Neutral)

