Appendix B: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test

<EUT with Notebook>

Band Edges, 2.31GHz ~ 2.5GHz

802.11b

Low Channel (Horizontal) Peak



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.81	56.66	18.49	38.17	74.00	-17.34	298	276	Peak	Horizontal	
2 *	2412.00	113.86	75.50	38.36	74.00	39.86	298	276	Peak	Horizontal	
3	2497.39	56.58	17.96	38.62	74.00	-17.42	298	276	Peak	Horizontal	

Low Channel (Vertical) Peak



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2311.05	55.07	17.36	37.71	74.00	-18.93	384	175	Peak	Vertical	
2 *	2412.00	105.88	67.52	38.36	74.00	31.88	384	175	Peak	Vertical	
3	2483.76	55.27	16.67	38.60	74.00	-18.73	384	175	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.95	44.39	6.21	38.18	54.00	-9.61	298	276	Average	Horizontal	
2 *	2412.00	111.27	72.91	38.36	54.00	57.27	298	276	Average	Horizontal	
3	2499.86	42.39	3.77	38.62	54.00	-11.61	298	276	Average	Horizontal	

Low Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.23	41.92	3.72	38.20	54.00	-12.08	384	175	Average	Vertical	
2 *	2412.00	103.16	64.80	38.36	54.00	49.16	384	175	Average	Vertical	
3	2496.82	42.30	3.68	38.62	54.00	-11.70	384	175	Average	Vertical	

802.11b

Middle Channel (Horizontal) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2378.21	55.49	17.39	38.10	74.00	-18.51	329	106	Peak	Horizontal	
2 *	2437.00	112.29	73.80	38.49	74.00	38.29	329	106	Peak	Horizontal	
3	2487.22	55.98	17.38	38.60	74.00	-18.02	329	106	Peak	Horizontal	

Middle Channel (Vertical) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2340.02	55.05	17.24	37.81	74.00	-18.95	378	192	Peak	Vertical	
2 *	2437.00	107.37	68.88	38.49	74.00	33.37	378	192	Peak	Vertical	
3	2487.84	55.71	17.10	38.61	74.00	-18.29	378	192	Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.61	41.87	3.67	38.20	54.00	-12.13	329	106	Average	Horizontal	
2 *	2437.00	109.08	70.59	38.49	54.00	55.08	329	106	Average	Horizontal	
3	2491.78	42.82	4.21	38.61	54.00	-11.18	329	106	Average	Horizontal	

Middle Channel (Vertical) Average

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2385.95	41.34	3.17	38.17	54.00	-12.66	378	192	Average	Vertical	
2 *	2437.00	104.72	66.23	38.49	54.00	50.72	378	192	Average	Vertical	
3	2485.51	42.46	3.86	38.60	54.00	-11.54	378	192	Average	Vertical	

802.11b

High Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2348.81	55.60	17.76	37.84	74.00	-18.40	321	104	Peak	Horizontal	
2 *	2462.00	110.99	72.42	38.57	74.00	36.99	321	104	Peak	Horizontal	
3	2491.36	56.40	17.79	38.61	74.00	-17.60	321	104	Peak	Horizontal	

High Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2375.79	55.07	16.99	38.08	74.00	-18.93	323	63	Peak	Vertical	
2 *	2462.00	106.26	67.69	38.57	74.00	32.26	323	63	Peak	Vertical	
3	2484.23	55.98	17.38	38.60	74.00	-18.02	323	63	Peak	Vertical	

802.11b

High Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2351.94	41.67	3.81	37.86	54.00	-12.33	321	104	Average	Horizontal	
2 *	2462.00	108.49	69.92	38.57	54.00	54.49	321	104	Average	Horizontal	
3	2483.50	43.55	4.95	38.60	54.00	-10.45	321	104	Average	Horizontal	

High Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.10	41.36	3.19	38.17	54.00	-12.64	323	63	Average	Vertical	
2 *	2462.00	103.53	64.96	38.57	54.00	49.53	323	63	Average	Vertical	
3	2483.52	42.77	4.17	38.60	54.00	-11.23	323	63	Average	Vertical	

802.11g

Low Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.37	63.80	25.60	38.20	74.00	-10.20	298	277	Peak	Horizontal	
2 *	2412.00	114.71	76.35	38.36	74.00	40.71	298	277	Peak	Horizontal	
3	2489.60	56.36	17.75	38.61	74.00	-17.64	298	277	Peak	Horizontal	

Low Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.95	56.43	18.24	38.19	74.00	-17.57	383	65	Peak	Vertical	
2 *	2412.00	108.58	70.22	38.36	74.00	34.58	383	65	Peak	Vertical	
3	2492.35	56.02	17.41	38.61	74.00	-17.98	383	65	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



		Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	!	2389.85	48.17	9.96	38.21	54.00	-5.83	298	277	Average	Horizontal	
2	*	2412.00	105.70	67.34	38.36	54.00	51.70	298	277	Average	Horizontal	
3		2492.07	42.63	4.02	38.61	54.00	-11.37	298	277	Average	Horizontal	

Low Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



		Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1		2389.66	43.08	4.87	38.21	54.00	-10.92	383	65	Average	Vertical	
2	*	2412.00	99.51	61.15	38.36	54.00	45.51	383	65	Average	Vertical	
3		2490.07	42.69	4.08	38.61	54.00	-11.31	383	65	Average	Vertical	

802.11g

Middle Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2348.95	55.21	17.37	37.84	74.00	-18.79	329	97	Peak	Horizontal	
2 *	2437.00	114.37	75.88	38.49	74.00	40.37	329	97	Peak	Horizontal	
3	2499.29	57.16	18.54	38.62	74.00	-16.84	329	97	Peak	Horizontal	

Middle Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2373.51	54.96	16.90	38.06	74.00	-19.04	302	92	Peak	Vertical	
2 *	2437.00	107.91	69.42	38.49	74.00	33.91	302	92	Peak	Vertical	
3	2484.94	56.28	17.68	38.60	74.00	-17.72	302	92	Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.71	42.08	3.91	38.17	54.00	-11.92	329	97	Average	Horizontal	
2 *	2437.00	105.01	66.52	38.49	54.00	51.01	329	97	Average	Horizontal	
3	2484.37	43.47	4.87	38.60	54.00	-10.53	329	97	Average	Horizontal	

Middle Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.28	41.92	3.72	38.20	54.00	-12.08	302	92	Average	Vertical	
2 *	2437.00	98.32	59.83	38.49	54.00	44.32	302	92	Average	Vertical	
3	2484.18	42.81	4.21	38.60	54.00	-11.19	302	92	Average	Vertical	

802.11g

High Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2362.35	55.78	17.83	37.95	74.00	-18.22	100	270	Peak	Horizontal	
2 *	2462.00	111.72	73.15	38.57	74.00	37.72	100	270	Peak	Horizontal	
3	2484.28	59.00	20.40	38.60	74.00	-15.00	100	270	Peak	Horizontal	

High Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2312.76	55.78	18.05	37.73	74.00	-18.22	322	74	Peak	Vertical	
2 *	2462.00	109.09	70.52	38.57	74.00	35.09	322	74	Peak	Vertical	
3	2483.71	59.99	21.39	38.60	74.00	-14.01	322	74	Peak	Vertical	

802.11g

High Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2380.87	42.18	4.05	38.13	54.00	-11.82	100	270	Average	Horizontal	
2 *	2462.00	103.27	64.70	38.57	54.00	49.27	100	270	Average	Horizontal	
3	2483.57	47.23	8.63	38.60	54.00	-6.77	100	270	Average	Horizontal	

High Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.28	41.88	3.70	38.18	54.00	-12.12	322	74	Average	Vertical	
2 *	2462.00	99.71	61.14	38.57	54.00	45.71	322	74	Average	Vertical	
3	2483.71	46.10	7.50	38.60	54.00	-7.90	322	74	Average	Vertical	

802.11be EHT20

Low Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



		Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	!	2389.80	72.76	34.55	38.21	74.00	-1.24	296	100	Peak	Horizontal	
2	*	2412.00	117.86	79.50	38.36	74.00	43.86	296	100	Peak	Horizontal	
3		2489.55	56.27	17.66	38.61	74.00	-17.73	296	100	Peak	Horizontal	

Low Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



		Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1		2389.66	67.34	29.13	38.21	74.00	-6.66	344	194	Peak	Vertical	
2	*	2412.00	111.31	72.95	38.36	74.00	37.31	344	194	Peak	Vertical	
3		2493.49	55.95	17.34	38.61	74.00	-18.05	344	194	Peak	Vertical	

802.11be EHT20

Low Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



		Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	!	2389.90	51.42	13.21	38.21	54.00	-2.58	296	100	Average	Horizontal	
2	*	2412.00	105.47	67.11	38.36	54.00	51.47	296	100	Average	Horizontal	
3		2483.57	42.78	4.18	38.60	54.00	-11.22	296	100	Average	Horizontal	

Low Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



		Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1		2389.99	46.96	8.75	38.21	54.00	-7.04	344	194	Average	Vertical	
2	*	2412.00	99.40	61.04	38.36	54.00	45.40	344	194	Average	Vertical	
3		2491.59	42.17	3.56	38.61	54.00	-11.83	344	194	Average	Vertical	

802.11be EHT20

Middle Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.81	56.49	18.30	38.19	74.00	-17.51	332	100	Peak	Horizontal	
2 *	2437.00	118.31	79.82	38.49	74.00	44.31	332	100	Peak	Horizontal	
3	2484.75	56.73	18.13	38.60	74.00	-17.27	332	100	Peak	Horizontal	

Middle Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.99	55.25	17.05	38.20	74.00	-18.75	338	15	Peak	Vertical	
2 *	2437.00	111.20	72.71	38.49	74.00	37.20	338	15	Peak	Vertical	
3	2492.21	56.26	17.65	38.61	74.00	-17.74	338	15	Peak	Vertical	

802.11be EHT20

Middle Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.61	42.89	4.69	38.20	54.00	-11.11	332	100	Average	Horizontal	
2 *	2437.00	106.23	67.74	38.49	54.00	52.23	332	100	Average	Horizontal	
3	2485.80	42.89	4.29	38.60	54.00	-11.11	332	100	Average	Horizontal	

Middle Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.71	41.36	3.15	38.21	54.00	-12.64	338	15	Average	Vertical	
2 *	2437.00	99.48	60.99	38.49	54.00	45.48	338	15	Average	Vertical	
3	2485.28	42.29	3.69	38.60	54.00	-11.71	338	15	Average	Vertical	

802.11be EHT20

High Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2352.23	56.16	18.30	37.86	74.00	-17.84	325	98	Peak	Horizontal	
2 *	2462.00	116.69	78.12	38.57	74.00	42.69	325	98	Peak	Horizontal	
3 !	2484.61	68.46	29.86	38.60	74.00	-5.54	325	98	Peak	Horizontal	

High Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2348.43	55.64	17.80	37.84	74.00	-18.36	331	84	Peak	Vertical	
2 *	2462.00	110.88	72.31	38.57	74.00	36.88	331	84	Peak	Vertical	
3	2484.42	61.55	22.95	38.60	74.00	-12.45	331	84	Peak	Vertical	

802.11be EHT20

High Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2345.63	41.62	3.80	37.82	54.00	-12.38	325	98	Average	Horizontal	
2 *	2462.00	104.79	66.22	38.57	54.00	50.79	325	98	Average	Horizontal	
3 !	2483.52	51.92	13.32	38.60	54.00	-2.08	325	98	Average	Horizontal	

High Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2322.16	41.13	3.38	37.75	54.00	-12.87	331	84	Average	Vertical	
2 *	2462.00	98.54	59.97	38.57	54.00	44.54	331	84	Average	Vertical	
3	2483.85	45.77	7.17	38.60	54.00	-8.23	331	84	Average	Vertical	

802.11be EHT40

Low Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.38	66.32	28.14	38.18	74.00	-7.68	296	300	Peak	Horizontal	
2 *	2422.00	112.71	74.29	38.42	74.00	38.71	296	300	Peak	Horizontal	
3	2483.50	55.76	17.16	38.60	74.00	-18.24	296	300	Peak	Horizontal	

Low Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.85	60.85	22.64	38.21	74.00	-13.15	338	194	Peak	Vertical	
2 *	2422.00	108.54	70.12	38.42	74.00	34.54	338	194	Peak	Vertical	
3	2496.49	55.71	17.09	38.62	74.00	-18.29	338	194	Peak	Vertical	

802.11be EHT40

Low Channel (Horizontal) Average

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	2389.99	49.55	11.34	38.21	54.00	-4.45	296	300	Average	Horizontal	
2 *	2422.00	100.34	61.92	38.42	54.00	46.34	296	300	Average	Horizontal	
3	2483.57	43.08	4.48	38.60	54.00	-10.92	296	300	Average	Horizontal	

Low Channel (Vertical) Average

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.99	44.62	6.41	38.21	54.00	-9.38	338	194	Average	Vertical	
2 *	2422.00	96.73	58.31	38.42	54.00	42.73	338	194	Average	Vertical	
3	2490.69	42.67	4.06	38.61	54.00	-11.33	338	194	Average	Vertical	

802.11be EHT40

Middle Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.66	58.37	20.16	38.21	74.00	-15.63	330	97	Peak	Horizontal	
2 *	2437.00	115.26	76.77	38.49	74.00	41.26	330	97	Peak	Horizontal	
3	2487.94	61.78	23.17	38.61	74.00	-12.22	330	97	Peak	Horizontal	

Middle Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2384.86	55.03	16.87	38.16	74.00	-18.97	338	60	Peak	Vertical	
2 *	2437.00	106.19	67.70	38.49	74.00	32.19	338	60	Peak	Vertical	
3	2485.80	56.86	18.26	38.60	74.00	-17.14	338	60	Peak	Vertical	

802.11be EHT40

Middle Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.99	44.25	6.04	38.21	54.00	-9.75	330	97	Average	Horizontal	
2 *	2437.00	103.67	65.18	38.49	54.00	49.67	330	97	Average	Horizontal	
3	2483.50	47.49	8.89	38.60	54.00	-6.51	330	97	Average	Horizontal	

Middle Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.09	41.80	3.61	38.19	54.00	-12.20	338	60	Average	Vertical	
2 *	2437.00	95.09	56.60	38.49	54.00	41.09	338	60	Average	Vertical	
3	2484.52	43.32	4.72	38.60	54.00	-10.68	338	60	Average	Vertical	

802.11be EHT40

High Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.71	56.46	18.26	38.20	74.00	-17.54	331	97	Peak	Horizontal	
2 *	2452.00	114.39	75.83	38.56	74.00	40.39	331	97	Peak	Horizontal	
3	2483.57	66.71	28.11	38.60	74.00	-7.29	331	97	Peak	Horizontal	

High Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2369.04	54.78	16.77	38.01	74.00	-19.22	332	86	Peak	Vertical	
2 *	2452.00	107.79	69.23	38.56	74.00	33.79	332	86	Peak	Vertical	
3	2483.90	61.48	22.88	38.60	74.00	-12.52	332	86	Peak	Vertical	

802.11be EHT40

High Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.90	43.48	5.27	38.21	54.00	-10.52	331	97	Average	Horizontal	
2 *	2452.00	102.58	64.02	38.56	54.00	48.58	331	97	Average	Horizontal	
3 !	2483.50	51.79	13.19	38.60	54.00	-2.21	331	97	Average	Horizontal	

High Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.38	41.61	3.41	38.20	54.00	-12.39	332	86	Average	Vertical	
2 *	2452.00	96.12	57.56	38.56	54.00	42.12	332	86	Average	Vertical	
3 !	2483.57	48.10	9.50	38.60	54.00	-5.90	332	86	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11be EHT40

CH06 (Open) 9kHz~150kHz

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.03	64.30	44.47	19.83	119.13	-54.83	100	163	Peak	Open	
2	0.05	46.33	27.65	18.68	113.09	-66.76	100	105	Peak	Open	
3	0.06	41.06	23.01	18.05	111.72	-70.66	100	57	Peak	Open	
4	0.11	34.33	16.26	18.07	107.09	-72.76	100	122	Peak	Open	
5	0.12	34.09	15.92	18.17	105.74	-71.65	100	69	Peak	Open	
6	0.13	31.42	13.22	18.20	105.46	-74.04	100	65	Peak	Open	

CH06 (Open) 150kHz~30MHz

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.33	51.55	32.98	18.57	97.26	-45.71	100	77	Peak	Open	
2	1.19	42.58	23.78	18.80	66.06	-23.48	100	98	Peak	Open	
3	5.31	33.49	13.50	19.99	69.50	-36.01	100	171	Peak	Open	
4	10.96	35.18	13.66	21.52	69.50	-34.32	100	8	Peak	Open	
5	18.63	35.75	13.05	22.70	69.50	-33.75	100	207	Peak	Open	
6	24.75	36.14	13.09	23.05	69.50	-33.36	100	41	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11be EHT40

CH06 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	51.34	21.27	28.12	-6.85	40.00	-18.73	194	360	Peak	Horizontal	
2	167.74	25.89	32.55	-6.66	43.50	-17.61	200	59	Peak	Horizontal	
3	236.61	32.44	40.31	-7.87	46.00	-13.56	141	360	Peak	Horizontal	
4	307.42	30.69	36.94	-6.25	46.00	-15.31	100	46	Peak	Horizontal	
5	799.21	35.64	32.25	3.39	46.00	-10.36	100	97	Peak	Horizontal	
6	921.43	35.12	30.88	5.04	46.00	-10.88	100	44	Peak	Horizontal	

CH06 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	48.43	26.77	33.71	-6.94	40.00	-13.23	100	188	Peak	Vertical	
2	164.83	21.67	28.36	-6.69	43.50	-21.83	300	291	Peak	Vertical	
3	309.36	30.89	37.10	-6.21	46.00	-15.11	200	87	Peak	Vertical	
4	418.97	32.75	36.51	-3.76	46.00	-13.25	100	166	Peak	Vertical	
5	709.97	32.90	30.92	1.98	46.00	-13.10	100	298	Peak	Vertical	
6	845.77	34.67	30.66	4.01	46.00	-11.33	200	194	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b

Low Channel (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	40.20	48.07	-7.87	54.00	-13.80	100	76	Average	Horizontal	
2	4824.00	46.06	53.93	-7.87	74.00	-27.94	100	76	Peak	Horizontal	

Low Channel (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	36.28	44.15	-7.87	54.00	-17.72	100	198	Average	Vertical	
2	4824.00	44.71	52.58	-7.87	74.00	-29.29	100	198	Peak	Vertical	

802.11b

Middle Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	7311.00	49.73	54.96	-5.23	54.00	-4.27	100	211	Average	Horizontal	
2	7311.00	54.56	59.79	-5.23	74.00	-19.44	100	211	Peak	Horizontal	

Middle Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	7311.00	50.20	55.43	-5.23	54.00	-3.80	100	89	Average	Vertical	
2	7311.00	54.79	60.02	-5.23	74.00	-19.21	100	89	Peak	Vertical	

802.11b

High Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	7386.00	52.12	57.38	-5.26	54.00	-1.88	100	196	Average	Horizontal	
2	7386.00	56.03	61.29	-5.26	74.00	-17.97	100	196	Peak	Horizontal	

High Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	7386.00	48.85	54.11	-5.26	54.00	-5.15	100	78	Average	Vertical	
2	7386.00	53.73	58.99	-5.26	74.00	-20.27	100	78	Peak	Vertical	

802.11g

Low Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	28.85	36.72	-7.87	54.00	-25.15	100	7	Average	Horizontal	
2	4824.00	42.25	50.12	-7.87	74.00	-31.75	100	7	Peak	Horizontal	

Low Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	28.77	36.64	-7.87	54.00	-25.23	121	360	Average	Vertical	
2	4824.00	43.33	51.20	-7.87	74.00	-30.67	121	360	Peak	Vertical	

802.11g

Middle Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7311.00	36.30	41.53	-5.23	54.00	-17.70	100	205	Average	Horizontal	
2	7311.00	54.38	59.61	-5.23	74.00	-19.62	100	205	Peak	Horizontal	

Middle Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7311.00	36.32	41.55	-5.23	54.00	-17.68	100	285	Average	Vertical	
2	7311.00	54.56	59.79	-5.23	74.00	-19.44	100	285	Peak	Vertical	

802.11g

High Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7386.00	37.12	42.38	-5.26	54.00	-16.88	100	193	Average	Horizontal	
2	7386.00	56.29	61.55	-5.26	74.00	-17.71	100	193	Peak	Horizontal	

High Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7386.00	36.25	41.51	-5.26	54.00	-17.75	100	271	Average	Vertical	
2	7386.00	53.90	59.16	-5.26	74.00	-20.10	100	271	Peak	Vertical	

802.11be EHT20

Low Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	28.58	36.45	-7.87	54.00	-25.42	300	72	Average	Horizontal	
2	4824.00	43.87	51.74	-7.87	74.00	-30.13	300	72	Peak	Horizontal	

Low Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	28.63	36.50	-7.87	54.00	-25.37	100	180	Average	Vertical	
2	4824.00	42.04	49.91	-7.87	74.00	-31.96	100	180	Peak	Vertical	

802.11be EHT20

Middle Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7311.00	41.40	46.63	-5.23	54.00	-12.60	100	243	Average	Horizontal	
2	7311.00	57.00	62.23	-5.23	74.00	-17.00	100	243	Peak	Horizontal	

Middle Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7311.00	43.69	48.92	-5.23	54.00	-10.31	101	88	Average	Vertical	
2	7311.00	58.99	64.22	-5.23	74.00	-15.01	101	88	Peak	Vertical	

802.11be EHT20

High Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7386.00	44.28	49.54	-5.26	54.00	-9.72	105	255	Average	Horizontal	
2	7386.00	58.67	63.93	-5.26	74.00	-15.33	105	255	Peak	Horizontal	

High Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7386.00	44.71	49.97	-5.26	54.00	-9.29	280	88	Average	Vertical	
2	7386.00	59.01	64.27	-5.26	74.00	-14.99	280	88	Peak	Vertical	

802.11be EHT40

Low Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7266.00	39.13	44.25	-5.12	54.00	-14.87	100	267	Average	Horizontal	
2	7266.00	53.35	58.47	-5.12	74.00	-20.65	100	267	Peak	Horizontal	

Low Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7266.00	40.11	45.23	-5.12	54.00	-13.89	283	88	Average	Vertical	
2	7266.00	54.91	60.03	-5.12	74.00	-19.09	283	88	Peak	Vertical	

802.11be EHT40

Middle Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7311.00	40.29	45.52	-5.23	54.00	-13.71	100	266	Average	Horizontal	
2	7311.00	55.27	60.50	-5.23	74.00	-18.73	100	266	Peak	Horizontal	

Middle Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7311.00	41.82	47.05	-5.23	54.00	-12.18	277	88	Average	Vertical	
2	7311.00	56.22	61.45	-5.23	74.00	-17.78	277	88	Peak	Vertical	

802.11be EHT40

High Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7356.00	41.22	46.44	-5.22	54.00	-12.78	102	254	Average	Horizontal	
2	7356.00	55.34	60.56	-5.22	74.00	-18.66	102	254	Peak	Horizontal	

High Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7356.00	41.88	47.10	-5.22	54.00	-12.12	284	86	Average	Vertical	
2	7356.00	55.57	60.79	-5.22	74.00	-18.43	284	86	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band

(Line)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.18	34.14	24.51	9.63	54.43	-20.29	Average	line1	
2	0.18	53.92	44.29	9.63	64.43	-10.51	QP	line1	
3	0.24	28.61	18.98	9.63	51.94	-23.33	Average	line1	
4	0.24	44.80	35.17	9.63	61.94	-17.14	QP	line1	
5	0.30	23.66	14.03	9.63	50.16	-26.50	Average	line1	
6	0.30	40.07	30.44	9.63	60.16	-20.09	QP	line1	
7	1.49	18.83	9.18	9.65	46.00	-27.17	Average	line1	
8	1.49	31.60	21.95	9.65	56.00	-24.40	QP	line1	
9	7.85	26.69	16.96	9.73	50.00	-23.31	Average	line1	
10	7.85	31.15	21.42	9.73	60.00	-28.85	QP	line1	
11	22.25	19.77	10.05	9.72	50.00	-30.23	Average	line1	
12	22.25	26.59	16.87	9.72	60.00	-33.41	QP	line1	

(Neutral)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.18	31.81	22.18	9.63	54.47	-22.66	Average	neutral	
2	0.18	49.26	39.63	9.63	64.47	-15.21	QP	neutral	
3	0.25	26.44	16.81	9.63	51.65	-25.21	Average	neutral	
4	0.25	38.77	29.14	9.63	61.65	-22.88	QP	neutral	
5	0.30	23.90	14.27	9.63	50.12	-26.22	Average	neutral	
6	0.30	34.80	25.17	9.63	60.12	-25.32	QP	neutral	
7	1.01	16.97	7.33	9.64	46.00	-29.03	Average	neutral	
8	1.01	28.90	19.26	9.64	56.00	-27.10	QP	neutral	
9	5.97	20.82	11.09	9.73	50.00	-29.18	Average	neutral	
10	5.97	27.69	17.96	9.73	60.00	-32.31	QP	neutral	
11	11.52	26.51	16.71	9.80	50.00	-23.49	Average	neutral	
12	11.52	32.93	23.13	9.80	60.00	-27.07	QP	neutral	

<EUT with Cradle>

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11be EHT40

CH06 (Open) 9kHz~150kHz

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	61.63	43.52	18.11	127.60	-65.97	100	314	Peak	Open	
2	0.03	69.06	49.23	19.83	119.13	-50.07	100	121	Peak	Open	
3	0.03	48.70	28.69	20.01	118.05	-69.35	100	314	Peak	Open	
4	0.05	48.10	29.41	18.69	113.11	-65.01	100	51	Peak	Open	
5	0.06	40.33	22.28	18.05	111.72	-71.39	100	297	Peak	Open	
6	0.12	29.79	11.61	18.18	105.71	-75.92	100	184	Peak	Open	

CH06 (Open) 150kHz~30MHz

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	47.47	29.13	18.34	104.08	-56.61	100	184	Peak	Open	
2	0.78	48.39	29.47	18.92	69.80	-21.41	100	174	Peak	Open	
3	1.52	46.01	27.19	18.82	63.95	-17.94	100	188	Peak	Open	
4	2.27	35.35	16.47	18.88	69.50	-34.15	100	278	Peak	Open	
5	15.64	35.64	13.85	21.79	69.50	-33.86	100	139	Peak	Open	
6	21.49	37.80	15.28	22.52	69.50	-31.70	100	289	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11be EHT40

CH06 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	78.50	31.24	42.96	-11.72	40.00	-8.76	400	150	Peak	Horizontal	
2	193.93	34.33	43.53	-9.20	43.50	-9.17	200	233	Peak	Horizontal	
3	331.67	29.99	35.44	-5.45	46.00	-16.01	100	189	Peak	Horizontal	
4	458.74	29.01	32.04	-3.03	46.00	-16.99	200	195	Peak	Horizontal	
5	752.65	32.64	29.74	2.90	46.00	-13.36	400	272	Peak	Horizontal	
6	848.68	34.92	30.84	4.08	46.00	-11.08	366	0	Peak	Horizontal	

CH06 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	44.55	26.49	33.82	-7.33	40.00	-13.51	100	250	Peak	Vertical	
2	78.50	26.03	37.75	-11.72	40.00	-13.97	400	262	Peak	Vertical	
3	196.84	27.67	36.93	-9.26	43.50	-15.83	200	162	Peak	Vertical	
4	299.66	28.39	34.79	-6.40	46.00	-17.61	200	98	Peak	Vertical	
5	846.74	34.46	30.43	4.03	46.00	-11.54	300	277	Peak	Vertical	
6	935.01	35.06	29.74	5.32	46.00	-10.94	200	58	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band

(Line)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.17	27.25	17.62	9.63	54.88	-27.63	Average	line1	
2	0.17	45.28	35.65	9.63	64.88	-19.60	QP	line1	
3	0.20	22.42	12.79	9.63	53.52	-31.10	Average	line1	
4	0.20	39.89	30.26	9.63	63.52	-23.63	QP	line1	
5	0.59	10.87	1.24	9.63	46.00	-35.13	Average	line1	
6	0.59	19.57	9.94	9.63	56.00	-36.43	QP	line1	
7	3.74	16.12	6.44	9.68	46.00	-29.88	Average	line1	
8	3.74	22.28	12.60	9.68	56.00	-33.72	QP	line1	
9	7.32	20.96	11.24	9.72	50.00	-29.04	Average	line1	
10	7.32	25.93	16.21	9.72	60.00	-34.07	QP	line1	
11	11.35	20.40	10.65	9.75	50.00	-29.60	Average	line1	
12	11.35	25.68	15.93	9.75	60.00	-34.32	QP	line1	

(Neutral)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	27.68	18.04	9.64	55.25	-27.57	Average	neutral	
2	0.16	45.44	35.80	9.64	65.25	-19.81	QP	neutral	
3	0.20	22.02	12.39	9.63	53.43	-31.41	Average	neutral	
4	0.20	39.00	29.37	9.63	63.43	-24.43	QP	neutral	
5	0.65	14.30	4.67	9.63	46.00	-31.70	Average	neutral	
6	0.65	19.26	9.63	9.63	56.00	-36.74	QP	neutral	
7	3.33	15.70	6.02	9.68	46.00	-30.30	Average	neutral	
8	3.33	20.38	10.70	9.68	56.00	-35.62	QP	neutral	
9	5.88	17.39	7.66	9.73	50.00	-32.61	Average	neutral	
10	5.88	23.14	13.41	9.73	60.00	-36.86	QP	neutral	
11	10.43	17.98	8.20	9.78	50.00	-32.02	Average	neutral	
12	10.43	23.36	13.58	9.78	60.00	-36.64	QP	neutral	