


Senao (Model: EP-236), Frequency: 2401.06 MHz (Left - Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (95°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.311 mW/g, SAR (1g): 0.158 mW/g, SAR (10g): 0.0773 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (7.1, 8.0) [mm]; Powerdrift: -0.05 dB
Coarse: Dx = 15.0, Dy = 16.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2441.66 MHz (Left - Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (95°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.578 mW/g, SAR (1g): 0.292 mW/g, SAR (10g): 0.141 mW/g, (Worst-case extrapolation)
Penetration depth: 7.2 (7.0, 7.9) [mm]; Powerdrift: -0.13 dB
Coarse: Dx = 15.0, Dy = 16.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2479.68 MHz (Left - Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (95°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.630 mW/g, SAR (1g): 0.317 mW/g, SAR (10g): 0.153 mW/g, (Worst-case extrapolation)
Penetration depth: 7.1 (6.9, 7.6) [mm]; Powerdrift: -0.18 dB
Coarse: Dx = 15.0, Dy = 16.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2479.68 MHz (Left -Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $e_r = 38.4$ $r = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 6.8 (6.5, 7.5) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2401.06 MHz (Left - Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (95°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.288 mW/g, SAR (1g): 0.151 mW/g, SAR (10g): 0.0810 mW/g, (Worst-case extrapolation)
Penetration depth: 7.6 (7.2, 8.5) [mm]; Powerdrift: -0.16 dB
Coarse: Dx = 15.0, Dy = 16.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2441.66 MHz (Left - Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (95°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.487 mW/g, SAR (1g): 0.246 mW/g, SAR (10g): 0.130 mW/g, (Worst-case extrapolation)
Penetration depth: 7.1 (6.7, 8.0) [mm]; Powerdrift: -0.16 dB
Coarse: Dx = 15.0, Dy = 16.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2479.68 MHz (Left - Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (95°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.528 mW/g, SAR (1g): 0.272 mW/g, SAR (10g): 0.139 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (7.1, 8.1) [mm]; Powerdrift: -0.13 dB
Coarse: Dx = 15.0, Dy = 16.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2479.68 MHz (Left - Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.4 (7.1, 8.1) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 24401.06 MHz (Right - Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (95°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.217 mW/g, SAR (1g): 0.109 mW/g, SAR (10g): 0.0619 mW/g, (Worst-case extrapolation)
Penetration depth: 9.0 (8.5, 9.8) [mm]; Powerdrift: -0.13 dB
Coarse: Dx = 15.0, Dy = 16.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2441.66 MHz (Right - Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (95°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.336 mW/g, SAR (1g): 0.176 mW/g, SAR (10g): 0.0940 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (7.2, 8.2) [mm]; Powerdrift: -0.15 dB
Coarse: Dx = 15.0, Dy = 16.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2479.68 MHz (Right - Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (95°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.347 mW/g, SAR (1g): 0.183 mW/g, SAR (10g): 0.0956 mW/g * Max outside, (Worst-case extrapolation)
Penetration depth: 6.5 (6.2, 7.2) [mm]; Powerdrift: -0.15 dB
Coarse: Dx = 15.0, Dy = 16.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2479.68 MHz (Right - Touch)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $e_r = 38.4$ $r = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.6 (7.3, 8.4) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 24401.06 MHz (Right - Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (95°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.352 mW/g, SAR (1g): 0.170 mW/g, SAR (10g): 0.0905 mW/g, (Worst-case extrapolation)
Penetration depth: 6.8 (6.2, 8.3) [mm]; Powerdrift: -0.09 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2441.66 MHz (Right - Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (95°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.581 mW/g, SAR (1g): 0.273 mW/g, SAR (10g): 0.139 mW/g, (Worst-case extrapolation)
Penetration depth: 6.3 (5.8, 7.8) [mm]; Powerdrift: -0.18 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2479.68 MHz (Right - Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $\epsilon_r = 38.4$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (95°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.677 mW/g, SAR (1g): 0.307 mW/g, SAR (10g): 0.149 mW/g, (Worst-case extrapolation)
Penetration depth: 6.1 (5.6, 7.6) [mm]; Powerdrift: -0.18 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2479.68 MHz (Right - Tilt)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Head 2450MHz: $s = 1.93 \text{ mho/m}$ $e_r = 38.4$ $r = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 6.2 (5.5, 8.0) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 23.0
Liquid Temperature (degree C): 21.3



Senao (Model: EP-236), Frequency: 2401.06 MHz (Flat)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.02 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (270°,270°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.132 mW/g, SAR (1g): 0.0697 mW/g, SAR (10g): 0.0377 mW/g, (Worst-case extrapolation)
Penetration depth: 7.8 (7.3, 8.9) [mm]; Powerdrift: -0.13 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23.1
Liquid Temperature (degree C): 21.1



Senao (Model: EP-236), Frequency: 2441.66 MHz (Flat)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.02 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (270°,270°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.182 mW/g, SAR (1g): 0.0961 mW/g, SAR (10g): 0.0521 mW/g, (Worst-case extrapolation)
Penetration depth: 7.7 (7.2, 8.9) [mm]; Powerdrift: -0.06 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23.1
Liquid Temperature (degree C): 21.1



Senao (Model: EP-236), Frequency: 2479.68 MHz (Flat)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.02 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (270°,270°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.214 mW/g, SAR (1g): 0.113 mW/g, SAR (10g): 0.0610 mW/g, (Worst-case extrapolation)
Penetration depth: 7.6 (7.1, 8.7) [mm]; Powerdrift: -0.11 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0

Ambient Temperature (degree C): 23.1
Liquid Temperature (degree C): 21.1



Senao (Model: EP-236), Frequency: 2479.68 MHz (Flat)

Frequency: 2450 MHz; Crest factor: 13.0
Medium: Muscle 2450 MHz: $s = 2.02 \text{ mho/m}$ $\epsilon_r = 50.8$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 7.6 (7.1, 8.6) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0

Ambient Temperature (degree C): 23.1
Liquid Temperature (degree C): 21.1

