


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37875G	46.35	74.00	-27.65	39.96	3	Horizontal	218	1.46	-	40.31	11.31	45.23			
RMS	13.39485G	34.73	54.00	-19.27	28.24	3	Horizontal	218	1.46	-	40.38	11.31	45.20			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0673G	60.65	83.54	-22.89	54.88	1	Vertical	190	1.57	-	37.63	17.38	49.24			
AV	20.0628G	48.78	63.54	-14.76	43.01	1	Vertical	190	1.57	-	37.63	17.38	49.24			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0154G	61.63	83.54	-21.91	55.76	1	Horizontal	106	1.65	-	37.74	17.37	49.24			
AV	20.0197G	48.74	63.54	-14.80	42.89	1	Horizontal	106	1.65	-	37.72	17.37	49.24			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7099G	48.48	88.20	-39.72	41.31	3	Vertical	295	2.31	-	40.82	11.41	45.06			
RMS	13.6792G	36.72	68.20	-31.48	29.69	3	Vertical	295	2.31	-	40.68	11.40	45.05			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7148G	49.96	88.20	-38.24	42.78	3	Horizontal	102	1.21	-	40.83	11.41	45.06			
RMS	13.6653G	37.68	68.20	-30.52	30.75	3	Horizontal	102	1.21	-	40.59	11.39	45.05			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5032G	50.98	83.54	-32.56	45.06	1	Vertical	131	1.50	-	37.70	17.44	49.22			
AV	20.5269G	37.09	63.54	-26.45	31.16	1	Vertical	131	1.50	-	37.70	17.44	49.21			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5194G	47.94	83.54	-35.60	42.01	1	Horizontal	113	2.49	-	37.70	17.44	49.21			
AV	20.5023G	38.27	63.54	-25.27	32.35	1	Horizontal	113	2.49	-	37.70	17.44	49.22			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77G	58.35	88.20	-29.85	51.10	3	Vertical	319	1.43	-	40.90	11.42	45.07			
RMS	13.7865G	47.40	68.20	-20.80	40.14	3	Vertical	319	1.43	-	40.90	11.43	45.07			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7802G	60.98	88.20	-27.22	53.72	3	Horizontal	225	1.80	-	40.90	11.43	45.07			
RMS	13.78635G	49.46	68.20	-18.74	42.20	3	Horizontal	225	1.80	-	40.90	11.43	45.07			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6571G	46.58	83.54	-36.96	40.39	1	Vertical	329	1.46	-	37.87	17.46	49.14			
AV	20.6103G	35.49	63.54	-28.05	29.37	1	Vertical	329	1.46	-	37.82	17.46	49.16			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6094G	46.91	83.54	-36.63	40.79	1	Horizontal	313	1.34	-	37.82	17.46	49.16			
AV	20.6244G	35.98	63.54	-27.56	29.82	1	Horizontal	313	1.34	-	37.85	17.46	49.15			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.03195G	59.01	88.20	-29.19	51.18	3	Vertical	59	2.56	-	41.43	11.50	45.10			
RMS	14.03185G	50.26	68.20	-17.94	42.43	3	Vertical	59	2.56	-	41.43	11.50	45.10			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9886G	61.34	88.20	-26.86	53.72	3	Horizontal	128	1.99	-	41.25	11.49	45.12			
RMS	14.0343G	50.28	68.20	-17.92	42.43	3	Horizontal	128	1.99	-	41.44	11.51	45.10			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.063G	45.26	83.54	-38.28	38.68	1	Vertical	298	2.62	-	37.97	17.53	48.92			
AV	21.021G	33.77	63.54	-29.77	27.19	1	Vertical	298	2.62	-	38.00	17.52	48.94			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_X_4TX
Setting
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0828G	46.65	83.54	-36.89	40.09	1	Horizontal	285	1.87	-	37.93	17.54	48.91			
AV	21.0201G	33.76	63.54	-29.78	27.18	1	Horizontal	285	1.87	-	38.00	17.52	48.94			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
Setting 95
06-E-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1026G	120.48	Inf	-Inf	109.48	3	Vertical	31	1.94	-	36.01	8.44	33.45			
RMS	7.1012G	111.24	Inf	-Inf	100.24	3	Vertical	31	1.94	-	36.00	8.44	33.44			
PK	7.125G	79.09	88.20	-9.11	68.00	3	Vertical	31	1.94	-	36.10	8.44	33.45			
RMS	7.125G	67.70	68.20	-0.50	56.61	3	Vertical	31	1.94	-	36.10	8.44	33.45			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
Setting 95
06-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.091G	121.30	Inf	-Inf	110.38	3	Horizontal	320	2.07	-	35.93	8.43	33.44			
RMS	7.0892G	111.51	Inf	-Inf	100.61	3	Horizontal	320	2.07	-	35.91	8.43	33.44			
PK	7.1262G	79.78	88.20	-8.42	68.70	3	Horizontal	320	2.07	-	36.10	8.44	33.46			
RMS	7.1252G	67.85	68.20	-0.35	56.77	3	Horizontal	320	2.07	-	36.10	8.44	33.46			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_X_4TX
Setting 95
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16955G	62.78	88.20	-25.42	54.54	3	Vertical	192	1.96	-	41.68	11.57	45.01			
RMS	14.1509G	48.39	68.20	-19.81	40.25	3	Vertical	192	1.96	-	41.60	11.56	45.02			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_X_4TX
Setting 95
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1703G	60.99	88.20	-27.21	52.75	3	Horizontal	101	1.80	-	41.68	11.57	45.01			
RMS	14.15555G	48.92	68.20	-19.28	40.76	3	Horizontal	101	1.80	-	41.62	11.56	45.02			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
Setting 95
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3072G	45.41	83.54	-38.13	38.61	1	Vertical	225	1.83	-	37.99	17.62	48.81			
AV	21.3081G	33.93	63.54	-29.61	27.14	1	Vertical	225	1.83	-	37.98	17.62	48.81			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_X_4TX
Setting 95
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2652G	45.55	83.54	-37.99	38.84	1	Horizontal	323	1.22	-	37.93	17.61	48.83			
AV	21.2622G	33.92	63.54	-29.62	27.23	1	Horizontal	323	1.22	-	37.92	17.60	48.83			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT X_4TX
Setting 98
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9242G	71.63	88.20	-16.57	59.44	3	Vertical	31	2.26	-	34.20	8.15	30.16				
RMS	5.925G	62.39	68.20	-5.81	50.20	3	Vertical	31	2.26	-	34.20	8.15	30.16				
PK	5.9578G	118.25	Inf	-Inf	105.96	3	Vertical	31	2.26	-	34.30	8.14	30.15				
RMS	6.0222G	105.03	Inf	-Inf	92.72	3	Vertical	31	2.26	-	34.34	8.11	30.14				

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT X_4TX
Setting 98
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9246G	77.59	88.20	-10.61	65.40	3	Horizontal	4	2.49	-	34.20	8.15	30.16			
RMS	5.925G	67.84	68.20	-0.36	55.65	3	Horizontal	4	2.49	-	34.20	8.15	30.16			
PK	6.015G	117.08	Inf	-Inf	104.78	3	Horizontal	4	2.49	-	34.33	8.11	30.14			
RMS	6.0118G	107.12	Inf	-Inf	94.82	3	Horizontal	4	2.49	-	34.32	8.11	30.13			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
Setting 98
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9691G	44.51	74.00	-29.49	38.54	3	Vertical	39	1.77	-	39.16	12.77	45.96			
AV	11.97135G	33.64	54.00	-20.36	27.66	3	Vertical	39	1.77	-	39.16	12.78	45.96			
PK	17.95473G	60.24	74.00	-13.76	44.05	3	Vertical	137	1.15	-	46.23	15.23	45.27			
AV	17.95749G	46.54	54.00	-7.46	30.34	3	Vertical	137	1.15	-	46.24	15.23	45.27			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
Setting 98
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97369G	44.48	74.00	-29.52	38.51	3	Horizontal	65	2.98	-	39.15	12.78	45.96			
AV	11.96946G	33.63	54.00	-20.37	27.66	3	Horizontal	65	2.98	-	39.16	12.77	45.96			
PK	17.95314G	56.48	74.00	-17.52	40.30	3	Horizontal	163	1.25	-	46.22	15.23	45.27			
AV	17.9586G	47.30	54.00	-6.70	31.09	3	Horizontal	163	1.25	-	46.25	15.23	45.27			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
Setting 98
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9544G	46.45	83.54	-37.09	35.83	1	Vertical	155	1.04	-	38.89	18.77	47.04			
AV	23.93985G	35.88	63.54	-27.66	25.30	1	Vertical	155	1.04	-	38.86	18.77	47.05			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT X_4TX
Setting 98
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9277G	46.12	83.54	-37.42	35.60	1	Horizontal	292	1.76	-	38.81	18.76	47.05			
AV	23.93985G	35.96	63.54	-27.58	25.38	1	Horizontal	292	1.76	-	38.86	18.77	47.05			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45715G	45.92	74.00	-28.08	41.48	3	Vertical	356	1.80	-	38.90	11.04	45.50			
AV	12.44665G	33.88	54.00	-20.12	29.45	3	Vertical	356	1.80	-	38.90	11.04	45.51			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46025G	47.48	74.00	-26.52	43.04	3	Horizontal	168	1.80	-	38.90	11.04	45.50			
AV	12.44995G	36.91	54.00	-17.09	32.48	3	Horizontal	168	1.80	-	38.90	11.04	45.51			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6852G	60.15	83.54	-23.39	55.50	1	Vertical	213	2.73	-	37.63	16.63	49.61			
AV	18.66387G	48.49	63.54	-15.05	43.82	1	Vertical	213	2.73	-	37.67	16.62	49.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.66258G	59.21	83.54	-24.33	54.54	1	Horizontal	348	2.22	-	37.67	16.62	49.62			
AV	18.66186G	47.48	63.54	-16.06	42.80	1	Horizontal	348	2.22	-	37.68	16.62	49.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7587G	45.80	88.20	-42.40	41.25	3	Vertical	42	2.12	-	39.12	11.13	45.70			
RMS	12.795G	34.42	68.20	-33.78	29.82	3	Vertical	42	2.12	-	39.19	11.14	45.73			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7532G	47.46	88.20	-40.74	42.91	3	Horizontal	188	2.71	-	39.11	11.13	45.69			
RMS	12.78535G	36.27	68.20	-31.93	31.68	3	Horizontal	188	2.71	-	39.17	11.14	45.72			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16166G	60.50	83.54	-23.04	55.21	1	Vertical	150	1.33	-	37.85	16.88	49.44			
AV	19.15812G	47.19	63.54	-16.35	41.88	1	Vertical	150	1.33	-	37.87	16.88	49.44			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.16007G	59.15	83.54	-24.39	53.85	1	Horizontal	28	2.82	-	37.86	16.88	49.44			
AV	19.15842G	44.08	63.54	-19.46	38.77	1	Horizontal	28	2.82	-	37.87	16.88	49.44			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9364G	46.06	88.20	-42.14	41.24	3	Vertical	189	1.80	-	39.50	11.18	45.86			
RMS	12.9298G	34.69	68.20	-33.51	29.87	3	Vertical	189	1.80	-	39.50	11.18	45.86			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93545G	47.97	88.20	-40.23	43.15	3	Horizontal	153	1.94	-	39.50	11.18	45.86			
RMS	12.92985G	35.31	68.20	-32.89	30.49	3	Horizontal	153	1.94	-	39.50	11.18	45.86			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.40022G	58.97	83.54	-24.57	53.60	1	Vertical	218	2.59	-	37.90	17.02	49.55			
AV	19.40046G	45.73	63.54	-17.81	40.36	1	Vertical	218	2.59	-	37.90	17.02	49.55			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.40694G	60.52	83.54	-23.02	55.18	1	Horizontal	268	1.79	-	37.87	17.03	49.56			
AV	19.38348G	48.67	63.54	-14.87	43.33	1	Horizontal	268	1.79	-	37.87	17.01	49.54			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0909G	46.01	88.20	-42.19	40.75	3	Vertical	254	2.88	-	39.78	11.23	45.75			
RMS	13.0943G	34.52	68.20	-33.68	29.25	3	Vertical	254	2.88	-	39.79	11.23	45.75			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1043G	47.87	88.20	-40.33	42.57	3	Horizontal	37	2.93	-	39.80	11.23	45.73			
RMS	13.09585G	37.50	68.20	-30.70	32.23	3	Horizontal	37	2.93	-	39.79	11.23	45.75			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.62375G	61.30	83.54	-22.24	56.01	1	Vertical	105	1.05	-	37.65	17.15	49.51			
AV	19.62342G	49.68	63.54	-13.86	44.39	1	Vertical	105	1.05	-	37.65	17.15	49.51			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6332G	58.92	83.54	-24.62	53.63	1	Horizontal	133	2.76	-	37.63	17.16	49.50			
AV	19.62252G	42.68	63.54	-20.86	37.39	1	Horizontal	133	2.76	-	37.65	17.15	49.51			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24685G	46.95	88.20	-41.25	41.06	3	Vertical	250	1.80	-	40.09	11.27	45.47			
RMS	13.2271G	34.46	68.20	-33.74	28.69	3	Vertical	250	1.80	-	40.01	11.27	45.51			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2314G	47.06	88.20	-41.14	41.26	3	Horizontal	177	2.78	-	40.03	11.27	45.50			
RMS	13.24995G	35.36	68.20	-32.84	29.46	3	Horizontal	177	2.78	-	40.10	11.27	45.47			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86609G	52.07	83.54	-31.47	46.45	1	Vertical	130	2.26	-	37.67	17.29	49.34			
AV	19.87983G	38.80	63.54	-24.74	33.19	1	Vertical	130	2.26	-	37.64	17.30	49.33			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87605G	55.83	83.54	-27.71	50.21	1	Horizontal	177	1.50	-	37.65	17.30	49.33			
AV	19.87803G	44.73	63.54	-18.81	39.12	1	Horizontal	177	1.50	-	37.64	17.30	49.33			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24955G	46.71	88.20	-41.49	40.81	3	Vertical	239	2.50	-	40.10	11.27	45.47			
RMS	13.24987G	35.27	68.20	-32.93	29.37	3	Vertical	239	2.50	-	40.10	11.27	45.47			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2267G	46.93	88.20	-41.27	41.16	3	Horizontal	278	2.40	-	40.01	11.27	45.51			
RMS	13.24985G	35.15	68.20	-33.05	29.25	3	Horizontal	278	2.40	-	40.10	11.27	45.47			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10516G	51.46	83.54	-32.08	45.62	1	Vertical	354	1.52	-	37.70	17.38	49.24			
AV	20.12883G	36.39	63.54	-27.15	30.53	1	Vertical	354	1.52	-	37.70	17.39	49.23			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12712G	51.28	83.54	-32.26	45.42	1	Horizontal	261	1.50	-	37.70	17.39	49.23			
AV	20.12832G	37.48	63.54	-26.06	31.62	1	Horizontal	261	1.50	-	37.70	17.39	49.23			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.58736G	46.44	88.20	-41.76	39.63	3	Vertical	236	2.50	-	40.47	11.37	45.03			
RMS	13.5702G	35.03	68.20	-33.17	28.25	3	Vertical	236	2.50	-	40.44	11.37	45.03			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.58972G	46.69	88.20	-41.51	39.87	3	Horizontal	100	1.52	-	40.48	11.37	45.03			
RMS	13.57652G	35.09	68.20	-33.11	28.30	3	Horizontal	100	1.52	-	40.45	11.37	45.03			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34642G	51.05	83.54	-32.49	45.07	1	Vertical	141	2.81	-	37.79	17.42	49.23			
AV	20.36415G	36.51	63.54	-27.03	30.58	1	Vertical	141	2.81	-	37.74	17.42	49.23			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.36196G	54.75	83.54	-28.79	48.81	1	Horizontal	325	1.65	-	37.75	17.42	49.23			
AV	20.36697G	38.54	63.54	-25.00	32.62	1	Horizontal	325	1.65	-	37.73	17.42	49.23			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74468G	48.11	88.20	-40.09	40.86	3	Vertical	326	1.57	-	40.89	11.42	45.06			
RMS	13.74632G	35.48	68.20	-32.72	28.23	3	Vertical	326	1.57	-	40.89	11.42	45.06			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7126G	47.73	88.20	-40.47	40.55	3	Horizontal	266	2.48	-	40.83	11.41	45.06			
RMS	13.74668G	35.43	68.20	-32.77	28.18	3	Horizontal	266	2.48	-	40.89	11.42	45.06			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36484G	54.42	83.54	-29.12	48.49	1	Vertical	110	2.53	-	37.74	17.42	49.23			
AV	20.36622G	38.58	63.54	-24.96	32.65	1	Vertical	110	2.53	-	37.74	17.42	49.23			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3661G	54.73	83.54	-28.81	48.80	1	Horizontal	45	2.26	-	37.74	17.42	49.23			
AV	20.36445G	38.53	63.54	-25.01	32.60	1	Horizontal	45	2.26	-	37.74	17.42	49.23			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88024G	46.76	88.20	-41.44	39.37	3	Vertical	333	2.56	-	41.02	11.46	45.09			
RMS	13.87032G	34.62	68.20	-33.58	27.28	3	Vertical	333	2.56	-	40.98	11.45	45.09			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.87064G	46.47	88.20	-41.73	39.13	3	Horizontal	53	2.50	-	40.98	11.45	45.09			
RMS	13.87532G	34.61	68.20	-33.59	27.25	3	Horizontal	53	2.50	-	41.00	11.45	45.09			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82786G	45.64	83.54	-37.90	39.38	1	Vertical	197	2.45	-	37.81	17.49	49.04			
AV	20.84406G	33.49	63.54	-30.05	27.15	1	Vertical	197	2.45	-	37.88	17.49	49.03			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.84244G	46.16	83.54	-37.38	39.84	1	Horizontal	194	2.25	-	37.87	17.49	49.04			
AV	20.84097G	33.46	63.54	-30.08	27.15	1	Horizontal	194	2.25	-	37.86	17.49	49.04			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
Setting 99
02-D-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.037G	116.30	Inf	-Inf	102.90	3	Vertical	360	2.86	-	35.37	8.92	30.89				
RMS	7.0018G	106.33	Inf	-Inf	93.02	3	Vertical	360	2.86	-	35.30	8.90	30.89				
PK	7.125G	79.53	88.20	-8.67	65.86	3	Vertical	360	2.86	-	35.60	8.96	30.89				
RMS	7.125G	67.32	68.20	-0.88	53.65	3	Vertical	360	2.86	-	35.60	8.96	30.89				

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_X_4TX
Setting 99
02-D-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0362G	117.68	Inf	-Inf	104.28	3	Horizontal	339	2.31	-	35.37	8.92	30.89			
RMS	6.9966G	108.55	Inf	-Inf	95.25	3	Horizontal	339	2.31	-	35.29	8.90	30.89			
PK	7.127G	75.75	88.20	-12.45	62.07	3	Horizontal	339	2.31	-	35.61	8.96	30.89			
RMS	7.125G	64.87	68.20	-3.33	51.20	3	Horizontal	339	2.31	-	35.60	8.96	30.89			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_X_4TX
Setting 99
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04952G	54.05	88.20	-34.15	46.13	3	Vertical	231	1.51	-	41.50	11.51	45.09			
RMS	14.04036G	42.84	68.20	-25.36	34.96	3	Vertical	231	1.51	-	41.46	11.51	45.09			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_X_4TX
Setting 99
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05004G	55.92	88.20	-32.28	48.00	3	Horizontal	143	1.61	-	41.50	11.51	45.09			
RMS	14.04024G	42.87	68.20	-25.33	34.99	3	Horizontal	143	1.61	-	41.46	11.51	45.09			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
Setting 99
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06108G	45.23	83.54	-38.31	38.64	1	Vertical	214	2.67	-	37.98	17.53	48.92			
AV	21.07491G	33.57	63.54	-29.97	27.00	1	Vertical	214	2.67	-	37.95	17.54	48.92			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_X_4TX
Setting 99
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.08637G	45.80	83.54	-37.74	39.24	1	Horizontal	200	1.14	-	37.93	17.54	48.91			
AV	21.08682G	33.56	63.54	-29.98	27.00	1	Horizontal	200	1.14	-	37.93	17.54	48.91			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
Setting 76
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9098G	63.70	88.20	-24.50	57.69	3	Vertical	48	2.52	-	32.22	7.55	33.76				
RMS	5.9202G	50.10	68.20	-18.10	44.05	3	Vertical	48	2.52	-	32.24	7.57	33.76				
PK	6.057G	108.95	Inf	-Inf	102.49	3	Vertical	48	2.52	-	32.50	7.67	33.71				
RMS	6.053G	99.05	Inf	-Inf	92.59	3	Vertical	48	2.52	-	32.50	7.68	33.72				

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
Setting 76
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	61.43	88.20	-26.77	55.41	3	Horizontal	7	3.00	-	32.23	7.55	33.76			
RMS	5.917G	49.21	68.20	-18.99	43.18	3	Horizontal	7	3.00	-	32.23	7.56	33.76			
PK	6.057G	104.55	Inf	-Inf	98.09	3	Horizontal	7	3.00	-	32.50	7.67	33.71			
RMS	6.057G	95.33	Inf	-Inf	88.87	3	Horizontal	7	3.00	-	32.50	7.67	33.71			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
Setting 76
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05723G	48.84	74.00	-25.16	44.63	3	Vertical	114	2.72	-	39.19	10.93	45.91			
AV	12.06392G	36.88	54.00	-17.12	32.68	3	Vertical	114	2.72	-	39.17	10.93	45.90			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
Setting 76
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06416G	48.85	74.00	-25.15	44.65	3	Horizontal	254	2.70	-	39.17	10.93	45.90			
AV	12.06425G	36.85	54.00	-17.15	32.65	3	Horizontal	254	2.70	-	39.17	10.93	45.90			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
Setting 76
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06867G	57.74	83.54	-25.80	53.68	1	Vertical	243	2.61	-	37.34	16.32	49.60			
AV	18.06255G	40.10	63.54	-23.44	36.06	1	Vertical	243	2.61	-	37.33	16.31	49.60			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
Setting 76
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07224G	61.52	83.54	-22.02	57.46	1	Horizontal	285	2.69	-	37.34	16.32	49.60			
AV	18.06576G	48.04	63.54	-15.50	44.00	1	Horizontal	285	2.69	-	37.33	16.31	49.60			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40008G	46.06	74.00	-27.94	41.69	3	Vertical	193	1.31	-	38.90	11.03	45.56			
RMS	12.36984G	34.48	54.00	-19.52	30.15	3	Vertical	193	1.31	-	38.90	11.02	45.59			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.31912G	46.41	74.00	-27.59	42.15	3	Horizontal	173	1.80	-	38.90	11.00	45.64			
RMS	12.43128G	34.44	54.00	-19.56	30.03	3	Horizontal	173	1.80	-	38.90	11.04	45.53			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56526G	56.96	83.54	-26.58	52.46	1	Vertical	167	2.35	-	37.63	16.57	49.70			
AV	18.56931G	44.35	63.54	-19.19	39.84	1	Vertical	167	2.35	-	37.64	16.57	49.70			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56061G	58.55	83.54	-24.99	54.06	1	Horizontal	107	2.59	-	37.62	16.57	49.70			
AV	18.5679G	47.39	63.54	-16.15	42.88	1	Horizontal	107	2.59	-	37.64	16.57	49.70			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.34936G	45.82	74.00	-28.18	41.52	3	Vertical	26	2.33	-	38.90	11.01	45.61			
AV	12.37016G	34.49	54.00	-19.51	30.16	3	Vertical	26	2.33	-	38.90	11.02	45.59			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.42904G	46.05	74.00	-27.95	41.65	3	Horizontal	50	1.58	-	38.90	11.03	45.53			
AV	12.36984G	34.44	54.00	-19.56	30.11	3	Horizontal	50	1.58	-	38.90	11.02	45.59			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02603G	57.06	83.54	-26.48	51.77	1	Vertical	347	1.24	-	37.85	16.81	49.37			
AV	19.02165G	42.95	63.54	-20.59	37.68	1	Vertical	347	1.24	-	37.84	16.80	49.37			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03119G	58.34	83.54	-25.20	53.04	1	Horizontal	227	2.67	-	37.86	16.81	49.37			
AV	19.02462G	43.95	63.54	-19.59	38.67	1	Horizontal	227	2.67	-	37.85	16.80	49.37			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04792G	46.64	88.20	-41.56	41.56	3	Vertical	108	2.40	-	39.70	11.21	45.83			
RMS	13.00984G	35.00	68.20	-33.20	30.08	3	Vertical	108	2.40	-	39.62	11.20	45.90			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06008G	46.55	88.20	-41.65	41.42	3	Horizontal	168	1.80	-	39.72	11.22	45.81			
RMS	13.00984G	34.99	68.20	-33.21	30.07	3	Horizontal	168	1.80	-	39.62	11.20	45.90			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.50753G	56.19	83.54	-27.35	51.00	1	Vertical	25	2.84	-	37.70	17.08	49.59			
AV	19.52811G	43.47	63.54	-20.07	38.25	1	Vertical	25	2.84	-	37.70	17.10	49.58			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.52715G	55.87	83.54	-27.67	50.65	1	Horizontal	254	2.37	-	37.70	17.10	49.58			
AV	19.52715G	42.44	63.54	-21.10	37.22	1	Horizontal	254	2.37	-	37.70	17.10	49.58			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4G	45.99	74.00	-28.01	39.46	3	Vertical	199	2.18	-	40.40	11.32	45.19			
AV	13.32986G	35.56	54.00	-18.44	29.34	3	Vertical	199	2.18	-	40.24	11.30	45.32			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39468G	45.91	74.00	-28.09	39.42	3	Horizontal	344	1.72	-	40.38	11.31	45.20			
AV	13.32986G	35.48	54.00	-18.52	29.26	3	Horizontal	344	1.72	-	40.24	11.30	45.32			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99182G	48.04	83.54	-35.50	42.14	1	Vertical	340	1.96	-	37.78	17.37	49.25			
AV	19.98333G	35.60	63.54	-27.94	29.72	1	Vertical	340	1.96	-	37.77	17.36	49.25			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99554G	48.35	83.54	-35.19	42.43	1	Horizontal	339	2.15	-	37.79	17.37	49.24			
AV	19.98714G	35.60	63.54	-27.94	29.72	1	Horizontal	339	2.15	-	37.77	17.36	49.25			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69452G	47.28	88.20	-40.92	40.16	3	Vertical	336	2.14	-	40.77	11.40	45.05			
AV	13.66554G	35.72	68.20	-32.48	28.79	3	Vertical	336	2.14	-	40.59	11.39	45.05			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_X_4TX
Setting 108
03-Y-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.67828G	47.14	88.20	-41.06	40.12	3	Horizontal	110	1.89	-	40.67	11.40	45.05			
AV	13.6619G	35.60	68.20	-32.60	28.69	3	Horizontal	110	1.89	-	40.57	11.39	45.05			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.48544G	46.03	83.54	-37.51	40.08	1	Vertical	51	2.16	-	37.73	17.44	49.22			
AV	20.47725G	35.47	63.54	-28.07	29.50	1	Vertical	51	2.16	-	37.75	17.44	49.22			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_X_4TX
Setting 108
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47668G	46.75	83.54	-36.79	40.78	1	Horizontal	128	1.36	-	37.75	17.44	49.22			
AV	20.46006G	37.41	63.54	-26.13	31.42	1	Horizontal	128	1.36	-	37.78	17.43	49.22			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_X_4TX
Setting 88
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.006G	110.62	Inf	-Inf	97.30	3	Vertical	44	1.94	-	35.31	8.90	30.89			
AV	6.999G	100.76	Inf	-Inf	87.45	3	Vertical	44	1.94	-	35.30	8.90	30.89			
PK	7.128G	78.35	88.20	-9.85	64.67	3	Vertical	44	1.94	-	35.61	8.96	30.89			
RMS	7.133G	65.01	68.20	-3.19	51.30	3	Vertical	44	1.94	-	35.63	8.97	30.89			
PK	7.272G	65.64	74.00	-8.36	51.23	3	Vertical	44	1.94	-	36.29	9.01	30.89			
AV	7.25G	53.11	54.00	-0.89	38.79	3	Vertical	44	1.94	-	36.20	9.01	30.89			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
Setting 88
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.923G	117.24	Inf	-Inf	103.82	3	Horizontal	360	3.00	-	35.25	8.97	30.80			
AV	6.962G	103.52	Inf	-Inf	90.22	3	Horizontal	360	3.00	-	35.22	8.93	30.85			
PK	7.133G	84.73	88.20	-3.47	71.02	3	Horizontal	360	3.00	-	35.63	8.97	30.89			
RMS	7.129G	66.02	68.20	-2.18	52.33	3	Horizontal	360	3.00	-	35.62	8.96	30.89			
PK	7.26G	63.60	74.00	-10.40	49.24	3	Horizontal	360	3.00	-	36.24	9.01	30.89			
AV	7.25G	52.04	54.00	-1.96	37.72	3	Horizontal	360	3.00	-	36.20	9.01	30.89			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_X_4TX
Setting 88
03-Y-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98844G	51.16	88.20	-37.04	43.54	3	Vertical	196	1.63	-	41.25	11.49	45.12			
RMS	13.98992G	37.86	68.20	-30.34	30.23	3	Vertical	196	1.63	-	41.26	11.49	45.12			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
Setting 88
03-Y-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9872G	50.13	88.20	-38.07	42.51	3	Horizontal	143	1.68	-	41.25	11.49	45.12			
RMS	13.98948G	37.65	68.20	-30.55	30.02	3	Horizontal	143	1.68	-	41.26	11.49	45.12			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_X_4TX
Setting 88
03-Y-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95227G	44.90	83.54	-38.64	38.48	1	Vertical	235	2.15	-	37.90	17.50	48.98			
AV	20.9577G	33.34	63.54	-30.20	26.89	1	Vertical	235	2.15	-	37.92	17.50	48.97			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_X_4TX
Setting 88
03-Y-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94939G	45.24	83.54	-38.30	38.82	1	Horizontal	83	2.83	-	37.90	17.50	48.98			
AV	20.94681G	33.40	63.54	-30.14	26.98	1	Horizontal	83	2.83	-	37.90	17.50	48.98			


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

28/07/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.955575G	-8.62	5.971775G	-39.12	-32.88	-6.24	1
5.959424G	-8.49	5.97295G	-40.79	-33.65	-7.14	2
5.956375G	-7.90	5.968825G	-36.56	-29.31	-7.25	3
5.952401G	-8.90	5.969625G	-37.57	-29.22	-8.35	4


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

28/07/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188727G	-9.75	6.177825G	-41.71	-34.38	-7.33	1
6.201148G	-10.02	6.178625G	-41.47	-33.71	-7.76	2
6.192501G	-10.05	6.2103G	-39.54	-32.24	-7.30	3
6.197899G	-10.08	6.17925G	-40.31	-32.87	-7.44	4

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

28/07/2026

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411276G	-8.38	6.401625G	-37.22	-29.81	-7.41	1
6.412476G	-8.82	6.4022G	-36.95	-29.75	-7.20	2
6.41645G	-8.60	6.394375G	-43.16	-35.67	-7.49	3
6.410026G	-8.60	6.400075G	-37.86	-30.63	-7.23	4

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

28/07/2026

CF (Hz)
6.435G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.431826G	-8.95	6.419725G	-39.31	-31.90	-7.41	1
6.428477G	-9.35	6.4178G	-40.78	-34.00	-6.78	2
6.431301G	-9.20	6.421775G	-37.25	-30.41	-6.84	3
6.436975G	-9.57	6.45085G	-39.58	-32.50	-7.08	4

6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

28/07/2026




6.425-6.525GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

28/07/2026




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

28/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532576G	-8.37	6.551075G	-39.00	-31.01	-7.99	1
6.536275G	-8.52	6.517675G	-40.35	-33.13	-7.22	2
6.538774G	-8.19	6.551525G	-38.75	-31.56	-7.19	3
6.528677G	-8.71	6.550575G	-38.67	-31.66	-7.01	4

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

28/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.698674G	-10.95	6.711275G	-41.34	-33.83	-7.51	1
6.6962G	-10.88	6.708625G	-40.28	-31.32	-8.96	2
6.69375G	-10.40	6.6804G	-39.86	-31.81	-8.05	3
6.6958G	-10.32	6.6808G	-39.35	-31.82	-7.53	4

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

28/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8537G	-10.03	6.839675G	-40.39	-32.49	-7.90	1
6.851226G	-10.59	6.83555G	-43.97	-37.19	-6.78	2
6.851126G	-10.14	6.870775G	-39.85	-32.61	-7.24	3
6.861198G	-9.70	6.838575G	-40.59	-33.37	-7.22	4

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

28/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.872851G	-11.09	6.8921G	-42.64	-35.37	-7.27	1
6.879124G	-11.05	6.8581G	-42.18	-35.45	-6.73	2
6.868677G	-10.92	6.8598G	-40.66	-33.69	-6.97	3
6.8761G	-10.87	6.8571G	-42.74	-35.59	-7.15	4

6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

28/07/2026




6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

28/07/2026



6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

28/07/2026

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.110076G	-17.21	7.158925G	-61.23	-57.21	-4.02	1
7.120724G	-17.12	7.14845G	-61.42	-57.12	-4.30	2
7.118749G	-16.08	7.1502G	-61.02	-56.08	-4.94	3
7.112801G	-16.67	7.1621G	-60.96	-56.67	-4.29	4

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

28/07/2026

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962851G	-4.69	5.9923G	-33.63	-26.86	-6.77	1
5.977447G	-5.10	5.998G	-35.82	-29.19	-6.63	2
5.961251G	-4.83	5.9866G	-30.83	-24.86	-5.97	3
5.976947G	-5.02	6.00165G	-37.22	-31.30	-5.92	4

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

28/07/2026




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

28/07/2026




6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

28/07/2026

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.452298G	-4.30	6.4106G	-36.73	-29.70	-7.03	1
6.442051G	-4.80	6.4112G	-37.01	-29.48	-7.53	2
6.439151G	-4.68	6.41095G	-36.93	-29.49	-7.44	3
6.438902G	-4.57	6.407G	-38.77	-31.20	-7.57	4


6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

28/07/2026

CF (Hz)
6.485G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.488949G	-4.18	6.521G	-37.26	-30.16	-7.10	1
6.479251G	-4.52	6.5066G	-32.03	-24.60	-7.43	2
6.495947G	-4.32	6.51735G	-35.64	-28.73	-6.91	3
6.493698G	-4.34	6.51265G	-33.82	-26.77	-7.05	4

6.425-6.525GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

28/07/2026




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

28/07/2026



6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

28/07/2026

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68645G	-6.66	6.71665G	-37.91	-30.55	-7.36	1
6.688449G	-7.09	6.66335G	-34.06	-27.21	-6.85	2
6.68425G	-6.76	6.7158G	-37.41	-29.97	-7.44	3
6.678652G	-6.64	6.71265G	-36.21	-29.24	-6.97	4

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

28/07/2026

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.838252G	-6.36	6.8776G	-37.77	-30.43	-7.34	1
6.840451G	-6.57	6.8131G	-38.53	-30.72	-7.81	2
6.851048G	-6.29	6.88195G	-39.06	-32.74	-6.32	3
6.840351G	-6.47	6.87715G	-37.56	-30.86	-6.70	4

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

28/07/2026




6.875-7.125GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

28/07/2026




6.875-7.125GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

28/07/2026

CF (Hz)
7.085G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0869G	-6.84	7.0538G	-36.46	-30.71	-5.75	1
7.089449G	-6.84	7.05915G	-34.60	-27.67	-6.93	2
7.091448G	-6.55	7.11485G	-35.63	-29.72	-5.91	3
7.090899G	-6.74	7.0546G	-35.58	-28.35	-7.23	4


5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

28/07/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9972G	0.17	6.0267G	-26.13	-19.85	-6.28	1
5.9976G	-0.02	6.0289G	-27.62	-20.35	-7.27	2
5.9916G	0.13	6.0275G	-26.35	-19.90	-6.45	3
5.9936G	-0.11	6.0275G	-27.17	-20.14	-7.03	4

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

28/07/2026




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

28/07/2026



6.425-6.525GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

28/07/2026

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4525G	-1.23	6.4224G	-28.77	-21.30	-7.47	1
6.473G	-1.64	6.4234G	-27.78	-21.66	-6.12	2
6.4788G	-1.58	6.5082G	-29.08	-21.75	-7.33	3
6.4523G	-1.59	6.5068G	-28.16	-21.61	-6.55	4

6.425-6.525GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

28/07/2026

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5574G	-1.87	6.5875G	-29.37	-21.94	-7.43	1
6.5367G	-1.99	6.483G	-33.70	-25.07	-8.63	2
6.5538G	-1.81	6.5874G	-28.48	-21.88	-6.60	3
6.5362G	-1.82	6.6014G	-32.26	-24.66	-7.60	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

28/07/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6157G	-1.76	6.667G	-29.01	-21.82	-7.19	1
6.6107G	-1.39	6.5831G	-28.43	-21.41	-7.02	2
6.6363G	-1.60	6.6671G	-28.46	-21.70	-6.76	3
6.6116G	-1.69	6.6688G	-29.44	-21.82	-7.62	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

28/07/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6992G	-5.24	6.6634G	-31.30	-25.26	-6.04	1
6.6931G	-5.39	6.8275G	-51.76	-45.39	-6.37	2
6.6902G	-4.79	6.6622G	-32.31	-24.83	-7.48	3
6.691G	-5.11	6.8528G	-51.95	-45.11	-6.84	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

28/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7728G	-5.20	6.9112G	-51.66	-45.20	-6.46	1
6.7712G	-5.49	6.9243G	-51.61	-45.49	-6.12	2
6.7756G	-5.21	6.9147G	-51.60	-45.21	-6.39	3
6.7967G	-5.30	6.9074G	-51.57	-45.10	-6.47	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

28/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8751G	-4.34	6.9069G	-30.94	-24.38	-6.56	1
6.853G	-5.05	6.9891G	-51.37	-45.05	-6.32	2
6.876G	-4.40	6.9071G	-30.68	-24.50	-6.18	3
6.8809G	-4.12	6.8229G	-31.22	-24.20	-7.02	4

6.875-7.125GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

28/07/2026

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9358G	-3.34	6.9971G	-33.35	-24.81	-8.54	1
6.9512G	-3.97	6.9035G	-30.30	-23.97	-6.33	2
6.9602G	-3.81	6.903G	-30.33	-23.83	-6.50	3
6.9584G	-3.39	6.9015G	-31.39	-23.46	-7.93	4

6.875-7.125GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

28/07/2026

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0128G	-2.50	6.9828G	-29.59	-22.51	-7.08	1
7.0104G	-2.77	6.9827G	-29.70	-22.82	-6.88	2
7.0169G	-2.43	6.9833G	-28.95	-22.43	-6.52	3
6.99631G	-2.62	6.9823G	-29.62	-22.64	-6.98	4


5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

28/07/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00161G	-0.17	6.2708G	-48.82	-40.17	-8.65	1
6.0064G	-0.48	6.274G	-48.77	-40.48	-8.29	2
6.00001G	-0.19	6.2752G	-48.61	-40.19	-8.42	3
5.99841G	-0.41	6.2686G	-47.09	-40.03	-7.06	4


5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

28/07/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15801G	-0.95	6.5004G	-49.15	-40.95	-8.20	1
6.15981G	-1.26	6.4316G	-49.35	-41.26	-8.09	2
6.15641G	-1.14	6.4682G	-48.93	-41.14	-7.79	3
6.16361G	-1.20	5.9314G	-45.76	-41.20	-4.56	4


5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

28/07/2026

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32001G	2.42	6.0054G	-46.13	-37.58	-8.55	1
6.31921G	2.42	6.0094G	-46.66	-37.58	-9.08	2
6.364G	2.49	6.0108G	-46.89	-37.51	-9.38	3
6.32361G	2.29	6.5872G	-43.12	-37.42	-5.70	4


6.425-6.525GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

28/07/2026

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48161G	0.46	6.7622G	-47.58	-39.54	-8.04	1
6.47721G	-0.07	6.7502G	-48.33	-40.02	-8.31	2
6.52959G	0.26	6.7528G	-47.91	-39.74	-8.17	3
6.52839G	0.52	6.756G	-47.85	-39.48	-8.37	4


6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

28/07/2026

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68679G	2.10	7.005G	-47.02	-37.90	-9.12	1
6.6454G	1.62	6.3512G	-46.94	-38.38	-8.56	2
6.68899G	2.21	6.9198G	-44.07	-37.79	-6.28	3
6.64081G	1.88	6.4156G	-44.74	-38.12	-6.62	4


6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

28/07/2026

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80241G	-0.79	7.075G	-48.98	-40.79	-8.19	1
6.8062G	-1.29	6.503G	-49.52	-41.29	-8.23	2
6.84679G	-0.81	7.1844G	-48.97	-40.81	-8.16	3
6.8448G	-0.82	7.166G	-49.50	-40.82	-8.68	4

6.875-7.125GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

28/07/2026




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958924G	-9.75	5.972625G	-41.00	-34.08	-6.92	1
5.95625G	-9.30	5.971175G	-39.69	-32.80	-6.89	2
5.951401G	-9.57	5.9715G	-39.76	-32.92	-6.84	3
5.957599G	-9.84	5.971275G	-39.79	-33.29	-6.50	4

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188702G	-10.29	6.1803G	-39.63	-31.84	-7.79	1
6.197524G	-9.56	6.177725G	-41.16	-34.30	-6.86	2
6.197424G	-9.86	6.18015G	-39.70	-32.40	-7.30	3
6.197599G	-9.80	6.2112G	-40.37	-32.11	-8.26	4

5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.416325G	-8.86	6.39765G	-40.41	-33.21	-7.20	1
6.41675G	-8.81	6.40035G	-37.45	-31.36	-6.09	2
6.409226G	-9.14	6.39955G	-38.96	-30.69	-8.27	3
6.409376G	-8.93	6.43125G	-39.73	-32.39	-7.34	4

6.425-6.525GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.437399G	-10.24	6.451G	-40.68	-33.76	-6.92	1
6.437324G	-10.04	6.4193G	-39.71	-33.15	-6.56	2
6.429451G	-10.35	6.419G	-40.20	-33.84	-6.36	3
6.432776G	-9.96	6.417575G	-41.01	-34.37	-6.64	4

6.425-6.525GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.471251G	-8.71	6.460025G	-38.44	-30.87	-7.57	1
6.470001G	-8.31	6.4907G	-38.26	-31.39	-6.87	2
6.476625G	-8.49	6.459475G	-38.21	-31.05	-7.16	3
6.467602G	-8.59	6.459975G	-38.26	-31.04	-7.22	4

6.425-6.525GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.511526G	-9.81	6.49995G	-38.82	-32.31	-6.51	1
6.512301G	-9.44	6.5326G	-41.00	-34.45	-6.55	2
6.509201G	-9.92	6.50045G	-39.05	-30.77	-8.28	3
6.518699G	-9.28	6.496875G	-41.51	-34.85	-6.66	4

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

29/07/2026




6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

29/07/2026




6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

29/07/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.853875G	-10.45	6.87125G	-40.48	-33.34	-7.14	1
6.854025G	-10.23	6.871125G	-40.41	-32.62	-7.79	2
6.857224G	-10.45	6.838075G	-41.46	-34.10	-7.36	3
6.859749G	-10.35	6.841525G	-38.30	-31.48	-6.82	4


6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

29/07/2026

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.875975G	-8.91	6.891225G	-38.85	-31.90	-6.95	1
6.872426G	-8.38	6.88975G	-37.83	-30.64	-7.19	2
6.878724G	-8.72	6.889025G	-37.84	-29.49	-8.35	3
6.871901G	-8.76	6.8599G	-37.88	-30.72	-7.16	4

6.875-7.125GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

29/07/2026




6.875-7.125GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

29/07/2026




6.875-7.125GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

29/07/2026




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

29/07/2026



5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

29/07/2026

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.200251G	-6.04	6.1724G	-37.75	-30.34	-7.41	1
6.207749G	-5.83	6.1837G	-32.50	-25.88	-6.62	2
6.201451G	-5.93	6.2264G	-32.78	-25.95	-6.83	3
6.209449G	-6.14	6.17175G	-38.22	-30.81	-7.41	4

5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

29/07/2026

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409099G	-2.92	6.3798G	-31.70	-23.32	-8.38	1
6.388454G	-2.78	6.3837G	-29.53	-22.78	-6.75	2
6.400501G	-3.09	6.3839G	-29.44	-23.10	-6.34	3
6.413048G	-3.02	6.43435G	-33.67	-26.23	-7.44	4

6.425-6.525GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

29/07/2026




6.425-6.525GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

29/07/2026




6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.516652G	-7.88	6.5621G	-41.39	-34.39	-7.00	1
6.532398G	-8.09	6.49275G	-39.16	-32.49	-6.67	2
6.529549G	-8.20	6.49085G	-40.18	-33.16	-7.02	3
6.530849G	-7.75	6.5631G	-41.58	-34.80	-6.78	4

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56625G	-4.98	6.5927G	-34.09	-26.52	-7.57	1
6.561801G	-5.10	6.53405G	-35.73	-28.90	-6.83	2
6.569749G	-5.14	6.59435G	-34.90	-28.26	-6.64	3
6.570249G	-4.96	6.58695G	-32.19	-24.98	-7.21	4

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688499G	-7.49	6.6637G	-33.64	-27.51	-6.13	1
6.6843G	-7.25	6.66315G	-34.96	-27.34	-7.62	2
6.688749G	-7.78	6.7142G	-38.13	-30.25	-7.88	3
6.671653G	-7.13	6.64945G	-40.42	-32.81	-7.61	4

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.838752G	-5.00	6.877G	-35.92	-28.99	-6.93	1
6.847399G	-4.83	6.8109G	-36.89	-29.99	-6.90	2
6.840251G	-4.93	6.8142G	-35.45	-28.67	-6.78	3
6.842501G	-4.60	6.82345G	-31.64	-24.66	-6.98	4

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

29/07/2026




6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

29/07/2026




6.875-7.125GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

29/07/2026

CF (Hz)
7.085G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.079601G	-6.87	7.04735G	-39.20	-32.89	-6.31	1
7.094748G	-6.99	7.06275G	-32.96	-27.11	-5.85	2
7.08415G	-7.46	7.05205G	-37.31	-31.94	-5.37	3
7.091598G	-6.84	7.0582G	-35.03	-27.04	-7.99	4


5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

29/07/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9971G	-0.89	6.0285G	-28.28	-20.98	-7.30	1
6.0002G	-0.81	6.028G	-27.41	-20.41	-7.00	2
5.997G	-0.71	6.0267G	-26.46	-20.80	-5.66	3
5.9986G	-1.00	6.0273G	-28.14	-21.03	-7.11	4

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2168G	-2.51	6.1823G	-29.74	-22.56	-7.18	1
6.2106G	-2.31	6.183G	-28.75	-22.33	-6.42	2
6.2128G	-2.59	6.1625G	-33.65	-26.42	-7.23	3
6.2102G	-2.47	6.1831G	-29.82	-22.51	-7.31	4

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

29/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3985G	1.20	6.4276G	-26.99	-18.91	-8.08	1
6.3756G	1.80	6.3429G	-25.61	-18.21	-7.40	2
6.3943G	1.34	6.4269G	-26.43	-18.68	-7.75	3
6.3722G	1.26	6.427G	-26.61	-18.78	-7.83	4

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

29/07/2026

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4764G	-0.55	6.4226G	-27.96	-20.60	-7.36	1
6.4571G	-0.56	6.4218G	-27.53	-20.60	-6.93	2
6.4485G	-1.22	6.4225G	-28.26	-21.29	-6.97	3
6.4745G	-0.78	6.4222G	-28.48	-20.89	-7.59	4

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

29/07/2026

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5283G	0.30	6.5868G	-26.15	-19.50	-6.65	1
6.534G	0.63	6.5871G	-26.13	-19.47	-6.66	2
6.5593G	0.16	6.587G	-26.55	-19.92	-6.63	3
6.5566G	0.44	6.5872G	-26.29	-19.59	-6.70	4


6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

29/07/2026

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6369G	-1.30	6.6665G	-28.11	-21.30	-6.81	1
6.6172G	-1.63	6.5803G	-29.93	-21.66	-8.27	2
6.65459G	-1.76	6.6679G	-29.27	-21.85	-7.42	3
6.639G	-1.56	6.6675G	-28.86	-21.57	-7.29	4

Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

29/07/2026

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7167G	-2.42	6.7482G	-29.42	-22.56	-6.86	1
6.695G	-2.30	6.6629G	-28.76	-22.40	-6.36	2
6.7147G	-2.85	6.6632G	-28.68	-22.87	-5.81	3
6.6978G	-2.86	6.7469G	-29.70	-22.92	-6.78	4


Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7971G	-0.43	6.8267G	-27.74	-20.43	-7.31	1
6.7867G	-0.76	6.8276G	-28.07	-20.79	-7.28	2
6.7976G	-0.72	6.7434G	-27.15	-20.77	-6.38	3
6.7993G	-0.88	6.8267G	-27.99	-20.88	-7.11	4

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8789G	-1.87	6.9083G	-29.30	-21.97	-7.33	1
6.8792G	-2.19	6.8226G	-28.73	-22.22	-6.51	2
6.8797G	-1.94	6.8222G	-28.75	-22.09	-6.66	3
6.8788G	-2.01	6.9064G	-28.38	-22.04	-6.34	4

6.875-7.125GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

29/07/2026




6.875-7.125GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

29/07/2026




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

29/07/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00141G	0.13	6.2778G	-47.11	-39.87	-7.24	1
6.05159G	0.63	6.341G	-49.05	-39.35	-9.70	2
6.05039G	0.65	6.2714G	-47.03	-39.35	-7.68	3
5.99141G	0.24	6.2698G	-47.26	-39.65	-7.61	4


5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

29/07/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16301G	0.54	5.9192G	-45.87	-39.46	-6.41	1
6.1678G	0.36	6.428G	-47.57	-39.56	-8.01	2
6.15381G	0.66	6.4286G	-47.44	-39.15	-8.29	3
6.15961G	0.88	6.432G	-47.31	-39.12	-8.19	4

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36639G	-0.67	6.1006G	-48.90	-40.67	-8.23	1
6.32181G	-0.41	6.0942G	-48.62	-40.41	-8.21	2
6.31781G	-0.54	6.0876G	-49.17	-40.54	-8.63	3
6.31661G	-0.72	6.0938G	-48.72	-40.72	-8.00	4

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

29/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52939G	2.59	6.816G	-45.78	-37.27	-8.51	1
6.48141G	3.06	6.8706G	-47.05	-36.94	-10.11	2
6.48021G	2.58	6.8248G	-46.26	-37.42	-8.84	3
6.48081G	2.70	6.2546G	-41.88	-37.24	-4.64	4

6.525-6.875GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

29/07/2026




6.525-6.875GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

29/07/2026




6.875-7.125GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

29/07/2026



Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-74.00	0.00	-74.00	≤ -62
						Minimal	-75.00	0.00	-75.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-72.00	0.00	-72.00	≤ -62
						Minimal	-73.00	0.00	-73.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-73.00	0.00	-73.00	≤ -62
						Minimal	-74.00	0.00	-74.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-74.00	0.00	-74.00	≤ -62
						Minimal	-75.00	0.00	-75.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-73.00	0.00	-73.00	≤ -62
						Minimal	-74.00	0.00	-74.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
				Center	6185	OFF	-73.00	0.00	-73.00	≤ -62
						Minimal	-74.00	0.00	-74.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
				High edge	6260	OFF	-75.00	0.00	-75.00	≤ -62
						Minimal	-76.00	0.00	-76.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-73.00	0.00	-73.00	≤ -62
						Minimal	-74.00	0.00	-74.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
				Center	6505	OFF	-72.00	0.00	-72.00	≤ -62
						Minimal	-73.00	0.00	-73.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
				High edge	6580	OFF	-74.00	0.00	-74.00	≤ -62
						Minimal	-75.00	0.00	-75.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-73.00	0.00	-73.00	≤ -62
						Minimal	-74.00	0.00	-74.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
				Center	6665	OFF	-73.00	0.00	-73.00	≤ -62
						Minimal	-74.00	0.00	-74.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
				High edge	6740	OFF	-71.00	0.00	-71.00	≤ -62
						Minimal	-72.00	0.00	-72.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
8	207	160	6985	Low edge	6910	OFF	-76.00	0.00	-76.00	≤ -62
						Minimal	-77.00	0.00	-77.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
				Center	6985	OFF	-75.00	0.00	-75.00	≤ -62
						Minimal	-76.00	0.00	-76.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62
				High edge	7060	OFF	-77.00	0.00	-77.00	≤ -62
						Minimal	-78.00	0.00	-78.00	≤ -62
						ON	-82.00	0.00	-82.00	≤ -62


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-74.00	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-72.00	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-73.00	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-74.00	OFF	9	90	90	PASS

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-73.00	OFF	10	100	90	PASS
				Center	6185	-73.00	OFF	9	90	90	PASS
				High edge	6260	-75.00	OFF	9	90	90	PASS
6	111	160	6505	Low edge	6430	-73.00	OFF	9	90	90	PASS
				Center	6505	-72.00	OFF	10	100	90	PASS
				High edge	6580	-74.00	OFF	9	90	90	PASS
7	143	160	6665	Low edge	6590	-73.00	OFF	10	100	90	PASS
				Center	6665	-73.00	OFF	9	90	90	PASS
				High edge	6740	-71.00	OFF	10	100	90	PASS
8	207	160	6985	Low edge	6910	-76.00	OFF	9	90	90	PASS
				Center	6985	-75.00	OFF	9	90	90	PASS
				High edge	7060	-77.00	OFF	9	90	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




Frequency (MHz): 6695 MHz



Date: 16 JUN 2026 01:04:24


Frequency (MHz): 7015 MHz



Date: 16 JUN 2026 01:05:08


Bandwidth: 160MHz

Frequency (MHz): 6110 MHz




Date: 16 JUN 2026 01:06:13

Frequency (MHz): 6185 MHz




Date: 16 JUN 2026 01:06:59

Frequency (MHz): 6260 MHz




Date: 16 JUN 2026 01:07:39

Frequency (MHz): 6430 MHz




Date: 16 JUN 2026 01:08:35

Frequency (MHz): 6505 MHz




Date: 16 JUN 2026 01:09:04

Frequency (MHz): 6580 MHz




Date: 16 JUN 2026 01:09:46

Frequency (MHz): 6590 MHz




Date: 16 JUN 2026 01:10:20

Frequency (MHz): 6665 MHz




Date: 16 JUN 2026 01:10:50

Frequency (MHz): 6740 MHz




Date: 16 JUN 2026 01:11:44

Frequency (MHz): 6910 MHz




Date: 16 JUN 2026 01:12:29

Frequency (MHz): 6985 MHz



Date: 16 JUN 2026 01:13:25

Frequency (MHz): 7060 MHz




Date: 16 JUN 2026 01:14:01

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 12 JUN 2026 01:14:11

Note : M1 : Inject AWGN signal


Test CH 101; Incumbent signal 6455 MHz



Date: 15 JUN 2026 20:13:12

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 15 JUN 2026 20:50:59

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 15 JUN 2026 21:09:18

Note : M1 : Inject AWGN signal

Bandwidth: 160MHz


Test CH 47 ; Incumbent signal 6110 MHz



Date: 15 JUN 2026 21:30:30

Note : M1 : Inject AWGN signal


Test CH 47 ; Incumbent signal 6185 MHz



Date: 15 JUN 2026 21:50:27

Note : M1 : Inject AWGN signal


Test CH 47 ; Incumbent signal 6260 MHz



Date: 15 JUN 2026 22:06:41

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6430 MHz



Date: 15 JUN 2026 22:23:48

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6505 MHz



Date: 15 JUN 2026 22:35:15

Note : M1 : Inject AWGN signal


Test CH 111 ; Incumbent signal 6580 MHz



Date: 15 JUN 2026 23:44:06

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6590 MHz



Date: 16 JUN 2026 00:17:49

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6665 MHz



Date: 16 JUN 2026 00:26:23

Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6740 MHz



Date: 16 JUN 2026 00:43:41

Note : M1 : Inject AWGN signal


Test CH 207 ; Incumbent signal 6910 MHz



Date: 11 JUN 2026 22:26:51

Note : M1 : Inject AWGN signal


Test CH 207 ; Incumbent signal 6985 MHz



Date: 11 JUN 2026 22:57:57

Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 7060 MHz



Date: 12 JUN 2026 00:15:44

Note : M1 : Inject AWGN signal