Band7_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH501000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.473400000 GHz	-44.31 dBm	-19.31 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490315000 GHz	-43.80 dBm	-18.80 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494905500 GHz	-40.12 dBm	-27.12 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495983000 GHz	-38.88 dBm	-25.88 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498916000 GHz	-30.14 dBm	-20.14 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499991000 GHz	-17.61 dBm	-7.612 dB
7	7	2.5000 GHz	2.5100 GHz	100.0 kHz	2.500800000 GHz	21.21 dBm	-8.788 dB
8	8	2.5100 GHz	2.5110 GHz	100.0 kHz	2.510006000 GHz	-43.39 dBm	-33.39 dB
9	9	2.5110 GHz	2.5150 GHz	1.000 MHz	2.511000000 GHz	-36.90 dBm	-26.90 dB
10	10	2.5150 GHz	2.5200 GHz	1.000 MHz	2.515005000 GHz	-40.89 dBm	-27.89 dB
11	11	2.5200 GHz	2.5400 GHz	1.000 MHz	2.520180000 GHz	-43.81 dBm	-18.81 dB

Band7_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5000 GHz	2.5200 GHz	1.000 MHz	2.519180000 GHz	-42.73 dBm	-17.73 dB
2	2	2.5200 GHz	2.5250 GHz	1.000 MHz	2.522490000 GHz	-34.27 dBm	-21.27 dB
3	3	2.5250 GHz	2.5290 GHz	1.000 MHz	2.528340000 GHz	-23.02 dBm	-13.02 dB
4	4	2.5290 GHz	2.5300 GHz	100.0 kHz	2.529996000 GHz	-20.99 dBm	-10.99 dB
5	5	2.5300 GHz	2.5400 GHz	100.0 kHz	2.530790000 GHz	21.08 dBm	-8.922 dB
6	6	2.5400 GHz	2.5410 GHz	100.0 kHz	2.540104000 GHz	-42.59 dBm	-32.59 dB
7	7	2.5410 GHz	2.5450 GHz	1.000 MHz	2.542632000 GHz	-33.70 dBm	-23.70 dB
8	8	2.5450 GHz	2.5500 GHz	1.000 MHz	2.546500000 GHz	-35.72 dBm	-22.72 dB
9	9	2.5500 GHz	2.5700 GHz	1.000 MHz	2.550220000 GHz	-44.04 dBm	-19.04 dB

Band7_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH501000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.490000000 GHz	-44.41 dBm	-19.41 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490304000 GHz	-44.04 dBm	-19.04 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494923500 GHz	-42.17 dBm	-29.17 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495534000 GHz	-41.78 dBm	-28.78 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498898000 GHz	-39.74 dBm	-29.74 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499840000 GHz	-43.57 dBm	-33.57 dB
7	7	2.5000 GHz	2.5100 GHz	100.0 kHz	2.509050000 GHz	21.16 dBm	-8.839 dB
8	8	2.5100 GHz	2.5110 GHz	100.0 kHz	2.510010000 GHz	-20.62 dBm	-10.62 dB
9	9	2.5110 GHz	2.5150 GHz	1.000 MHz	2.511608000 GHz	-30.77 dBm	-20.77 dB
10	10	2.5150 GHz	2.5200 GHz	1.000 MHz	2.515080000 GHz	-39.18 dBm	-26.18 dB
11	11	2.5200 GHz	2.5400 GHz	1.000 MHz	2.520060000 GHz	-43.57 dBm	-18.57 dB

Band7_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5000 GHz	2.5200 GHz	1.000 MHz	2.517160000 GHz	-42.63 dBm	-17.63 dB
2	2	2.5200 GHz	2.5250 GHz	1.000 MHz	2.524920000 GHz	-37.40 dBm	-24.40 dB
3	3	2.5250 GHz	2.5290 GHz	1.000 MHz	2.527144000 GHz	-34.83 dBm	-24.83 dB
4	4	2.5290 GHz	2.5300 GHz	100.0 kHz	2.529564000 GHz	-42.18 dBm	-32.18 dB
5	5	2.5300 GHz	2.5400 GHz	100.0 kHz	2.539080000 GHz	21.23 dBm	-8.774 dB
6	6	2.5400 GHz	2.5410 GHz	100.0 kHz	2.540196000 GHz	-18.24 dBm	-8.241 dB
7	7	2.5410 GHz	2.5450 GHz	1.000 MHz	2.543008000 GHz	-23.26 dBm	-13.26 dB
8	8	2.5450 GHz	2.5500 GHz	1.000 MHz	2.546230000 GHz	-31.53 dBm	-18.53 dB
9	9	2.5500 GHz	2.5700 GHz	1.000 MHz	2.563820000 GHz	-41.47 dBm	-16.47 dB

Band7_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH501000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.489360000 GHz	-38.38 dBm	-13.38 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490188500 GHz	-38.26 dBm	-13.26 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494950500 GHz	-29.98 dBm	-16.98 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495936000 GHz	-26.42 dBm	-13.42 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498898000 GHz	-22.71 dBm	-12.71 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499990000 GHz	-25.05 dBm	-15.05 dB
7	7	2.5000 GHz	2.5100 GHz	100.0 kHz	2.507500000 GHz	8.219 dBm	-21.78 dB
8	8	2.5100 GHz	2.5110 GHz	100.0 kHz	2.510026000 GHz	-24.53 dBm	-14.53 dB
9	9	2.5110 GHz	2.5150 GHz	1.000 MHz	2.511000000 GHz	-19.36 dBm	-9.363 dB
10	10	2.5150 GHz	2.5200 GHz	1.000 MHz	2.515005000 GHz	-26.78 dBm	-13.78 dB
11	11	2.5200 GHz	2.5400 GHz	1.000 MHz	2.520660000 GHz	-33.63 dBm	-8.630 dB

Band7_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5000 GHz	2.5200 GHz	1.000 MHz	2.519920000 GHz	-32.31 dBm	-7.306 dB
2	2	2.5200 GHz	2.5250 GHz	1.000 MHz	2.524865000 GHz	-22.41 dBm	-9.407 dB
3	3	2.5250 GHz	2.5290 GHz	1.000 MHz	2.528920000 GHz	-18.36 dBm	-8.365 dB
4	4	2.5290 GHz	2.5300 GHz	100.0 kHz	2.529992000 GHz	-23.10 dBm	-13.10 dB
5	5	2.5300 GHz	2.5400 GHz	100.0 kHz	2.532710000 GHz	8.521 dBm	-21.48 dB
6	6	2.5400 GHz	2.5410 GHz	100.0 kHz	2.540016000 GHz	-22.09 dBm	-12.09 dB
7	7	2.5410 GHz	2.5450 GHz	1.000 MHz	2.541000000 GHz	-15.48 dBm	-5.476 dB
8	8	2.5450 GHz	2.5500 GHz	1.000 MHz	2.545040000 GHz	-18.80 dBm	-5.802 dB
9	9	2.5500 GHz	2.5700 GHz	1.000 MHz	2.550040000 GHz	-32.76 dBm	-7.757 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band7_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH513000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.549880000 GHz	-43.64 dBm	-18.64 dB
2	2	2.5500 GHz	2.5550 GHz	1.000 MHz	2.554200000 GHz	-30.01 dBm	-17.01 dB
3	3	2.5550 GHz	2.5590 GHz	1.000 MHz	2.557676000 GHz	-26.12 dBm	-16.12 dB
4	4	2.5590 GHz	2.5600 GHz	100.0 kHz	2.559986000 GHz	-19.55 dBm	-9.546 dB
5	5	2.5600 GHz	2.5700 GHz	100.0 kHz	2.560760000 GHz	21.94 dBm	-8.063 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570047000 GHz	-43.05 dBm	-33.05 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571008000 GHz	-32.89 dBm	-22.89 dB
8	8	2.5750 GHz	2.5800 GHz	1.000 MHz	2.576195000 GHz	-36.40 dBm	-23.40 dB
9	9	2.5800 GHz	2.6000 GHz	1.000 MHz	2.580280000 GHz	-44.19 dBm	-19.19 dB

Band7_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH501000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.489840000 GHz	-44.33 dBm	-19.33 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490493000 GHz	-43.69 dBm	-18.69 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494793000 GHz	-39.94 dBm	-26.94 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495906000 GHz	-38.34 dBm	-25.34 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498913000 GHz	-31.07 dBm	-21.07 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499975000 GHz	-21.90 dBm	-11.90 dB
7	7	2.5000 GHz	2.5100 GHz	100.0 kHz	2.500890000 GHz	18.22 dBm	-11.78 dB
8	8	2.5100 GHz	2.5110 GHz	100.0 kHz	2.510133000 GHz	-43.90 dBm	-33.90 dB
9	9	2.5110 GHz	2.5150 GHz	1.000 MHz	2.511000000 GHz	-37.01 dBm	-27.01 dB
10	10	2.5150 GHz	2.5200 GHz	1.000 MHz	2.517315000 GHz	-40.48 dBm	-27.48 dB
11	11	2.5200 GHz	2.5400 GHz	1.000 MHz	2.520200000 GHz	-43.62 dBm	-18.62 dB

Band7_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH513000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.549040000 GHz	-43.65 dBm	-18.65 dB
2	2	2.5500 GHz	2.5550 GHz	1.000 MHz	2.553450000 GHz	-36.64 dBm	-23.64 dB
3	3	2.5550 GHz	2.5590 GHz	1.000 MHz	2.557912000 GHz	-36.39 dBm	-26.39 dB
4	4	2.5590 GHz	2.5600 GHz	100.0 kHz	2.559940000 GHz	-32.67 dBm	-32.67 dB
5	5	2.5600 GHz	2.5700 GHz	100.0 kHz	2.569050000 GHz	22.10 dBm	-7.897 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570026000 GHz	-20.47 dBm	-10.47 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.572228000 GHz	-24.21 dBm	-14.21 dB
8	8	2.5750 GHz	2.5800 GHz	1.000 MHz	2.576650000 GHz	-31.39 dBm	-18.39 dB
9	9	2.5800 GHz	2.6000 GHz	1.000 MHz	2.580180000 GHz	-43.83 dBm	-18.83 dB

Band7_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH501000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.488700000 GHz	-44.37 dBm	-19.37 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490428000 GHz	-43.66 dBm	-18.66 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494752500 GHz	-42.06 dBm	-29.06 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495919000 GHz	-41.24 dBm	-28.24 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498994000 GHz	-38.84 dBm	-28.84 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499990000 GHz	-43.76 dBm	-33.76 dB
7	7	2.5000 GHz	2.5100 GHz	100.0 kHz	2.509150000 GHz	18.01 dBm	-11.99 dB
8	8	2.5100 GHz	2.5110 GHz	100.0 kHz	2.510005000 GHz	-22.82 dBm	-12.82 dB
9	9	2.5110 GHz	2.5150 GHz	1.000 MHz	2.511184000 GHz	-29.95 dBm	-19.95 dB
10	10	2.5150 GHz	2.5200 GHz	1.000 MHz	2.515185000 GHz	-39.05 dBm	-26.05 dB
11	11	2.5200 GHz	2.5400 GHz	1.000 MHz	2.520280000 GHz	-43.64 dBm	-18.64 dB

Band7_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH513000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.549180000 GHz	-32.52 dBm	-7.522 dB
2	2	2.5500 GHz	2.5550 GHz	1.000 MHz	2.554605000 GHz	-24.73 dBm	-11.73 dB
3	3	2.5550 GHz	2.5590 GHz	1.000 MHz	2.556044000 GHz	-22.46 dBm	-12.46 dB
4	4	2.5590 GHz	2.5600 GHz	100.0 kHz	2.559851000 GHz	-24.56 dBm	-14.56 dB
5	5	2.5600 GHz	2.5700 GHz	100.0 kHz	2.565520000 GHz	8.289 dBm	-21.71 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570110000 GHz	-26.04 dBm	-16.04 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-21.27 dBm	-11.27 dB
8	8	2.5750 GHz	2.5800 GHz	1.000 MHz	2.575400000 GHz	-23.24 dBm	-10.24 dB
9	9	2.5800 GHz	2.6000 GHz	1.000 MHz	2.580100000 GHz	-37.60 dBm	-12.60 dB

Band7_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH501000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.488940000 GHz	-38.22 dBm	-13.22 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490468000 GHz	-37.30 dBm	-12.30 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494946000 GHz	-31.81 dBm	-18.81 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495387000 GHz	-30.40 dBm	-17.40 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498853000 GHz	-24.01 dBm	-14.01 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499984000 GHz	-30.68 dBm	-20.68 dB
7	7	2.5000 GHz	2.5100 GHz	100.0 kHz	2.502930000 GHz	5.153 dBm	-24.85 dB
8	8	2.5100 GHz	2.5110 GHz	100.0 kHz	2.510077000 GHz	-27.77 dBm	-17.77 dB
9	9	2.5110 GHz	2.5150 GHz	1.000 MHz	2.511000000 GHz	-20.90 dBm	-10.90 dB
10	10	2.5150 GHz	2.5200 GHz	1.000 MHz	2.515225000 GHz	-27.53 dBm	-14.53 dB
11	11	2.5200 GHz	2.5400 GHz	1.000 MHz	2.520380000 GHz	-34.99 dBm	-9.991 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band7_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5000 GHz	2.5200 GHz	1.000 MHz	2.519920000 GHz	-43.69 dBm	-18.69 dB
2	2	2.5200 GHz	2.5250 GHz	1.000 MHz	2.524480000 GHz	-38.28 dBm	-25.28 dB
3	3	2.5250 GHz	2.5290 GHz	1.000 MHz	2.528936000 GHz	-32.74 dBm	-22.74 dB
4	4	2.5290 GHz	2.5300 GHz	100.0 kHz	2.529975000 GHz	-22.66 dBm	-12.66 dB
5	5	2.5300 GHz	2.5400 GHz	100.0 kHz	2.530840000 GHz	18.59 dBm	-11.41 dB
6	6	2.5400 GHz	2.5410 GHz	100.0 kHz	2.540042000 GHz	-43.37 dBm	-33.37 dB
7	7	2.5410 GHz	2.5450 GHz	1.000 MHz	2.543296000 GHz	-36.30 dBm	-26.30 dB
8	8	2.5450 GHz	2.5500 GHz	1.000 MHz	2.545860000 GHz	-39.23 dBm	-26.23 dB
9	9	2.5500 GHz	2.5700 GHz	1.000 MHz	2.559240000 GHz	-43.67 dBm	-18.67 dB

Band7_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH513000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.535600000 GHz	-43.23 dBm	-18.23 dB
2	2	2.5500 GHz	2.5550 GHz	1.000 MHz	2.554265000 GHz	-29.57 dBm	-16.57 dB
3	3	2.5550 GHz	2.5590 GHz	1.000 MHz	2.558832000 GHz	-19.27 dBm	-9.267 dB
4	4	2.5590 GHz	2.5600 GHz	100.0 kHz	2.559985000 GHz	-21.05 dBm	-11.05 dB
5	5	2.5600 GHz	2.5700 GHz	100.0 kHz	2.560760000 GHz	18.52 dBm	-11.48 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570027000 GHz	-42.67 dBm	-32.67 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571660000 GHz	-32.63 dBm	-22.63 dB
8	8	2.5750 GHz	2.5800 GHz	1.000 MHz	2.577155000 GHz	-35.52 dBm	-22.52 dB
9	9	2.5800 GHz	2.6000 GHz	1.000 MHz	2.580660000 GHz	-44.21 dBm	-19.21 dB

Band7_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5000 GHz	2.5200 GHz	1.000 MHz	2.519920000 GHz	-43.84 dBm	-18.84 dB
2	2	2.5200 GHz	2.5250 GHz	1.000 MHz	2.522660000 GHz	-40.14 dBm	-27.14 dB
3	3	2.5250 GHz	2.5290 GHz	1.000 MHz	2.528836000 GHz	-38.91 dBm	-28.91 dB
4	4	2.5290 GHz	2.5300 GHz	100.0 kHz	2.529962000 GHz	-43.77 dBm	-33.77 dB
5	5	2.5300 GHz	2.5400 GHz	100.0 kHz	2.539050000 GHz	18.29 dBm	-11.71 dB
6	6	2.5400 GHz	2.5410 GHz	100.0 kHz	2.540057000 GHz	-22.99 dBm	-12.99 dB
7	7	2.5410 GHz	2.5450 GHz	1.000 MHz	2.541336000 GHz	-30.20 dBm	-20.20 dB
8	8	2.5450 GHz	2.5500 GHz	1.000 MHz	2.548020000 GHz	-38.00 dBm	-25.00 dB
9	9	2.5500 GHz	2.5700 GHz	1.000 MHz	2.559480000 GHz	-43.00 dBm	-18.00 dB

Band7_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH513000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.542640000 GHz	-42.92 dBm	-17.92 dB
2	2	2.5500 GHz	2.5550 GHz	1.000 MHz	2.554025000 GHz	-36.35 dBm	-23.35 dB
3	3	2.5550 GHz	2.5590 GHz	1.000 MHz	2.557944000 GHz	-33.55 dBm	-23.55 dB
4	4	2.5590 GHz	2.5600 GHz	100.0 kHz	2.559794000 GHz	-42.27 dBm	-32.27 dB
5	5	2.5600 GHz	2.5700 GHz	100.0 kHz	2.569100000 GHz	18.36 dBm	-11.64 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570021000 GHz	-21.93 dBm	-11.93 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571336000 GHz	-20.18 dBm	-10.18 dB
8	8	2.5750 GHz	2.5800 GHz	1.000 MHz	2.579285000 GHz	-36.88 dBm	-23.88 dB
9	9	2.5800 GHz	2.6000 GHz	1.000 MHz	2.580220000 GHz	-43.10 dBm	-18.10 dB

Band7_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5000 GHz	2.5200 GHz	1.000 MHz	2.519540000 GHz	-35.05 dBm	-10.05 dB
2	2	2.5200 GHz	2.5250 GHz	1.000 MHz	2.525000000 GHz	-26.39 dBm	-13.39 dB
3	3	2.5250 GHz	2.5290 GHz	1.000 MHz	2.529000000 GHz	-19.84 dBm	-9.836 dB
4	4	2.5290 GHz	2.5300 GHz	100.0 kHz	2.529988000 GHz	-24.10 dBm	-14.10 dB
5	5	2.5300 GHz	2.5400 GHz	100.0 kHz	2.534640000 GHz	5.195 dBm	-24.80 dB
6	6	2.5400 GHz	2.5410 GHz	100.0 kHz	2.540107000 GHz	-23.32 dBm	-13.32 dB
7	7	2.5410 GHz	2.5450 GHz	1.000 MHz	2.541000000 GHz	-14.58 dBm	-4.584 dB
8	8	2.5450 GHz	2.5500 GHz	1.000 MHz	2.545300000 GHz	-23.39 dBm	-10.39 dB
9	9	2.5500 GHz	2.5700 GHz	1.000 MHz	2.550080000 GHz	-32.50 dBm	-7.496 dB

Band7_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH513000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.549960000 GHz	-35.50 dBm	-10.50 dB
2	2	2.5500 GHz	2.5550 GHz	1.000 MHz	2.554945000 GHz	-27.38 dBm	-14.38 dB
3	3	2.5550 GHz	2.5590 GHz	1.000 MHz	2.558992000 GHz	-20.37 dBm	-10.37 dB
4	4	2.5590 GHz	2.5600 GHz	100.0 kHz	2.559977000 GHz	-25.70 dBm	-15.70 dB
5	5	2.5600 GHz	2.5700 GHz	100.0 kHz	2.562370000 GHz	5.052 dBm	-24.95 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570184000 GHz	-25.08 dBm	-15.08 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-16.99 dBm	-6.987 dB
8	8	2.5750 GHz	2.5800 GHz	1.000 MHz	2.575000000 GHz	-26.12 dBm	-13.12 dB
9	9	2.5800 GHz	2.6000 GHz	1.000 MHz	2.580580000 GHz	-36.41 dBm	-11.41 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band7_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.474640000 GHz	-52.08 dBm	-27.08 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.489609000 GHz	-49.24 dBm	-24.24 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493321500 GHz	-41.42 dBm	-28.42 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495084000 GHz	-43.52 dBm	-30.52 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498982000 GHz	-30.85 dBm	-20.85 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499995000 GHz	-14.87 dBm	-4.867 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.500450000 GHz	25.16 dBm	-4.841 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515420000 GHz	-45.59 dBm	-35.59 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516000000 GHz	-39.13 dBm	-29.13 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.523360000 GHz	-43.03 dBm	-30.03 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.530560000 GHz	-49.04 dBm	-24.04 dB

Band7_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.494327000 GHz	-51.84 dBm	-38.84 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.511840000 GHz	-50.99 dBm	-25.99 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.521080000 GHz	-40.21 dBm	-27.21 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.526500000 GHz	-29.94 dBm	-19.94 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527484000 GHz	-16.40 dBm	-6.399 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.527980000 GHz	25.40 dBm	-4.600 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542866000 GHz	-45.36 dBm	-35.36 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-38.50 dBm	-28.50 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.551140000 GHz	-43.46 dBm	-30.46 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.557860000 GHz	-49.46 dBm	-24.46 dB

Band7_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_78_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.465020000 GHz	-51.43 dBm	-26.43 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.486727000 GHz	-48.41 dBm	-23.41 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494626500 GHz	-45.27 dBm	-32.27 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495983000 GHz	-43.97 dBm	-30.97 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498655000 GHz	-42.54 dBm	-32.54 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499482000 GHz	-45.87 dBm	-35.87 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.514490000 GHz	25.40 dBm	-4.597 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515000000 GHz	-16.96 dBm	-6.959 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516000000 GHz	-26.01 dBm	-16.01 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.521530000 GHz	-38.43 dBm	-25.43 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.530080000 GHz	-48.85 dBm	-23.85 dB

Band7_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_78_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.495916000 GHz	-50.78 dBm	-37.78 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.509233000 GHz	-50.76 dBm	-25.76 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.521370000 GHz	-44.62 dBm	-31.62 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.526476000 GHz	-42.70 dBm	-32.70 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527054000 GHz	-45.99 dBm	-35.99 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.542035000 GHz	25.57 dBm	-4.427 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542501000 GHz	-15.31 dBm	-5.312 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-28.59 dBm	-18.59 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.548770000 GHz	-38.35 dBm	-25.35 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.558220000 GHz	-49.49 dBm	-24.49 dB

Band7_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB75_0_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.483980000 GHz	-42.37 dBm	-17.37 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.490313000 GHz	-28.05 dBm	-3.051 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494397000 GHz	-20.86 dBm	-7.858 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495050000 GHz	-21.55 dBm	-8.554 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498988000 GHz	-21.47 dBm	-11.47 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499908000 GHz	-22.29 dBm	-12.29 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.512255000 GHz	7.899 dBm	-22.10 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515145000 GHz	-26.36 dBm	-16.36 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516000000 GHz	-19.70 dBm	-9.700 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.520230000 GHz	-24.66 dBm	-11.66 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.531100000 GHz	-37.06 dBm	-12.06 dB

Band7_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB75_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.494183500 GHz	-45.85 dBm	-32.85 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.512335000 GHz	-35.44 dBm	-10.44 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.520720000 GHz	-24.09 dBm	-11.09 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.526488000 GHz	-22.44 dBm	-12.44 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527498000 GHz	-23.68 dBm	-13.68 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.534460000 GHz	8.099 dBm	-21.90 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542507000 GHz	-22.74 dBm	-12.74 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-15.18 dBm	-5.182 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.547970000 GHz	-18.00 dBm	-4.996 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.561840000 GHz	-35.16 dBm	-10.16 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band7_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.539880000 GHz	-49.96 dBm	-24.96 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.548720000 GHz	-38.78 dBm	-25.78 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.553884000 GHz	-28.08 dBm	-18.08 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554997000 GHz	-13.60 dBm	-3.596 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.555510000 GHz	25.35 dBm	-4.648 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570453000 GHz	-45.49 dBm	-35.49 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-38.87 dBm	-28.87 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575330000 GHz	-44.27 dBm	-31.27 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.585700000 GHz	-50.09 dBm	-25.09 dB

Band7_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.482580000 GHz	-50.82 dBm	-25.82 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.489796000 GHz	-48.71 dBm	-23.71 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493501500 GHz	-42.84 dBm	-29.84 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495128000 GHz	-43.39 dBm	-30.39 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498994000 GHz	-33.10 dBm	-23.10 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499967000 GHz	-15.64 dBm	-5.642 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.500495000 GHz	23.02 dBm	-6.982 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515466000 GHz	-44.71 dBm	-34.71 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516000000 GHz	-36.86 dBm	-26.86 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.528460000 GHz	-42.64 dBm	-29.64 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.530020000 GHz	-48.13 dBm	-23.13 dB

Band7_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_78_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.538740000 GHz	-49.19 dBm	-24.19 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.548670000 GHz	-43.67 dBm	-30.67 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.553572000 GHz	-42.20 dBm	-32.20 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554979000 GHz	-45.06 dBm	-35.06 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.569505000 GHz	25.21 dBm	-4.789 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570013000 GHz	-12.06 dBm	-2.061 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-28.74 dBm	-18.74 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.576360000 GHz	-37.88 dBm	-24.88 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.585000000 GHz	-48.84 dBm	-23.84 dB

Band7_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_78_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.479440000 GHz	-51.88 dBm	-26.88 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.486441000 GHz	-48.45 dBm	-23.45 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494383500 GHz	-44.86 dBm	-31.86 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495937000 GHz	-44.01 dBm	-31.01 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498898000 GHz	-41.62 dBm	-31.62 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499720000 GHz	-45.27 dBm	-35.27 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.514550000 GHz	22.78 dBm	-7.224 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515022000 GHz	-17.95 dBm	-7.948 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516064000 GHz	-29.83 dBm	-19.83 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.521450000 GHz	-39.94 dBm	-26.94 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.531660000 GHz	-48.25 dBm	-23.25 dB

Band7_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB75_0_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.539660000 GHz	-37.92 dBm	-12.92 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.548760000 GHz	-24.80 dBm	-11.80 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.552300000 GHz	-22.22 dBm	-12.22 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554971000 GHz	-24.98 dBm	-14.98 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.557595000 GHz	7.792 dBm	-22.21 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570127000 GHz	-28.05 dBm	-18.05 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-20.86 dBm	-10.86 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575620000 GHz	-21.63 dBm	-8.630 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.585260000 GHz	-38.15 dBm	-13.15 dB

Band7_15MHz_CP_OFDM_SCS15kHz_QPSK_RB79_0_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.484980000 GHz	-41.67 dBm	-16.67 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.490395500 GHz	-33.27 dBm	-8.266 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494959500 GHz	-26.89 dBm	-13.89 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495849000 GHz	-26.29 dBm	-13.29 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498868000 GHz	-23.18 dBm	-13.18 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499970000 GHz	-26.76 dBm	-16.76 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.503525000 GHz	4.592 dBm	-25.41 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515037000 GHz	-28.66 dBm	-18.66 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516000000 GHz	-21.16 dBm	-11.16 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.520430000 GHz	-27.16 dBm	-14.16 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.530240000 GHz	-36.80 dBm	-11.80 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band7_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.495104000 GHz	-51.88 dBm	-38.88 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.512054500 GHz	-49.59 dBm	-24.59 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.520940000 GHz	-41.37 dBm	-28.37 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.526496000 GHz	-31.97 dBm	-21.97 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527481000 GHz	-16.95 dBm	-6.946 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.527965000 GHz	23.56 dBm	-6.440 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542536000 GHz	-44.88 dBm	-34.88 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-37.66 dBm	-27.66 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.555950000 GHz	-42.58 dBm	-29.58 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.557520000 GHz	-48.29 dBm	-23.29 dB

Band7_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.539840000 GHz	-49.90 dBm	-24.90 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.548720000 GHz	-40.29 dBm	-27.29 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.553916000 GHz	-32.57 dBm	-22.57 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.555000000 GHz	-17.36 dBm	-7.359 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.555480000 GHz	23.38 dBm	-6.617 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570014000 GHz	-45.38 dBm	-35.38 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-37.32 dBm	-27.32 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575250000 GHz	-42.40 dBm	-29.40 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.586120000 GHz	-49.59 dBm	-24.59 dB

Band7_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_78_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.495667500 GHz	-51.03 dBm	-38.03 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.511955500 GHz	-50.41 dBm	-25.41 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.514090000 GHz	-37.23 dBm	-24.23 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.526288000 GHz	-41.68 dBm	-31.68 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527090000 GHz	-44.92 dBm	-34.92 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.542005000 GHz	22.92 dBm	-7.080 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542550000 GHz	-16.31 dBm	-6.309 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-27.58 dBm	-17.58 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.549020000 GHz	-39.72 dBm	-26.72 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.570460000 GHz	-44.14 dBm	-19.14 dB

Band7_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_78_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.539340000 GHz	-50.68 dBm	-25.68 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.549420000 GHz	-42.35 dBm	-29.35 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.553968000 GHz	-40.92 dBm	-30.92 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554966000 GHz	-44.62 dBm	-34.62 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.569550000 GHz	23.20 dBm	-6.805 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570010000 GHz	-18.30 dBm	-8.296 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-26.74 dBm	-16.74 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.576230000 GHz	-39.63 dBm	-26.63 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.585800000 GHz	-49.74 dBm	-24.74 dB

Band7_15MHz_CP_OFDM_SCS15kHz_QPSK_RB79_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.495678000 GHz	-45.73 dBm	-32.73 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.512252500 GHz	-35.74 dBm	-10.74 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.522380000 GHz	-26.72 dBm	-13.72 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.526420000 GHz	-21.83 dBm	-11.83 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527460000 GHz	-24.97 dBm	-14.97 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.538525000 GHz	4.962 dBm	-25.04 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542523000 GHz	-23.17 dBm	-13.17 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-14.89 dBm	-4.894 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.547550000 GHz	-21.60 dBm	-8.597 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.557980000 GHz	-33.88 dBm	-8.877 dB

Band7_15MHz_CP_OFDM_SCS15kHz_QPSK_RB79_0_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.539480000 GHz	-37.70 dBm	-12.70 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.549490000 GHz	-26.23 dBm	-13.23 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.553788000 GHz	-22.06 dBm	-12.06 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554996000 GHz	-25.82 dBm	-15.82 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.563115000 GHz	4.812 dBm	-25.19 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570090000 GHz	-26.76 dBm	-16.76 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-18.90 dBm	-8.904 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575250000 GHz	-26.09 dBm	-13.09 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.585480000 GHz	-39.16 dBm	-14.16 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band7_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.483580000 GHz	-44.39 dBm	-19.39 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.490076500 GHz	-39.96 dBm	-14.96 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494955000 GHz	-32.11 dBm	-19.11 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495761000 GHz	-31.00 dBm	-18.00 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498766000 GHz	-23.13 dBm	-13.13 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500000000 GHz	-15.93 dBm	-5.933 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.500735000 GHz	22.63 dBm	-7.367 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515093000 GHz	-44.20 dBm	-34.20 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516000000 GHz	-36.03 dBm	-26.03 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.522160000 GHz	-38.97 dBm	-25.97 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.530300000 GHz	-43.78 dBm	-18.78 dB

Band7_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.494533500 GHz	-44.42 dBm	-31.42 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.509249500 GHz	-43.83 dBm	-18.83 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.518330000 GHz	-36.91 dBm	-23.91 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.526364000 GHz	-21.95 dBm	-11.95 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527485000 GHz	-15.77 dBm	-5.772 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.528370000 GHz	22.51 dBm	-7.494 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542557000 GHz	-44.63 dBm	-34.63 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-35.82 dBm	-25.82 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.551460000 GHz	-40.15 dBm	-27.15 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.557660000 GHz	-44.11 dBm	-19.11 dB

Band7_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.484400000 GHz	-44.37 dBm	-19.37 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.488927000 GHz	-43.51 dBm	-18.51 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494910000 GHz	-39.76 dBm	-26.76 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495628000 GHz	-38.61 dBm	-25.61 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.497704000 GHz	-37.35 dBm	-27.35 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499925000 GHz	-44.31 dBm	-34.31 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.514040000 GHz	22.54 dBm	-7.459 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515000000 GHz	-15.56 dBm	-5.556 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.517272000 GHz	-23.63 dBm	-13.63 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.522680000 GHz	-32.37 dBm	-19.37 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.531060000 GHz	-40.85 dBm	-15.85 dB

Band7_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.495394500 GHz	-44.39 dBm	-31.39 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.510866500 GHz	-44.31 dBm	-19.31 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.521430000 GHz	-39.67 dBm	-26.67 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.526292000 GHz	-37.92 dBm	-27.92 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527500000 GHz	-44.63 dBm	-34.63 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.541735000 GHz	22.82 dBm	-7.175 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542518000 GHz	-16.70 dBm	-6.696 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543620000 GHz	-22.24 dBm	-12.24 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.551000000 GHz	-36.03 dBm	-23.03 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.563440000 GHz	-39.78 dBm	-14.78 dB

Band7_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.484140000 GHz	-40.44 dBm	-15.44 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-29.12 dBm	-4.118 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494766000 GHz	-20.98 dBm	-7.977 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495070000 GHz	-20.93 dBm	-7.935 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498916000 GHz	-22.67 dBm	-12.67 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499967000 GHz	-21.77 dBm	-11.77 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.503615000 GHz	8.127 dBm	-21.87 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515000000 GHz	-27.96 dBm	-17.96 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516000000 GHz	-19.82 dBm	-9.825 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.520100000 GHz	-24.64 dBm	-11.64 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.533340000 GHz	-35.93 dBm	-10.93 dB

Band7_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.495937000 GHz	-42.53 dBm	-29.53 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.508853500 GHz	-33.30 dBm	-8.302 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.521160000 GHz	-23.63 dBm	-10.63 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.525320000 GHz	-20.83 dBm	-10.83 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527446000 GHz	-23.40 dBm	-13.40 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.540955000 GHz	8.120 dBm	-21.88 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.543493000 GHz	-21.76 dBm	-11.76 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-14.33 dBm	-4.329 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.547720000 GHz	-17.65 dBm	-4.651 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.560540000 GHz	-33.99 dBm	-8.988 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band7_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.535440000 GHz	-43.77 dBm	-18.77 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.549550000 GHz	-32.63 dBm	-19.63 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.553568000 GHz	-22.18 dBm	-12.18 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554992000 GHz	-15.45 dBm	-5.450 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.555750000 GHz	23.07 dBm	-6.933 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570821000 GHz	-45.24 dBm	-35.24 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-35.98 dBm	-25.98 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.578210000 GHz	-40.52 dBm	-27.52 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.585060000 GHz	-43.67 dBm	-18.67 dB

Band7_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.476400000 GHz	-44.41 dBm	-19.41 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.489438500 GHz	-39.40 dBm	-14.40 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494001000 GHz	-34.16 dBm	-21.16 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495585000 GHz	-30.34 dBm	-17.34 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498868000 GHz	-20.80 dBm	-10.80 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499985000 GHz	-16.87 dBm	-6.873 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.500870000 GHz	19.81 dBm	-10.19 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515298000 GHz	-44.46 dBm	-34.46 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516000000 GHz	-34.74 dBm	-24.74 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.521150000 GHz	-38.94 dBm	-25.94 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.530520000 GHz	-43.62 dBm	-18.62 dB

Band7_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.538360000 GHz	-44.19 dBm	-19.19 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.547320000 GHz	-40.33 dBm	-27.33 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.551372000 GHz	-37.23 dBm	-27.23 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554885000 GHz	-44.46 dBm	-34.46 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.569085000 GHz	22.74 dBm	-7.262 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570050000 GHz	-16.56 dBm	-6.561 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571372000 GHz	-24.06 dBm	-14.06 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575000000 GHz	-32.78 dBm	-19.78 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.585960000 GHz	-44.40 dBm	-19.40 dB

Band7_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_37_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.484220000 GHz	-44.48 dBm	-19.48 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.490313000 GHz	-41.27 dBm	-16.27 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493974000 GHz	-39.97 dBm	-26.97 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495959000 GHz	-39.03 dBm	-26.03 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498484000 GHz	-37.66 dBm	-27.66 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499779000 GHz	-44.26 dBm	-34.26 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.514190000 GHz	20.02 dBm	-9.978 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515008000 GHz	-17.77 dBm	-7.766 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516840000 GHz	-23.32 dBm	-13.32 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.521710000 GHz	-33.13 dBm	-20.13 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.530880000 GHz	-43.66 dBm	-18.66 dB

Band7_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.539980000 GHz	-37.12 dBm	-12.12 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.548970000 GHz	-24.61 dBm	-11.61 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.553064000 GHz	-22.43 dBm	-12.43 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554919000 GHz	-24.07 dBm	-14.07 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.556935000 GHz	9.134 dBm	-20.87 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570691000 GHz	-26.31 dBm	-16.31 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-18.96 dBm	-8.963 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575400000 GHz	-24.24 dBm	-11.24 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.585900000 GHz	-38.60 dBm	-13.60 dB

Band7_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH501500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4650 GHz	2.4850 GHz	1.000 MHz	2.484980000 GHz	-40.12 dBm	-15.12 dB
2	2	2.4850 GHz	2.4905 GHz	1.000 MHz	2.490417500 GHz	-33.61 dBm	-8.614 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494833500 GHz	-27.53 dBm	-14.53 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495603000 GHz	-26.35 dBm	-13.35 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498724000 GHz	-23.59 dBm	-13.59 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499881000 GHz	-26.89 dBm	-16.89 dB
7	7	2.5000 GHz	2.5150 GHz	100.0 kHz	2.505190000 GHz	4.848 dBm	-25.15 dB
8	8	2.5150 GHz	2.5160 GHz	100.0 kHz	2.515084000 GHz	-28.17 dBm	-18.17 dB
9	9	2.5160 GHz	2.5200 GHz	1.000 MHz	2.516000000 GHz	-21.63 dBm	-11.63 dB
10	10	2.5200 GHz	2.5300 GHz	1.000 MHz	2.521360000 GHz	-29.56 dBm	-16.56 dB
11	11	2.5300 GHz	2.5500 GHz	1.000 MHz	2.530320000 GHz	-37.04 dBm	-12.04 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band7_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.493732000 GHz	-44.50 dBm	-31.50 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.512005000 GHz	-43.82 dBm	-18.82 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.520690000 GHz	-34.84 dBm	-21.84 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.526448000 GHz	-28.60 dBm	-18.60 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527491000 GHz	-17.36 dBm	-7.365 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.528310000 GHz	20.08 dBm	-9.924 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542565000 GHz	-44.29 dBm	-34.29 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-35.86 dBm	-25.86 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.548250000 GHz	-40.90 dBm	-27.90 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.558240000 GHz	-43.87 dBm	-18.87 dB

Band7_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.539540000 GHz	-43.80 dBm	-18.80 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.549500000 GHz	-38.95 dBm	-25.95 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.553916000 GHz	-29.92 dBm	-19.92 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554992000 GHz	-17.36 dBm	-7.364 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.555810000 GHz	20.01 dBm	-9.993 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570065000 GHz	-44.71 dBm	-34.71 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-35.94 dBm	-25.94 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575720000 GHz	-41.46 dBm	-28.46 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.585200000 GHz	-44.22 dBm	-19.22 dB

Band7_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_37_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.494218500 GHz	-44.39 dBm	-31.39 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.510701500 GHz	-43.98 dBm	-18.98 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.514670000 GHz	-40.28 dBm	-27.28 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.526340000 GHz	-39.43 dBm	-29.43 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527436000 GHz	-44.51 dBm	-34.51 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.541675000 GHz	19.97 dBm	-10.03 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542503000 GHz	-18.22 dBm	-8.221 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-26.79 dBm	-16.79 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.548320000 GHz	-35.33 dBm	-22.33 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.557500000 GHz	-43.81 dBm	-18.81 dB

Band7_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_37_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.539820000 GHz	-43.60 dBm	-18.60 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.542530000 GHz	-40.10 dBm	-27.10 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.553808000 GHz	-39.66 dBm	-29.66 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554580000 GHz	-44.21 dBm	-34.21 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.569250000 GHz	19.99 dBm	-10.01 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570015000 GHz	-18.69 dBm	-8.692 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.572828000 GHz	-24.56 dBm	-14.56 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575420000 GHz	-38.47 dBm	-25.47 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.589900000 GHz	-41.60 dBm	-16.60 dB

Band7_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4925 GHz	2.4960 GHz	1.000 MHz	2.495856500 GHz	-42.80 dBm	-29.80 dB
2	2	2.4960 GHz	2.5125 GHz	1.000 MHz	2.512137000 GHz	-35.59 dBm	-10.59 dB
3	3	2.5125 GHz	2.5225 GHz	1.000 MHz	2.522290000 GHz	-26.66 dBm	-13.66 dB
4	4	2.5225 GHz	2.5265 GHz	1.000 MHz	2.525828000 GHz	-22.10 dBm	-12.10 dB
5	5	2.5265 GHz	2.5275 GHz	100.0 kHz	2.527467000 GHz	-25.27 dBm	-15.27 dB
6	6	2.5275 GHz	2.5425 GHz	100.0 kHz	2.533095000 GHz	4.950 dBm	-25.05 dB
7	7	2.5425 GHz	2.5435 GHz	100.0 kHz	2.542911000 GHz	-23.21 dBm	-13.21 dB
8	8	2.5435 GHz	2.5475 GHz	1.000 MHz	2.543500000 GHz	-14.64 dBm	-4.643 dB
9	9	2.5475 GHz	2.5575 GHz	1.000 MHz	2.547550000 GHz	-21.25 dBm	-8.246 dB
10	10	2.5575 GHz	2.5775 GHz	1.000 MHz	2.558200000 GHz	-34.44 dBm	-9.443 dB

Band7_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH512500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.539860000 GHz	-37.50 dBm	-12.50 dB
2	2	2.5400 GHz	2.5500 GHz	1.000 MHz	2.549870000 GHz	-26.24 dBm	-13.24 dB
3	3	2.5500 GHz	2.5540 GHz	1.000 MHz	2.553620000 GHz	-21.60 dBm	-11.60 dB
4	4	2.5540 GHz	2.5550 GHz	100.0 kHz	2.554951000 GHz	-25.44 dBm	-15.44 dB
5	5	2.5550 GHz	2.5700 GHz	100.0 kHz	2.560730000 GHz	4.774 dBm	-25.23 dB
6	6	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570019000 GHz	-25.98 dBm	-15.98 dB
7	7	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-19.74 dBm	-9.743 dB
8	8	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575090000 GHz	-26.28 dBm	-13.28 dB
9	9	2.5850 GHz	2.6050 GHz	1.000 MHz	2.585060000 GHz	-38.10 dBm	-13.10 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.