Band7_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB128_0_CH505000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.441880000 GHz	-52.45 dBm	-27.45 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.489973500 GHz	-31.54 dBm	-6.540 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494689500 GHz	-27.80 dBm	-14.80 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495964000 GHz	-27.27 dBm	-14.27 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498628000 GHz	-26.19 dBm	-16.19 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499908000 GHz	-24.03 dBm	-14.03 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.533200000 GHz	8.474 dBm	-21.53 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550468000 GHz	-19.56 dBm	-9.557 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551000000 GHz	-11.14 dBm	-1.139 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.555360000 GHz	-22.52 dBm	-9.522 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.601460000 GHz	-47.87 dBm	-22.87 dB

Band7_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB128_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4400 GHz	2.4600 GHz	1.000 MHz	2.457580000 GHz	-51.88 dBm	-26.88 dB
2	2	2.4600 GHz	2.4905 GHz	1.000 MHz	2.488761500 GHz	-34.62 dBm	-9.623 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495719500 GHz	-32.19 dBm	-19.19 dB
4	4	2.4960 GHz	2.5050 GHz	1.000 MHz	2.504388000 GHz	-25.74 dBm	-12.74 dB
5	5	2.5050 GHz	2.5090 GHz	1.000 MHz	2.505392000 GHz	-25.21 dBm	-15.21 dB
6	6	2.5090 GHz	2.5100 GHz	100.0 kHz	2.509991000 GHz	-23.85 dBm	-13.85 dB
7	7	2.5100 GHz	2.5600 GHz	100.0 kHz	2.530100000 GHz	7.968 dBm	-22.03 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560158000 GHz	-23.55 dBm	-13.55 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561000000 GHz	-15.53 dBm	-5.528 dB
10	10	2.5650 GHz	2.6100 GHz	1.000 MHz	2.566260000 GHz	-26.00 dBm	-13.00 dB
11	11	2.6100 GHz	2.6300 GHz	1.000 MHz	2.614100000 GHz	-51.65 dBm	-26.65 dB

Band7_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH505000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.443040000 GHz	-52.08 dBm	-27.08 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-46.67 dBm	-21.67 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494523000 GHz	-35.58 dBm	-22.58 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495741000 GHz	-34.38 dBm	-21.38 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498994000 GHz	-22.88 dBm	-12.88 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499972000 GHz	-13.30 dBm	-3.296 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.501200000 GHz	27.13 dBm	-2.867 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550509000 GHz	-42.02 dBm	-32.02 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551000000 GHz	-34.89 dBm	-24.89 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.555900000 GHz	-40.26 dBm	-27.26 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.603580000 GHz	-50.71 dBm	-25.71 dB

Band7_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4400 GHz	2.4600 GHz	1.000 MHz	2.455480000 GHz	-51.14 dBm	-26.14 dB
2	2	2.4600 GHz	2.4905 GHz	1.000 MHz	2.487480500 GHz	-49.07 dBm	-24.07 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495301500 GHz	-42.71 dBm	-29.71 dB
4	4	2.4960 GHz	2.5050 GHz	1.000 MHz	2.501913000 GHz	-35.52 dBm	-22.52 dB
5	5	2.5050 GHz	2.5090 GHz	1.000 MHz	2.508980000 GHz	-21.89 dBm	-11.89 dB
6	6	2.5090 GHz	2.5100 GHz	100.0 kHz	2.509961000 GHz	-11.45 dBm	-1.446 dB
7	7	2.5100 GHz	2.5600 GHz	100.0 kHz	2.511200000 GHz	27.34 dBm	-2.660 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560144000 GHz	-42.41 dBm	-32.41 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561000000 GHz	-35.28 dBm	-25.28 dB
10	10	2.5650 GHz	2.6100 GHz	1.000 MHz	2.565855000 GHz	-40.38 dBm	-27.38 dB
11	11	2.6100 GHz	2.6300 GHz	1.000 MHz	2.619360000 GHz	-51.51 dBm	-26.51 dB

Band7_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_132_CH505000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.442660000 GHz	-52.58 dBm	-27.58 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.489528000 GHz	-50.61 dBm	-25.61 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494140500 GHz	-45.01 dBm	-32.01 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495847000 GHz	-47.26 dBm	-34.26 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498187000 GHz	-45.65 dBm	-35.65 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499772000 GHz	-44.47 dBm	-34.47 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.548700000 GHz	27.54 dBm	-2.464 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550041000 GHz	-11.90 dBm	-1.900 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551000000 GHz	-15.88 dBm	-5.877 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.559545000 GHz	-41.03 dBm	-28.03 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.601320000 GHz	-49.16 dBm	-24.16 dB

Band7_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_132_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4400 GHz	2.4600 GHz	1.000 MHz	2.452820000 GHz	-50.34 dBm	-25.34 dB
2	2	2.4600 GHz	2.4905 GHz	1.000 MHz	2.476622500 GHz	-50.57 dBm	-25.57 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492353500 GHz	-50.37 dBm	-37.37 dB
4	4	2.4960 GHz	2.5050 GHz	1.000 MHz	2.504010000 GHz	-43.25 dBm	-30.25 dB
5	5	2.5050 GHz	2.5090 GHz	1.000 MHz	2.505524000 GHz	-45.72 dBm	-35.72 dB
6	6	2.5090 GHz	2.5100 GHz	100.0 kHz	2.509125000 GHz	-44.49 dBm	-34.49 dB
7	7	2.5100 GHz	2.5600 GHz	100.0 kHz	2.558700000 GHz	27.82 dBm	-2.184 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560027000 GHz	-12.82 dBm	-2.822 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561000000 GHz	-12.90 dBm	-2.901 dB
10	10	2.5650 GHz	2.6100 GHz	1.000 MHz	2.565675000 GHz	-35.53 dBm	-22.53 dB
11	11	2.6100 GHz	2.6300 GHz	1.000 MHz	2.611480000 GHz	-51.84 dBm	-26.84 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band7_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB128_0_CH509000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4500 GHz	2.4700 GHz	1.000 MHz	2.451000000 GHz	-51.69 dBm	-26.69 dB
2	2	2.4700 GHz	2.4905 GHz	1.000 MHz	2.490377000 GHz	-34.40 dBm	-9.402 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495164000 GHz	-30.63 dBm	-17.63 dB
4	4	2.4960 GHz	2.5150 GHz	1.000 MHz	2.513822000 GHz	-25.30 dBm	-12.30 dB
5	5	2.5150 GHz	2.5190 GHz	1.000 MHz	2.518652000 GHz	-23.11 dBm	-13.11 dB
6	6	2.5190 GHz	2.5200 GHz	100.0 kHz	2.519649000 GHz	-21.43 dBm	-11.43 dB
7	7	2.5200 GHz	2.5700 GHz	100.0 kHz	2.543600000 GHz	7.838 dBm	-22.16 dB
8	8	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570645000 GHz	-22.82 dBm	-12.82 dB
9	9	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-14.44 dBm	-4.441 dB
10	10	2.5750 GHz	2.6200 GHz	1.000 MHz	2.575090000 GHz	-26.27 dBm	-13.27 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.638720000 GHz	-51.85 dBm	-26.85 dB

Band7_50MHz_CP_OFDM_SCS30kHz_QPSK_RB133_0_CH505000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.430760000 GHz	-52.38 dBm	-27.38 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.490378500 GHz	-34.46 dBm	-9.461 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494959500 GHz	-30.72 dBm	-17.72 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495926000 GHz	-29.46 dBm	-16.46 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498874000 GHz	-27.86 dBm	-17.86 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499571000 GHz	-26.38 dBm	-16.38 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.533450000 GHz	4.886 dBm	-25.11 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550049000 GHz	-24.23 dBm	-14.23 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551000000 GHz	-16.28 dBm	-6.275 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.555180000 GHz	-26.86 dBm	-13.86 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.602320000 GHz	-48.43 dBm	-23.43 dB

Band7_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH509000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4500 GHz	2.4700 GHz	1.000 MHz	2.463660000 GHz	-51.86 dBm	-26.86 dB
2	2	2.4700 GHz	2.4905 GHz	1.000 MHz	2.481705500 GHz	-50.55 dBm	-25.55 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494465500 GHz	-47.42 dBm	-34.42 dB
4	4	2.4960 GHz	2.5150 GHz	1.000 MHz	2.510877500 GHz	-37.30 dBm	-24.30 dB
5	5	2.5150 GHz	2.5190 GHz	1.000 MHz	2.518944000 GHz	-23.28 dBm	-13.28 dB
6	6	2.5190 GHz	2.5200 GHz	100.0 kHz	2.519994000 GHz	-12.98 dBm	-2.976 dB
7	7	2.5200 GHz	2.5700 GHz	100.0 kHz	2.521150000 GHz	28.15 dBm	-1.854 dB
8	8	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570221000 GHz	-42.73 dBm	-32.73 dB
9	9	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-34.36 dBm	-24.36 dB
10	10	2.5750 GHz	2.6200 GHz	1.000 MHz	2.575900000 GHz	-41.25 dBm	-28.25 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.632440000 GHz	-52.13 dBm	-27.13 dB

Band7_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH505000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.443600000 GHz	-52.79 dBm	-27.79 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.489487500 GHz	-47.11 dBm	-22.11 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494500500 GHz	-36.57 dBm	-23.57 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495755000 GHz	-27.88 dBm	-14.88 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498997000 GHz	-25.68 dBm	-15.68 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499986000 GHz	-16.75 dBm	-6.747 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.501300000 GHz	24.44 dBm	-5.562 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550322000 GHz	-41.40 dBm	-31.40 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551000000 GHz	-34.26 dBm	-24.26 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.555900000 GHz	-40.86 dBm	-27.86 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.601260000 GHz	-50.65 dBm	-25.65 dB

Band7_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_132_CH509000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4500 GHz	2.4700 GHz	1.000 MHz	2.469000000 GHz	-51.91 dBm	-26.91 dB
2	2	2.4700 GHz	2.4905 GHz	1.000 MHz	2.471025000 GHz	-51.06 dBm	-26.06 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.491968500 GHz	-51.07 dBm	-38.07 dB
4	4	2.4960 GHz	2.5150 GHz	1.000 MHz	2.514050000 GHz	-42.68 dBm	-29.68 dB
5	5	2.5150 GHz	2.5190 GHz	1.000 MHz	2.518780000 GHz	-45.32 dBm	-35.32 dB
6	6	2.5190 GHz	2.5200 GHz	100.0 kHz	2.519861000 GHz	-44.64 dBm	-34.64 dB
7	7	2.5200 GHz	2.5700 GHz	100.0 kHz	2.568650000 GHz	28.26 dBm	-1.739 dB
8	8	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570079000 GHz	-11.58 dBm	-1.580 dB
9	9	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-12.47 dBm	-2.473 dB
10	10	2.5750 GHz	2.6200 GHz	1.000 MHz	2.580130000 GHz	-37.15 dBm	-24.15 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.620760000 GHz	-52.14 dBm	-27.14 dB

Band7_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_132_CH505000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.430680000 GHz	-50.17 dBm	-25.17 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.490419000 GHz	-48.77 dBm	-23.77 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494194500 GHz	-45.00 dBm	-32.00 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495921000 GHz	-46.25 dBm	-33.25 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498862000 GHz	-45.07 dBm	-35.07 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499602000 GHz	-43.90 dBm	-33.90 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.548800000 GHz	24.84 dBm	-5.160 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550007000 GHz	-15.20 dBm	-5.202 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551000000 GHz	-20.08 dBm	-10.08 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.557790000 GHz	-40.71 dBm	-27.71 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.601460000 GHz	-51.45 dBm	-26.45 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band7_50MHz_CP_OFDM_SCS30kHz_QPSK_RB133_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4400 GHz	2.4600 GHz	1.000 MHz	2.441140000 GHz	-52.03 dBm	-27.03 dB
2	2	2.4600 GHz	2.4905 GHz	1.000 MHz	2.488829000 GHz	-37.87 dBm	-12.87 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495615000 GHz	-32.96 dBm	-19.96 dB
4	4	2.4960 GHz	2.5050 GHz	1.000 MHz	2.504073000 GHz	-29.69 dBm	-16.69 dB
5	5	2.5050 GHz	2.5090 GHz	1.000 MHz	2.508408000 GHz	-28.46 dBm	-18.46 dB
6	6	2.5090 GHz	2.5100 GHz	100.0 kHz	2.509967000 GHz	-27.25 dBm	-17.25 dB
7	7	2.5100 GHz	2.5600 GHz	100.0 kHz	2.537600000 GHz	4.457 dBm	-25.54 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560000000 GHz	-26.67 dBm	-16.67 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561000000 GHz	-18.23 dBm	-8.234 dB
10	10	2.5650 GHz	2.6100 GHz	1.000 MHz	2.565360000 GHz	-28.53 dBm	-15.53 dB
11	11	2.6100 GHz	2.6300 GHz	1.000 MHz	2.612840000 GHz	-52.52 dBm	-27.52 dB

Band7_50MHz_CP_OFDM_SCS30kHz_QPSK_RB133_0_CH509000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4500 GHz	2.4700 GHz	1.000 MHz	2.466040000 GHz	-52.58 dBm	-27.58 dB
2	2	2.4700 GHz	2.4905 GHz	1.000 MHz	2.490438500 GHz	-38.71 dBm	-13.71 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495851500 GHz	-33.76 dBm	-20.76 dB
4	4	2.4960 GHz	2.5150 GHz	1.000 MHz	2.514487000 GHz	-28.35 dBm	-15.35 dB
5	5	2.5150 GHz	2.5190 GHz	1.000 MHz	2.517508000 GHz	-27.56 dBm	-17.56 dB
6	6	2.5190 GHz	2.5200 GHz	100.0 kHz	2.519332000 GHz	-26.32 dBm	-16.32 dB
7	7	2.5200 GHz	2.5700 GHz	100.0 kHz	2.547950000 GHz	4.226 dBm	-25.77 dB
8	8	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570593000 GHz	-27.24 dBm	-17.24 dB
9	9	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-19.73 dBm	-9.734 dB
10	10	2.5750 GHz	2.6200 GHz	1.000 MHz	2.575585000 GHz	-30.10 dBm	-17.10 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.639000000 GHz	-51.96 dBm	-26.96 dB

Band7_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4400 GHz	2.4600 GHz	1.000 MHz	2.445220000 GHz	-52.43 dBm	-27.43 dB
2	2	2.4600 GHz	2.4905 GHz	1.000 MHz	2.487175500 GHz	-50.21 dBm	-25.21 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495873500 GHz	-44.48 dBm	-31.48 dB
4	4	2.4960 GHz	2.5050 GHz	1.000 MHz	2.501463000 GHz	-36.96 dBm	-23.96 dB
5	5	2.5050 GHz	2.5090 GHz	1.000 MHz	2.508984000 GHz	-24.25 dBm	-14.25 dB
6	6	2.5090 GHz	2.5100 GHz	100.0 kHz	2.509998000 GHz	-16.19 dBm	-6.186 dB
7	7	2.5100 GHz	2.5600 GHz	100.0 kHz	2.511200000 GHz	24.69 dBm	-5.307 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560405000 GHz	-41.00 dBm	-31.00 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561000000 GHz	-33.38 dBm	-23.38 dB
10	10	2.5650 GHz	2.6100 GHz	1.000 MHz	2.565990000 GHz	-40.64 dBm	-27.64 dB
11	11	2.6100 GHz	2.6300 GHz	1.000 MHz	2.611440000 GHz	-52.14 dBm	-27.14 dB

Band7_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH509000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4500 GHz	2.4700 GHz	1.000 MHz	2.451640000 GHz	-51.85 dBm	-26.85 dB
2	2	2.4700 GHz	2.4905 GHz	1.000 MHz	2.489167500 GHz	-52.04 dBm	-27.04 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494311500 GHz	-49.38 dBm	-36.38 dB
4	4	2.4960 GHz	2.5150 GHz	1.000 MHz	2.514601000 GHz	-37.65 dBm	-24.65 dB
5	5	2.5150 GHz	2.5190 GHz	1.000 MHz	2.518920000 GHz	-24.18 dBm	-14.18 dB
6	6	2.5190 GHz	2.5200 GHz	100.0 kHz	2.519970000 GHz	-13.92 dBm	-3.922 dB
7	7	2.5200 GHz	2.5700 GHz	100.0 kHz	2.521300000 GHz	24.44 dBm	-5.560 dB
8	8	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570060000 GHz	-42.17 dBm	-32.17 dB
9	9	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-33.90 dBm	-23.90 dB
10	10	2.5750 GHz	2.6200 GHz	1.000 MHz	2.576170000 GHz	-41.98 dBm	-28.98 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.638020000 GHz	-51.77 dBm	-26.77 dB

Band7_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_132_CH507000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4400 GHz	2.4600 GHz	1.000 MHz	2.440940000 GHz	-52.38 dBm	-27.38 dB
2	2	2.4600 GHz	2.4905 GHz	1.000 MHz	2.484461000 GHz	-51.32 dBm	-26.32 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495769000 GHz	-49.54 dBm	-36.54 dB
4	4	2.4960 GHz	2.5050 GHz	1.000 MHz	2.504280000 GHz	-42.75 dBm	-29.75 dB
5	5	2.5050 GHz	2.5090 GHz	1.000 MHz	2.508260000 GHz	-45.08 dBm	-35.08 dB
6	6	2.5090 GHz	2.5100 GHz	100.0 kHz	2.509681000 GHz	-43.83 dBm	-33.83 dB
7	7	2.5100 GHz	2.5600 GHz	100.0 kHz	2.558650000 GHz	24.72 dBm	-5.282 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560057000 GHz	-15.29 dBm	-5.293 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561000000 GHz	-14.21 dBm	-4.211 dB
10	10	2.5650 GHz	2.6100 GHz	1.000 MHz	2.576385000 GHz	-41.68 dBm	-28.68 dB
11	11	2.6100 GHz	2.6300 GHz	1.000 MHz	2.623540000 GHz	-50.91 dBm	-25.91 dB

Band7_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_132_CH509000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4500 GHz	2.4700 GHz	1.000 MHz	2.468480000 GHz	-52.65 dBm	-27.65 dB
2	2	2.4700 GHz	2.4905 GHz	1.000 MHz	2.470102500 GHz	-52.48 dBm	-27.48 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494047500 GHz	-51.23 dBm	-38.23 dB
4	4	2.4960 GHz	2.5150 GHz	1.000 MHz	2.513955000 GHz	-43.49 dBm	-30.49 dB
5	5	2.5150 GHz	2.5190 GHz	1.000 MHz	2.518512000 GHz	-44.69 dBm	-34.69 dB
6	6	2.5190 GHz	2.5200 GHz	100.0 kHz	2.519647000 GHz	-43.80 dBm	-33.80 dB
7	7	2.5200 GHz	2.5700 GHz	100.0 kHz	2.568850000 GHz	24.76 dBm	-5.242 dB
8	8	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570024000 GHz	-14.56 dBm	-4.560 dB
9	9	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571000000 GHz	-13.62 dBm	-3.620 dB
10	10	2.5750 GHz	2.6200 GHz	1.000 MHz	2.579770000 GHz	-44.08 dBm	-31.08 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.837120000 GHz	-50.77 dBm	-25.77 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band12_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH140800



Band12_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH142200



Band12_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH140800



Band12_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH140800



Band12_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_51_CH142200



Band12_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH140800



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band12_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_51_CH142200



Band12_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH140800



Band12_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH142200



Band12_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH142200



Band12_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH140800



Band12_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH142200



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band12_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH140800



Band12_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH142200



Band12_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH140800



Band12_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH141300



Band12_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH142200



Band12_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB75_0_CH141300



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band12_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_78_CH141700



Band12_15MHz_CP_OFDM_SCS15kHz_QPSK_RB79_0_CH141300



Band12_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB75_0_CH141700



Band12_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_78_CH141700



Band12_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH141300



Band12_15MHz_CP_OFDM_SCS15kHz_QPSK_RB79_0_CH141700



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band12_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH141300



Band12_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH141700



Band12_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH141300



Band12_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH141300



Band12_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH141700



Band12_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH141300



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band12_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_37_CH141700



Band14_5MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB25_0_CH158100



Band12_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH141700



Band14_5MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_24_CH159100



Band14_5MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH158100



Band14_5MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB25_0_CH159100



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band14_5MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH158100



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	770.4460000 MHz	-70.18 dBm	-35.18 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.9000000 MHz	-25.03 dBm	-12.03 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	787.9925000 MHz	-23.97 dBm	-10.97 dB
4	4	788.00 MHz	798.00 MHz	30.00 kHz	788.3300000 MHz	12.31 dBm	-17.69 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0055000 MHz	-58.83 dBm	-45.83 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.1459000 MHz	-54.79 dBm	-41.79 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	799.1020000 MHz	-68.46 dBm	-33.46 dB

Band14_5MHz_CP_OFDM_SCS15kHz_QPSK_RB25_0_CH159100



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	769.2820000 MHz	-70.10 dBm	-35.10 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.7323000 MHz	-47.70 dBm	-34.70 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	787.9964000 MHz	-51.98 dBm	-38.98 dB
4	4	788.00 MHz	798.00 MHz	51.00 kHz	793.8900000 MHz	1.011 dBm	-28.99 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0035000 MHz	-34.71 dBm	-21.71 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.2863000 MHz	-30.93 dBm	-17.93 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	799.1320000 MHz	-43.35 dBm	-8.353 dB

Band14_5MHz_CP_OFDM_SCS15kHz_QPSK_RB25_0_CH158100



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	769.8040000 MHz	-70.04 dBm	-35.04 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.5001000 MHz	-30.93 dBm	-17.93 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	787.9957000 MHz	-33.05 dBm	-20.05 dB
4	4	788.00 MHz	798.00 MHz	51.00 kHz	788.6700000 MHz	1.184 dBm	-28.82 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0484000 MHz	-53.33 dBm	-40.33 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.2143000 MHz	-48.57 dBm	-35.57 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	799.3240000 MHz	-61.95 dBm	-26.95 dB

Band14_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH158600



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	771.4240000 MHz	-70.02 dBm	-35.02 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.8871000 MHz	-21.12 dBm	-8.125 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	788.0000000 MHz	-21.76 dBm	-8.757 dB
4	4	788.00 MHz	798.00 MHz	30.00 kHz	788.4100000 MHz	15.11 dBm	-14.89 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0434000 MHz	-55.22 dBm	-42.22 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.1567000 MHz	-50.86 dBm	-37.86 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	800.6920000 MHz	-61.78 dBm	-26.78 dB

Band14_5MHz_CP_OFDM_SCS15kHz_QPSK_RB1_24_CH159100



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	769.5640000 MHz	-70.04 dBm	-35.04 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.7581000 MHz	-51.96 dBm	-38.96 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	787.9947000 MHz	-57.46 dBm	-44.46 dB
4	4	788.00 MHz	798.00 MHz	30.00 kHz	797.5700000 MHz	12.06 dBm	-17.94 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0048000 MHz	-25.74 dBm	-12.74 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.2098000 MHz	-26.39 dBm	-13.39 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	799.0000000 MHz	-58.92 dBm	-23.92 dB

Band14_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH158600



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	770.5540000 MHz	-69.61 dBm	-34.61 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.9000000 MHz	-32.94 dBm	-19.94 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	787.9885000 MHz	-36.04 dBm	-23.04 dB
4	4	788.00 MHz	798.00 MHz	100.0 kHz	788.5300000 MHz	4.245 dBm	-25.76 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0350000 MHz	-38.11 dBm	-25.11 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.8074000 MHz	-32.77 dBm	-19.77 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	801.7300000 MHz	-44.81 dBm	-9.810 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band14_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH158600



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	769.4680000 MHz	-69.89 dBm	-34.89 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.8871000 MHz	-24.84 dBm	-11.84 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	788.0000000 MHz	-24.17 dBm	-11.17 dB
4	4	788.00 MHz	798.00 MHz	30.00 kHz	788.4400000 MHz	12.44 dBm	-17.56 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0290000 MHz	-54.61 dBm	-41.61 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.1315000 MHz	-49.74 dBm	-36.74 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	799.1060000 MHz	-62.08 dBm	-27.08 dB

Band14_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH158600



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	771.2440000 MHz	-70.12 dBm	-35.12 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.9000000 MHz	-34.52 dBm	-21.52 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	787.9995000 MHz	-36.67 dBm	-23.67 dB
4	4	788.00 MHz	798.00 MHz	100.0 kHz	794.7500000 MHz	4.544 dBm	-25.46 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0348000 MHz	-37.21 dBm	-24.21 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.1279000 MHz	-34.25 dBm	-21.25 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	802.2400000 MHz	-45.97 dBm	-10.97 dB

Band14_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH158600



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	769.0240000 MHz	-69.99 dBm	-34.99 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.9000000 MHz	-33.59 dBm	-20.59 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	787.9587000 MHz	-37.12 dBm	-24.12 dB
4	4	788.00 MHz	798.00 MHz	100.0 kHz	790.5400000 MHz	1.014 dBm	-28.99 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0255000 MHz	-36.39 dBm	-23.39 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.1909000 MHz	-33.93 dBm	-20.93 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	799.0600000 MHz	-44.77 dBm	-9.771 dB

Band14_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH158600



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	769.3360000 MHz	-69.96 dBm	-34.96 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.9000000 MHz	-30.76 dBm	-17.76 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	788.0000000 MHz	-32.68 dBm	-19.68 dB
4	4	788.00 MHz	798.00 MHz	30.00 kHz	788.8700000 MHz	9.740 dBm	-20.26 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0528000 MHz	-52.93 dBm	-39.93 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.1018000 MHz	-48.73 dBm	-35.73 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	799.1860000 MHz	-62.31 dBm	-27.31 dB

Band14_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH158600



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	769.7860000 MHz	-69.85 dBm	-34.85 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.8871000 MHz	-24.41 dBm	-11.41 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	787.9919000 MHz	-26.93 dBm	-13.93 dB
4	4	788.00 MHz	798.00 MHz	30.00 kHz	788.8400000 MHz	12.81 dBm	-17.19 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0324000 MHz	-48.97 dBm	-35.97 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.3970000 MHz	-42.94 dBm	-29.94 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	799.1920000 MHz	-59.93 dBm	-24.93 dB

Band14_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH158600



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	769.00 MHz	775.00 MHz	6.800 kHz	774.5020000 MHz	-70.03 dBm	-35.03 dB
2	2	775.00 MHz	787.90 MHz	100.0 kHz	787.7194000 MHz	-34.00 dBm	-21.00 dB
3	3	787.90 MHz	788.00 MHz	30.00 kHz	787.9791000 MHz	-36.27 dBm	-23.27 dB
4	4	788.00 MHz	798.00 MHz	100.0 kHz	791.1500000 MHz	1.398 dBm	-28.60 dB
5	5	798.00 MHz	798.10 MHz	30.00 kHz	798.0545000 MHz	-37.03 dBm	-24.03 dB
6	6	798.10 MHz	799.00 MHz	100.0 kHz	798.1504000 MHz	-32.97 dBm	-19.97 dB
7	7	799.00 MHz	805.00 MHz	6.800 kHz	799.2940000 MHz	-44.16 dBm	-9.157 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.