Band38_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5450 GHz	2.5650 GHz	1.000 MHz	2.559600000 GHz	-37.87 dBm	-12.87 dB
2	2	2.5650 GHz	2.5800 GHz	1.000 MHz	2.576400000 GHz	-36.21 dBm	-23.21 dB
3	3	2.5800 GHz	2.5840 GHz	1.000 MHz	2.584000000 GHz	-30.27 dBm	-20.27 dB
4	4	2.5840 GHz	2.5850 GHz	100.0 kHz	2.584990000 GHz	-19.02 dBm	-9.021 dB
5	5	2.5850 GHz	2.6050 GHz	100.0 kHz	2.585900000 GHz	21.23 dBm	-14.77 dB
6	6	2.6050 GHz	2.6060 GHz	100.0 kHz	2.605120000 GHz	-40.18 dBm	-30.18 dB
7	7	2.6060 GHz	2.6100 GHz	1.000 MHz	2.606000000 GHz	-30.72 dBm	-20.72 dB
8	8	2.6100 GHz	2.6250 GHz	1.000 MHz	2.610450000 GHz	-37.00 dBm	-24.00 dB
9	9	2.6250 GHz	2.6450 GHz	1.000 MHz	2.641200000 GHz	-37.58 dBm	-12.58 dB

Band38_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH522000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5600 GHz	2.5800 GHz	1.000 MHz	2.578800000 GHz	-37.88 dBm	-12.88 dB
2	2	2.5800 GHz	2.5950 GHz	1.000 MHz	2.594850000 GHz	-34.60 dBm	-21.60 dB
3	3	2.5950 GHz	2.5990 GHz	1.000 MHz	2.599000000 GHz	-30.77 dBm	-20.77 dB
4	4	2.5990 GHz	2.6000 GHz	100.0 kHz	2.599990000 GHz	-19.29 dBm	-9.295 dB
5	5	2.6000 GHz	2.6200 GHz	100.0 kHz	2.601000000 GHz	21.32 dBm	-14.68 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620000000 GHz	-40.07 dBm	-30.07 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-30.52 dBm	-20.52 dB
8	8	2.6250 GHz	2.6400 GHz	1.000 MHz	2.625600000 GHz	-36.88 dBm	-23.88 dB
9	9	2.6400 GHz	2.6600 GHz	1.000 MHz	2.651000000 GHz	-37.57 dBm	-12.57 dB

Band38_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5450 GHz	2.5650 GHz	1.000 MHz	2.557600000 GHz	-37.92 dBm	-12.92 dB
2	2	2.5650 GHz	2.5800 GHz	1.000 MHz	2.579100000 GHz	-37.03 dBm	-24.03 dB
3	3	2.5800 GHz	2.5840 GHz	1.000 MHz	2.583600000 GHz	-36.73 dBm	-26.73 dB
4	4	2.5840 GHz	2.5850 GHz	100.0 kHz	2.584880000 GHz	-40.17 dBm	-30.17 dB
5	5	2.5850 GHz	2.6050 GHz	100.0 kHz	2.604000000 GHz	21.27 dBm	-14.73 dB
6	6	2.6050 GHz	2.6060 GHz	100.0 kHz	2.605000000 GHz	-20.05 dBm	-10.05 dB
7	7	2.6060 GHz	2.6100 GHz	1.000 MHz	2.606000000 GHz	-24.55 dBm	-14.55 dB
8	8	2.6100 GHz	2.6250 GHz	1.000 MHz	2.613150000 GHz	-36.30 dBm	-23.30 dB
9	9	2.6250 GHz	2.6450 GHz	1.000 MHz	2.633400000 GHz	-37.60 dBm	-12.60 dB

Band38_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH522000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5600 GHz	2.5800 GHz	1.000 MHz	2.579800000 GHz	-37.83 dBm	-12.83 dB
2	2	2.5800 GHz	2.5950 GHz	1.000 MHz	2.595000000 GHz	-36.78 dBm	-23.78 dB
3	3	2.5950 GHz	2.5990 GHz	1.000 MHz	2.598280000 GHz	-36.46 dBm	-26.46 dB
4	4	2.5990 GHz	2.6000 GHz	100.0 kHz	2.599960000 GHz	-40.03 dBm	-30.03 dB
5	5	2.6000 GHz	2.6200 GHz	100.0 kHz	2.619100000 GHz	21.13 dBm	-14.87 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620000000 GHz	-19.35 dBm	-9.345 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-25.42 dBm	-15.42 dB
8	8	2.6250 GHz	2.6400 GHz	1.000 MHz	2.627700000 GHz	-34.87 dBm	-21.87 dB
9	9	2.6400 GHz	2.6600 GHz	1.000 MHz	2.644200000 GHz	-37.38 dBm	-12.38 dB

Band38_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5450 GHz	2.5650 GHz	1.000 MHz	2.565000000 GHz	-36.57 dBm	-11.57 dB
2	2	2.5650 GHz	2.5800 GHz	1.000 MHz	2.580000000 GHz	-28.67 dBm	-15.67 dB
3	3	2.5800 GHz	2.5840 GHz	1.000 MHz	2.584000000 GHz	-27.77 dBm	-17.77 dB
4	4	2.5840 GHz	2.5850 GHz	100.0 kHz	2.584990000 GHz	-29.96 dBm	-19.96 dB
5	5	2.5850 GHz	2.6050 GHz	100.0 kHz	2.594250000 GHz	4.621 dBm	-31.38 dB
6	6	2.6050 GHz	2.6060 GHz	100.0 kHz	2.605010000 GHz	-30.46 dBm	-20.46 dB
7	7	2.6060 GHz	2.6100 GHz	1.000 MHz	2.606000000 GHz	-23.41 dBm	-13.41 dB
8	8	2.6100 GHz	2.6250 GHz	1.000 MHz	2.610150000 GHz	-31.03 dBm	-18.03 dB
9	9	2.6250 GHz	2.6450 GHz	1.000 MHz	2.625400000 GHz	-39.41 dBm	-14.41 dB

Band38_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH522000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5600 GHz	2.5800 GHz	1.000 MHz	2.580000000 GHz	-35.94 dBm	-10.94 dB
2	2	2.5800 GHz	2.5950 GHz	1.000 MHz	2.594550000 GHz	-27.76 dBm	-14.76 dB
3	3	2.5950 GHz	2.5990 GHz	1.000 MHz	2.599000000 GHz	-25.66 dBm	-15.66 dB
4	4	2.5990 GHz	2.6000 GHz	100.0 kHz	2.599560000 GHz	-27.40 dBm	-17.40 dB
5	5	2.6000 GHz	2.6200 GHz	100.0 kHz	2.611800000 GHz	4.910 dBm	-31.09 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620650000 GHz	-29.05 dBm	-19.05 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-20.50 dBm	-10.50 dB
8	8	2.6250 GHz	2.6400 GHz	1.000 MHz	2.625000000 GHz	-27.94 dBm	-14.94 dB
9	9	2.6400 GHz	2.6600 GHz	1.000 MHz	2.640400000 GHz	-36.49 dBm	-11.49 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band38_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB128_0_CH516500



Band38_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB128_0_CH519000



Band38_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH516500



Band38_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH519000



Band38_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_132_CH516500



Band38_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_132_CH519000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band38_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB128_0_CH521500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.568000000 GHz	-35.70 dBm	-10.70 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.584600000 GHz	-26.79 dBm	-13.79 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.593960000 GHz	-27.38 dBm	-17.38 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.594910000 GHz	-27.50 dBm	-17.50 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.608100000 GHz	7.221 dBm	-28.78 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620840000 GHz	-29.89 dBm	-19.89 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-21.08 dBm	-11.08 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.629600000 GHz	-28.45 dBm	-15.45 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.646000000 GHz	-36.92 dBm	-11.92 dB

Band38_25MHz_CP_OFDM_SCS15kHz_QPSK_RB133_0_CH516500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5250 GHz	2.5450 GHz	1.000 MHz	2.544800000 GHz	-37.39 dBm	-12.39 dB
2	2	2.5450 GHz	2.5650 GHz	1.000 MHz	2.564200000 GHz	-30.13 dBm	-17.13 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568560000 GHz	-28.50 dBm	-18.50 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569810000 GHz	-29.24 dBm	-19.24 dB
5	5	2.5700 GHz	2.5950 GHz	100.0 kHz	2.581350000 GHz	4.192 dBm	-31.81 dB
6	6	2.5950 GHz	2.5960 GHz	100.0 kHz	2.595070000 GHz	-30.31 dBm	-20.31 dB
7	7	2.5960 GHz	2.6000 GHz	1.000 MHz	2.596000000 GHz	-23.62 dBm	-13.62 dB
8	8	2.6000 GHz	2.6200 GHz	1.000 MHz	2.600600000 GHz	-31.56 dBm	-18.56 dB
9	9	2.6200 GHz	2.6400 GHz	1.000 MHz	2.620000000 GHz	-39.17 dBm	-14.17 dB

Band38_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH521500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.569600000 GHz	-37.33 dBm	-12.33 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.589600000 GHz	-32.01 dBm	-19.01 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.594000000 GHz	-21.21 dBm	-11.21 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.594990000 GHz	-12.27 dBm	-2.267 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.595650000 GHz	28.21 dBm	-7.786 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620270000 GHz	-36.62 dBm	-26.62 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-29.82 dBm	-19.82 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.642800000 GHz	-36.83 dBm	-23.83 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.647600000 GHz	-36.69 dBm	-11.69 dB

Band38_25MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH516500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5250 GHz	2.5450 GHz	1.000 MHz	2.540600000 GHz	-37.58 dBm	-12.58 dB
2	2	2.5450 GHz	2.5650 GHz	1.000 MHz	2.564400000 GHz	-33.86 dBm	-20.86 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568640000 GHz	-22.91 dBm	-12.91 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.570000000 GHz	-15.64 dBm	-5.637 dB
5	5	2.5700 GHz	2.5950 GHz	100.0 kHz	2.570600000 GHz	25.48 dBm	-10.52 dB
6	6	2.5950 GHz	2.5960 GHz	100.0 kHz	2.595250000 GHz	-37.71 dBm	-27.71 dB
7	7	2.5960 GHz	2.6000 GHz	1.000 MHz	2.596000000 GHz	-29.98 dBm	-19.98 dB
8	8	2.6000 GHz	2.6200 GHz	1.000 MHz	2.618400000 GHz	-36.48 dBm	-23.48 dB
9	9	2.6200 GHz	2.6400 GHz	1.000 MHz	2.822200000 GHz	-37.00 dBm	-12.00 dB

Band38_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_132_CH521500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.567200000 GHz	-36.98 dBm	-11.98 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.571800000 GHz	-36.63 dBm	-23.63 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.591760000 GHz	-36.45 dBm	-26.45 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.594720000 GHz	-36.45 dBm	-26.45 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.619350000 GHz	27.85 dBm	-8.153 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620000000 GHz	-11.85 dBm	-1.851 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-17.33 dBm	-7.330 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.625000000 GHz	-34.21 dBm	-21.21 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.647600000 GHz	-37.11 dBm	-12.11 dB

Band38_25MHz_CP_OFDM_SCS15kHz_QPSK_RB1_132_CH516500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5250 GHz	2.5450 GHz	1.000 MHz	2.542200000 GHz	-37.42 dBm	-12.42 dB
2	2	2.5450 GHz	2.5650 GHz	1.000 MHz	2.547000000 GHz	-37.02 dBm	-24.02 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.566920000 GHz	-36.98 dBm	-26.98 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569760000 GHz	-37.81 dBm	-27.81 dB
5	5	2.5700 GHz	2.5950 GHz	100.0 kHz	2.594350000 GHz	24.81 dBm	-11.19 dB
6	6	2.5950 GHz	2.5960 GHz	100.0 kHz	2.595010000 GHz	-15.30 dBm	-5.297 dB
7	7	2.5960 GHz	2.6000 GHz	1.000 MHz	2.596000000 GHz	-18.61 dBm	-8.612 dB
8	8	2.6000 GHz	2.6200 GHz	1.000 MHz	2.600000000 GHz	-35.25 dBm	-22.25 dB
9	9	2.6200 GHz	2.6400 GHz	1.000 MHz	2.620400000 GHz	-37.41 dBm	-12.41 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band38_25MHz_CP_OFDM_SCS15kHz_QPSK_RB133_0_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5375 GHz	2.5575 GHz	1.000 MHz	2.556900000 GHz	-36.55 dBm	-11.55 dB
2	2	2.5575 GHz	2.5775 GHz	1.000 MHz	2.577500000 GHz	-28.91 dBm	-15.91 dB
3	3	2.5775 GHz	2.5815 GHz	1.000 MHz	2.581420000 GHz	-28.23 dBm	-18.23 dB
4	4	2.5815 GHz	2.5825 GHz	100.0 kHz	2.582490000 GHz	-28.24 dBm	-18.24 dB
5	5	2.5825 GHz	2.6075 GHz	100.0 kHz	2.589750000 GHz	4.116 dBm	-31.88 dB
6	6	2.6075 GHz	2.6085 GHz	100.0 kHz	2.607650000 GHz	-29.75 dBm	-19.75 dB
7	7	2.6085 GHz	2.6125 GHz	1.000 MHz	2.608500000 GHz	-23.34 dBm	-13.34 dB
8	8	2.6125 GHz	2.6325 GHz	1.000 MHz	2.613300000 GHz	-31.46 dBm	-18.46 dB
9	9	2.6325 GHz	2.6525 GHz	1.000 MHz	2.632500000 GHz	-38.83 dBm	-13.83 dB

Band38_25MHz_CP_OFDM_SCS15kHz_QPSK_RB133_0_CH521500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.568000000 GHz	-36.22 dBm	-11.22 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.590000000 GHz	-28.02 dBm	-15.02 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.593520000 GHz	-26.32 dBm	-16.32 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.594690000 GHz	-27.68 dBm	-17.68 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.599000000 GHz	4.359 dBm	-31.64 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620040000 GHz	-27.90 dBm	-17.90 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-20.49 dBm	-10.49 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.625400000 GHz	-28.98 dBm	-15.98 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.646200000 GHz	-37.73 dBm	-12.73 dB

Band38_25MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5375 GHz	2.5575 GHz	1.000 MHz	2.552500000 GHz	-37.62 dBm	-12.62 dB
2	2	2.5575 GHz	2.5775 GHz	1.000 MHz	2.577500000 GHz	-33.98 dBm	-20.98 dB
3	3	2.5775 GHz	2.5815 GHz	1.000 MHz	2.581500000 GHz	-23.75 dBm	-13.75 dB
4	4	2.5815 GHz	2.5825 GHz	100.0 kHz	2.582500000 GHz	-15.26 dBm	-5.262 dB
5	5	2.5825 GHz	2.6075 GHz	100.0 kHz	2.583100000 GHz	25.22 dBm	-10.78 dB
6	6	2.6075 GHz	2.6085 GHz	100.0 kHz	2.607790000 GHz	-37.89 dBm	-27.89 dB
7	7	2.6085 GHz	2.6125 GHz	1.000 MHz	2.608500000 GHz	-29.98 dBm	-19.98 dB
8	8	2.6125 GHz	2.6325 GHz	1.000 MHz	2.630700000 GHz	-36.78 dBm	-23.78 dB
9	9	2.6325 GHz	2.6525 GHz	1.000 MHz	2.634900000 GHz	-36.96 dBm	-11.96 dB

Band38_25MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH521500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.569000000 GHz	-37.42 dBm	-12.42 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.589600000 GHz	-33.07 dBm	-20.07 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.593960000 GHz	-21.51 dBm	-11.51 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.595000000 GHz	-13.47 dBm	-3.466 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.595600000 GHz	25.47 dBm	-10.53 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620230000 GHz	-37.70 dBm	-27.70 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-29.64 dBm	-19.64 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.643200000 GHz	-36.35 dBm	-23.35 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.647400000 GHz	-36.99 dBm	-11.99 dB

Band38_25MHz_CP_OFDM_SCS15kHz_QPSK_RB1_132_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5375 GHz	2.5575 GHz	1.000 MHz	2.554900000 GHz	-37.35 dBm	-12.35 dB
2	2	2.5575 GHz	2.5775 GHz	1.000 MHz	2.559300000 GHz	-37.01 dBm	-24.01 dB
3	3	2.5775 GHz	2.5815 GHz	1.000 MHz	2.579500000 GHz	-36.85 dBm	-26.85 dB
4	4	2.5815 GHz	2.5825 GHz	100.0 kHz	2.582270000 GHz	-37.80 dBm	-27.80 dB
5	5	2.5825 GHz	2.6075 GHz	100.0 kHz	2.606850000 GHz	24.98 dBm	-11.02 dB
6	6	2.6075 GHz	2.6085 GHz	100.0 kHz	2.607510000 GHz	-14.51 dBm	-4.508 dB
7	7	2.6085 GHz	2.6125 GHz	1.000 MHz	2.608500000 GHz	-20.80 dBm	-10.80 dB
8	8	2.6125 GHz	2.6325 GHz	1.000 MHz	2.613300000 GHz	-35.33 dBm	-22.33 dB
9	9	2.6325 GHz	2.6525 GHz	1.000 MHz	2.633500000 GHz	-37.41 dBm	-12.41 dB

Band38_25MHz_CP_OFDM_SCS15kHz_QPSK_RB1_132_CH521500

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.567200000 GHz	-37.39 dBm	-12.39 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.572000000 GHz	-35.81 dBm	-22.81 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.591920000 GHz	-36.72 dBm	-26.72 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.594730000 GHz	-37.59 dBm	-27.59 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.619400000 GHz	25.15 dBm	-10.85 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620000000 GHz	-16.59 dBm	-6.591 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-20.85 dBm	-10.85 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.625000000 GHz	-35.70 dBm	-22.70 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.649600000 GHz	-37.33 dBm	-12.33 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band38_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH516500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5250 GHz	2.5450 GHz	1.000 MHz	2.542800000 GHz	-37.70 dBm	-12.70 dB
2	2	2.5450 GHz	2.5650 GHz	1.000 MHz	2.565000000 GHz	-35.90 dBm	-22.90 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.569000000 GHz	-27.50 dBm	-17.50 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.570000000 GHz	-14.81 dBm	-4.812 dB
5	5	2.5700 GHz	2.5950 GHz	100.0 kHz	2.570900000 GHz	25.34 dBm	-10.66 dB
6	6	2.5950 GHz	2.5960 GHz	100.0 kHz	2.595540000 GHz	-38.26 dBm	-28.26 dB
7	7	2.5960 GHz	2.6000 GHz	1.000 MHz	2.596000000 GHz	-29.67 dBm	-19.67 dB
8	8	2.6000 GHz	2.6200 GHz	1.000 MHz	2.617000000 GHz	-37.06 dBm	-24.06 dB
9	9	2.6200 GHz	2.6400 GHz	1.000 MHz	2.623200000 GHz	-37.00 dBm	-12.00 dB

Band38_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5375 GHz	2.5575 GHz	1.000 MHz	2.557500000 GHz	-37.73 dBm	-12.73 dB
2	2	2.5575 GHz	2.5775 GHz	1.000 MHz	2.576900000 GHz	-35.86 dBm	-22.86 dB
3	3	2.5775 GHz	2.5815 GHz	1.000 MHz	2.581500000 GHz	-26.98 dBm	-16.98 dB
4	4	2.5815 GHz	2.5825 GHz	100.0 kHz	2.582500000 GHz	-14.82 dBm	-4.820 dB
5	5	2.5825 GHz	2.6075 GHz	100.0 kHz	2.583450000 GHz	24.74 dBm	-11.26 dB
6	6	2.6075 GHz	2.6085 GHz	100.0 kHz	2.608000000 GHz	-38.47 dBm	-28.47 dB
7	7	2.6085 GHz	2.6125 GHz	1.000 MHz	2.608500000 GHz	-29.59 dBm	-19.59 dB
8	8	2.6125 GHz	2.6325 GHz	1.000 MHz	2.629300000 GHz	-37.18 dBm	-24.18 dB
9	9	2.6325 GHz	2.6525 GHz	1.000 MHz	2.635500000 GHz	-37.00 dBm	-12.00 dB

Band38_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_64_CH516500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5250 GHz	2.5450 GHz	1.000 MHz	2.541800000 GHz	-37.50 dBm	-12.50 dB
2	2	2.5450 GHz	2.5650 GHz	1.000 MHz	2.548200000 GHz	-37.40 dBm	-24.40 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568920000 GHz	-36.69 dBm	-26.69 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569280000 GHz	-38.29 dBm	-28.29 dB
5	5	2.5700 GHz	2.5950 GHz	100.0 kHz	2.593950000 GHz	25.58 dBm	-10.42 dB
6	6	2.5950 GHz	2.5960 GHz	100.0 kHz	2.595000000 GHz	-15.30 dBm	-5.304 dB
7	7	2.5960 GHz	2.6000 GHz	1.000 MHz	2.596000000 GHz	-20.70 dBm	-10.70 dB
8	8	2.6000 GHz	2.6200 GHz	1.000 MHz	2.602000000 GHz	-35.96 dBm	-22.96 dB
9	9	2.6200 GHz	2.6400 GHz	1.000 MHz	2.621400000 GHz	-37.42 dBm	-12.42 dB

Band38_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_64_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5375 GHz	2.5575 GHz	1.000 MHz	2.554500000 GHz	-37.45 dBm	-12.45 dB
2	2	2.5575 GHz	2.5775 GHz	1.000 MHz	2.576700000 GHz	-37.42 dBm	-24.42 dB
3	3	2.5775 GHz	2.5815 GHz	1.000 MHz	2.581500000 GHz	-36.38 dBm	-26.38 dB
4	4	2.5815 GHz	2.5825 GHz	100.0 kHz	2.581970000 GHz	-38.25 dBm	-28.25 dB
5	5	2.5825 GHz	2.6075 GHz	100.0 kHz	2.606400000 GHz	24.83 dBm	-11.17 dB
6	6	2.6075 GHz	2.6085 GHz	100.0 kHz	2.607500000 GHz	-17.56 dBm	-7.555 dB
7	7	2.6085 GHz	2.6125 GHz	1.000 MHz	2.608500000 GHz	-21.38 dBm	-11.38 dB
8	8	2.6125 GHz	2.6325 GHz	1.000 MHz	2.612500000 GHz	-36.03 dBm	-23.03 dB
9	9	2.6325 GHz	2.6525 GHz	1.000 MHz	2.632500000 GHz	-37.39 dBm	-12.39 dB

Band38_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB64_0_CH516500

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5250 GHz	2.5450 GHz	1.000 MHz	2.540800000 GHz	-38.64 dBm	-13.64 dB
2	2	2.5450 GHz	2.5650 GHz	1.000 MHz	2.560000000 GHz	-29.87 dBm	-16.87 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568640000 GHz	-31.10 dBm	-21.10 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.570000000 GHz	-30.80 dBm	-20.80 dB
5	5	2.5700 GHz	2.5950 GHz	100.0 kHz	2.580800000 GHz	7.637 dBm	-28.36 dB
6	6	2.5950 GHz	2.5960 GHz	100.0 kHz	2.595040000 GHz	-30.25 dBm	-20.25 dB
7	7	2.5960 GHz	2.6000 GHz	1.000 MHz	2.596000000 GHz	-24.16 dBm	-14.16 dB
8	8	2.6000 GHz	2.6200 GHz	1.000 MHz	2.604800000 GHz	-31.81 dBm	-18.81 dB
9	9	2.6200 GHz	2.6400 GHz	1.000 MHz	2.623800000 GHz	-40.01 dBm	-15.01 dB

Band38_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB64_0_CH519000

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5375 GHz	2.5575 GHz	1.000 MHz	2.553300000 GHz	-39.10 dBm	-14.10 dB
2	2	2.5575 GHz	2.5775 GHz	1.000 MHz	2.572500000 GHz	-28.16 dBm	-15.16 dB
3	3	2.5775 GHz	2.5815 GHz	1.000 MHz	2.581460000 GHz	-29.26 dBm	-19.26 dB
4	4	2.5815 GHz	2.5825 GHz	100.0 kHz	2.582280000 GHz	-29.52 dBm	-19.52 dB
5	5	2.5825 GHz	2.6075 GHz	100.0 kHz	2.593650000 GHz	7.862 dBm	-28.14 dB
6	6	2.6075 GHz	2.6085 GHz	100.0 kHz	2.607500000 GHz	-31.82 dBm	-21.82 dB
7	7	2.6085 GHz	2.6125 GHz	1.000 MHz	2.608500000 GHz	-23.87 dBm	-13.87 dB
8	8	2.6125 GHz	2.6325 GHz	1.000 MHz	2.616700000 GHz	-31.99 dBm	-18.99 dB
9	9	2.6325 GHz	2.6525 GHz	1.000 MHz	2.636300000 GHz	-40.81 dBm	-15.81 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band38_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH521500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.569400000 GHz	-37.72 dBm	-12.72 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.590000000 GHz	-33.08 dBm	-20.08 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.594000000 GHz	-28.43 dBm	-18.43 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.595000000 GHz	-16.03 dBm	-8.031 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.596050000 GHz	24.97 dBm	-11.03 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620530000 GHz	-38.01 dBm	-28.01 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-29.62 dBm	-19.62 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.642200000 GHz	-36.99 dBm	-23.99 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.648200000 GHz	-37.11 dBm	-12.11 dB

Band38_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH516500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5250 GHz	2.5450 GHz	1.000 MHz	2.525000000 GHz	-37.70 dBm	-12.70 dB
2	2	2.5450 GHz	2.5650 GHz	1.000 MHz	2.564800000 GHz	-35.95 dBm	-22.95 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.569000000 GHz	-29.40 dBm	-19.40 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569990000 GHz	-18.10 dBm	-8.100 dB
5	5	2.5700 GHz	2.5950 GHz	100.0 kHz	2.571000000 GHz	22.15 dBm	-13.85 dB
6	6	2.5950 GHz	2.5960 GHz	100.0 kHz	2.595650000 GHz	-38.80 dBm	-28.80 dB
7	7	2.5960 GHz	2.6000 GHz	1.000 MHz	2.596000000 GHz	-29.91 dBm	-19.91 dB
8	8	2.6000 GHz	2.6200 GHz	1.000 MHz	2.617400000 GHz	-36.93 dBm	-23.93 dB
9	9	2.6200 GHz	2.6400 GHz	1.000 MHz	2.622800000 GHz	-37.29 dBm	-12.29 dB

Band38_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_64_CH521500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.567000000 GHz	-37.27 dBm	-12.27 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.573000000 GHz	-37.34 dBm	-24.34 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.594000000 GHz	-36.52 dBm	-26.52 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.594270000 GHz	-37.91 dBm	-27.91 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.618900000 GHz	24.76 dBm	-11.24 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620000000 GHz	-17.61 dBm	-7.607 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-20.40 dBm	-10.40 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.630400000 GHz	-36.14 dBm	-23.14 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.654200000 GHz	-37.44 dBm	-12.44 dB

Band38_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_64_CH516500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5250 GHz	2.5450 GHz	1.000 MHz	2.542000000 GHz	-37.62 dBm	-12.62 dB
2	2	2.5450 GHz	2.5650 GHz	1.000 MHz	2.548200000 GHz	-37.25 dBm	-24.25 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.569000000 GHz	-36.74 dBm	-26.74 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569370000 GHz	-39.03 dBm	-29.03 dB
5	5	2.5700 GHz	2.5950 GHz	100.0 kHz	2.594050000 GHz	22.02 dBm	-13.98 dB
6	6	2.5950 GHz	2.5960 GHz	100.0 kHz	2.595010000 GHz	-18.37 dBm	-8.374 dB
7	7	2.5960 GHz	2.6000 GHz	1.000 MHz	2.596000000 GHz	-22.43 dBm	-12.43 dB
8	8	2.6000 GHz	2.6200 GHz	1.000 MHz	2.600000000 GHz	-36.46 dBm	-23.46 dB
9	9	2.6200 GHz	2.6400 GHz	1.000 MHz	2.620400000 GHz	-37.40 dBm	-12.40 dB

Band38_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB64_0_CH521500

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.570000000 GHz	-37.67 dBm	-12.67 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.585000000 GHz	-26.48 dBm	-13.48 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.592840000 GHz	-27.68 dBm	-17.68 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.594850000 GHz	-27.99 dBm	-17.99 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.599850000 GHz	8.060 dBm	-27.94 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620090000 GHz	-29.45 dBm	-19.45 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-21.48 dBm	-11.48 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.629800000 GHz	-29.72 dBm	-16.72 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.648400000 GHz	-39.19 dBm	-14.19 dB

Band38_25MHz_CP_OFDM_SCS30kHz_QPSK_RB65_0_CH516500

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5250 GHz	2.5450 GHz	1.000 MHz	2.544800000 GHz	-38.12 dBm	-13.12 dB
2	2	2.5450 GHz	2.5650 GHz	1.000 MHz	2.565000000 GHz	-30.29 dBm	-17.29 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568840000 GHz	-28.16 dBm	-18.16 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569840000 GHz	-28.57 dBm	-18.57 dB
5	5	2.5700 GHz	2.5950 GHz	100.0 kHz	2.578500000 GHz	4.645 dBm	-31.35 dB
6	6	2.5950 GHz	2.5960 GHz	100.0 kHz	2.595120000 GHz	-30.07 dBm	-20.07 dB
7	7	2.5960 GHz	2.6000 GHz	1.000 MHz	2.596000000 GHz	-23.57 dBm	-13.57 dB
8	8	2.6000 GHz	2.6200 GHz	1.000 MHz	2.600600000 GHz	-31.71 dBm	-18.71 dB
9	9	2.6200 GHz	2.6400 GHz	1.000 MHz	2.622000000 GHz	-39.23 dBm	-14.23 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band38_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5375 GHz	2.5575 GHz	1.000 MHz	2.556900000 GHz	-37.68 dBm	-12.68 dB
2	2	2.5575 GHz	2.5775 GHz	1.000 MHz	2.575100000 GHz	-34.90 dBm	-21.90 dB
3	3	2.5775 GHz	2.5815 GHz	1.000 MHz	2.581420000 GHz	-24.48 dBm	-14.48 dB
4	4	2.5815 GHz	2.5825 GHz	100.0 kHz	2.582440000 GHz	-19.09 dBm	-9.093 dB
5	5	2.5825 GHz	2.6075 GHz	100.0 kHz	2.583550000 GHz	22.48 dBm	-13.52 dB
6	6	2.6075 GHz	2.6085 GHz	100.0 kHz	2.608130000 GHz	-36.88 dBm	-28.88 dB
7	7	2.6085 GHz	2.6125 GHz	1.000 MHz	2.608500000 GHz	-29.72 dBm	-19.72 dB
8	8	2.6125 GHz	2.6325 GHz	1.000 MHz	2.629700000 GHz	-36.88 dBm	-23.88 dB
9	9	2.6325 GHz	2.6525 GHz	1.000 MHz	2.635300000 GHz	-37.22 dBm	-12.22 dB

Band38_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH521500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.569400000 GHz	-37.62 dBm	-12.62 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.590000000 GHz	-35.33 dBm	-22.33 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.593960000 GHz	-27.15 dBm	-17.15 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.594990000 GHz	-17.61 dBm	-7.610 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.596000000 GHz	22.17 dBm	-13.83 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620690000 GHz	-38.77 dBm	-28.77 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-29.67 dBm	-19.67 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.642000000 GHz	-36.84 dBm	-23.84 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.647800000 GHz	-37.23 dBm	-12.23 dB

Band38_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_64_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5375 GHz	2.5575 GHz	1.000 MHz	2.554900000 GHz	-37.59 dBm	-12.59 dB
2	2	2.5575 GHz	2.5775 GHz	1.000 MHz	2.560300000 GHz	-36.45 dBm	-23.45 dB
3	3	2.5775 GHz	2.5815 GHz	1.000 MHz	2.581340000 GHz	-36.58 dBm	-26.58 dB
4	4	2.5815 GHz	2.5825 GHz	100.0 kHz	2.581950000 GHz	-38.55 dBm	-28.55 dB
5	5	2.5825 GHz	2.6075 GHz	100.0 kHz	2.606450000 GHz	22.33 dBm	-13.67 dB
6	6	2.6075 GHz	2.6085 GHz	100.0 kHz	2.607510000 GHz	-18.55 dBm	-8.555 dB
7	7	2.6085 GHz	2.6125 GHz	1.000 MHz	2.608500000 GHz	-23.03 dBm	-13.03 dB
8	8	2.6125 GHz	2.6325 GHz	1.000 MHz	2.613100000 GHz	-35.00 dBm	-22.00 dB
9	9	2.6325 GHz	2.6525 GHz	1.000 MHz	2.633500000 GHz	-37.35 dBm	-12.35 dB

Band38_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_64_CH521500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.567000000 GHz	-37.45 dBm	-12.45 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.573400000 GHz	-37.12 dBm	-24.12 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.594000000 GHz	-36.47 dBm	-26.47 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.594330000 GHz	-38.63 dBm	-28.63 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.618900000 GHz	22.07 dBm	-13.93 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620000000 GHz	-19.16 dBm	-9.162 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-20.99 dBm	-10.99 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.625000000 GHz	-35.19 dBm	-22.19 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.645600000 GHz	-37.35 dBm	-12.35 dB

Band38_25MHz_CP_OFDM_SCS30kHz_QPSK_RB65_0_CH519000

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5375 GHz	2.5575 GHz	1.000 MHz	2.557500000 GHz	-36.50 dBm	-11.50 dB
2	2	2.5575 GHz	2.5775 GHz	1.000 MHz	2.577500000 GHz	-29.09 dBm	-16.09 dB
3	3	2.5775 GHz	2.5815 GHz	1.000 MHz	2.581220000 GHz	-27.80 dBm	-17.80 dB
4	4	2.5815 GHz	2.5825 GHz	100.0 kHz	2.582180000 GHz	-29.50 dBm	-19.50 dB
5	5	2.5825 GHz	2.6075 GHz	100.0 kHz	2.585650000 GHz	4.572 dBm	-31.43 dB
6	6	2.6075 GHz	2.6085 GHz	100.0 kHz	2.607510000 GHz	-31.43 dBm	-21.43 dB
7	7	2.6085 GHz	2.6125 GHz	1.000 MHz	2.608500000 GHz	-23.12 dBm	-13.12 dB
8	8	2.6125 GHz	2.6325 GHz	1.000 MHz	2.612900000 GHz	-31.93 dBm	-18.93 dB
9	9	2.6325 GHz	2.6525 GHz	1.000 MHz	2.633100000 GHz	-39.44 dBm	-14.44 dB

Band38_25MHz_CP_OFDM_SCS30kHz_QPSK_RB65_0_CH521500

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.570000000 GHz	-36.68 dBm	-11.68 dB
2	2	2.5700 GHz	2.5900 GHz	1.000 MHz	2.590000000 GHz	-28.17 dBm	-15.17 dB
3	3	2.5900 GHz	2.5940 GHz	1.000 MHz	2.593000000 GHz	-26.98 dBm	-16.98 dB
4	4	2.5940 GHz	2.5950 GHz	100.0 kHz	2.594960000 GHz	-27.66 dBm	-17.66 dB
5	5	2.5950 GHz	2.6200 GHz	100.0 kHz	2.611350000 GHz	4.657 dBm	-31.34 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620070000 GHz	-27.84 dBm	-17.84 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-21.02 dBm	-11.02 dB
8	8	2.6250 GHz	2.6450 GHz	1.000 MHz	2.625000000 GHz	-29.18 dBm	-16.18 dB
9	9	2.6450 GHz	2.6650 GHz	1.000 MHz	2.645000000 GHz	-37.91 dBm	-12.91 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band38_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB160_0_CH517000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.532000000 GHz	-40.86 dBm	-15.86 dB
2	2	2.5400 GHz	2.5650 GHz	1.000 MHz	2.557000000 GHz	-30.27 dBm	-17.27 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568880000 GHz	-29.45 dBm	-19.45 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569540000 GHz	-30.36 dBm	-20.36 dB
5	5	2.5700 GHz	2.6000 GHz	100.0 kHz	2.575300000 GHz	7.055 dBm	-28.95 dB
6	6	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600000000 GHz	-29.93 dBm	-19.93 dB
7	7	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-22.23 dBm	-12.23 dB
8	8	2.6050 GHz	2.6300 GHz	1.000 MHz	2.612000000 GHz	-32.38 dBm	-19.38 dB
9	9	2.6300 GHz	2.6500 GHz	1.000 MHz	2.636600000 GHz	-42.38 dBm	-17.38 dB

Band38_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB160_0_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.549600000 GHz	-37.59 dBm	-12.59 dB
2	2	2.5500 GHz	2.5750 GHz	1.000 MHz	2.567000000 GHz	-28.30 dBm	-15.30 dB
3	3	2.5750 GHz	2.5790 GHz	1.000 MHz	2.578960000 GHz	-29.63 dBm	-19.63 dB
4	4	2.5790 GHz	2.5800 GHz	100.0 kHz	2.579840000 GHz	-29.61 dBm	-19.61 dB
5	5	2.5800 GHz	2.6100 GHz	100.0 kHz	2.587700000 GHz	7.137 dBm	-28.86 dB
6	6	2.6100 GHz	2.6110 GHz	100.0 kHz	2.610110000 GHz	-29.94 dBm	-19.94 dB
7	7	2.6110 GHz	2.6150 GHz	1.000 MHz	2.611000000 GHz	-23.97 dBm	-13.97 dB
8	8	2.6150 GHz	2.6400 GHz	1.000 MHz	2.623000000 GHz	-32.22 dBm	-19.22 dB
9	9	2.6400 GHz	2.6600 GHz	1.000 MHz	2.640600000 GHz	-41.10 dBm	-16.10 dB

Band38_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH517000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.534800000 GHz	-37.60 dBm	-12.60 dB
2	2	2.5400 GHz	2.5650 GHz	1.000 MHz	2.565000000 GHz	-32.43 dBm	-19.43 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.569000000 GHz	-20.99 dBm	-10.99 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.570000000 GHz	-14.22 dBm	-4.217 dB
5	5	2.5700 GHz	2.6000 GHz	100.0 kHz	2.570700000 GHz	28.87 dBm	-7.131 dB
6	6	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600760000 GHz	-38.51 dBm	-28.51 dB
7	7	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-29.02 dBm	-19.02 dB
8	8	2.6050 GHz	2.6300 GHz	1.000 MHz	2.607000000 GHz	-36.84 dBm	-23.84 dB
9	9	2.6300 GHz	2.6500 GHz	1.000 MHz	2.630000000 GHz	-37.46 dBm	-12.46 dB

Band38_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.543400000 GHz	-37.73 dBm	-12.73 dB
2	2	2.5500 GHz	2.5750 GHz	1.000 MHz	2.574250000 GHz	-33.63 dBm	-20.63 dB
3	3	2.5750 GHz	2.5790 GHz	1.000 MHz	2.579000000 GHz	-19.36 dBm	-9.364 dB
4	4	2.5790 GHz	2.5800 GHz	100.0 kHz	2.580000000 GHz	-15.06 dBm	-5.064 dB
5	5	2.5800 GHz	2.6100 GHz	100.0 kHz	2.580700000 GHz	28.64 dBm	-7.357 dB
6	6	2.6100 GHz	2.6110 GHz	100.0 kHz	2.610720000 GHz	-38.82 dBm	-28.82 dB
7	7	2.6110 GHz	2.6150 GHz	1.000 MHz	2.611000000 GHz	-29.27 dBm	-19.27 dB
8	8	2.6150 GHz	2.6400 GHz	1.000 MHz	2.638000000 GHz	-36.91 dBm	-23.91 dB
9	9	2.6400 GHz	2.6600 GHz	1.000 MHz	2.641000000 GHz	-37.46 dBm	-12.46 dB

Band38_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_159_CH517000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.524200000 GHz	-37.78 dBm	-12.78 dB
2	2	2.5400 GHz	2.5650 GHz	1.000 MHz	2.563500000 GHz	-37.25 dBm	-24.25 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568920000 GHz	-36.91 dBm	-26.91 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569260000 GHz	-38.57 dBm	-28.57 dB
5	5	2.5700 GHz	2.6000 GHz	100.0 kHz	2.599300000 GHz	28.64 dBm	-7.360 dB
6	6	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600020000 GHz	-16.95 dBm	-6.952 dB
7	7	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-14.63 dBm	-4.629 dB
8	8	2.6050 GHz	2.6300 GHz	1.000 MHz	2.605000000 GHz	-33.77 dBm	-20.77 dB
9	9	2.6300 GHz	2.6500 GHz	1.000 MHz	2.631400000 GHz	-37.33 dBm	-12.33 dB

Band38_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_159_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.543000000 GHz	-37.79 dBm	-12.79 dB
2	2	2.5500 GHz	2.5750 GHz	1.000 MHz	2.573750000 GHz	-37.03 dBm	-24.03 dB
3	3	2.5750 GHz	2.5790 GHz	1.000 MHz	2.578760000 GHz	-36.83 dBm	-26.83 dB
4	4	2.5790 GHz	2.5800 GHz	100.0 kHz	2.579320000 GHz	-38.37 dBm	-28.37 dB
5	5	2.5800 GHz	2.6100 GHz	100.0 kHz	2.609300000 GHz	28.97 dBm	-7.033 dB
6	6	2.6100 GHz	2.6110 GHz	100.0 kHz	2.610000000 GHz	-14.48 dBm	-4.483 dB
7	7	2.6110 GHz	2.6150 GHz	1.000 MHz	2.611000000 GHz	-14.59 dBm	-4.586 dB
8	8	2.6150 GHz	2.6400 GHz	1.000 MHz	2.615000000 GHz	-33.49 dBm	-20.49 dB
9	9	2.6400 GHz	2.6600 GHz	1.000 MHz	2.646200000 GHz	-37.29 dBm	-12.29 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band38_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB160_0_CH521000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5400 GHz	2.5600 GHz	1.000 MHz	2.553000000 GHz	-40.62 dBm	-15.62 dB
2	2	2.5600 GHz	2.5850 GHz	1.000 MHz	2.577000000 GHz	-27.75 dBm	-14.75 dB
3	3	2.5850 GHz	2.5890 GHz	1.000 MHz	2.588400000 GHz	-28.56 dBm	-18.56 dB
4	4	2.5890 GHz	2.5900 GHz	100.0 kHz	2.589810000 GHz	-27.85 dBm	-17.85 dB
5	5	2.5900 GHz	2.6200 GHz	100.0 kHz	2.595150000 GHz	6.943 dBm	-29.06 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620140000 GHz	-27.18 dBm	-17.18 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-21.70 dBm	-11.70 dB
8	8	2.6250 GHz	2.6500 GHz	1.000 MHz	2.632500000 GHz	-30.75 dBm	-17.75 dB
9	9	2.6500 GHz	2.6700 GHz	1.000 MHz	2.656800000 GHz	-41.39 dBm	-16.39 dB

Band38_30MHz_CP_OFDM_SCS15kHz_QPSK_RB160_0_CH517000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.540000000 GHz	-38.15 dBm	-13.15 dB
2	2	2.5400 GHz	2.5650 GHz	1.000 MHz	2.565000000 GHz	-30.97 dBm	-17.97 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568240000 GHz	-27.68 dBm	-17.68 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569840000 GHz	-30.00 dBm	-20.00 dB
5	5	2.5700 GHz	2.6000 GHz	100.0 kHz	2.580900000 GHz	4.158 dBm	-31.84 dB
6	6	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600660000 GHz	-30.98 dBm	-20.98 dB
7	7	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-23.13 dBm	-13.13 dB
8	8	2.6050 GHz	2.6300 GHz	1.000 MHz	2.605000000 GHz	-32.28 dBm	-19.28 dB
9	9	2.6300 GHz	2.6500 GHz	1.000 MHz	2.630200000 GHz	-40.56 dBm	-15.56 dB

Band38_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH521000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5400 GHz	2.5600 GHz	1.000 MHz	2.554800000 GHz	-37.78 dBm	-12.78 dB
2	2	2.5600 GHz	2.5850 GHz	1.000 MHz	2.585000000 GHz	-35.27 dBm	-22.27 dB
3	3	2.5850 GHz	2.5890 GHz	1.000 MHz	2.589000000 GHz	-24.99 dBm	-14.99 dB
4	4	2.5890 GHz	2.5900 GHz	100.0 kHz	2.590000000 GHz	-16.42 dBm	-6.417 dB
5	5	2.5900 GHz	2.6200 GHz	100.0 kHz	2.590700000 GHz	28.25 dBm	-7.751 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620150000 GHz	-38.53 dBm	-28.53 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-29.22 dBm	-19.22 dB
8	8	2.6250 GHz	2.6500 GHz	1.000 MHz	2.648500000 GHz	-36.50 dBm	-23.50 dB
9	9	2.6500 GHz	2.6700 GHz	1.000 MHz	2.653600000 GHz	-37.57 dBm	-12.57 dB

Band38_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH517000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.539400000 GHz	-37.58 dBm	-12.58 dB
2	2	2.5400 GHz	2.5650 GHz	1.000 MHz	2.564250000 GHz	-33.98 dBm	-20.98 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568960000 GHz	-23.04 dBm	-13.04 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569990000 GHz	-15.85 dBm	-5.854 dB
5	5	2.5700 GHz	2.6000 GHz	100.0 kHz	2.570650000 GHz	26.01 dBm	-9.994 dB
6	6	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600620000 GHz	-38.68 dBm	-28.68 dB
7	7	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-29.04 dBm	-19.04 dB
8	8	2.6050 GHz	2.6300 GHz	1.000 MHz	2.628250000 GHz	-36.58 dBm	-23.58 dB
9	9	2.6300 GHz	2.6500 GHz	1.000 MHz	2.630400000 GHz	-37.50 dBm	-12.50 dB

Band38_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_159_CH521000

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5400 GHz	2.5600 GHz	1.000 MHz	2.558800000 GHz	-37.75 dBm	-12.75 dB
2	2	2.5600 GHz	2.5850 GHz	1.000 MHz	2.582500000 GHz	-37.01 dBm	-24.01 dB
3	3	2.5850 GHz	2.5890 GHz	1.000 MHz	2.588880000 GHz	-36.67 dBm	-26.67 dB
4	4	2.5890 GHz	2.5900 GHz	100.0 kHz	2.589230000 GHz	-38.38 dBm	-28.38 dB
5	5	2.5900 GHz	2.6200 GHz	100.0 kHz	2.619300000 GHz	28.82 dBm	-7.178 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620010000 GHz	-13.74 dBm	-3.738 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-14.08 dBm	-4.082 dB
8	8	2.6250 GHz	2.6500 GHz	1.000 MHz	2.625000000 GHz	-32.91 dBm	-19.91 dB
9	9	2.6500 GHz	2.6700 GHz	1.000 MHz	2.656000000 GHz	-37.23 dBm	-12.23 dB

Band38_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_159_CH517000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5200 GHz	2.5400 GHz	1.000 MHz	2.537400000 GHz	-37.71 dBm	-12.71 dB
2	2	2.5400 GHz	2.5650 GHz	1.000 MHz	2.542000000 GHz	-37.20 dBm	-24.20 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568840000 GHz	-36.91 dBm	-26.91 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569610000 GHz	-39.02 dBm	-29.02 dB
5	5	2.5700 GHz	2.6000 GHz	100.0 kHz	2.599300000 GHz	25.70 dBm	-10.30 dB
6	6	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600010000 GHz	-20.30 dBm	-10.30 dB
7	7	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-20.02 dBm	-10.02 dB
8	8	2.6050 GHz	2.6300 GHz	1.000 MHz	2.605000000 GHz	-36.01 dBm	-23.01 dB
9	9	2.6300 GHz	2.6500 GHz	1.000 MHz	2.635800000 GHz	-37.26 dBm	-12.26 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band38_30MHz_CP_OFDM_SCS15kHz_QPSK_RB160_0_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.549800000 GHz	-37.55 dBm	-12.55 dB
2	2	2.5500 GHz	2.5750 GHz	1.000 MHz	2.575000000 GHz	-29.88 dBm	-16.88 dB
3	3	2.5750 GHz	2.5790 GHz	1.000 MHz	2.578320000 GHz	-28.51 dBm	-18.51 dB
4	4	2.5790 GHz	2.5800 GHz	100.0 kHz	2.579630000 GHz	-28.32 dBm	-18.32 dB
5	5	2.5800 GHz	2.6100 GHz	100.0 kHz	2.590650000 GHz	4.129 dBm	-31.87 dB
6	6	2.6100 GHz	2.6110 GHz	100.0 kHz	2.610000000 GHz	-30.80 dBm	-20.80 dB
7	7	2.6110 GHz	2.6150 GHz	1.000 MHz	2.611000000 GHz	-23.49 dBm	-13.49 dB
8	8	2.6150 GHz	2.6400 GHz	1.000 MHz	2.615000000 GHz	-32.12 dBm	-19.12 dB
9	9	2.6400 GHz	2.6600 GHz	1.000 MHz	2.640400000 GHz	-39.98 dBm	-14.98 dB

Band38_30MHz_CP_OFDM_SCS15kHz_QPSK_RB160_0_CH521000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5400 GHz	2.5600 GHz	1.000 MHz	2.559400000 GHz	-37.25 dBm	-12.25 dB
2	2	2.5600 GHz	2.5850 GHz	1.000 MHz	2.583750000 GHz	-28.64 dBm	-15.64 dB
3	3	2.5850 GHz	2.5890 GHz	1.000 MHz	2.588800000 GHz	-27.53 dBm	-17.53 dB
4	4	2.5890 GHz	2.5900 GHz	100.0 kHz	2.589750000 GHz	-28.97 dBm	-18.97 dB
5	5	2.5900 GHz	2.6200 GHz	100.0 kHz	2.594150000 GHz	4.037 dBm	-31.96 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620000000 GHz	-28.60 dBm	-18.60 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-21.45 dBm	-11.45 dB
8	8	2.6250 GHz	2.6500 GHz	1.000 MHz	2.625750000 GHz	-30.11 dBm	-17.11 dB
9	9	2.6500 GHz	2.6700 GHz	1.000 MHz	2.650000000 GHz	-39.01 dBm	-14.01 dB

Band38_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.544000000 GHz	-37.75 dBm	-12.75 dB
2	2	2.5500 GHz	2.5750 GHz	1.000 MHz	2.575000000 GHz	-35.23 dBm	-22.23 dB
3	3	2.5750 GHz	2.5790 GHz	1.000 MHz	2.578960000 GHz	-25.21 dBm	-15.21 dB
4	4	2.5790 GHz	2.5800 GHz	100.0 kHz	2.580000000 GHz	-18.93 dBm	-8.929 dB
5	5	2.5800 GHz	2.6100 GHz	100.0 kHz	2.580700000 GHz	25.67 dBm	-10.33 dB
6	6	2.6100 GHz	2.6110 GHz	100.0 kHz	2.610680000 GHz	-38.95 dBm	-28.95 dB
7	7	2.6110 GHz	2.6150 GHz	1.000 MHz	2.611000000 GHz	-29.31 dBm	-19.31 dB
8	8	2.6150 GHz	2.6400 GHz	1.000 MHz	2.637750000 GHz	-36.54 dBm	-23.54 dB
9	9	2.6400 GHz	2.6600 GHz	1.000 MHz	2.643600000 GHz	-37.55 dBm	-12.55 dB

Band38_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH521000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5400 GHz	2.5600 GHz	1.000 MHz	2.557200000 GHz	-37.74 dBm	-12.74 dB
2	2	2.5600 GHz	2.5850 GHz	1.000 MHz	2.585000000 GHz	-35.42 dBm	-22.42 dB
3	3	2.5850 GHz	2.5890 GHz	1.000 MHz	2.588920000 GHz	-24.02 dBm	-14.02 dB
4	4	2.5890 GHz	2.5900 GHz	100.0 kHz	2.589980000 GHz	-16.65 dBm	-6.650 dB
5	5	2.5900 GHz	2.6200 GHz	100.0 kHz	2.590700000 GHz	25.74 dBm	-10.26 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620350000 GHz	-38.76 dBm	-28.76 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-29.12 dBm	-19.12 dB
8	8	2.6250 GHz	2.6500 GHz	1.000 MHz	2.648000000 GHz	-36.40 dBm	-23.40 dB
9	9	2.6500 GHz	2.6700 GHz	1.000 MHz	2.650000000 GHz	-37.59 dBm	-12.59 dB

Band38_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_159_CH519000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5300 GHz	2.5500 GHz	1.000 MHz	2.550000000 GHz	-37.83 dBm	-12.83 dB
2	2	2.5500 GHz	2.5750 GHz	1.000 MHz	2.552250000 GHz	-37.06 dBm	-24.06 dB
3	3	2.5750 GHz	2.5790 GHz	1.000 MHz	2.578960000 GHz	-37.02 dBm	-27.02 dB
4	4	2.5790 GHz	2.5800 GHz	100.0 kHz	2.579180000 GHz	-38.84 dBm	-28.84 dB
5	5	2.5800 GHz	2.6100 GHz	100.0 kHz	2.609300000 GHz	25.62 dBm	-10.38 dB
6	6	2.6100 GHz	2.6110 GHz	100.0 kHz	2.610000000 GHz	-21.23 dBm	-11.23 dB
7	7	2.6110 GHz	2.6150 GHz	1.000 MHz	2.611000000 GHz	-21.80 dBm	-11.80 dB
8	8	2.6150 GHz	2.6400 GHz	1.000 MHz	2.615000000 GHz	-36.37 dBm	-23.37 dB
9	9	2.6400 GHz	2.6600 GHz	1.000 MHz	2.645600000 GHz	-37.40 dBm	-12.40 dB

Band38_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_159_CH521000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5400 GHz	2.5600 GHz	1.000 MHz	2.560000000 GHz	-37.85 dBm	-12.85 dB
2	2	2.5600 GHz	2.5850 GHz	1.000 MHz	2.562000000 GHz	-36.37 dBm	-23.37 dB
3	3	2.5850 GHz	2.5890 GHz	1.000 MHz	2.588760000 GHz	-36.84 dBm	-26.84 dB
4	4	2.5890 GHz	2.5900 GHz	100.0 kHz	2.589300000 GHz	-38.49 dBm	-28.49 dB
5	5	2.5900 GHz	2.6200 GHz	100.0 kHz	2.619300000 GHz	26.41 dBm	-9.585 dB
6	6	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620000000 GHz	-17.57 dBm	-7.567 dB
7	7	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621000000 GHz	-18.07 dBm	-8.072 dB
8	8	2.6250 GHz	2.6500 GHz	1.000 MHz	2.625000000 GHz	-35.55 dBm	-22.55 dB
9	9	2.6500 GHz	2.6700 GHz	1.000 MHz	2.655400000 GHz	-37.41 dBm	-12.41 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.