Band41_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB100_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.562220000 GHz	-33.89 dBm	-8.891 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.574570000 GHz	-29.21 dBm	-16.21 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.582020000 GHz	-26.89 dBm	-16.89 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.583020000 GHz	-25.50 dBm	-15.50 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.594470000 GHz	8.199 dBm	-27.80 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603170000 GHz	-31.66 dBm	-21.66 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-24.90 dBm	-14.90 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.610720000 GHz	-30.13 dBm	-17.13 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.623020000 GHz	-34.73 dBm	-9.732 dB

Band41_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB100_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.648590000 GHz	-34.76 dBm	-9.762 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.662590000 GHz	-29.96 dBm	-16.96 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668870000 GHz	-29.02 dBm	-19.02 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669960000 GHz	-27.06 dBm	-17.06 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.673990000 GHz	7.813 dBm	-28.19 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690090000 GHz	-34.85 dBm	-24.85 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-26.60 dBm	-16.60 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.697990000 GHz	-32.49 dBm	-19.49 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.709990000 GHz	-36.88 dBm	-11.88 dB

Band41_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.562620000 GHz	-49.85 dBm	-24.85 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.577870000 GHz	-35.31 dBm	-22.31 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.582020000 GHz	-22.37 dBm	-12.37 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.583020000 GHz	-10.89 dBm	-0.892 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.583520000 GHz	26.43 dBm	-9.566 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603070000 GHz	-46.11 dBm	-36.11 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-38.43 dBm	-28.43 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.612070000 GHz	-43.04 dBm	-30.04 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.626020000 GHz	-50.46 dBm	-25.46 dB

Band41_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.646990000 GHz	-49.31 dBm	-24.31 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664540000 GHz	-36.11 dBm	-23.11 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668910000 GHz	-22.79 dBm	-12.79 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669960000 GHz	-11.54 dBm	-1.536 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.670490000 GHz	26.08 dBm	-9.916 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690070000 GHz	-47.47 dBm	-37.47 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-40.45 dBm	-30.45 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.699190000 GHz	-46.08 dBm	-33.08 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.710190000 GHz	-50.67 dBm	-25.67 dB

Band41_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_105_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.563020000 GHz	-50.32 dBm	-25.32 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.574570000 GHz	-42.46 dBm	-29.46 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581980000 GHz	-43.65 dBm	-33.65 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.583020000 GHz	-45.47 dBm	-35.47 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.602470000 GHz	26.15 dBm	-9.852 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603050000 GHz	-12.29 dBm	-2.288 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-16.79 dBm	-6.792 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.611770000 GHz	-38.19 dBm	-25.19 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.624220000 GHz	-49.98 dBm	-24.98 dB

Band41_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_105_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.648790000 GHz	-50.22 dBm	-25.22 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.651940000 GHz	-42.46 dBm	-29.46 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668910000 GHz	-42.73 dBm	-32.73 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669920000 GHz	-44.79 dBm	-34.79 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.689440000 GHz	26.52 dBm	-9.478 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689990000 GHz	-11.06 dBm	-1.057 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-17.29 dBm	-7.293 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.699040000 GHz	-38.27 dBm	-25.27 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.713190000 GHz	-50.53 dBm	-25.53 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB106_0_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4560 GHz	2.4760 GHz	1.000 MHz	2.475800000 GHz	-35.84 dBm	-10.84 dB
2	2	2.4760 GHz	2.4905 GHz	1.000 MHz	2.490210000 GHz	-25.24 dBm	-0.241 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490820000 GHz	-24.49 dBm	-11.49 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-22.62 dBm	-9.615 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495990000 GHz	-28.17 dBm	-15.17 dB
6	6	2.4960 GHz	2.5160 GHz	100.0 kHz	2.513250000 GHz	3.926 dBm	-32.07 dB
7	7	2.5160 GHz	2.5170 GHz	100.0 kHz	2.516000000 GHz	-27.81 dBm	-17.81 dB
8	8	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517000000 GHz	-21.67 dBm	-11.67 dB
9	9	2.5210 GHz	2.5360 GHz	1.000 MHz	2.521000000 GHz	-26.83 dBm	-13.83 dB
10	10	2.5360 GHz	2.5560 GHz	1.000 MHz	2.536000000 GHz	-34.42 dBm	-9.424 dB

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB106_0_CH502002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4600 GHz	2.4800 GHz	1.000 MHz	2.479610000 GHz	-34.89 dBm	-9.890 dB
2	2	2.4800 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-27.46 dBm	-2.462 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494874700 GHz	-24.21 dBm	-11.21 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495990100 GHz	-23.80 dBm	-10.80 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498979900 GHz	-21.71 dBm	-11.71 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499960000 GHz	-24.06 dBm	-14.06 dB
7	7	2.5000 GHz	2.5200 GHz	100.0 kHz	2.511810000 GHz	6.788 dBm	-29.21 dB
8	8	2.5200 GHz	2.5210 GHz	100.0 kHz	2.520200000 GHz	-26.20 dBm	-16.20 dB
9	9	2.5210 GHz	2.5250 GHz	1.000 MHz	2.521010000 GHz	-18.16 dBm	-8.160 dB
10	10	2.5250 GHz	2.5400 GHz	1.000 MHz	2.525010000 GHz	-26.52 dBm	-13.52 dB
11	11	2.5400 GHz	2.5600 GHz	1.000 MHz	2.541010000 GHz	-34.82 dBm	-9.823 dB

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4560 GHz	2.4760 GHz	1.000 MHz	2.475400000 GHz	-50.63 dBm	-25.63 dB
2	2	2.4760 GHz	2.4905 GHz	1.000 MHz	2.490355000 GHz	-36.88 dBm	-11.88 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490865000 GHz	-34.33 dBm	-21.33 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494960000 GHz	-22.78 dBm	-9.781 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495990000 GHz	-15.20 dBm	-2.199 dB
6	6	2.4960 GHz	2.5160 GHz	100.0 kHz	2.496550000 GHz	23.46 dBm	-12.54 dB
7	7	2.5160 GHz	2.5170 GHz	100.0 kHz	2.516170000 GHz	-45.14 dBm	-35.14 dB
8	8	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517000000 GHz	-37.71 dBm	-27.71 dB
9	9	2.5210 GHz	2.5360 GHz	1.000 MHz	2.524450000 GHz	-41.47 dBm	-28.47 dB
10	10	2.5360 GHz	2.5560 GHz	1.000 MHz	2.538000000 GHz	-50.54 dBm	-25.54 dB

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH502002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4600 GHz	2.4800 GHz	1.000 MHz	2.479810000 GHz	-50.21 dBm	-25.21 dB
2	2	2.4800 GHz	2.4905 GHz	1.000 MHz	2.490395100 GHz	-41.23 dBm	-16.23 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494964900 GHz	-37.33 dBm	-24.33 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495891100 GHz	-35.79 dBm	-22.79 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498979900 GHz	-24.23 dBm	-14.23 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500000000 GHz	-11.29 dBm	-1.287 dB
7	7	2.5000 GHz	2.5200 GHz	100.0 kHz	2.500560000 GHz	26.42 dBm	-9.580 dB
8	8	2.5200 GHz	2.5210 GHz	100.0 kHz	2.520060000 GHz	-42.80 dBm	-32.80 dB
9	9	2.5210 GHz	2.5250 GHz	1.000 MHz	2.521010000 GHz	-34.70 dBm	-24.70 dB
10	10	2.5250 GHz	2.5400 GHz	1.000 MHz	2.528760000 GHz	-40.15 dBm	-27.15 dB
11	11	2.5400 GHz	2.5600 GHz	1.000 MHz	2.540610000 GHz	-50.52 dBm	-25.52 dB

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_105_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4560 GHz	2.4760 GHz	1.000 MHz	2.473800000 GHz	-50.90 dBm	-25.90 dB
2	2	2.4760 GHz	2.4905 GHz	1.000 MHz	2.487020000 GHz	-43.17 dBm	-18.17 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490505000 GHz	-42.60 dBm	-29.60 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494920000 GHz	-41.24 dBm	-28.24 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495980000 GHz	-46.25 dBm	-33.25 dB
6	6	2.4960 GHz	2.5160 GHz	100.0 kHz	2.515450000 GHz	23.62 dBm	-12.38 dB
7	7	2.5160 GHz	2.5170 GHz	100.0 kHz	2.516000000 GHz	-13.34 dBm	-3.342 dB
8	8	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517000000 GHz	-21.29 dBm	-11.29 dB
9	9	2.5210 GHz	2.5360 GHz	1.000 MHz	2.521000000 GHz	-36.98 dBm	-23.98 dB
10	10	2.5360 GHz	2.5560 GHz	1.000 MHz	2.536000000 GHz	-49.87 dBm	-24.87 dB

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_105_CH502002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4600 GHz	2.4800 GHz	1.000 MHz	2.479610000 GHz	-50.65 dBm	-25.65 dB
2	2	2.4800 GHz	2.4905 GHz	1.000 MHz	2.490395100 GHz	-44.05 dBm	-19.05 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494739400 GHz	-42.21 dBm	-29.21 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495940600 GHz	-41.59 dBm	-28.59 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498919700 GHz	-40.35 dBm	-30.35 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499700000 GHz	-42.64 dBm	-32.64 dB
7	7	2.5000 GHz	2.5200 GHz	100.0 kHz	2.519410000 GHz	26.61 dBm	-9.395 dB
8	8	2.5200 GHz	2.5210 GHz	100.0 kHz	2.520010000 GHz	-10.68 dBm	-0.684 dB
9	9	2.5210 GHz	2.5250 GHz	1.000 MHz	2.521010000 GHz	-16.19 dBm	-6.190 dB
10	10	2.5250 GHz	2.5400 GHz	1.000 MHz	2.525010000 GHz	-35.36 dBm	-22.36 dB
11	11	2.5400 GHz	2.5600 GHz	1.000 MHz	2.540010000 GHz	-48.15 dBm	-23.15 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB106_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.563020000 GHz	-32.48 dBm	-7.479 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.578020000 GHz	-26.48 dBm	-13.48 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581980000 GHz	-24.59 dBm	-14.59 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.583020000 GHz	-26.59 dBm	-16.59 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.585770000 GHz	6.684 dBm	-29.32 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603020000 GHz	-27.81 dBm	-17.81 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-21.26 dBm	-11.26 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.608170000 GHz	-28.78 dBm	-15.78 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.623020000 GHz	-33.45 dBm	-8.449 dB

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB106_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.649990000 GHz	-31.98 dBm	-6.985 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664990000 GHz	-25.24 dBm	-12.24 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668990000 GHz	-23.30 dBm	-13.30 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669980000 GHz	-24.74 dBm	-14.74 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.674490000 GHz	6.773 dBm	-29.23 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690040000 GHz	-26.45 dBm	-16.45 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-18.61 dBm	-8.609 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.694990000 GHz	-27.00 dBm	-14.00 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.710390000 GHz	-35.48 dBm	-10.48 dB

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.562420000 GHz	-49.47 dBm	-24.47 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.575770000 GHz	-37.23 dBm	-24.23 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.582020000 GHz	-22.91 dBm	-12.91 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.583020000 GHz	-11.12 dBm	-1.116 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.583570000 GHz	26.61 dBm	-9.388 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603180000 GHz	-42.93 dBm	-32.93 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-35.03 dBm	-25.03 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.612070000 GHz	-41.70 dBm	-28.70 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.628420000 GHz	-50.29 dBm	-25.29 dB

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.647590000 GHz	-49.50 dBm	-24.50 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664840000 GHz	-33.84 dBm	-20.84 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668990000 GHz	-21.36 dBm	-11.36 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669990000 GHz	-11.72 dBm	-1.724 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.670540000 GHz	26.30 dBm	-9.696 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690260000 GHz	-44.43 dBm	-34.43 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-36.48 dBm	-26.48 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.695140000 GHz	-43.80 dBm	-30.80 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.721790000 GHz	-50.53 dBm	-25.53 dB

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_105_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.562620000 GHz	-50.04 dBm	-25.04 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.573970000 GHz	-41.56 dBm	-28.56 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581860000 GHz	-40.45 dBm	-30.45 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.582620000 GHz	-42.66 dBm	-32.66 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.602470000 GHz	26.27 dBm	-9.726 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603030000 GHz	-13.00 dBm	-2.999 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-21.31 dBm	-11.31 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.611620000 GHz	-38.62 dBm	-25.62 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.625220000 GHz	-50.21 dBm	-25.21 dB

Band41_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_105_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.647790000 GHz	-50.21 dBm	-25.21 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664840000 GHz	-40.27 dBm	-27.27 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668950000 GHz	-39.05 dBm	-29.05 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669720000 GHz	-41.76 dBm	-31.76 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.689440000 GHz	26.41 dBm	-9.590 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689990000 GHz	-11.17 dBm	-1.173 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-20.47 dBm	-10.47 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.699040000 GHz	-38.95 dBm	-25.95 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.711590000 GHz	-50.51 dBm	-25.51 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4560 GHz	2.4760 GHz	1.000 MHz	2.471000000 GHz	-50.72 dBm	-25.72 dB
2	2	2.4760 GHz	2.4905 GHz	1.000 MHz	2.488325000 GHz	-38.39 dBm	-13.39 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490965000 GHz	-37.11 dBm	-24.11 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-26.13 dBm	-13.13 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.496000000 GHz	-19.80 dBm	-6.800 dB
6	6	2.4960 GHz	2.5160 GHz	100.0 kHz	2.497000000 GHz	20.44 dBm	-15.56 dB
7	7	2.5160 GHz	2.5170 GHz	100.0 kHz	2.516160000 GHz	-49.50 dBm	-39.50 dB
8	8	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517000000 GHz	-42.16 dBm	-32.16 dB
9	9	2.5210 GHz	2.5360 GHz	1.000 MHz	2.524150000 GHz	-45.92 dBm	-32.92 dB
10	10	2.5360 GHz	2.5560 GHz	1.000 MHz	2.548200000 GHz	-50.52 dBm	-25.52 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH502002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4600 GHz	2.4800 GHz	1.000 MHz	2.478210000 GHz	-50.70 dBm	-25.70 dB
2	2	2.4800 GHz	2.4905 GHz	1.000 MHz	2.490395100 GHz	-43.63 dBm	-18.63 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494964900 GHz	-37.35 dBm	-24.35 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495208000 GHz	-35.13 dBm	-22.13 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498979900 GHz	-25.36 dBm	-15.36 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499990000 GHz	-16.61 dBm	-6.609 dB
7	7	2.5000 GHz	2.5200 GHz	100.0 kHz	2.501060000 GHz	23.37 dBm	-12.63 dB
8	8	2.5200 GHz	2.5210 GHz	100.0 kHz	2.520050000 GHz	-46.79 dBm	-36.79 dB
9	9	2.5210 GHz	2.5250 GHz	1.000 MHz	2.521010000 GHz	-38.78 dBm	-28.78 dB
10	10	2.5250 GHz	2.5400 GHz	1.000 MHz	2.528010000 GHz	-45.75 dBm	-32.75 dB
11	11	2.5400 GHz	2.5600 GHz	1.000 MHz	2.544010000 GHz	-50.57 dBm	-25.57 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4560 GHz	2.4760 GHz	1.000 MHz	2.461800000 GHz	-50.76 dBm	-25.76 dB
2	2	2.4760 GHz	2.4905 GHz	1.000 MHz	2.490210000 GHz	-47.42 dBm	-22.42 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490570000 GHz	-46.33 dBm	-33.33 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494880000 GHz	-45.88 dBm	-32.88 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495730000 GHz	-50.50 dBm	-37.50 dB
6	6	2.4960 GHz	2.5160 GHz	100.0 kHz	2.515050000 GHz	20.55 dBm	-15.45 dB
7	7	2.5160 GHz	2.5170 GHz	100.0 kHz	2.516000000 GHz	-20.52 dBm	-10.52 dB
8	8	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517000000 GHz	-24.29 dBm	-14.29 dB
9	9	2.5210 GHz	2.5360 GHz	1.000 MHz	2.523850000 GHz	-38.93 dBm	-25.93 dB
10	10	2.5360 GHz	2.5560 GHz	1.000 MHz	2.548800000 GHz	-50.63 dBm	-25.63 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH502002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4600 GHz	2.4800 GHz	1.000 MHz	2.473610000 GHz	-50.68 dBm	-25.68 dB
2	2	2.4800 GHz	2.4905 GHz	1.000 MHz	2.488087300 GHz	-48.88 dBm	-23.88 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494559000 GHz	-46.64 dBm	-33.64 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495742600 GHz	-46.90 dBm	-33.90 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498739100 GHz	-45.15 dBm	-35.15 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500010000 GHz	-46.86 dBm	-36.86 dB
7	7	2.5000 GHz	2.5200 GHz	100.0 kHz	2.519060000 GHz	23.54 dBm	-12.46 dB
8	8	2.5200 GHz	2.5210 GHz	100.0 kHz	2.520010000 GHz	-17.04 dBm	-7.036 dB
9	9	2.5210 GHz	2.5250 GHz	1.000 MHz	2.521010000 GHz	-21.18 dBm	-11.18 dB
10	10	2.5250 GHz	2.5400 GHz	1.000 MHz	2.528010000 GHz	-38.73 dBm	-25.73 dB
11	11	2.5400 GHz	2.5600 GHz	1.000 MHz	2.543210000 GHz	-50.56 dBm	-25.56 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4560 GHz	2.4760 GHz	1.000 MHz	2.476000000 GHz	-35.58 dBm	-10.58 dB
2	2	2.4760 GHz	2.4905 GHz	1.000 MHz	2.487890000 GHz	-25.51 dBm	-0.511 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490510000 GHz	-27.84 dBm	-14.84 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494760000 GHz	-23.59 dBm	-10.59 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495980000 GHz	-27.90 dBm	-14.90 dB
6	6	2.4960 GHz	2.5160 GHz	100.0 kHz	2.508550000 GHz	6.547 dBm	-29.45 dB
7	7	2.5160 GHz	2.5170 GHz	100.0 kHz	2.516000000 GHz	-32.33 dBm	-22.33 dB
8	8	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517000000 GHz	-23.54 dBm	-13.54 dB
9	9	2.5210 GHz	2.5360 GHz	1.000 MHz	2.523850000 GHz	-26.20 dBm	-16.20 dB
10	10	2.5360 GHz	2.5560 GHz	1.000 MHz	2.536000000 GHz	-34.57 dBm	-9.574 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH502002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4600 GHz	2.4800 GHz	1.000 MHz	2.480010000 GHz	-34.81 dBm	-9.810 dB
2	2	2.4800 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-26.85 dBm	-1.855 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.491807900 GHz	-24.94 dBm	-11.94 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.496000000 GHz	-25.10 dBm	-12.10 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498979900 GHz	-23.56 dBm	-13.58 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500010000 GHz	-24.44 dBm	-14.44 dB
7	7	2.5000 GHz	2.5200 GHz	100.0 kHz	2.512310000 GHz	8.352 dBm	-27.65 dB
8	8	2.5200 GHz	2.5210 GHz	100.0 kHz	2.520110000 GHz	-29.18 dBm	-19.18 dB
9	9	2.5210 GHz	2.5250 GHz	1.000 MHz	2.521010000 GHz	-21.74 dBm	-11.74 dB
10	10	2.5250 GHz	2.5400 GHz	1.000 MHz	2.528160000 GHz	-28.97 dBm	-15.97 dB
11	11	2.5400 GHz	2.5600 GHz	1.000 MHz	2.540010000 GHz	-35.14 dBm	-10.14 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.561020000 GHz	-50.43 dBm	-25.43 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.577870000 GHz	-37.14 dBm	-24.14 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581940000 GHz	-25.59 dBm	-15.59 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.582990000 GHz	-16.50 dBm	-6.496 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.584020000 GHz	23.39 dBm	-12.61 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603030000 GHz	-46.51 dBm	-36.51 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-39.37 dBm	-29.37 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.608170000 GHz	-46.47 dBm	-33.47 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.638220000 GHz	-50.43 dBm	-25.43 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.649590000 GHz	-50.32 dBm	-25.32 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664690000 GHz	-37.51 dBm	-24.51 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668910000 GHz	-26.29 dBm	-16.29 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669990000 GHz	-17.59 dBm	-7.587 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.670940000 GHz	23.30 dBm	-12.70 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690000000 GHz	-47.78 dBm	-37.78 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-41.01 dBm	-31.01 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.695890000 GHz	-47.76 dBm	-34.76 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.714390000 GHz	-50.65 dBm	-25.65 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.548620000 GHz	-50.53 dBm	-25.53 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.577570000 GHz	-45.25 dBm	-32.25 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581780000 GHz	-44.23 dBm	-34.23 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.582980000 GHz	-46.49 dBm	-36.49 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.601970000 GHz	23.51 dBm	-12.49 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603030000 GHz	-17.66 dBm	-7.665 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-22.32 dBm	-12.32 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.611020000 GHz	-38.88 dBm	-25.88 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.625620000 GHz	-50.54 dBm	-25.54 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.637390000 GHz	-50.38 dBm	-25.38 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664540000 GHz	-44.15 dBm	-31.15 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668870000 GHz	-43.59 dBm	-33.59 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669930000 GHz	-45.74 dBm	-35.74 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.689040000 GHz	23.36 dBm	-12.64 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690000000 GHz	-17.59 dBm	-7.586 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-21.39 dBm	-11.39 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.697990000 GHz	-38.99 dBm	-25.99 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.729190000 GHz	-50.64 dBm	-25.64 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.559820000 GHz	-34.64 dBm	-9.636 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.577270000 GHz	-29.57 dBm	-16.57 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.582020000 GHz	-29.38 dBm	-19.38 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.582980000 GHz	-29.57 dBm	-19.57 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.590120000 GHz	8.528 dBm	-27.47 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603130000 GHz	-31.31 dBm	-21.31 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-24.11 dBm	-14.11 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.611470000 GHz	-29.57 dBm	-16.57 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.629820000 GHz	-35.33 dBm	-10.33 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.649790000 GHz	-31.74 dBm	-6.743 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664990000 GHz	-28.96 dBm	-15.96 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.667470000 GHz	-26.86 dBm	-16.86 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669990000 GHz	-27.91 dBm	-17.91 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.684340000 GHz	8.166 dBm	-27.83 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689990000 GHz	-32.03 dBm	-22.03 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-25.26 dBm	-15.26 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.698440000 GHz	-32.38 dBm	-19.38 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.715990000 GHz	-36.13 dBm	-11.13 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4560 GHz	2.4760 GHz	1.000 MHz	2.476000000 GHz	-50.69 dBm	-25.69 dB
2	2	2.4760 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-37.81 dBm	-12.81 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490985000 GHz	-36.76 dBm	-23.76 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494960000 GHz	-25.57 dBm	-12.57 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495990000 GHz	-19.83 dBm	-6.827 dB
6	6	2.4960 GHz	2.5160 GHz	100.0 kHz	2.496950000 GHz	20.53 dBm	-15.47 dB
7	7	2.5160 GHz	2.5170 GHz	100.0 kHz	2.516200000 GHz	-45.69 dBm	-35.69 dB
8	8	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517000000 GHz	-37.56 dBm	-27.56 dB
9	9	2.5210 GHz	2.5360 GHz	1.000 MHz	2.521600000 GHz	-42.02 dBm	-29.02 dB
10	10	2.5360 GHz	2.5560 GHz	1.000 MHz	2.536400000 GHz	-49.87 dBm	-24.87 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH502002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4600 GHz	2.4800 GHz	1.000 MHz	2.479610000 GHz	-50.59 dBm	-25.59 dB
2	2	2.4800 GHz	2.4905 GHz	1.000 MHz	2.490395100 GHz	-42.41 dBm	-17.41 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495010000 GHz	-36.40 dBm	-23.40 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495316900 GHz	-34.31 dBm	-21.31 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498979900 GHz	-25.41 dBm	-15.41 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500010000 GHz	-17.23 dBm	-7.234 dB
7	7	2.5000 GHz	2.5200 GHz	100.0 kHz	2.501110000 GHz	23.43 dBm	-12.57 dB
8	8	2.5200 GHz	2.5210 GHz	100.0 kHz	2.520140000 GHz	-43.42 dBm	-33.42 dB
9	9	2.5210 GHz	2.5250 GHz	1.000 MHz	2.521010000 GHz	-35.99 dBm	-25.99 dB
10	10	2.5250 GHz	2.5400 GHz	1.000 MHz	2.537010000 GHz	-41.05 dBm	-28.05 dB
11	11	2.5400 GHz	2.5600 GHz	1.000 MHz	2.541010000 GHz	-50.52 dBm	-25.52 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4560 GHz	2.4760 GHz	1.000 MHz	2.457400000 GHz	-50.83 dBm	-25.83 dB
2	2	2.4760 GHz	2.4905 GHz	1.000 MHz	2.490210000 GHz	-43.61 dBm	-18.61 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490740000 GHz	-43.13 dBm	-30.13 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494600000 GHz	-41.94 dBm	-28.94 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495930000 GHz	-46.80 dBm	-33.80 dB
6	6	2.4960 GHz	2.5160 GHz	100.0 kHz	2.515050000 GHz	20.64 dBm	-15.36 dB
7	7	2.5160 GHz	2.5170 GHz	100.0 kHz	2.516010000 GHz	-18.99 dBm	-8.993 dB
8	8	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517000000 GHz	-22.58 dBm	-12.58 dB
9	9	2.5210 GHz	2.5360 GHz	1.000 MHz	2.523850000 GHz	-39.36 dBm	-26.36 dB
10	10	2.5360 GHz	2.5560 GHz	1.000 MHz	2.538200000 GHz	-50.43 dBm	-25.43 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH502002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4600 GHz	2.4800 GHz	1.000 MHz	2.478610000 GHz	-50.62 dBm	-25.62 dB
2	2	2.4800 GHz	2.4905 GHz	1.000 MHz	2.489660800 GHz	-46.02 dBm	-21.02 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494423700 GHz	-43.39 dBm	-30.39 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495237700 GHz	-43.00 dBm	-30.00 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499010000 GHz	-41.41 dBm	-31.41 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499840000 GHz	-43.79 dBm	-33.79 dB
7	7	2.5000 GHz	2.5200 GHz	100.0 kHz	2.519010000 GHz	23.44 dBm	-12.56 dB
8	8	2.5200 GHz	2.5210 GHz	100.0 kHz	2.520020000 GHz	-17.34 dBm	-7.339 dB
9	9	2.5210 GHz	2.5250 GHz	1.000 MHz	2.521010000 GHz	-22.18 dBm	-12.18 dB
10	10	2.5250 GHz	2.5400 GHz	1.000 MHz	2.527860000 GHz	-39.66 dBm	-26.66 dB
11	11	2.5400 GHz	2.5600 GHz	1.000 MHz	2.546410000 GHz	-50.37 dBm	-25.37 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4560 GHz	2.4760 GHz	1.000 MHz	2.476000000 GHz	-35.99 dBm	-10.99 dB
2	2	2.4760 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-25.67 dBm	-0.665 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490990000 GHz	-25.13 dBm	-12.13 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494800000 GHz	-22.98 dBm	-9.985 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495900000 GHz	-27.91 dBm	-14.91 dB
6	6	2.4960 GHz	2.5160 GHz	100.0 kHz	2.509300000 GHz	4.369 dBm	-31.63 dB
7	7	2.5160 GHz	2.5170 GHz	100.0 kHz	2.516010000 GHz	-29.93 dBm	-19.93 dB
8	8	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517000000 GHz	-21.92 dBm	-11.92 dB
9	9	2.5210 GHz	2.5360 GHz	1.000 MHz	2.521000000 GHz	-27.54 dBm	-14.54 dB
10	10	2.5360 GHz	2.5560 GHz	1.000 MHz	2.537200000 GHz	-34.48 dBm	-9.482 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH502002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4600 GHz	2.4800 GHz	1.000 MHz	2.480010000 GHz	-35.02 dBm	-10.02 dB
2	2	2.4800 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-27.96 dBm	-2.960 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494468800 GHz	-24.32 dBm	-11.32 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495891100 GHz	-24.04 dBm	-11.04 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499010000 GHz	-21.96 dBm	-11.96 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499970000 GHz	-24.47 dBm	-14.47 dB
7	7	2.5000 GHz	2.5200 GHz	100.0 kHz	2.512310000 GHz	7.147 dBm	-28.85 dB
8	8	2.5200 GHz	2.5210 GHz	100.0 kHz	2.520470000 GHz	-26.41 dBm	-16.41 dB
9	9	2.5210 GHz	2.5250 GHz	1.000 MHz	2.521010000 GHz	-18.09 dBm	-8.088 dB
10	10	2.5250 GHz	2.5400 GHz	1.000 MHz	2.525010000 GHz	-26.41 dBm	-13.41 dB
11	11	2.5400 GHz	2.5600 GHz	1.000 MHz	2.540010000 GHz	-34.89 dBm	-9.889 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.563020000 GHz	-50.23 dBm	-25.23 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.578020000 GHz	-34.15 dBm	-21.15 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.582020000 GHz	-23.30 dBm	-13.30 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.583010000 GHz	-16.57 dBm	-6.572 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.584020000 GHz	23.87 dBm	-12.13 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603020000 GHz	-43.33 dBm	-33.33 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-35.65 dBm	-25.65 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.620020000 GHz	-41.25 dBm	-28.25 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.623820000 GHz	-50.22 dBm	-25.22 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.649990000 GHz	-50.25 dBm	-25.25 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664840000 GHz	-35.77 dBm	-22.77 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668990000 GHz	-24.81 dBm	-14.81 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669980000 GHz	-16.99 dBm	-6.991 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.670890000 GHz	23.74 dBm	-12.26 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690000000 GHz	-44.79 dBm	-34.79 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-36.95 dBm	-26.95 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.695440000 GHz	-43.97 dBm	-30.97 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.714590000 GHz	-50.60 dBm	-25.60 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.563020000 GHz	-50.42 dBm	-25.42 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.577720000 GHz	-41.81 dBm	-28.81 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581820000 GHz	-40.52 dBm	-30.52 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.582760000 GHz	-43.24 dBm	-33.24 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.602020000 GHz	23.56 dBm	-12.44 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603030000 GHz	-17.08 dBm	-7.082 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-23.03 dBm	-13.03 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.611020000 GHz	-39.75 dBm	-26.75 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.641220000 GHz	-50.47 dBm	-25.47 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.648990000 GHz	-50.08 dBm	-25.08 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664690000 GHz	-41.48 dBm	-28.48 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668230000 GHz	-39.95 dBm	-29.95 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669970000 GHz	-42.05 dBm	-32.05 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.688990000 GHz	23.40 dBm	-12.60 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689990000 GHz	-18.02 dBm	-8.024 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-23.33 dBm	-13.33 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.697840000 GHz	-40.27 dBm	-27.27 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.709990000 GHz	-50.54 dBm	-25.54 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5430 GHz	2.5630 GHz	1.000 MHz	2.562620000 GHz	-32.73 dBm	-7.733 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.577870000 GHz	-26.64 dBm	-13.64 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581780000 GHz	-24.85 dBm	-14.85 dB
4	4	2.5820 GHz	2.5830 GHz	100.0 kHz	2.583020000 GHz	-27.66 dBm	-17.66 dB
5	5	2.5830 GHz	2.6030 GHz	100.0 kHz	2.587970000 GHz	6.937 dBm	-29.06 dB
6	6	2.6030 GHz	2.6040 GHz	100.0 kHz	2.603020000 GHz	-27.99 dBm	-17.99 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.604020000 GHz	-21.47 dBm	-11.47 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.608770000 GHz	-29.17 dBm	-16.17 dB
9	9	2.6230 GHz	2.6430 GHz	1.000 MHz	2.623220000 GHz	-33.79 dBm	-8.786 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6300 GHz	2.6500 GHz	1.000 MHz	2.649790000 GHz	-32.22 dBm	-7.225 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664990000 GHz	-25.13 dBm	-12.13 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668830000 GHz	-23.11 dBm	-13.11 dB
4	4	2.6690 GHz	2.6700 GHz	100.0 kHz	2.669910000 GHz	-24.97 dBm	-14.97 dB
5	5	2.6700 GHz	2.6900 GHz	100.0 kHz	2.674040000 GHz	7.132 dBm	-28.87 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690060000 GHz	-27.02 dBm	-17.02 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-18.70 dBm	-8.701 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.695140000 GHz	-26.87 dBm	-13.87 dB
9	9	2.7100 GHz	2.7300 GHz	1.000 MHz	2.709990000 GHz	-35.52 dBm	-10.52 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB160_0_CH502200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4460 GHz	2.4660 GHz	1.000 MHz	2.465800000 GHz	-38.03 dBm	-13.03 dB
2	2	2.4660 GHz	2.4905 GHz	1.000 MHz	2.484130000 GHz	-28.20 dBm	-3.201 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490945000 GHz	-31.07 dBm	-18.07 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-23.90 dBm	-10.90 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495988000 GHz	-28.05 dBm	-15.05 dB
6	6	2.4960 GHz	2.5260 GHz	100.0 kHz	2.504600000 GHz	5.005 dBm	-30.99 dB
7	7	2.5260 GHz	2.5270 GHz	100.0 kHz	2.526040000 GHz	-30.45 dBm	-20.45 dB
8	8	2.5270 GHz	2.5310 GHz	1.000 MHz	2.527000000 GHz	-22.60 dBm	-12.60 dB
9	9	2.5310 GHz	2.5560 GHz	1.000 MHz	2.540250000 GHz	-32.00 dBm	-19.00 dB
10	10	2.5560 GHz	2.5760 GHz	1.000 MHz	2.558200000 GHz	-36.08 dBm	-11.08 dB

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB160_0_CH503004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4500 GHz	2.4700 GHz	1.000 MHz	2.470020000 GHz	-37.58 dBm	-12.58 dB
2	2	2.4700 GHz	2.4905 GHz	1.000 MHz	2.490090400 GHz	-27.41 dBm	-2.411 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.490500000 GHz	-27.41 dBm	-14.41 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495647200 GHz	-26.56 dBm	-13.56 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499020000 GHz	-24.67 dBm	-14.67 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499910000 GHz	-24.93 dBm	-14.93 dB
7	7	2.5000 GHz	2.5300 GHz	100.0 kHz	2.514520000 GHz	8.009 dBm	-27.99 dB
8	8	2.5300 GHz	2.5310 GHz	100.0 kHz	2.530020000 GHz	-28.09 dBm	-18.09 dB
9	9	2.5310 GHz	2.5350 GHz	1.000 MHz	2.531020000 GHz	-20.45 dBm	-10.45 dB
10	10	2.5350 GHz	2.5600 GHz	1.000 MHz	2.543770000 GHz	-29.45 dBm	-16.45 dB
11	11	2.5600 GHz	2.5800 GHz	1.000 MHz	2.572420000 GHz	-36.41 dBm	-11.41 dB

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH502200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4460 GHz	2.4660 GHz	1.000 MHz	2.461600000 GHz	-50.95 dBm	-25.95 dB
2	2	2.4660 GHz	2.4905 GHz	1.000 MHz	2.490010000 GHz	-38.94 dBm	-13.94 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490630000 GHz	-36.27 dBm	-23.27 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-23.61 dBm	-10.61 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.496000000 GHz	-17.65 dBm	-4.648 dB
6	6	2.4960 GHz	2.5260 GHz	100.0 kHz	2.496650000 GHz	25.44 dBm	-10.56 dB
7	7	2.5260 GHz	2.5270 GHz	100.0 kHz	2.526550000 GHz	-47.96 dBm	-37.96 dB
8	8	2.5270 GHz	2.5310 GHz	1.000 MHz	2.527000000 GHz	-41.84 dBm	-31.84 dB
9	9	2.5310 GHz	2.5560 GHz	1.000 MHz	2.532500000 GHz	-46.37 dBm	-33.37 dB
10	10	2.5560 GHz	2.5760 GHz	1.000 MHz	2.556600000 GHz	-50.27 dBm	-25.27 dB

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH503004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4500 GHz	2.4700 GHz	1.000 MHz	2.469620000 GHz	-50.82 dBm	-25.82 dB
2	2	2.4700 GHz	2.4905 GHz	1.000 MHz	2.486199200 GHz	-41.90 dBm	-16.90 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495020000 GHz	-36.32 dBm	-23.32 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495980400 GHz	-34.34 dBm	-21.34 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498989800 GHz	-22.49 dBm	-12.49 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500020000 GHz	-15.82 dBm	-5.822 dB
7	7	2.5000 GHz	2.5300 GHz	100.0 kHz	2.500720000 GHz	27.80 dBm	-8.197 dB
8	8	2.5300 GHz	2.5310 GHz	100.0 kHz	2.530640000 GHz	-45.88 dBm	-35.88 dB
9	9	2.5310 GHz	2.5350 GHz	1.000 MHz	2.531020000 GHz	-38.67 dBm	-28.67 dB
10	10	2.5350 GHz	2.5600 GHz	1.000 MHz	2.557770000 GHz	-46.06 dBm	-33.06 dB
11	11	2.5600 GHz	2.5800 GHz	1.000 MHz	2.563820000 GHz	-50.03 dBm	-25.03 dB

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_159_CH502200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4460 GHz	2.4660 GHz	1.000 MHz	2.451600000 GHz	-50.72 dBm	-25.72 dB
2	2	2.4660 GHz	2.4905 GHz	1.000 MHz	2.490010000 GHz	-48.25 dBm	-23.25 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490585000 GHz	-48.10 dBm	-35.10 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-46.07 dBm	-33.07 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495450000 GHz	-48.66 dBm	-35.66 dB
6	6	2.4960 GHz	2.5260 GHz	100.0 kHz	2.525300000 GHz	24.96 dBm	-11.04 dB
7	7	2.5260 GHz	2.5270 GHz	100.0 kHz	2.526010000 GHz	-19.20 dBm	-9.198 dB
8	8	2.5270 GHz	2.5310 GHz	1.000 MHz	2.527000000 GHz	-20.04 dBm	-10.04 dB
9	9	2.5310 GHz	2.5560 GHz	1.000 MHz	2.539750000 GHz	-36.46 dBm	-25.46 dB
10	10	2.5560 GHz	2.5760 GHz	1.000 MHz	2.561600000 GHz	-49.35 dBm	-24.35 dB

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_159_CH503004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4500 GHz	2.4700 GHz	1.000 MHz	2.468220000 GHz	-50.89 dBm	-25.89 dB
2	2	2.4700 GHz	2.4905 GHz	1.000 MHz	2.489885600 GHz	-49.55 dBm	-24.55 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.492534000 GHz	-47.44 dBm	-34.44 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495911800 GHz	-47.32 dBm	-34.32 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499020000 GHz	-45.91 dBm	-35.91 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499490000 GHz	-45.64 dBm	-35.64 dB
7	7	2.5000 GHz	2.5300 GHz	100.0 kHz	2.529320000 GHz	28.22 dBm	-7.784 dB
8	8	2.5300 GHz	2.5310 GHz	100.0 kHz	2.530020000 GHz	-16.70 dBm	-6.703 dB
9	9	2.5310 GHz	2.5350 GHz	1.000 MHz	2.531020000 GHz	-17.70 dBm	-7.699 dB
10	10	2.5350 GHz	2.5600 GHz	1.000 MHz	2.543770000 GHz	-38.37 dBm	-25.37 dB
11	11	2.5600 GHz	2.5800 GHz	1.000 MHz	2.566220000 GHz	-49.19 dBm	-24.19 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB160_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5280 GHz	2.5480 GHz	1.000 MHz	2.547620000 GHz	-35.96 dBm	-10.96 dB
2	2	2.5480 GHz	2.5730 GHz	1.000 MHz	2.565770000 GHz	-30.42 dBm	-17.42 dB
3	3	2.5730 GHz	2.5770 GHz	1.000 MHz	2.576900000 GHz	-30.20 dBm	-20.20 dB
4	4	2.5770 GHz	2.5780 GHz	100.0 kHz	2.577920000 GHz	-30.83 dBm	-20.83 dB
5	5	2.5780 GHz	2.6080 GHz	100.0 kHz	2.594170000 GHz	7.754 dBm	-28.25 dB
6	6	2.6080 GHz	2.6090 GHz	100.0 kHz	2.608100000 GHz	-28.88 dBm	-18.88 dB
7	7	2.6090 GHz	2.6130 GHz	1.000 MHz	2.609020000 GHz	-20.90 dBm	-10.90 dB
8	8	2.6130 GHz	2.6380 GHz	1.000 MHz	2.623270000 GHz	-31.07 dBm	-18.07 dB
9	9	2.6380 GHz	2.6580 GHz	1.000 MHz	2.638020000 GHz	-36.07 dBm	-11.07 dB

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB160_0_CH534996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6100 GHz	2.6300 GHz	1.000 MHz	2.629980000 GHz	-34.91 dBm	-9.914 dB
2	2	2.6300 GHz	2.6550 GHz	1.000 MHz	2.647480000 GHz	-31.07 dBm	-18.07 dB
3	3	2.6550 GHz	2.6590 GHz	1.000 MHz	2.658980000 GHz	-30.40 dBm	-20.40 dB
4	4	2.6590 GHz	2.6600 GHz	100.0 kHz	2.659960000 GHz	-29.75 dBm	-19.75 dB
5	5	2.6600 GHz	2.6900 GHz	100.0 kHz	2.667080000 GHz	8.134 dBm	-27.87 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690040000 GHz	-32.45 dBm	-22.45 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-25.68 dBm	-15.68 dB
8	8	2.6950 GHz	2.7200 GHz	1.000 MHz	2.701980000 GHz	-34.98 dBm	-21.98 dB
9	9	2.7200 GHz	2.7400 GHz	1.000 MHz	2.719980000 GHz	-37.24 dBm	-12.24 dB

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5280 GHz	2.5480 GHz	1.000 MHz	2.543020000 GHz	-49.75 dBm	-24.75 dB
2	2	2.5480 GHz	2.5730 GHz	1.000 MHz	2.573020000 GHz	-35.29 dBm	-22.29 dB
3	3	2.5730 GHz	2.5770 GHz	1.000 MHz	2.576940000 GHz	-22.61 dBm	-12.61 dB
4	4	2.5770 GHz	2.5780 GHz	100.0 kHz	2.578010000 GHz	-15.58 dBm	-5.577 dB
5	5	2.5780 GHz	2.6080 GHz	100.0 kHz	2.578720000 GHz	27.95 dBm	-8.053 dB
6	6	2.6080 GHz	2.6090 GHz	100.0 kHz	2.608510000 GHz	-45.49 dBm	-35.49 dB
7	7	2.6090 GHz	2.6130 GHz	1.000 MHz	2.609020000 GHz	-38.83 dBm	-28.83 dB
8	8	2.6130 GHz	2.6380 GHz	1.000 MHz	2.635770000 GHz	-47.29 dBm	-34.29 dB
9	9	2.6380 GHz	2.6580 GHz	1.000 MHz	2.639020000 GHz	-50.19 dBm	-25.19 dB

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH534996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6100 GHz	2.6300 GHz	1.000 MHz	2.624580000 GHz	-49.18 dBm	-24.18 dB
2	2	2.6300 GHz	2.6550 GHz	1.000 MHz	2.654730000 GHz	-36.47 dBm	-23.47 dB
3	3	2.6550 GHz	2.6590 GHz	1.000 MHz	2.658940000 GHz	-23.57 dBm	-13.57 dB
4	4	2.6590 GHz	2.6600 GHz	100.0 kHz	2.659980000 GHz	-15.25 dBm	-5.249 dB
5	5	2.6600 GHz	2.6900 GHz	100.0 kHz	2.660630000 GHz	28.16 dBm	-7.836 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690770000 GHz	-46.95 dBm	-36.95 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-39.36 dBm	-29.36 dB
8	8	2.6950 GHz	2.7200 GHz	1.000 MHz	2.695980000 GHz	-48.66 dBm	-35.66 dB
9	9	2.7200 GHz	2.7400 GHz	1.000 MHz	2.723180000 GHz	-50.62 dBm	-25.62 dB

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_159_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5280 GHz	2.5480 GHz	1.000 MHz	2.544820000 GHz	-50.40 dBm	-25.40 dB
2	2	2.5480 GHz	2.5730 GHz	1.000 MHz	2.550020000 GHz	-45.40 dBm	-32.40 dB
3	3	2.5730 GHz	2.5770 GHz	1.000 MHz	2.577020000 GHz	-45.18 dBm	-35.18 dB
4	4	2.5770 GHz	2.5780 GHz	100.0 kHz	2.577240000 GHz	-45.11 dBm	-35.11 dB
5	5	2.5780 GHz	2.6080 GHz	100.0 kHz	2.607270000 GHz	27.95 dBm	-8.047 dB
6	6	2.6080 GHz	2.6090 GHz	100.0 kHz	2.608020000 GHz	-16.41 dBm	-6.407 dB
7	7	2.6090 GHz	2.6130 GHz	1.000 MHz	2.609020000 GHz	-17.35 dBm	-7.348 dB
8	8	2.6130 GHz	2.6380 GHz	1.000 MHz	2.613020000 GHz	-39.02 dBm	-26.02 dB
9	9	2.6380 GHz	2.6580 GHz	1.000 MHz	2.643620000 GHz	-49.51 dBm	-24.51 dB

Band41_30MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_159_CH534996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.6100 GHz	2.6300 GHz	1.000 MHz	2.626380000 GHz	-50.03 dBm	-25.03 dB
2	2	2.6300 GHz	2.6550 GHz	1.000 MHz	2.631980000 GHz	-44.98 dBm	-31.98 dB
3	3	2.6550 GHz	2.6590 GHz	1.000 MHz	2.658860000 GHz	-44.27 dBm	-34.27 dB
4	4	2.6590 GHz	2.6600 GHz	100.0 kHz	2.659430000 GHz	-44.35 dBm	-34.35 dB
5	5	2.6600 GHz	2.6900 GHz	100.0 kHz	2.689280000 GHz	27.99 dBm	-8.005 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689980000 GHz	-16.31 dBm	-6.308 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-16.52 dBm	-6.519 dB
8	8	2.6950 GHz	2.7200 GHz	1.000 MHz	2.695230000 GHz	-39.84 dBm	-26.84 dB
9	9	2.7200 GHz	2.7400 GHz	1.000 MHz	2.722780000 GHz	-50.54 dBm	-25.54 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.