Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB128_0_CH504204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4260 GHz	2.4460 GHz	1.000 MHz	2.438600000 GHz	-37.98 dBm	-12.98 dB
2	2	2.4460 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-32.32 dBm	-7.322 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490835000 GHz	-32.05 dBm	-19.05 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494000000 GHz	-26.56 dBm	-13.56 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495888000 GHz	-27.70 dBm	-14.70 dB
6	6	2.4960 GHz	2.5460 GHz	100.0 kHz	2.511650000 GHz	5.868 dBm	-30.13 dB
7	7	2.5460 GHz	2.5470 GHz	100.0 kHz	2.546070000 GHz	-32.55 dBm	-22.55 dB
8	8	2.5470 GHz	2.5510 GHz	1.000 MHz	2.547000000 GHz	-23.88 dBm	-13.88 dB
9	9	2.5510 GHz	2.5960 GHz	1.000 MHz	2.566750000 GHz	-30.36 dBm	-17.36 dB
10	10	2.5960 GHz	2.6160 GHz	1.000 MHz	2.612200000 GHz	-36.70 dBm	-11.70 dB

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB128_0_CH505002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.449410000 GHz	-37.97 dBm	-12.97 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-31.62 dBm	-6.624 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494874700 GHz	-26.54 dBm	-13.54 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495594200 GHz	-26.47 dBm	-13.47 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.497836100 GHz	-25.56 dBm	-15.56 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499950000 GHz	-24.68 dBm	-14.68 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.533660000 GHz	8.814 dBm	-27.19 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550830000 GHz	-27.89 dBm	-17.89 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551010000 GHz	-18.83 dBm	-8.831 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.570760000 GHz	-28.97 dBm	-15.97 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.614410000 GHz	-36.59 dBm	-11.59 dB

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH504204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4260 GHz	2.4460 GHz	1.000 MHz	2.445800000 GHz	-50.83 dBm	-25.83 dB
2	2	2.4460 GHz	2.4905 GHz	1.000 MHz	2.489610000 GHz	-37.48 dBm	-12.48 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.491000000 GHz	-37.48 dBm	-24.48 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494920000 GHz	-23.99 dBm	-10.99 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.496000000 GHz	-16.14 dBm	-3.145 dB
6	6	2.4960 GHz	2.5460 GHz	100.0 kHz	2.497200000 GHz	24.52 dBm	-11.48 dB
7	7	2.5460 GHz	2.5470 GHz	100.0 kHz	2.546720000 GHz	-47.47 dBm	-37.47 dB
8	8	2.5470 GHz	2.5510 GHz	1.000 MHz	2.547000000 GHz	-38.85 dBm	-28.85 dB
9	9	2.5510 GHz	2.5960 GHz	1.000 MHz	2.551900000 GHz	-42.87 dBm	-29.87 dB
10	10	2.5960 GHz	2.6160 GHz	1.000 MHz	2.607200000 GHz	-50.17 dBm	-25.17 dB

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH505002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.447410000 GHz	-50.73 dBm	-25.73 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-41.78 dBm	-16.78 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494062900 GHz	-37.77 dBm	-24.77 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495851500 GHz	-34.61 dBm	-21.61 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499010000 GHz	-23.12 dBm	-13.12 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500010000 GHz	-12.02 dBm	-2.020 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.501210000 GHz	27.42 dBm	-8.582 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550370000 GHz	-43.35 dBm	-33.35 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551010000 GHz	-36.10 dBm	-26.10 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.555910000 GHz	-42.56 dBm	-29.56 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.605410000 GHz	-50.39 dBm	-25.39 dB

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_132_CH504204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4260 GHz	2.4460 GHz	1.000 MHz	2.434400000 GHz	-50.88 dBm	-25.88 dB
2	2	2.4460 GHz	2.4905 GHz	1.000 MHz	2.490055000 GHz	-43.78 dBm	-18.78 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490530000 GHz	-44.04 dBm	-31.04 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494920000 GHz	-46.07 dBm	-33.07 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495560000 GHz	-46.91 dBm	-33.91 dB
6	6	2.4960 GHz	2.5460 GHz	100.0 kHz	2.544850000 GHz	24.81 dBm	-11.19 dB
7	7	2.5460 GHz	2.5470 GHz	100.0 kHz	2.546000000 GHz	-16.90 dBm	-6.898 dB
8	8	2.5470 GHz	2.5510 GHz	1.000 MHz	2.547000000 GHz	-18.80 dBm	-8.796 dB
9	9	2.5510 GHz	2.5960 GHz	1.000 MHz	2.568550000 GHz	-40.47 dBm	-27.47 dB
10	10	2.5960 GHz	2.6160 GHz	1.000 MHz	2.613000000 GHz	-50.50 dBm	-25.50 dB

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_132_CH505002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.443610000 GHz	-50.86 dBm	-25.86 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.490095100 GHz	-49.23 dBm	-24.23 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493882500 GHz	-43.30 dBm	-30.30 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495623800 GHz	-46.26 dBm	-33.26 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498528400 GHz	-45.79 dBm	-35.79 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499950000 GHz	-43.26 dBm	-33.26 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.548810000 GHz	27.70 dBm	-8.300 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550030000 GHz	-12.38 dBm	-2.384 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551010000 GHz	-14.18 dBm	-4.183 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.572560000 GHz	-41.13 dBm	-28.13 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.601010000 GHz	-50.20 dBm	-25.20 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB128_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4980 GHz	2.5180 GHz	1.000 MHz	2.510820000 GHz	-35.95 dBm	-10.95 dB
2	2	2.5180 GHz	2.5630 GHz	1.000 MHz	2.546820000 GHz	-30.79 dBm	-17.79 dB
3	3	2.5630 GHz	2.5670 GHz	1.000 MHz	2.566460000 GHz	-29.00 dBm	-19.00 dB
4	4	2.5670 GHz	2.5680 GHz	100.0 kHz	2.568020000 GHz	-27.76 dBm	-17.76 dB
5	5	2.5680 GHz	2.6180 GHz	100.0 kHz	2.597170000 GHz	8.331 dBm	-27.67 dB
6	6	2.6180 GHz	2.6190 GHz	100.0 kHz	2.618040000 GHz	-30.33 dBm	-20.33 dB
7	7	2.6190 GHz	2.6230 GHz	1.000 MHz	2.619020000 GHz	-21.06 dBm	-11.06 dB
8	8	2.6230 GHz	2.6680 GHz	1.000 MHz	2.639670000 GHz	-30.39 dBm	-17.39 dB
9	9	2.6680 GHz	2.6880 GHz	1.000 MHz	2.673420000 GHz	-36.51 dBm	-11.51 dB

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB128_0_CH532998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5700 GHz	2.5900 GHz	1.000 MHz	2.570990000 GHz	-33.70 dBm	-8.697 dB
2	2	2.5900 GHz	2.6350 GHz	1.000 MHz	2.618790000 GHz	-30.46 dBm	-17.46 dB
3	3	2.6350 GHz	2.6390 GHz	1.000 MHz	2.638950000 GHz	-31.75 dBm	-21.75 dB
4	4	2.6390 GHz	2.6400 GHz	100.0 kHz	2.639890000 GHz	-28.88 dBm	-18.88 dB
5	5	2.6400 GHz	2.6900 GHz	100.0 kHz	2.670490000 GHz	8.703 dBm	-27.30 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690100000 GHz	-31.53 dBm	-21.53 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-22.87 dBm	-12.87 dB
8	8	2.6950 GHz	2.7400 GHz	1.000 MHz	2.709390000 GHz	-32.79 dBm	-19.79 dB
9	9	2.7400 GHz	2.7600 GHz	1.000 MHz	2.751990000 GHz	-37.86 dBm	-12.86 dB

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4980 GHz	2.5180 GHz	1.000 MHz	2.513820000 GHz	-50.38 dBm	-25.38 dB
2	2	2.5180 GHz	2.5630 GHz	1.000 MHz	2.562120000 GHz	-39.06 dBm	-26.06 dB
3	3	2.5630 GHz	2.5670 GHz	1.000 MHz	2.567020000 GHz	-23.50 dBm	-13.50 dB
4	4	2.5670 GHz	2.5680 GHz	100.0 kHz	2.568020000 GHz	-13.40 dBm	-3.405 dB
5	5	2.5680 GHz	2.6180 GHz	100.0 kHz	2.589220000 GHz	27.48 dBm	-8.525 dB
6	6	2.6180 GHz	2.6190 GHz	100.0 kHz	2.618400000 GHz	-43.49 dBm	-33.49 dB
7	7	2.6190 GHz	2.6230 GHz	1.000 MHz	2.619020000 GHz	-36.56 dBm	-26.56 dB
8	8	2.6230 GHz	2.6680 GHz	1.000 MHz	2.623920000 GHz	-43.34 dBm	-30.34 dB
9	9	2.6680 GHz	2.6880 GHz	1.000 MHz	2.668820000 GHz	-50.23 dBm	-25.23 dB

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH532998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5700 GHz	2.5900 GHz	1.000 MHz	2.587390000 GHz	-50.32 dBm	-25.32 dB
2	2	2.5900 GHz	2.6350 GHz	1.000 MHz	2.633640000 GHz	-39.81 dBm	-26.81 dB
3	3	2.6350 GHz	2.6390 GHz	1.000 MHz	2.638990000 GHz	-23.59 dBm	-13.59 dB
4	4	2.6390 GHz	2.6400 GHz	100.0 kHz	2.639990000 GHz	-13.69 dBm	-3.686 dB
5	5	2.6400 GHz	2.6900 GHz	100.0 kHz	2.641140000 GHz	27.64 dBm	-8.359 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690590000 GHz	-44.63 dBm	-34.63 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-37.04 dBm	-27.04 dB
8	8	2.6950 GHz	2.7400 GHz	1.000 MHz	2.695890000 GHz	-44.90 dBm	-31.90 dB
9	9	2.7400 GHz	2.7600 GHz	1.000 MHz	2.740190000 GHz	-50.61 dBm	-25.61 dB

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_132_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4980 GHz	2.5180 GHz	1.000 MHz	2.509020000 GHz	-50.35 dBm	-25.35 dB
2	2	2.5180 GHz	2.5630 GHz	1.000 MHz	2.562570000 GHz	-42.40 dBm	-29.40 dB
3	3	2.5630 GHz	2.5670 GHz	1.000 MHz	2.566340000 GHz	-44.92 dBm	-34.92 dB
4	4	2.5670 GHz	2.5680 GHz	100.0 kHz	2.567600000 GHz	-43.27 dBm	-33.27 dB
5	5	2.5680 GHz	2.6180 GHz	100.0 kHz	2.616820000 GHz	27.56 dBm	-8.440 dB
6	6	2.6180 GHz	2.6190 GHz	100.0 kHz	2.618030000 GHz	-13.28 dBm	-3.275 dB
7	7	2.6190 GHz	2.6230 GHz	1.000 MHz	2.619020000 GHz	-13.92 dBm	-3.920 dB
8	8	2.6230 GHz	2.6680 GHz	1.000 MHz	2.623020000 GHz	-41.45 dBm	-28.45 dB
9	9	2.6680 GHz	2.6880 GHz	1.000 MHz	2.669020000 GHz	-50.30 dBm	-25.30 dB

Band41_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_132_CH532998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5700 GHz	2.5900 GHz	1.000 MHz	2.588190000 GHz	-50.40 dBm	-25.40 dB
2	2	2.5900 GHz	2.6350 GHz	1.000 MHz	2.634090000 GHz	-41.70 dBm	-28.70 dB
3	3	2.6350 GHz	2.6390 GHz	1.000 MHz	2.638550000 GHz	-44.86 dBm	-34.86 dB
4	4	2.6390 GHz	2.6400 GHz	100.0 kHz	2.639720000 GHz	-43.55 dBm	-33.55 dB
5	5	2.6400 GHz	2.6900 GHz	100.0 kHz	2.688740000 GHz	27.24 dBm	-8.756 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690020000 GHz	-14.14 dBm	-4.144 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-14.70 dBm	-4.704 dB
8	8	2.6950 GHz	2.7400 GHz	1.000 MHz	2.712540000 GHz	-41.75 dBm	-28.75 dB
9	9	2.7400 GHz	2.7600 GHz	1.000 MHz	2.749190000 GHz	-50.70 dBm	-25.70 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB133_0_CH504204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4260 GHz	2.4460 GHz	1.000 MHz	2.445800000 GHz	-38.19 dBm	-13.19 dB
2	2	2.4460 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-27.36 dBm	-2.360 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490985000 GHz	-26.97 dBm	-13.97 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494880000 GHz	-25.73 dBm	-12.73 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495920000 GHz	-26.58 dBm	-13.58 dB
6	6	2.4960 GHz	2.5460 GHz	100.0 kHz	2.510050000 GHz	4.114 dBm	-31.89 dB
7	7	2.5460 GHz	2.5470 GHz	100.0 kHz	2.546010000 GHz	-28.08 dBm	-18.08 dB
8	8	2.5470 GHz	2.5510 GHz	1.000 MHz	2.547000000 GHz	-20.15 dBm	-10.15 dB
9	9	2.5510 GHz	2.5960 GHz	1.000 MHz	2.551000000 GHz	-28.30 dBm	-15.30 dB
10	10	2.5960 GHz	2.6160 GHz	1.000 MHz	2.598600000 GHz	-35.49 dBm	-10.49 dB

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB133_0_CH505002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.442210000 GHz	-38.15 dBm	-13.15 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-28.54 dBm	-3.538 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495010000 GHz	-27.00 dBm	-14.00 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495336700 GHz	-26.62 dBm	-13.62 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498979900 GHz	-25.67 dBm	-15.67 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499910000 GHz	-24.74 dBm	-14.74 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.509360000 GHz	7.025 dBm	-28.97 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550540000 GHz	-25.63 dBm	-15.63 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551010000 GHz	-16.51 dBm	-6.511 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.555010000 GHz	-27.67 dBm	-14.67 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.600010000 GHz	-35.08 dBm	-10.08 dB

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH504204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4260 GHz	2.4460 GHz	1.000 MHz	2.431000000 GHz	-50.98 dBm	-25.98 dB
2	2	2.4460 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-38.14 dBm	-13.14 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.491000000 GHz	-36.96 dBm	-23.96 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-22.53 dBm	-9.526 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495990000 GHz	-15.30 dBm	-2.303 dB
6	6	2.4960 GHz	2.5460 GHz	100.0 kHz	2.497350000 GHz	24.55 dBm	-11.45 dB
7	7	2.5460 GHz	2.5470 GHz	100.0 kHz	2.546230000 GHz	-43.52 dBm	-33.52 dB
8	8	2.5470 GHz	2.5510 GHz	1.000 MHz	2.547000000 GHz	-34.76 dBm	-24.76 dB
9	9	2.5510 GHz	2.5960 GHz	1.000 MHz	2.551900000 GHz	-40.47 dBm	-27.47 dB
10	10	2.5960 GHz	2.6160 GHz	1.000 MHz	2.597200000 GHz	-50.16 dBm	-25.16 dB

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH505002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.439410000 GHz	-51.03 dBm	-26.03 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-40.74 dBm	-15.74 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494964900 GHz	-37.18 dBm	-24.18 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495802000 GHz	-34.65 dBm	-21.65 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499010000 GHz	-23.18 dBm	-13.18 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500000000 GHz	-12.91 dBm	-2.909 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.501210000 GHz	27.14 dBm	-8.859 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550910000 GHz	-40.79 dBm	-30.79 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551010000 GHz	-32.12 dBm	-22.12 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.555910000 GHz	-40.84 dBm	-27.84 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.606610000 GHz	-50.03 dBm	-25.03 dB

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_132_CH504204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4260 GHz	2.4460 GHz	1.000 MHz	2.439400000 GHz	-51.01 dBm	-26.01 dB
2	2	2.4460 GHz	2.4905 GHz	1.000 MHz	2.490055000 GHz	-41.64 dBm	-16.64 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490515000 GHz	-42.21 dBm	-29.21 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494960000 GHz	-42.23 dBm	-29.23 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495970000 GHz	-43.97 dBm	-30.97 dB
6	6	2.4960 GHz	2.5460 GHz	100.0 kHz	2.544850000 GHz	24.72 dBm	-11.28 dB
7	7	2.5460 GHz	2.5470 GHz	100.0 kHz	2.546000000 GHz	-15.33 dBm	-5.330 dB
8	8	2.5470 GHz	2.5510 GHz	1.000 MHz	2.547000000 GHz	-15.83 dBm	-5.830 dB
9	9	2.5510 GHz	2.5960 GHz	1.000 MHz	2.551000000 GHz	-39.17 dBm	-26.17 dB
10	10	2.5960 GHz	2.6160 GHz	1.000 MHz	2.599400000 GHz	-49.96 dBm	-24.96 dB

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_132_CH505002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4300 GHz	2.4500 GHz	1.000 MHz	2.445410000 GHz	-50.93 dBm	-25.93 dB
2	2	2.4500 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-45.61 dBm	-20.61 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494378600 GHz	-41.45 dBm	-28.45 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495891100 GHz	-42.46 dBm	-29.46 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498979900 GHz	-41.99 dBm	-31.99 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499550000 GHz	-40.58 dBm	-30.58 dB
7	7	2.5000 GHz	2.5500 GHz	100.0 kHz	2.548760000 GHz	27.42 dBm	-8.584 dB
8	8	2.5500 GHz	2.5510 GHz	100.0 kHz	2.550020000 GHz	-13.66 dBm	-3.659 dB
9	9	2.5510 GHz	2.5550 GHz	1.000 MHz	2.551010000 GHz	-14.60 dBm	-4.603 dB
10	10	2.5550 GHz	2.6000 GHz	1.000 MHz	2.555460000 GHz	-40.65 dBm	-27.65 dB
11	11	2.6000 GHz	2.6200 GHz	1.000 MHz	2.605610000 GHz	-50.12 dBm	-25.12 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB133_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4980 GHz	2.5180 GHz	1.000 MHz	2.516420000 GHz	-34.17 dBm	-9.165 dB
2	2	2.5180 GHz	2.5630 GHz	1.000 MHz	2.563020000 GHz	-28.17 dBm	-15.17 dB
3	3	2.5630 GHz	2.5670 GHz	1.000 MHz	2.566900000 GHz	-27.35 dBm	-17.35 dB
4	4	2.5670 GHz	2.5680 GHz	100.0 kHz	2.567500000 GHz	-26.13 dBm	-16.13 dB
5	5	2.5680 GHz	2.6180 GHz	100.0 kHz	2.589570000 GHz	6.841 dBm	-29.16 dB
6	6	2.6180 GHz	2.6190 GHz	100.0 kHz	2.618040000 GHz	-28.17 dBm	-18.17 dB
7	7	2.6190 GHz	2.6230 GHz	1.000 MHz	2.619020000 GHz	-19.85 dBm	-9.846 dB
8	8	2.6230 GHz	2.6680 GHz	1.000 MHz	2.623920000 GHz	-31.09 dBm	-18.09 dB
9	9	2.6680 GHz	2.6880 GHz	1.000 MHz	2.668020000 GHz	-35.51 dBm	-10.51 dB

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB133_0_CH532998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5700 GHz	2.5900 GHz	1.000 MHz	2.585590000 GHz	-33.90 dBm	-8.899 dB
2	2	2.5900 GHz	2.6350 GHz	1.000 MHz	2.634990000 GHz	-27.61 dBm	-14.61 dB
3	3	2.6350 GHz	2.6390 GHz	1.000 MHz	2.638910000 GHz	-26.93 dBm	-16.93 dB
4	4	2.6390 GHz	2.6400 GHz	100.0 kHz	2.639890000 GHz	-24.84 dBm	-14.84 dB
5	5	2.6400 GHz	2.6900 GHz	100.0 kHz	2.665540000 GHz	7.090 dBm	-28.91 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690000000 GHz	-28.61 dBm	-18.61 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-20.13 dBm	-10.13 dB
8	8	2.6950 GHz	2.7400 GHz	1.000 MHz	2.694990000 GHz	-31.09 dBm	-18.09 dB
9	9	2.7400 GHz	2.7600 GHz	1.000 MHz	2.752190000 GHz	-38.08 dBm	-13.08 dB

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4980 GHz	2.5180 GHz	1.000 MHz	2.516820000 GHz	-50.04 dBm	-25.04 dB
2	2	2.5180 GHz	2.5630 GHz	1.000 MHz	2.563020000 GHz	-35.07 dBm	-22.07 dB
3	3	2.5630 GHz	2.5670 GHz	1.000 MHz	2.566980000 GHz	-22.49 dBm	-12.49 dB
4	4	2.5670 GHz	2.5680 GHz	100.0 kHz	2.568010000 GHz	-12.13 dBm	-2.132 dB
5	5	2.5680 GHz	2.6180 GHz	100.0 kHz	2.589370000 GHz	27.66 dBm	-8.337 dB
6	6	2.6180 GHz	2.6190 GHz	100.0 kHz	2.618060000 GHz	-40.19 dBm	-30.19 dB
7	7	2.6190 GHz	2.6230 GHz	1.000 MHz	2.619020000 GHz	-32.58 dBm	-22.58 dB
8	8	2.6230 GHz	2.6680 GHz	1.000 MHz	2.663970000 GHz	-40.50 dBm	-27.50 dB
9	9	2.6680 GHz	2.6880 GHz	1.000 MHz	2.668420000 GHz	-50.09 dBm	-25.09 dB

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH532998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5700 GHz	2.5900 GHz	1.000 MHz	2.586790000 GHz	-49.63 dBm	-24.63 dB
2	2	2.5900 GHz	2.6350 GHz	1.000 MHz	2.634540000 GHz	-36.73 dBm	-23.73 dB
3	3	2.6350 GHz	2.6390 GHz	1.000 MHz	2.638990000 GHz	-23.38 dBm	-13.38 dB
4	4	2.6390 GHz	2.6400 GHz	100.0 kHz	2.639990000 GHz	-13.01 dBm	-3.008 dB
5	5	2.6400 GHz	2.6900 GHz	100.0 kHz	2.641240000 GHz	27.17 dBm	-8.832 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690050000 GHz	-41.80 dBm	-31.80 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-33.73 dBm	-23.73 dB
8	8	2.6950 GHz	2.7400 GHz	1.000 MHz	2.695890000 GHz	-42.80 dBm	-29.80 dB
9	9	2.7400 GHz	2.7600 GHz	1.000 MHz	2.751990000 GHz	-50.65 dBm	-25.65 dB

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_132_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4980 GHz	2.5180 GHz	1.000 MHz	2.516620000 GHz	-50.15 dBm	-25.15 dB
2	2	2.5180 GHz	2.5630 GHz	1.000 MHz	2.562120000 GHz	-40.47 dBm	-27.47 dB
3	3	2.5630 GHz	2.5670 GHz	1.000 MHz	2.566620000 GHz	-41.22 dBm	-31.22 dB
4	4	2.5670 GHz	2.5680 GHz	100.0 kHz	2.567480000 GHz	-39.88 dBm	-29.88 dB
5	5	2.5680 GHz	2.6180 GHz	100.0 kHz	2.616670000 GHz	27.60 dBm	-8.403 dB
6	6	2.6180 GHz	2.6190 GHz	100.0 kHz	2.618030000 GHz	-13.03 dBm	-3.025 dB
7	7	2.6190 GHz	2.6230 GHz	1.000 MHz	2.619020000 GHz	-13.95 dBm	-3.948 dB
8	8	2.6230 GHz	2.6680 GHz	1.000 MHz	2.627520000 GHz	-40.76 dBm	-27.76 dB
9	9	2.6680 GHz	2.6880 GHz	1.000 MHz	2.669020000 GHz	-49.81 dBm	-24.81 dB

Band41_50MHz_CP_OFDM_SCS30kHz_QPSK_RB1_132_CH532998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5700 GHz	2.5900 GHz	1.000 MHz	2.586990000 GHz	-49.76 dBm	-24.76 dB
2	2	2.5900 GHz	2.6350 GHz	1.000 MHz	2.634090000 GHz	-40.32 dBm	-27.32 dB
3	3	2.6350 GHz	2.6390 GHz	1.000 MHz	2.638950000 GHz	-41.27 dBm	-31.27 dB
4	4	2.6390 GHz	2.6400 GHz	100.0 kHz	2.639430000 GHz	-40.03 dBm	-30.03 dB
5	5	2.6400 GHz	2.6900 GHz	100.0 kHz	2.688790000 GHz	27.27 dBm	-8.734 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689990000 GHz	-13.66 dBm	-3.658 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-15.71 dBm	-5.709 dB
8	8	2.6950 GHz	2.7400 GHz	1.000 MHz	2.694990000 GHz	-40.69 dBm	-27.69 dB
9	9	2.7400 GHz	2.7600 GHz	1.000 MHz	2.744590000 GHz	-50.76 dBm	-25.76 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB162_0_CH505200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4160 GHz	2.4360 GHz	1.000 MHz	2.436000000 GHz	-38.08 dBm	-13.08 dB
2	2	2.4360 GHz	2.4905 GHz	1.000 MHz	2.486500000 GHz	-29.37 dBm	-4.374 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490995000 GHz	-28.99 dBm	-15.99 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.491800000 GHz	-28.94 dBm	-15.94 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495970000 GHz	-29.77 dBm	-16.77 dB
6	6	2.4960 GHz	2.5560 GHz	100.0 kHz	2.536550000 GHz	5.483 dBm	-30.52 dB
7	7	2.5560 GHz	2.5570 GHz	100.0 kHz	2.556010000 GHz	-28.08 dBm	-18.08 dB
8	8	2.5570 GHz	2.5610 GHz	1.000 MHz	2.557000000 GHz	-20.08 dBm	-10.08 dB
9	9	2.5610 GHz	2.6160 GHz	1.000 MHz	2.562500000 GHz	-29.74 dBm	-16.74 dB
10	10	2.6160 GHz	2.6360 GHz	1.000 MHz	2.619600000 GHz	-36.36 dBm	-11.36 dB

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB162_0_CH506004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4200 GHz	2.4400 GHz	1.000 MHz	2.432020000 GHz	-38.06 dBm	-13.06 dB
2	2	2.4400 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-30.36 dBm	-5.361 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494929600 GHz	-29.88 dBm	-16.88 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.496000000 GHz	-29.59 dBm	-16.59 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498929400 GHz	-28.36 dBm	-18.36 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500020000 GHz	-26.61 dBm	-16.61 dB
7	7	2.5000 GHz	2.5600 GHz	100.0 kHz	2.526620000 GHz	7.880 dBm	-28.12 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560120000 GHz	-22.08 dBm	-12.08 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561020000 GHz	-14.40 dBm	-4.404 dB
10	10	2.5650 GHz	2.6200 GHz	1.000 MHz	2.565020000 GHz	-29.34 dBm	-16.34 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.620620000 GHz	-36.32 dBm	-11.32 dB

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH505200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4160 GHz	2.4360 GHz	1.000 MHz	2.428200000 GHz	-50.94 dBm	-25.94 dB
2	2	2.4360 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-39.68 dBm	-14.68 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490955000 GHz	-37.20 dBm	-24.20 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-25.59 dBm	-12.59 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495990000 GHz	-14.10 dBm	-1.101 dB
6	6	2.4960 GHz	2.5560 GHz	100.0 kHz	2.496900000 GHz	25.07 dBm	-10.93 dB
7	7	2.5560 GHz	2.5570 GHz	100.0 kHz	2.556330000 GHz	-44.79 dBm	-34.79 dB
8	8	2.5570 GHz	2.5610 GHz	1.000 MHz	2.557000000 GHz	-39.27 dBm	-29.27 dB
9	9	2.5610 GHz	2.6160 GHz	1.000 MHz	2.613000000 GHz	-48.60 dBm	-35.60 dB
10	10	2.6160 GHz	2.6360 GHz	1.000 MHz	2.629200000 GHz	-50.38 dBm	-25.38 dB

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH506004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4200 GHz	2.4400 GHz	1.000 MHz	2.432020000 GHz	-50.89 dBm	-25.89 dB
2	2	2.4400 GHz	2.4905 GHz	1.000 MHz	2.490000198 GHz	-45.84 dBm	-20.84 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495020000 GHz	-37.63 dBm	-24.63 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495559000 GHz	-34.81 dBm	-21.81 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499020000 GHz	-25.55 dBm	-15.55 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500000000 GHz	-11.97 dBm	-1.970 dB
7	7	2.5000 GHz	2.5600 GHz	100.0 kHz	2.501070000 GHz	27.36 dBm	-8.637 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560410000 GHz	-42.53 dBm	-32.53 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561020000 GHz	-37.68 dBm	-27.68 dB
10	10	2.5650 GHz	2.6200 GHz	1.000 MHz	2.567020000 GHz	-48.77 dBm	-35.77 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.635820000 GHz	-50.23 dBm	-25.23 dB

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_161_CH505200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4160 GHz	2.4360 GHz	1.000 MHz	2.434800000 GHz	-50.90 dBm	-25.90 dB
2	2	2.4360 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-49.60 dBm	-24.60 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490985000 GHz	-48.49 dBm	-35.49 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494800000 GHz	-47.31 dBm	-34.31 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495560000 GHz	-45.15 dBm	-32.15 dB
6	6	2.4960 GHz	2.5560 GHz	100.0 kHz	2.554900000 GHz	25.44 dBm	-10.56 dB
7	7	2.5560 GHz	2.5570 GHz	100.0 kHz	2.556000000 GHz	-15.36 dBm	-5.397 dB
8	8	2.5570 GHz	2.5610 GHz	1.000 MHz	2.557000000 GHz	-18.75 dBm	-8.749 dB
9	9	2.5610 GHz	2.6160 GHz	1.000 MHz	2.561000000 GHz	-41.45 dBm	-28.45 dB
10	10	2.6160 GHz	2.6360 GHz	1.000 MHz	2.622600000 GHz	-50.33 dBm	-25.33 dB

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_161_CH506004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4200 GHz	2.4400 GHz	1.000 MHz	2.437620000 GHz	-50.95 dBm	-25.95 dB
2	2	2.4400 GHz	2.4905 GHz	1.000 MHz	2.479004554 GHz	-50.06 dBm	-25.06 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494658400 GHz	-48.81 dBm	-35.81 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495706000 GHz	-48.05 dBm	-35.05 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498778400 GHz	-46.93 dBm	-36.93 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499760000 GHz	-43.82 dBm	-33.82 dB
7	7	2.5000 GHz	2.5600 GHz	100.0 kHz	2.559070000 GHz	27.65 dBm	-8.347 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560020000 GHz	-11.66 dBm	-1.658 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561020000 GHz	-16.74 dBm	-6.736 dB
10	10	2.5650 GHz	2.6200 GHz	1.000 MHz	2.565020000 GHz	-40.58 dBm	-27.58 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.639220000 GHz	-50.43 dBm	-25.43 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB162_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4830 GHz	2.4905 GHz	1.000 MHz	2.488480400 GHz	-35.30 dBm	-10.30 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.491050000 GHz	-35.84 dBm	-22.84 dB
3	3	2.4960 GHz	2.5030 GHz	1.000 MHz	2.500563000 GHz	-36.25 dBm	-11.25 dB
4	4	2.5030 GHz	2.5580 GHz	1.000 MHz	2.536520000 GHz	-30.30 dBm	-17.30 dB
5	5	2.5580 GHz	2.5620 GHz	1.000 MHz	2.558700000 GHz	-30.40 dBm	-20.40 dB
6	6	2.5620 GHz	2.5630 GHz	100.0 kHz	2.563010000 GHz	-29.21 dBm	-19.21 dB
7	7	2.5630 GHz	2.6230 GHz	100.0 kHz	2.590770000 GHz	7.931 dBm	-28.07 dB
8	8	2.6230 GHz	2.6240 GHz	100.0 kHz	2.623180000 GHz	-28.02 dBm	-18.02 dB
9	9	2.6240 GHz	2.6280 GHz	1.000 MHz	2.624020000 GHz	-19.78 dBm	-9.784 dB
10	10	2.6280 GHz	2.6830 GHz	1.000 MHz	2.628020000 GHz	-30.32 dBm	-17.32 dB
11	11	2.6830 GHz	2.7030 GHz	1.000 MHz	2.697220000 GHz	-36.71 dBm	-11.71 dB

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB162_0_CH531996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.558380000 GHz	-35.11 dBm	-10.11 dB
2	2	2.5700 GHz	2.6250 GHz	1.000 MHz	2.603480000 GHz	-29.89 dBm	-16.89 dB
3	3	2.6250 GHz	2.6290 GHz	1.000 MHz	2.625460000 GHz	-30.06 dBm	-20.06 dB
4	4	2.6290 GHz	2.6300 GHz	100.0 kHz	2.629970000 GHz	-27.69 dBm	-17.69 dB
5	5	2.6300 GHz	2.6900 GHz	100.0 kHz	2.661180000 GHz	7.426 dBm	-28.57 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690020000 GHz	-29.28 dBm	-19.28 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-20.45 dBm	-10.45 dB
8	8	2.6950 GHz	2.7500 GHz	1.000 MHz	2.694980000 GHz	-30.56 dBm	-17.56 dB
9	9	2.7500 GHz	2.7700 GHz	1.000 MHz	2.764980000 GHz	-37.90 dBm	-12.90 dB

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4830 GHz	2.4905 GHz	1.000 MHz	2.487657600 GHz	-50.54 dBm	-25.54 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.493250000 GHz	-50.67 dBm	-37.67 dB
3	3	2.4960 GHz	2.5030 GHz	1.000 MHz	2.498667600 GHz	-50.50 dBm	-25.50 dB
4	4	2.5030 GHz	2.5580 GHz	1.000 MHz	2.558020000 GHz	-37.65 dBm	-24.65 dB
5	5	2.5580 GHz	2.5620 GHz	1.000 MHz	2.561980000 GHz	-25.36 dBm	-15.36 dB
6	6	2.5620 GHz	2.5630 GHz	100.0 kHz	2.563010000 GHz	-12.02 dBm	-2.017 dB
7	7	2.5630 GHz	2.6230 GHz	100.0 kHz	2.564020000 GHz	27.41 dBm	-8.587 dB
8	8	2.6230 GHz	2.6240 GHz	100.0 kHz	2.623110000 GHz	-43.70 dBm	-33.70 dB
9	9	2.6240 GHz	2.6280 GHz	1.000 MHz	2.624020000 GHz	-36.66 dBm	-26.66 dB
10	10	2.6280 GHz	2.6830 GHz	1.000 MHz	2.628020000 GHz	-49.18 dBm	-36.18 dB
11	11	2.6830 GHz	2.7030 GHz	1.000 MHz	2.686420000 GHz	-50.60 dBm	-25.60 dB

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH531996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.564980000 GHz	-50.22 dBm	-25.22 dB
2	2	2.5700 GHz	2.6250 GHz	1.000 MHz	2.624980000 GHz	-39.10 dBm	-26.10 dB
3	3	2.6250 GHz	2.6290 GHz	1.000 MHz	2.628980000 GHz	-24.81 dBm	-14.81 dB
4	4	2.6290 GHz	2.6300 GHz	100.0 kHz	2.629970000 GHz	-12.49 dBm	-2.493 dB
5	5	2.6300 GHz	2.6900 GHz	100.0 kHz	2.630930000 GHz	27.70 dBm	-8.303 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690310000 GHz	-43.93 dBm	-33.93 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-37.78 dBm	-27.78 dB
8	8	2.6950 GHz	2.7500 GHz	1.000 MHz	2.694980000 GHz	-49.06 dBm	-36.06 dB
9	9	2.7500 GHz	2.7700 GHz	1.000 MHz	2.765780000 GHz	-50.63 dBm	-25.63 dB

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_161_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4830 GHz	2.4905 GHz	1.000 MHz	2.484665600 GHz	-50.62 dBm	-25.62 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494240000 GHz	-50.52 dBm	-37.52 dB
3	3	2.4960 GHz	2.5030 GHz	1.000 MHz	2.501335200 GHz	-50.22 dBm	-25.22 dB
4	4	2.5030 GHz	2.5580 GHz	1.000 MHz	2.558020000 GHz	-48.98 dBm	-35.98 dB
5	5	2.5580 GHz	2.5620 GHz	1.000 MHz	2.561340000 GHz	-46.36 dBm	-36.36 dB
6	6	2.5620 GHz	2.5630 GHz	100.0 kHz	2.562750000 GHz	-42.96 dBm	-32.96 dB
7	7	2.5630 GHz	2.6230 GHz	100.0 kHz	2.622070000 GHz	27.48 dBm	-8.517 dB
8	8	2.6230 GHz	2.6240 GHz	100.0 kHz	2.623040000 GHz	-12.86 dBm	-2.861 dB
9	9	2.6240 GHz	2.6280 GHz	1.000 MHz	2.624020000 GHz	-7.833 dB	-7.833 dB
10	10	2.6280 GHz	2.6830 GHz	1.000 MHz	2.628520000 GHz	-42.05 dBm	-29.05 dB
11	11	2.6830 GHz	2.7030 GHz	1.000 MHz	2.691820000 GHz	-50.39 dBm	-25.39 dB

Band41_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_161_CH531996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.569580000 GHz	-50.35 dBm	-25.35 dB
2	2	2.5700 GHz	2.6250 GHz	1.000 MHz	2.624980000 GHz	-47.29 dBm	-34.29 dB
3	3	2.6250 GHz	2.6290 GHz	1.000 MHz	2.628100000 GHz	-46.00 dBm	-36.00 dB
4	4	2.6290 GHz	2.6300 GHz	100.0 kHz	2.629690000 GHz	-42.36 dBm	-32.36 dB
5	5	2.6300 GHz	2.6900 GHz	100.0 kHz	2.689030000 GHz	27.38 dBm	-8.618 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689980000 GHz	-12.37 dBm	-2.367 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-18.23 dBm	-8.232 dB
8	8	2.6950 GHz	2.7500 GHz	1.000 MHz	2.694980000 GHz	-41.82 dBm	-28.82 dB
9	9	2.7500 GHz	2.7700 GHz	1.000 MHz	2.759580000 GHz	-50.76 dBm	-25.76 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB162_0_CH505200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4160 GHz	2.4360 GHz	1.000 MHz	2.429800000 GHz	-38.21 dBm	-13.21 dB
2	2	2.4360 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-28.75 dBm	-3.751 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490890000 GHz	-27.86 dBm	-14.86 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494840000 GHz	-26.60 dBm	-13.60 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495790000 GHz	-27.89 dBm	-14.89 dB
6	6	2.4960 GHz	2.5560 GHz	100.0 kHz	2.508850000 GHz	3.951 dBm	-32.05 dB
7	7	2.5560 GHz	2.5570 GHz	100.0 kHz	2.556200000 GHz	-28.01 dBm	-18.01 dB
8	8	2.5570 GHz	2.5610 GHz	1.000 MHz	2.557000000 GHz	-19.80 dBm	-9.803 dB
9	9	2.5610 GHz	2.6160 GHz	1.000 MHz	2.561000000 GHz	-28.48 dBm	-15.48 dB
10	10	2.6160 GHz	2.6360 GHz	1.000 MHz	2.619400000 GHz	-35.38 dBm	-10.38 dB

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB162_0_CH506004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4200 GHz	2.4400 GHz	1.000 MHz	2.433220000 GHz	-38.21 dBm	-13.21 dB
2	2	2.4400 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-29.35 dBm	-4.352 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494703600 GHz	-27.61 dBm	-14.61 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495823600 GHz	-27.23 dBm	-14.23 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498989800 GHz	-26.24 dBm	-16.24 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500000000 GHz	-25.07 dBm	-15.07 dB
7	7	2.5000 GHz	2.5600 GHz	100.0 kHz	2.558920000 GHz	6.325 dBm	-29.68 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560750000 GHz	-26.43 dBm	-16.43 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561020000 GHz	-17.14 dBm	-7.136 dB
10	10	2.5650 GHz	2.6200 GHz	1.000 MHz	2.565020000 GHz	-28.12 dBm	-15.12 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.623020000 GHz	-35.15 dBm	-10.15 dB

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH505200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4160 GHz	2.4360 GHz	1.000 MHz	2.425400000 GHz	-50.89 dBm	-25.89 dB
2	2	2.4360 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-37.53 dBm	-12.53 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490995000 GHz	-36.71 dBm	-23.71 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494960000 GHz	-25.03 dBm	-12.03 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495890000 GHz	-13.95 dBm	-0.952 dB
6	6	2.4960 GHz	2.5560 GHz	100.0 kHz	2.497050000 GHz	25.29 dBm	-10.71 dB
7	7	2.5560 GHz	2.5570 GHz	100.0 kHz	2.556330000 GHz	-42.84 dBm	-32.84 dB
8	8	2.5570 GHz	2.5610 GHz	1.000 MHz	2.557000000 GHz	-35.16 dBm	-25.16 dB
9	9	2.5610 GHz	2.6160 GHz	1.000 MHz	2.561000000 GHz	-44.25 dBm	-31.25 dB
10	10	2.6160 GHz	2.6360 GHz	1.000 MHz	2.623800000 GHz	-50.35 dBm	-25.35 dB

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH506004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4200 GHz	2.4400 GHz	1.000 MHz	2.420220000 GHz	-50.88 dBm	-25.88 dB
2	2	2.4400 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-43.09 dBm	-18.09 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494974800 GHz	-36.90 dBm	-23.90 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495843200 GHz	-33.46 dBm	-20.46 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498989800 GHz	-25.44 dBm	-15.44 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500010000 GHz	-12.05 dBm	-2.055 dB
7	7	2.5000 GHz	2.5600 GHz	100.0 kHz	2.501120000 GHz	27.19 dBm	-8.808 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560220000 GHz	-40.37 dBm	-30.37 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561020000 GHz	-32.99 dBm	-22.99 dB
10	10	2.5650 GHz	2.6200 GHz	1.000 MHz	2.565020000 GHz	-44.47 dBm	-31.47 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.620420000 GHz	-50.07 dBm	-25.07 dB

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB1_161_CH505200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4160 GHz	2.4360 GHz	1.000 MHz	2.421200000 GHz	-50.94 dBm	-25.94 dB
2	2	2.4360 GHz	2.4905 GHz	1.000 MHz	2.490000000 GHz	-46.71 dBm	-21.71 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490890000 GHz	-45.58 dBm	-32.58 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494400000 GHz	-43.46 dBm	-30.46 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495610000 GHz	-43.58 dBm	-30.58 dB
6	6	2.4960 GHz	2.5560 GHz	100.0 kHz	2.555000000 GHz	25.63 dBm	-10.37 dB
7	7	2.5560 GHz	2.5570 GHz	100.0 kHz	2.556010000 GHz	-14.25 dBm	-4.245 dB
8	8	2.5570 GHz	2.5610 GHz	1.000 MHz	2.557000000 GHz	-17.74 dBm	-7.736 dB
9	9	2.5610 GHz	2.6160 GHz	1.000 MHz	2.561500000 GHz	-40.38 dBm	-27.38 dB
10	10	2.6160 GHz	2.6360 GHz	1.000 MHz	2.623800000 GHz	-50.33 dBm	-25.33 dB

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB1_161_CH506004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4200 GHz	2.4400 GHz	1.000 MHz	2.433620000 GHz	-50.94 dBm	-25.94 dB
2	2	2.4400 GHz	2.4905 GHz	1.000 MHz	2.490000198 GHz	-49.35 dBm	-24.35 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494568000 GHz	-45.56 dBm	-32.56 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495931400 GHz	-44.31 dBm	-31.31 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498896200 GHz	-43.07 dBm	-33.07 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499680000 GHz	-41.43 dBm	-31.43 dB
7	7	2.5000 GHz	2.5600 GHz	100.0 kHz	2.558970000 GHz	27.58 dBm	-8.422 dB
8	8	2.5600 GHz	2.5610 GHz	100.0 kHz	2.560030000 GHz	-11.82 dBm	-1.824 dB
9	9	2.5610 GHz	2.5650 GHz	1.000 MHz	2.561020000 GHz	-18.92 dBm	-8.918 dB
10	10	2.5650 GHz	2.6200 GHz	1.000 MHz	2.565020000 GHz	-40.43 dBm	-27.43 dB
11	11	2.6200 GHz	2.6400 GHz	1.000 MHz	2.623020000 GHz	-50.26 dBm	-25.26 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB162_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4830 GHz	2.4905 GHz	1.000 MHz	2.489901600 GHz	-35.76 dBm	-10.76 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495835000 GHz	-35.22 dBm	-22.22 dB
3	3	2.4960 GHz	2.5030 GHz	1.000 MHz	2.502739200 GHz	-34.10 dBm	-9.097 dB
4	4	2.5030 GHz	2.5580 GHz	1.000 MHz	2.556520000 GHz	-28.91 dBm	-15.91 dB
5	5	2.5580 GHz	2.5620 GHz	1.000 MHz	2.561740000 GHz	-28.09 dBm	-18.09 dB
6	6	2.5620 GHz	2.5630 GHz	100.0 kHz	2.563020000 GHz	-26.86 dBm	-16.86 dB
7	7	2.5630 GHz	2.6230 GHz	100.0 kHz	2.581970000 GHz	5.992 dBm	-30.01 dB
8	8	2.6230 GHz	2.6240 GHz	100.0 kHz	2.623020000 GHz	-28.49 dBm	-18.49 dB
9	9	2.6240 GHz	2.6280 GHz	1.000 MHz	2.624020000 GHz	-20.27 dBm	-10.27 dB
10	10	2.6280 GHz	2.6830 GHz	1.000 MHz	2.628020000 GHz	-30.85 dBm	-17.85 dB
11	11	2.6830 GHz	2.7030 GHz	1.000 MHz	2.683020000 GHz	-35.97 dBm	-10.97 dB

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB162_0_CH531996

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.569180000 GHz	-34.04 dBm	-9.044 dB
2	2	2.5700 GHz	2.6250 GHz	1.000 MHz	2.624980000 GHz	-28.40 dBm	-15.40 dB
3	3	2.6250 GHz	2.6290 GHz	1.000 MHz	2.628900000 GHz	-28.01 dBm	-18.01 dB
4	4	2.6290 GHz	2.6300 GHz	100.0 kHz	2.629960000 GHz	-26.31 dBm	-16.31 dB
5	5	2.6300 GHz	2.6900 GHz	100.0 kHz	2.664630000 GHz	6.106 dBm	-29.89 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689980000 GHz	-29.48 dBm	-19.48 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-20.98 dBm	-10.98 dB
8	8	2.6950 GHz	2.7500 GHz	1.000 MHz	2.695480000 GHz	-31.77 dBm	-18.77 dB
9	9	2.7500 GHz	2.7700 GHz	1.000 MHz	2.755580000 GHz	-38.04 dBm	-13.04 dB

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4830 GHz	2.4905 GHz	1.000 MHz	2.490051200 GHz	-50.56 dBm	-25.56 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492755000 GHz	-50.33 dBm	-37.33 dB
3	3	2.4960 GHz	2.5030 GHz	1.000 MHz	2.502388200 GHz	-50.23 dBm	-25.23 dB
4	4	2.5030 GHz	2.5580 GHz	1.000 MHz	2.557520000 GHz	-35.75 dBm	-22.75 dB
5	5	2.5580 GHz	2.5620 GHz	1.000 MHz	2.561860000 GHz	-22.23 dBm	-12.23 dB
6	6	2.5620 GHz	2.5630 GHz	100.0 kHz	2.563020000 GHz	-11.86 dBm	-1.860 dB
7	7	2.5630 GHz	2.6230 GHz	100.0 kHz	2.563970000 GHz	27.75 dBm	-8.249 dB
8	8	2.6230 GHz	2.6240 GHz	100.0 kHz	2.623640000 GHz	-41.26 dBm	-31.26 dB
9	9	2.6240 GHz	2.6280 GHz	1.000 MHz	2.624020000 GHz	-33.27 dBm	-23.27 dB
10	10	2.6280 GHz	2.6830 GHz	1.000 MHz	2.628020000 GHz	-45.61 dBm	-32.61 dB
11	11	2.6830 GHz	2.7030 GHz	1.000 MHz	2.687620000 GHz	-50.45 dBm	-25.45 dB

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH531996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.564180000 GHz	-50.43 dBm	-25.43 dB
2	2	2.5700 GHz	2.6250 GHz	1.000 MHz	2.624480000 GHz	-36.69 dBm	-23.69 dB
3	3	2.6250 GHz	2.6290 GHz	1.000 MHz	2.628980000 GHz	-23.90 dBm	-13.90 dB
4	4	2.6290 GHz	2.6300 GHz	100.0 kHz	2.629970000 GHz	-11.83 dBm	-1.825 dB
5	5	2.6300 GHz	2.6900 GHz	100.0 kHz	2.631030000 GHz	27.52 dBm	-8.484 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690440000 GHz	-42.05 dBm	-32.05 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-33.73 dBm	-23.73 dB
8	8	2.6950 GHz	2.7500 GHz	1.000 MHz	2.694980000 GHz	-46.97 dBm	-33.97 dB
9	9	2.7500 GHz	2.7700 GHz	1.000 MHz	2.760580000 GHz	-50.66 dBm	-25.66 dB

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB1_161_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4830 GHz	2.4905 GHz	1.000 MHz	2.488779600 GHz	-50.48 dBm	-25.48 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494570000 GHz	-50.52 dBm	-37.52 dB
3	3	2.4960 GHz	2.5030 GHz	1.000 MHz	2.496491400 GHz	-50.29 dBm	-25.29 dB
4	4	2.5030 GHz	2.5580 GHz	1.000 MHz	2.558020000 GHz	-44.51 dBm	-31.51 dB
5	5	2.5580 GHz	2.5620 GHz	1.000 MHz	2.561940000 GHz	-42.47 dBm	-32.47 dB
6	6	2.5620 GHz	2.5630 GHz	100.0 kHz	2.562770000 GHz	-40.57 dBm	-30.57 dB
7	7	2.5630 GHz	2.6230 GHz	100.0 kHz	2.622020000 GHz	27.77 dBm	-8.230 dB
8	8	2.6230 GHz	2.6240 GHz	100.0 kHz	2.623020000 GHz	-11.52 dBm	-1.519 dB
9	9	2.6240 GHz	2.6280 GHz	1.000 MHz	2.624020000 GHz	-17.30 dBm	-7.297 dB
10	10	2.6280 GHz	2.6830 GHz	1.000 MHz	2.628020000 GHz	-42.39 dBm	-29.39 dB
11	11	2.6830 GHz	2.7030 GHz	1.000 MHz	2.691820000 GHz	-50.41 dBm	-25.41 dB

Band41_60MHz_CP_OFDM_SCS30kHz_QPSK_RB1_161_CH531996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5500 GHz	2.5700 GHz	1.000 MHz	2.567780000 GHz	-50.36 dBm	-25.36 dB
2	2	2.5700 GHz	2.6250 GHz	1.000 MHz	2.624980000 GHz	-44.08 dBm	-31.08 dB
3	3	2.6250 GHz	2.6290 GHz	1.000 MHz	2.628980000 GHz	-42.08 dBm	-32.08 dB
4	4	2.6290 GHz	2.6300 GHz	100.0 kHz	2.629620000 GHz	-39.88 dBm	-29.88 dB
5	5	2.6300 GHz	2.6900 GHz	100.0 kHz	2.688980000 GHz	27.29 dBm	-8.709 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690000000 GHz	-12.47 dBm	-2.472 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-18.42 dBm	-8.423 dB
8	8	2.6950 GHz	2.7500 GHz	1.000 MHz	2.695480000 GHz	-41.91 dBm	-28.91 dB
9	9	2.7500 GHz	2.7700 GHz	1.000 MHz	2.763380000 GHz	-50.75 dBm	-25.75 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH507204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3960 GHz	2.4160 GHz	1.000 MHz	2.399400000 GHz	-51.04 dBm	-26.04 dB
2	2	2.4160 GHz	2.4905 GHz	1.000 MHz	2.489500000 GHz	-39.36 dBm	-14.36 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490820000 GHz	-35.66 dBm	-22.66 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494960000 GHz	-25.31 dBm	-12.31 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495990000 GHz	-13.95 dBm	-0.953 dB
6	6	2.4960 GHz	2.5760 GHz	100.0 kHz	2.497200000 GHz	26.41 dBm	-9.592 dB
7	7	2.5760 GHz	2.5770 GHz	100.0 kHz	2.576970000 GHz	-44.85 dBm	-34.85 dB
8	8	2.5770 GHz	2.5810 GHz	1.000 MHz	2.577000000 GHz	-36.99 dBm	-26.99 dB
9	9	2.5810 GHz	2.6560 GHz	1.000 MHz	2.585000000 GHz	-42.40 dBm	-29.40 dB
10	10	2.6560 GHz	2.6760 GHz	1.000 MHz	2.671000000 GHz	-50.27 dBm	-25.27 dB

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH508002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4000 GHz	2.4200 GHz	1.000 MHz	2.419010000 GHz	-51.01 dBm	-26.01 dB
2	2	2.4200 GHz	2.4905 GHz	1.000 MHz	2.489500142 GHz	-44.60 dBm	-19.60 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494333500 GHz	-37.09 dBm	-24.09 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495990100 GHz	-35.25 dBm	-22.25 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499500000 GHz	-24.94 dBm	-14.94 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500000000 GHz	-13.03 dBm	-3.026 dB
7	7	2.5000 GHz	2.5800 GHz	100.0 kHz	2.501160000 GHz	27.19 dBm	-8.808 dB
8	8	2.5800 GHz	2.5810 GHz	100.0 kHz	2.580360000 GHz	-44.56 dBm	-34.56 dB
9	9	2.5810 GHz	2.5850 GHz	1.000 MHz	2.581010000 GHz	-36.24 dBm	-26.24 dB
10	10	2.5850 GHz	2.6600 GHz	1.000 MHz	2.589010000 GHz	-42.85 dBm	-29.85 dB
11	11	2.6600 GHz	2.6800 GHz	1.000 MHz	2.672810000 GHz	-50.50 dBm	-25.50 dB

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_216_CH507204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3960 GHz	2.4160 GHz	1.000 MHz	2.407400000 GHz	-50.89 dBm	-25.89 dB
2	2	2.4160 GHz	2.4905 GHz	1.000 MHz	2.485000000 GHz	-45.79 dBm	-20.79 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490635000 GHz	-48.59 dBm	-35.59 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494120000 GHz	-48.14 dBm	-35.14 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495670000 GHz	-46.07 dBm	-33.07 dB
6	6	2.4960 GHz	2.5760 GHz	100.0 kHz	2.575000000 GHz	26.99 dBm	-9.011 dB
7	7	2.5760 GHz	2.5770 GHz	100.0 kHz	2.576020000 GHz	-13.81 dBm	-3.806 dB
8	8	2.5770 GHz	2.5810 GHz	1.000 MHz	2.577000000 GHz	-16.58 dBm	-6.584 dB
9	9	2.5810 GHz	2.6560 GHz	1.000 MHz	2.581500000 GHz	-41.50 dBm	-28.50 dB
10	10	2.6560 GHz	2.6760 GHz	1.000 MHz	2.656200000 GHz	-50.48 dBm	-25.48 dB

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_216_CH508002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4000 GHz	2.4200 GHz	1.000 MHz	2.400810000 GHz	-51.12 dBm	-26.12 dB
2	2	2.4200 GHz	2.4905 GHz	1.000 MHz	2.489000213 GHz	-45.50 dBm	-20.50 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.491176500 GHz	-44.64 dBm	-31.64 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495406000 GHz	-48.01 dBm	-35.01 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498829400 GHz	-47.90 dBm	-37.90 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499540000 GHz	-45.33 dBm	-35.33 dB
7	7	2.5000 GHz	2.5800 GHz	100.0 kHz	2.578960000 GHz	27.24 dBm	-8.763 dB
8	8	2.5800 GHz	2.5810 GHz	100.0 kHz	2.580020000 GHz	-13.44 dBm	-3.436 dB
9	9	2.5810 GHz	2.5850 GHz	1.000 MHz	2.581010000 GHz	-15.22 dBm	-5.222 dB
10	10	2.5850 GHz	2.6600 GHz	1.000 MHz	2.585010000 GHz	-41.74 dBm	-28.74 dB
11	11	2.6600 GHz	2.6800 GHz	1.000 MHz	2.662810000 GHz	-50.47 dBm	-25.47 dB

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB216_0_CH507204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3960 GHz	2.4160 GHz	1.000 MHz	2.399800000 GHz	-38.10 dBm	-13.10 dB
2	2	2.4160 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-30.03 dBm	-5.027 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490955000 GHz	-29.64 dBm	-16.64 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.492760000 GHz	-29.77 dBm	-16.77 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.496000000 GHz	-29.84 dBm	-16.84 dB
6	6	2.4960 GHz	2.5760 GHz	100.0 kHz	2.566700000 GHz	5.474 dBm	-30.53 dB
7	7	2.5760 GHz	2.5770 GHz	100.0 kHz	2.576230000 GHz	-24.73 dBm	-14.73 dB
8	8	2.5770 GHz	2.5810 GHz	1.000 MHz	2.577000000 GHz	-16.92 dBm	-6.924 dB
9	9	2.5810 GHz	2.6560 GHz	1.000 MHz	2.581000000 GHz	-26.54 dBm	-13.54 dB
10	10	2.6560 GHz	2.6760 GHz	1.000 MHz	2.656400000 GHz	-36.52 dBm	-11.52 dB

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB216_0_CH508002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4000 GHz	2.4200 GHz	1.000 MHz	2.417010000 GHz	-38.13 dBm	-13.13 dB
2	2	2.4200 GHz	2.4905 GHz	1.000 MHz	2.490000071 GHz	-30.65 dBm	-5.649 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494649200 GHz	-29.75 dBm	-16.75 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495029800 GHz	-29.70 dBm	-16.70 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498949800 GHz	-29.00 dBm	-19.00 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499780000 GHz	-27.53 dBm	-17.53 dB
7	7	2.5000 GHz	2.5800 GHz	100.0 kHz	2.576810000 GHz	6.764 dBm	-29.24 dB
8	8	2.5800 GHz	2.5810 GHz	100.0 kHz	2.580690000 GHz	-25.33 dBm	-15.33 dB
9	9	2.5810 GHz	2.5850 GHz	1.000 MHz	2.581010000 GHz	-16.26 dBm	-6.263 dB
10	10	2.5850 GHz	2.6600 GHz	1.000 MHz	2.618010000 GHz	-27.84 dBm	-14.84 dB
11	11	2.6600 GHz	2.6800 GHz	1.000 MHz	2.662410000 GHz	-36.43 dBm	-11.43 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.