Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4530 GHz	2.4730 GHz	1.000 MHz	2.460020000 GHz	-50.72 dBm	-25.72 dB
2	2	2.4730 GHz	2.4905 GHz	1.000 MHz	2.475991600 GHz	-50.71 dBm	-25.71 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495945000 GHz	-50.59 dBm	-37.59 dB
4	4	2.4960 GHz	2.5480 GHz	1.000 MHz	2.546533714 GHz	-39.43 dBm	-26.43 dB
5	5	2.5480 GHz	2.5520 GHz	1.000 MHz	2.551980000 GHz	-24.55 dBm	-14.55 dB
6	6	2.5520 GHz	2.5530 GHz	100.0 kHz	2.553020000 GHz	-12.67 dBm	-2.673 dB
7	7	2.5530 GHz	2.6330 GHz	100.0 kHz	2.554170000 GHz	27.27 dBm	-8.731 dB
8	8	2.6330 GHz	2.6340 GHz	100.0 kHz	2.633250000 GHz	-44.71 dBm	-34.71 dB
9	9	2.6340 GHz	2.6380 GHz	1.000 MHz	2.634020000 GHz	-38.00 dBm	-28.00 dB
10	10	2.6380 GHz	2.7130 GHz	1.000 MHz	2.642020000 GHz	-43.50 dBm	-30.50 dB
11	11	2.7130 GHz	2.7330 GHz	1.000 MHz	2.716620000 GHz	-50.47 dBm	-25.47 dB

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH529998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5100 GHz	2.5300 GHz	1.000 MHz	2.510190000 GHz	-50.54 dBm	-25.54 dB
2	2	2.5300 GHz	2.6050 GHz	1.000 MHz	2.604490000 GHz	-37.50 dBm	-24.50 dB
3	3	2.6050 GHz	2.6090 GHz	1.000 MHz	2.608910000 GHz	-25.04 dBm	-15.04 dB
4	4	2.6090 GHz	2.6100 GHz	100.0 kHz	2.609980000 GHz	-12.39 dBm	-2.392 dB
5	5	2.6100 GHz	2.6900 GHz	100.0 kHz	2.610990000 GHz	27.03 dBm	-8.973 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690410000 GHz	-45.42 dBm	-35.42 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-38.72 dBm	-28.72 dB
8	8	2.6950 GHz	2.7700 GHz	1.000 MHz	2.698490000 GHz	-45.49 dBm	-32.49 dB
9	9	2.7700 GHz	2.7900 GHz	1.000 MHz	2.776990000 GHz	-50.77 dBm	-25.77 dB

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_216_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4530 GHz	2.4730 GHz	1.000 MHz	2.468420000 GHz	-50.83 dBm	-25.83 dB
2	2	2.4730 GHz	2.4905 GHz	1.000 MHz	2.485955200 GHz	-50.60 dBm	-25.60 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492590000 GHz	-50.50 dBm	-37.50 dB
4	4	2.4960 GHz	2.5480 GHz	1.000 MHz	2.544056571 GHz	-43.04 dBm	-30.04 dB
5	5	2.5480 GHz	2.5520 GHz	1.000 MHz	2.551060000 GHz	-46.80 dBm	-36.80 dB
6	6	2.5520 GHz	2.5530 GHz	100.0 kHz	2.552320000 GHz	-44.20 dBm	-34.20 dB
7	7	2.5530 GHz	2.6330 GHz	100.0 kHz	2.631870000 GHz	27.21 dBm	-8.792 dB
8	8	2.6330 GHz	2.6340 GHz	100.0 kHz	2.633020000 GHz	-14.12 dBm	-4.122 dB
9	9	2.6340 GHz	2.6380 GHz	1.000 MHz	2.634020000 GHz	-15.67 dBm	-5.672 dB
10	10	2.6380 GHz	2.7130 GHz	1.000 MHz	2.638520000 GHz	-41.07 dBm	-28.07 dB
11	11	2.7130 GHz	2.7330 GHz	1.000 MHz	2.715620000 GHz	-50.51 dBm	-25.51 dB

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_216_CH529998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5100 GHz	2.5300 GHz	1.000 MHz	2.523790000 GHz	-50.60 dBm	-25.60 dB
2	2	2.5300 GHz	2.6050 GHz	1.000 MHz	2.598990000 GHz	-42.31 dBm	-29.31 dB
3	3	2.6050 GHz	2.6090 GHz	1.000 MHz	2.608950000 GHz	-46.25 dBm	-36.25 dB
4	4	2.6090 GHz	2.6100 GHz	100.0 kHz	2.609540000 GHz	-44.45 dBm	-34.45 dB
5	5	2.6100 GHz	2.6900 GHz	100.0 kHz	2.688940000 GHz	27.19 dBm	-8.813 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689990000 GHz	-14.12 dBm	-4.123 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-18.08 dBm	-8.084 dB
8	8	2.6950 GHz	2.7700 GHz	1.000 MHz	2.695490000 GHz	-43.11 dBm	-30.11 dB
9	9	2.7700 GHz	2.7900 GHz	1.000 MHz	2.770390000 GHz	-50.68 dBm	-25.68 dB

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB216_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4530 GHz	2.4730 GHz	1.000 MHz	2.472820000 GHz	-37.66 dBm	-12.66 dB
2	2	2.4730 GHz	2.4905 GHz	1.000 MHz	2.489975600 GHz	-34.60 dBm	-9.603 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494460000 GHz	-34.42 dBm	-21.42 dB
4	4	2.4960 GHz	2.5480 GHz	1.000 MHz	2.516312571 GHz	-29.38 dBm	-16.38 dB
5	5	2.5480 GHz	2.5520 GHz	1.000 MHz	2.551860000 GHz	-31.93 dBm	-21.93 dB
6	6	2.5520 GHz	2.5530 GHz	100.0 kHz	2.552920000 GHz	-29.54 dBm	-19.54 dB
7	7	2.5530 GHz	2.6330 GHz	100.0 kHz	2.607170000 GHz	6.198 dBm	-29.80 dB
8	8	2.6330 GHz	2.6340 GHz	100.0 kHz	2.633130000 GHz	-27.57 dBm	-17.57 dB
9	9	2.6340 GHz	2.6380 GHz	1.000 MHz	2.634020000 GHz	-18.39 dBm	-8.387 dB
10	10	2.6380 GHz	2.7130 GHz	1.000 MHz	2.638520000 GHz	-28.57 dBm	-15.57 dB
11	11	2.7130 GHz	2.7330 GHz	1.000 MHz	2.720220000 GHz	-37.11 dBm	-12.11 dB

Band41_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB216_0_CH529998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5100 GHz	2.5300 GHz	1.000 MHz	2.514190000 GHz	-36.43 dBm	-11.43 dB
2	2	2.5300 GHz	2.6050 GHz	1.000 MHz	2.572490000 GHz	-30.43 dBm	-17.43 dB
3	3	2.6050 GHz	2.6090 GHz	1.000 MHz	2.605670000 GHz	-31.25 dBm	-21.25 dB
4	4	2.6090 GHz	2.6100 GHz	100.0 kHz	2.609950000 GHz	-28.91 dBm	-18.91 dB
5	5	2.6100 GHz	2.6900 GHz	100.0 kHz	2.669440000 GHz	6.461 dBm	-29.54 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690170000 GHz	-27.36 dBm	-17.36 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-18.36 dBm	-8.357 dB
8	8	2.6950 GHz	2.7700 GHz	1.000 MHz	2.694990000 GHz	-29.15 dBm	-16.15 dB
9	9	2.7700 GHz	2.7900 GHz	1.000 MHz	2.784990000 GHz	-37.94 dBm	-12.94 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH507204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3960 GHz	2.4160 GHz	1.000 MHz	2.398600000 GHz	-51.07 dBm	-26.07 dB
2	2	2.4160 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-38.21 dBm	-13.21 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490845000 GHz	-37.06 dBm	-24.06 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494960000 GHz	-24.86 dBm	-11.86 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.496000000 GHz	-13.94 dBm	-0.943 dB
6	6	2.4960 GHz	2.5760 GHz	100.0 kHz	2.497200000 GHz	26.21 dBm	-9.792 dB
7	7	2.5760 GHz	2.5770 GHz	100.0 kHz	2.576760000 GHz	-41.76 dBm	-31.76 dB
8	8	2.5770 GHz	2.5810 GHz	1.000 MHz	2.577000000 GHz	-33.31 dBm	-23.31 dB
9	9	2.5810 GHz	2.6560 GHz	1.000 MHz	2.585000000 GHz	-40.44 dBm	-27.44 dB
10	10	2.6560 GHz	2.6760 GHz	1.000 MHz	2.662200000 GHz	-50.46 dBm	-25.46 dB

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH508002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4000 GHz	2.4200 GHz	1.000 MHz	2.408010000 GHz	-50.92 dBm	-25.92 dB
2	2	2.4200 GHz	2.4905 GHz	1.000 MHz	2.489500142 GHz	-41.80 dBm	-16.80 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494243300 GHz	-36.48 dBm	-23.48 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495495100 GHz	-34.50 dBm	-21.50 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498979900 GHz	-25.02 dBm	-15.02 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500000000 GHz	-13.44 dBm	-3.437 dB
7	7	2.5000 GHz	2.5800 GHz	100.0 kHz	2.501060000 GHz	26.96 dBm	-9.037 dB
8	8	2.5800 GHz	2.5810 GHz	100.0 kHz	2.580090000 GHz	-40.50 dBm	-30.50 dB
9	9	2.5810 GHz	2.5850 GHz	1.000 MHz	2.581010000 GHz	-32.62 dBm	-22.62 dB
10	10	2.5850 GHz	2.6600 GHz	1.000 MHz	2.588510000 GHz	-41.19 dBm	-28.19 dB
11	11	2.6600 GHz	2.6800 GHz	1.000 MHz	2.670410000 GHz	-50.43 dBm	-25.43 dB

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB1_216_CH507204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3960 GHz	2.4160 GHz	1.000 MHz	2.413600000 GHz	-51.04 dBm	-26.04 dB
2	2	2.4160 GHz	2.4905 GHz	1.000 MHz	2.487000000 GHz	-43.93 dBm	-18.93 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490890000 GHz	-45.47 dBm	-32.47 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494200000 GHz	-44.52 dBm	-31.52 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495870000 GHz	-44.07 dBm	-31.07 dB
6	6	2.4960 GHz	2.5760 GHz	100.0 kHz	2.574800000 GHz	26.42 dBm	-9.582 dB
7	7	2.5760 GHz	2.5770 GHz	100.0 kHz	2.576000000 GHz	-13.77 dBm	-3.766 dB
8	8	2.5770 GHz	2.5810 GHz	1.000 MHz	2.577000000 GHz	-17.62 dBm	-7.621 dB
9	9	2.5810 GHz	2.6560 GHz	1.000 MHz	2.581000000 GHz	-39.50 dBm	-26.50 dB
10	10	2.6560 GHz	2.6760 GHz	1.000 MHz	2.666800000 GHz	-50.38 dBm	-25.38 dB

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB1_216_CH508002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4000 GHz	2.4200 GHz	1.000 MHz	2.414810000 GHz	-51.03 dBm	-26.03 dB
2	2	2.4200 GHz	2.4905 GHz	1.000 MHz	2.489000213 GHz	-44.24 dBm	-19.24 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.491086300 GHz	-43.13 dBm	-30.13 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495554500 GHz	-44.92 dBm	-31.92 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498618700 GHz	-44.17 dBm	-34.17 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499800000 GHz	-42.97 dBm	-32.97 dB
7	7	2.5000 GHz	2.5800 GHz	100.0 kHz	2.578860000 GHz	27.36 dBm	-8.639 dB
8	8	2.5800 GHz	2.5810 GHz	100.0 kHz	2.580020000 GHz	-14.25 dBm	-4.248 dB
9	9	2.5810 GHz	2.5850 GHz	1.000 MHz	2.581010000 GHz	-17.89 dBm	-7.890 dB
10	10	2.5850 GHz	2.6600 GHz	1.000 MHz	2.585010000 GHz	-40.73 dBm	-27.73 dB
11	11	2.6600 GHz	2.6800 GHz	1.000 MHz	2.678210000 GHz	-50.30 dBm	-25.30 dB

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB217_0_CH507204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3960 GHz	2.4160 GHz	1.000 MHz	2.411600000 GHz	-38.23 dBm	-13.23 dB
2	2	2.4160 GHz	2.4905 GHz	1.000 MHz	2.490000000 GHz	-29.09 dBm	-4.087 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490630000 GHz	-29.06 dBm	-16.06 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494640000 GHz	-27.90 dBm	-14.90 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495980000 GHz	-27.79 dBm	-14.79 dB
6	6	2.4960 GHz	2.5760 GHz	100.0 kHz	2.569700000 GHz	4.659 dBm	-31.34 dB
7	7	2.5760 GHz	2.5770 GHz	100.0 kHz	2.576960000 GHz	-27.28 dBm	-17.28 dB
8	8	2.5770 GHz	2.5810 GHz	1.000 MHz	2.577000000 GHz	-19.00 dBm	-9.002 dB
9	9	2.5810 GHz	2.6560 GHz	1.000 MHz	2.581000000 GHz	-28.30 dBm	-15.30 dB
10	10	2.6560 GHz	2.6760 GHz	1.000 MHz	2.656000000 GHz	-35.52 dBm	-10.52 dB

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB217_0_CH508002



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4000 GHz	2.4200 GHz	1.000 MHz	2.415210000 GHz	-38.18 dBm	-13.18 dB
2	2	2.4200 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-30.06 dBm	-5.058 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494649200 GHz	-28.93 dBm	-15.93 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495910900 GHz	-28.45 dBm	-15.45 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499010000 GHz	-27.98 dBm	-17.98 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499960000 GHz	-26.59 dBm	-16.59 dB
7	7	2.5000 GHz	2.5800 GHz	100.0 kHz	2.570010000 GHz	5.499 dBm	-30.50 dB
8	8	2.5800 GHz	2.5810 GHz	100.0 kHz	2.580840000 GHz	-26.85 dBm	-16.85 dB
9	9	2.5810 GHz	2.5850 GHz	1.000 MHz	2.581010000 GHz	-17.65 dBm	-7.655 dB
10	10	2.5850 GHz	2.6600 GHz	1.000 MHz	2.585010000 GHz	-28.27 dBm	-15.27 dB
11	11	2.6600 GHz	2.6800 GHz	1.000 MHz	2.660610000 GHz	-35.43 dBm	-10.43 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4530 GHz	2.4730 GHz	1.000 MHz	2.465420000 GHz	-50.78 dBm	-25.78 dB
2	2	2.4730 GHz	2.4905 GHz	1.000 MHz	2.490150400 GHz	-50.38 dBm	-25.38 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494405000 GHz	-50.36 dBm	-37.36 dB
4	4	2.4960 GHz	2.5480 GHz	1.000 MHz	2.547029143 GHz	-36.16 dBm	-23.16 dB
5	5	2.5480 GHz	2.5520 GHz	1.000 MHz	2.551980000 GHz	-23.90 dBm	-13.90 dB
6	6	2.5520 GHz	2.5530 GHz	100.0 kHz	2.553000000 GHz	-13.34 dBm	-3.340 dB
7	7	2.5530 GHz	2.6330 GHz	100.0 kHz	2.554120000 GHz	27.44 dBm	-8.564 dB
8	8	2.6330 GHz	2.6340 GHz	100.0 kHz	2.633030000 GHz	-41.45 dBm	-31.45 dB
9	9	2.6340 GHz	2.6380 GHz	1.000 MHz	2.634020000 GHz	-33.34 dBm	-23.34 dB
10	10	2.6380 GHz	2.7130 GHz	1.000 MHz	2.642020000 GHz	-41.23 dBm	-28.23 dB
11	11	2.7130 GHz	2.7330 GHz	1.000 MHz	2.715820000 GHz	-50.56 dBm	-25.56 dB

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH529998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5100 GHz	2.5300 GHz	1.000 MHz	2.519790000 GHz	-50.20 dBm	-25.20 dB
2	2	2.5300 GHz	2.6050 GHz	1.000 MHz	2.604490000 GHz	-36.35 dBm	-23.35 dB
3	3	2.6050 GHz	2.6090 GHz	1.000 MHz	2.608990000 GHz	-24.46 dBm	-14.46 dB
4	4	2.6090 GHz	2.6100 GHz	100.0 kHz	2.609980000 GHz	-12.76 dBm	-2.763 dB
5	5	2.6100 GHz	2.6900 GHz	100.0 kHz	2.611040000 GHz	26.97 dBm	-9.027 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690080000 GHz	-43.05 dBm	-33.05 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-35.44 dBm	-25.44 dB
8	8	2.6950 GHz	2.7700 GHz	1.000 MHz	2.698990000 GHz	-44.25 dBm	-31.25 dB
9	9	2.7700 GHz	2.7900 GHz	1.000 MHz	2.785190000 GHz	-50.73 dBm	-25.73 dB

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB1_216_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4530 GHz	2.4730 GHz	1.000 MHz	2.470420000 GHz	-50.94 dBm	-25.94 dB
2	2	2.4730 GHz	2.4905 GHz	1.000 MHz	2.489626000 GHz	-50.62 dBm	-25.62 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.493470000 GHz	-50.31 dBm	-37.31 dB
4	4	2.4960 GHz	2.5480 GHz	1.000 MHz	2.544552000 GHz	-41.75 dBm	-28.75 dB
5	5	2.5480 GHz	2.5520 GHz	1.000 MHz	2.552020000 GHz	-42.68 dBm	-32.68 dB
6	6	2.5520 GHz	2.5530 GHz	100.0 kHz	2.552610000 GHz	-42.03 dBm	-32.03 dB
7	7	2.5530 GHz	2.6330 GHz	100.0 kHz	2.631870000 GHz	27.35 dBm	-8.652 dB
8	8	2.6330 GHz	2.6340 GHz	100.0 kHz	2.633050000 GHz	-13.46 dBm	-3.461 dB
9	9	2.6340 GHz	2.6380 GHz	1.000 MHz	2.634020000 GHz	-17.17 dBm	-7.170 dB
10	10	2.6380 GHz	2.7130 GHz	1.000 MHz	2.638520000 GHz	-39.93 dBm	-26.93 dB
11	11	2.7130 GHz	2.7330 GHz	1.000 MHz	2.717220000 GHz	-50.59 dBm	-25.59 dB

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB1_216_CH529998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5100 GHz	2.5300 GHz	1.000 MHz	2.528190000 GHz	-50.50 dBm	-25.50 dB
2	2	2.5300 GHz	2.6050 GHz	1.000 MHz	2.600990000 GHz	-40.39 dBm	-27.39 dB
3	3	2.6050 GHz	2.6090 GHz	1.000 MHz	2.608710000 GHz	-42.59 dBm	-32.59 dB
4	4	2.6090 GHz	2.6100 GHz	100.0 kHz	2.609860000 GHz	-41.39 dBm	-31.39 dB
5	5	2.6100 GHz	2.6900 GHz	100.0 kHz	2.688940000 GHz	27.21 dBm	-8.792 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689990000 GHz	-13.31 dBm	-3.307 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-17.43 dBm	-7.430 dB
8	8	2.6950 GHz	2.7700 GHz	1.000 MHz	2.694990000 GHz	-40.37 dBm	-27.37 dB
9	9	2.7700 GHz	2.7900 GHz	1.000 MHz	2.770990000 GHz	-50.65 dBm	-25.65 dB

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB217_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4530 GHz	2.4730 GHz	1.000 MHz	2.473020000 GHz	-36.95 dBm	-11.95 dB
2	2	2.4730 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-34.07 dBm	-9.066 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495890000 GHz	-33.52 dBm	-20.52 dB
4	4	2.4960 GHz	2.5480 GHz	1.000 MHz	2.547524571 GHz	-29.05 dBm	-16.05 dB
5	5	2.5480 GHz	2.5520 GHz	1.000 MHz	2.551860000 GHz	-28.67 dBm	-18.67 dB
6	6	2.5520 GHz	2.5530 GHz	100.0 kHz	2.553020000 GHz	-27.30 dBm	-17.30 dB
7	7	2.5530 GHz	2.6330 GHz	100.0 kHz	2.566370000 GHz	4.859 dBm	-31.14 dB
8	8	2.6330 GHz	2.6340 GHz	100.0 kHz	2.633240000 GHz	-28.26 dBm	-18.26 dB
9	9	2.6340 GHz	2.6380 GHz	1.000 MHz	2.634020000 GHz	-19.86 dBm	-8.857 dB
10	10	2.6380 GHz	2.7130 GHz	1.000 MHz	2.638020000 GHz	-29.86 dBm	-16.86 dB
11	11	2.7130 GHz	2.7330 GHz	1.000 MHz	2.714420000 GHz	-36.85 dBm	-11.85 dB

Band41_80MHz_CP_OFDM_SCS30kHz_QPSK_RB217_0_CH529998

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.5100 GHz	2.5300 GHz	1.000 MHz	2.529990000 GHz	-35.10 dBm	-10.10 dB
2	2	2.5300 GHz	2.6050 GHz	1.000 MHz	2.604990000 GHz	-28.56 dBm	-15.56 dB
3	3	2.6050 GHz	2.6090 GHz	1.000 MHz	2.608350000 GHz	-28.25 dBm	-18.25 dB
4	4	2.6090 GHz	2.6100 GHz	100.0 kHz	2.609800000 GHz	-26.88 dBm	-16.88 dB
5	5	2.6100 GHz	2.6900 GHz	100.0 kHz	2.653940000 GHz	4.844 dBm	-31.16 dB
6	6	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690400000 GHz	-28.99 dBm	-18.99 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-19.89 dBm	-9.894 dB
8	8	2.6950 GHz	2.7700 GHz	1.000 MHz	2.694990000 GHz	-30.64 dBm	-17.64 dB
9	9	2.7700 GHz	2.7900 GHz	1.000 MHz	2.778990000 GHz	-38.02 dBm	-13.02 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH508200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3860 GHz	2.4060 GHz	1.000 MHz	2.400600000 GHz	-51.02 dBm	-26.02 dB
2	2	2.4060 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-36.47 dBm	-11.47 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490550000 GHz	-33.85 dBm	-20.85 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-21.87 dBm	-8.870 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.496000000 GHz	-13.47 dBm	-0.468 dB
6	6	2.4960 GHz	2.5860 GHz	100.0 kHz	2.497050000 GHz	26.46 dBm	-9.535 dB
7	7	2.5860 GHz	2.5870 GHz	100.0 kHz	2.586880000 GHz	-38.58 dBm	-28.58 dB
8	8	2.5870 GHz	2.5910 GHz	1.000 MHz	2.587000000 GHz	-31.60 dBm	-21.60 dB
9	9	2.5910 GHz	2.6760 GHz	1.000 MHz	2.606000000 GHz	-42.20 dBm	-29.20 dB
10	10	2.6760 GHz	2.6960 GHz	1.000 MHz	2.692400000 GHz	-50.68 dBm	-25.68 dB

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH509004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3900 GHz	2.4100 GHz	1.000 MHz	2.390820000 GHz	-51.05 dBm	-26.05 dB
2	2	2.4100 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-44.86 dBm	-19.86 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494884400 GHz	-37.68 dBm	-24.68 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495568800 GHz	-35.24 dBm	-22.24 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498989800 GHz	-26.07 dBm	-16.07 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500020000 GHz	-13.18 dBm	-3.183 dB
7	7	2.5000 GHz	2.5900 GHz	100.0 kHz	2.501070000 GHz	27.01 dBm	-8.994 dB
8	8	2.5900 GHz	2.5910 GHz	100.0 kHz	2.590940000 GHz	-39.99 dBm	-29.99 dB
9	9	2.5910 GHz	2.5950 GHz	1.000 MHz	2.591020000 GHz	-34.16 dBm	-24.16 dB
10	10	2.5950 GHz	2.6800 GHz	1.000 MHz	2.610020000 GHz	-45.08 dBm	-32.08 dB
11	11	2.6800 GHz	2.7000 GHz	1.000 MHz	2.681020000 GHz	-50.56 dBm	-25.56 dB

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_244_CH508200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3860 GHz	2.4060 GHz	1.000 MHz	2.397800000 GHz	-51.02 dBm	-26.02 dB
2	2	2.4060 GHz	2.4905 GHz	1.000 MHz	2.475500000 GHz	-48.84 dBm	-23.84 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490865000 GHz	-48.63 dBm	-35.63 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494960000 GHz	-45.03 dBm	-32.03 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495080000 GHz	-41.39 dBm	-28.39 dB
6	6	2.4960 GHz	2.5860 GHz	100.0 kHz	2.584950000 GHz	26.84 dBm	-9.157 dB
7	7	2.5860 GHz	2.5870 GHz	100.0 kHz	2.586020000 GHz	-15.47 dBm	-5.471 dB
8	8	2.5870 GHz	2.5910 GHz	1.000 MHz	2.587000000 GHz	-18.68 dBm	-8.684 dB
9	9	2.5910 GHz	2.6760 GHz	1.000 MHz	2.591500000 GHz	-42.56 dBm	-29.56 dB
10	10	2.6760 GHz	2.6960 GHz	1.000 MHz	2.687600000 GHz	-50.51 dBm	-25.51 dB

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_244_CH509004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3900 GHz	2.4100 GHz	1.000 MHz	2.390020000 GHz	-51.05 dBm	-26.05 dB
2	2	2.4100 GHz	2.4905 GHz	1.000 MHz	2.479502733 GHz	-48.57 dBm	-23.57 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494839200 GHz	-48.11 dBm	-35.11 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495784400 GHz	-47.92 dBm	-34.92 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498959600 GHz	-44.94 dBm	-34.94 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499150000 GHz	-40.64 dBm	-30.64 dB
7	7	2.5000 GHz	2.5900 GHz	100.0 kHz	2.589020000 GHz	27.43 dBm	-8.573 dB
8	8	2.5900 GHz	2.5910 GHz	100.0 kHz	2.590020000 GHz	-12.97 dBm	-2.971 dB
9	9	2.5910 GHz	2.5950 GHz	1.000 MHz	2.591020000 GHz	-16.14 dBm	-6.136 dB
10	10	2.5950 GHz	2.6800 GHz	1.000 MHz	2.595020000 GHz	-41.27 dBm	-28.27 dB
11	11	2.6800 GHz	2.7000 GHz	1.000 MHz	2.688420000 GHz	-50.62 dBm	-25.62 dB

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB243_0_CH508200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3860 GHz	2.4060 GHz	1.000 MHz	2.404000000 GHz	-38.15 dBm	-13.15 dB
2	2	2.4060 GHz	2.4905 GHz	1.000 MHz	2.486500000 GHz	-29.70 dBm	-4.696 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490710000 GHz	-29.93 dBm	-16.93 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.493880000 GHz	-29.49 dBm	-16.49 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495990000 GHz	-29.06 dBm	-16.06 dB
6	6	2.4960 GHz	2.5860 GHz	100.0 kHz	2.566150000 GHz	5.574 dBm	-30.43 dB
7	7	2.5860 GHz	2.5870 GHz	100.0 kHz	2.586300000 GHz	-26.55 dBm	-16.55 dB
8	8	2.5870 GHz	2.5910 GHz	1.000 MHz	2.587000000 GHz	-17.85 dBm	-7.847 dB
9	9	2.5910 GHz	2.6760 GHz	1.000 MHz	2.591000000 GHz	-28.68 dBm	-15.68 dB
10	10	2.6760 GHz	2.6960 GHz	1.000 MHz	2.677800000 GHz	-36.78 dBm	-11.78 dB

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB243_0_CH509004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3900 GHz	2.4100 GHz	1.000 MHz	2.398020000 GHz	-38.10 dBm	-13.10 dB
2	2	2.4100 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-29.82 dBm	-4.816 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.491675200 GHz	-29.43 dBm	-16.43 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495696200 GHz	-29.60 dBm	-16.60 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496634200 GHz	-29.93 dBm	-19.93 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500020000 GHz	-28.66 dBm	-18.66 dB
7	7	2.5000 GHz	2.5900 GHz	100.0 kHz	2.569070000 GHz	6.139 dBm	-29.86 dB
8	8	2.5900 GHz	2.5910 GHz	100.0 kHz	2.590200000 GHz	-25.49 dBm	-15.49 dB
9	9	2.5910 GHz	2.5950 GHz	1.000 MHz	2.591020000 GHz	-16.93 dBm	-6.928 dB
10	10	2.5950 GHz	2.6800 GHz	1.000 MHz	2.595020000 GHz	-26.77 dBm	-13.77 dB
11	11	2.6800 GHz	2.7000 GHz	1.000 MHz	2.685820000 GHz	-36.80 dBm	-11.80 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4380 GHz	2.4580 GHz	1.000 MHz	2.438620000 GHz	-51.00 dBm	-26.00 dB
2	2	2.4580 GHz	2.4905 GHz	1.000 MHz	2.486277600 GHz	-50.62 dBm	-25.62 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492755000 GHz	-50.51 dBm	-37.51 dB
4	4	2.4960 GHz	2.5430 GHz	1.000 MHz	2.542549800 GHz	-38.52 dBm	-25.52 dB
5	5	2.5430 GHz	2.5470 GHz	1.000 MHz	2.547020000 GHz	-24.62 dBm	-14.62 dB
6	6	2.5470 GHz	2.5480 GHz	100.0 kHz	2.548020000 GHz	-12.62 dBm	-2.617 dB
7	7	2.5480 GHz	2.6380 GHz	100.0 kHz	2.549120000 GHz	27.19 dBm	-8.805 dB
8	8	2.6380 GHz	2.6390 GHz	100.0 kHz	2.638770000 GHz	-40.05 dBm	-30.05 dB
9	9	2.6390 GHz	2.6430 GHz	1.000 MHz	2.639020000 GHz	-34.33 dBm	-24.33 dB
10	10	2.6430 GHz	2.7280 GHz	1.000 MHz	2.658520000 GHz	-44.34 dBm	-31.34 dB
11	11	2.7280 GHz	2.7480 GHz	1.000 MHz	2.746020000 GHz	-50.61 dBm	-25.61 dB

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH528996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490276400 GHz	-50.59 dBm	-25.59 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.493030000 GHz	-50.54 dBm	-37.54 dB
3	3	2.4960 GHz	2.5100 GHz	1.000 MHz	2.508022800 GHz	-50.50 dBm	-25.50 dB
4	4	2.5100 GHz	2.5950 GHz	1.000 MHz	2.593480000 GHz	-38.67 dBm	-25.67 dB
5	5	2.5950 GHz	2.5990 GHz	1.000 MHz	2.598980000 GHz	-24.55 dBm	-14.55 dB
6	6	2.5990 GHz	2.6000 GHz	100.0 kHz	2.599960000 GHz	-13.61 dBm	-3.608 dB
7	7	2.6000 GHz	2.6900 GHz	100.0 kHz	2.601030000 GHz	26.89 dBm	-9.109 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690850000 GHz	-41.11 dBm	-31.11 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-35.94 dBm	-25.94 dB
10	10	2.6950 GHz	2.7800 GHz	1.000 MHz	2.709980000 GHz	-48.51 dBm	-35.51 dB
11	11	2.7800 GHz	2.8000 GHz	1.000 MHz	2.795980000 GHz	-50.70 dBm	-25.70 dB

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_244_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4380 GHz	2.4580 GHz	1.000 MHz	2.452820000 GHz	-50.92 dBm	-25.92 dB
2	2	2.4580 GHz	2.4905 GHz	1.000 MHz	2.480431200 GHz	-50.71 dBm	-25.71 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494240000 GHz	-50.29 dBm	-37.29 dB
4	4	2.4960 GHz	2.5430 GHz	1.000 MHz	2.527503400 GHz	-44.56 dBm	-31.56 dB
5	5	2.5430 GHz	2.5470 GHz	1.000 MHz	2.546900000 GHz	-43.77 dBm	-33.77 dB
6	6	2.5470 GHz	2.5480 GHz	100.0 kHz	2.547240000 GHz	-39.68 dBm	-29.68 dB
7	7	2.5480 GHz	2.6380 GHz	100.0 kHz	2.637020000 GHz	27.33 dBm	-8.675 dB
8	8	2.6380 GHz	2.6390 GHz	100.0 kHz	2.638020000 GHz	-13.59 dBm	-3.590 dB
9	9	2.6390 GHz	2.6430 GHz	1.000 MHz	2.639020000 GHz	-16.55 dBm	-6.546 dB
10	10	2.6430 GHz	2.7280 GHz	1.000 MHz	2.643020000 GHz	-40.01 dBm	-27.01 dB
11	11	2.7280 GHz	2.7480 GHz	1.000 MHz	2.737820000 GHz	-50.59 dBm	-25.59 dB

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_244_CH528996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490297200 GHz	-50.54 dBm	-25.54 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.493140000 GHz	-50.58 dBm	-37.58 dB
3	3	2.4960 GHz	2.5100 GHz	1.000 MHz	2.503689000 GHz	-50.42 dBm	-25.42 dB
4	4	2.5100 GHz	2.5950 GHz	1.000 MHz	2.579980000 GHz	-43.15 dBm	-30.15 dB
5	5	2.5950 GHz	2.5990 GHz	1.000 MHz	2.598980000 GHz	-43.17 dBm	-33.17 dB
6	6	2.5990 GHz	2.6000 GHz	100.0 kHz	2.599240000 GHz	-39.24 dBm	-29.24 dB
7	7	2.6000 GHz	2.6900 GHz	100.0 kHz	2.588980000 GHz	26.99 dBm	-9.006 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689990000 GHz	-14.25 dBm	-4.249 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-16.90 dBm	-6.900 dB
10	10	2.6950 GHz	2.7800 GHz	1.000 MHz	2.695480000 GHz	-43.38 dBm	-30.38 dB
11	11	2.7800 GHz	2.8000 GHz	1.000 MHz	2.793380000 GHz	-50.53 dBm	-25.53 dB

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB243_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4380 GHz	2.4580 GHz	1.000 MHz	2.456420000 GHz	-37.93 dBm	-12.93 dB
2	2	2.4580 GHz	2.4905 GHz	1.000 MHz	2.477508000 GHz	-35.28 dBm	-10.28 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494405000 GHz	-35.68 dBm	-22.68 dB
4	4	2.4960 GHz	2.5430 GHz	1.000 MHz	2.505874200 GHz	-29.69 dBm	-16.69 dB
5	5	2.5430 GHz	2.5470 GHz	1.000 MHz	2.546900000 GHz	-31.99 dBm	-21.99 dB
6	6	2.5470 GHz	2.5480 GHz	100.0 kHz	2.548020000 GHz	-30.14 dBm	-20.14 dB
7	7	2.5480 GHz	2.6380 GHz	100.0 kHz	2.567870000 GHz	5.621 dBm	-30.38 dB
8	8	2.6380 GHz	2.6390 GHz	100.0 kHz	2.638100000 GHz	-26.22 dBm	-16.22 dB
9	9	2.6390 GHz	2.6430 GHz	1.000 MHz	2.639020000 GHz	-19.32 dBm	-9.316 dB
10	10	2.6430 GHz	2.7280 GHz	1.000 MHz	2.643020000 GHz	-30.92 dBm	-17.92 dB
11	11	2.7280 GHz	2.7480 GHz	1.000 MHz	2.738020000 GHz	-37.91 dBm	-12.91 dB

Band41_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB243_0_CH528996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490110000 GHz	-36.99 dBm	-11.99 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492645000 GHz	-36.06 dBm	-23.06 dB
3	3	2.4960 GHz	2.5100 GHz	1.000 MHz	2.501871600 GHz	-37.02 dBm	-12.02 dB
4	4	2.5100 GHz	2.5950 GHz	1.000 MHz	2.557480000 GHz	-30.94 dBm	-17.94 dB
5	5	2.5950 GHz	2.5990 GHz	1.000 MHz	2.597860000 GHz	-31.72 dBm	-21.72 dB
6	6	2.5990 GHz	2.6000 GHz	100.0 kHz	2.599920000 GHz	-30.47 dBm	-20.47 dB
7	7	2.6000 GHz	2.6900 GHz	100.0 kHz	2.648880000 GHz	5.525 dBm	-30.48 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690440000 GHz	-27.47 dBm	-17.47 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-18.36 dBm	-8.364 dB
10	10	2.6950 GHz	2.7800 GHz	1.000 MHz	2.694980000 GHz	-28.78 dBm	-15.78 dB
11	11	2.7800 GHz	2.8000 GHz	1.000 MHz	2.791780000 GHz	-37.98 dBm	-12.98 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH508200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3860 GHz	2.4060 GHz	1.000 MHz	2.400800000 GHz	-50.98 dBm	-25.98 dB
2	2	2.4060 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-37.04 dBm	-12.04 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490560000 GHz	-33.93 dBm	-20.93 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494800000 GHz	-23.31 dBm	-10.31 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495990000 GHz	-13.12 dBm	-0.124 dB
6	6	2.4960 GHz	2.5860 GHz	100.0 kHz	2.497050000 GHz	26.48 dBm	-9.519 dB
7	7	2.5860 GHz	2.5870 GHz	100.0 kHz	2.586770000 GHz	-38.59 dBm	-28.59 dB
8	8	2.5870 GHz	2.5910 GHz	1.000 MHz	2.587000000 GHz	-31.45 dBm	-21.45 dB
9	9	2.5910 GHz	2.6760 GHz	1.000 MHz	2.606500000 GHz	-42.05 dBm	-29.05 dB
10	10	2.6760 GHz	2.6960 GHz	1.000 MHz	2.690000000 GHz	-50.61 dBm	-25.61 dB

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH509004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3900 GHz	2.4100 GHz	1.000 MHz	2.408020000 GHz	-51.04 dBm	-26.04 dB
2	2	2.4100 GHz	2.4905 GHz	1.000 MHz	2.489500248 GHz	-43.35 dBm	-18.35 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495020000 GHz	-36.97 dBm	-23.97 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495715800 GHz	-34.13 dBm	-21.13 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498929400 GHz	-26.35 dBm	-16.35 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500010000 GHz	-13.89 dBm	-3.886 dB
7	7	2.5000 GHz	2.5900 GHz	100.0 kHz	2.501120000 GHz	27.03 dBm	-8.974 dB
8	8	2.5900 GHz	2.5910 GHz	100.0 kHz	2.590840000 GHz	-38.71 dBm	-28.71 dB
9	9	2.5910 GHz	2.5950 GHz	1.000 MHz	2.591020000 GHz	-31.37 dBm	-21.37 dB
10	10	2.5950 GHz	2.6800 GHz	1.000 MHz	2.610520000 GHz	-42.55 dBm	-29.55 dB
11	11	2.6800 GHz	2.7000 GHz	1.000 MHz	2.680020000 GHz	-50.58 dBm	-25.58 dB

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB1_244_CH508200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3860 GHz	2.4060 GHz	1.000 MHz	2.402800000 GHz	-51.14 dBm	-26.14 dB
2	2	2.4060 GHz	2.4905 GHz	1.000 MHz	2.489500000 GHz	-46.17 dBm	-21.17 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490995000 GHz	-45.35 dBm	-32.35 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494920000 GHz	-43.35 dBm	-30.35 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495110000 GHz	-40.88 dBm	-27.88 dB
6	6	2.4960 GHz	2.5860 GHz	100.0 kHz	2.584850000 GHz	26.72 dBm	-9.281 dB
7	7	2.5860 GHz	2.5870 GHz	100.0 kHz	2.586010000 GHz	-14.69 dBm	-4.695 dB
8	8	2.5870 GHz	2.5910 GHz	1.000 MHz	2.587000000 GHz	-16.19 dBm	-6.186 dB
9	9	2.5910 GHz	2.6760 GHz	1.000 MHz	2.591000000 GHz	-39.37 dBm	-26.37 dB
10	10	2.6760 GHz	2.6960 GHz	1.000 MHz	2.676000000 GHz	-50.63 dBm	-25.63 dB

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB1_244_CH509004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3900 GHz	2.4100 GHz	1.000 MHz	2.400820000 GHz	-50.84 dBm	-25.84 dB
2	2	2.4100 GHz	2.4905 GHz	1.000 MHz	2.489500248 GHz	-46.21 dBm	-21.21 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495020000 GHz	-45.00 dBm	-32.00 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495235600 GHz	-44.71 dBm	-31.71 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499020000 GHz	-42.41 dBm	-32.41 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499120000 GHz	-39.48 dBm	-29.48 dB
7	7	2.5000 GHz	2.5900 GHz	100.0 kHz	2.589020000 GHz	27.06 dBm	-8.945 dB
8	8	2.5900 GHz	2.5910 GHz	100.0 kHz	2.590030000 GHz	-12.96 dBm	-2.963 dB
9	9	2.5910 GHz	2.5950 GHz	1.000 MHz	2.591020000 GHz	-15.94 dBm	-5.939 dB
10	10	2.5950 GHz	2.6800 GHz	1.000 MHz	2.595520000 GHz	-40.72 dBm	-27.72 dB
11	11	2.6800 GHz	2.7000 GHz	1.000 MHz	2.683620000 GHz	-50.68 dBm	-25.68 dB

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB245_0_CH508200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3860 GHz	2.4060 GHz	1.000 MHz	2.396800000 GHz	-38.10 dBm	-13.10 dB
2	2	2.4060 GHz	2.4905 GHz	1.000 MHz	2.490000000 GHz	-29.79 dBm	-4.787 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490600000 GHz	-29.46 dBm	-16.46 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.493880000 GHz	-28.60 dBm	-15.60 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495670000 GHz	-27.97 dBm	-14.97 dB
6	6	2.4960 GHz	2.5860 GHz	100.0 kHz	2.570850000 GHz	4.393 dBm	-31.61 dB
7	7	2.5860 GHz	2.5870 GHz	100.0 kHz	2.586000000 GHz	-27.68 dBm	-17.68 dB
8	8	2.5870 GHz	2.5910 GHz	1.000 MHz	2.587000000 GHz	-18.94 dBm	-8.939 dB
9	9	2.5910 GHz	2.6760 GHz	1.000 MHz	2.593000000 GHz	-28.78 dBm	-15.78 dB
10	10	2.6760 GHz	2.6960 GHz	1.000 MHz	2.678400000 GHz	-35.75 dBm	-10.75 dB

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB245_0_CH509004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3900 GHz	2.4100 GHz	1.000 MHz	2.409220000 GHz	-38.25 dBm	-13.25 dB
2	2	2.4100 GHz	2.4905 GHz	1.000 MHz	2.490000124 GHz	-30.41 dBm	-5.408 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495020000 GHz	-29.48 dBm	-16.48 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495882400 GHz	-29.22 dBm	-16.22 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.497721400 GHz	-28.64 dBm	-18.64 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499610000 GHz	-27.90 dBm	-17.90 dB
7	7	2.5000 GHz	2.5900 GHz	100.0 kHz	2.579420000 GHz	4.745 dBm	-31.25 dB
8	8	2.5900 GHz	2.5910 GHz	100.0 kHz	2.590510000 GHz	-27.63 dBm	-17.63 dB
9	9	2.5910 GHz	2.5950 GHz	1.000 MHz	2.591020000 GHz	-18.23 dBm	-8.228 dB
10	10	2.5950 GHz	2.6800 GHz	1.000 MHz	2.596020000 GHz	-29.06 dBm	-16.06 dB
11	11	2.6800 GHz	2.7000 GHz	1.000 MHz	2.680620000 GHz	-35.86 dBm	-10.86 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4380 GHz	2.4580 GHz	1.000 MHz	2.456220000 GHz	-50.96 dBm	-25.96 dB
2	2	2.4580 GHz	2.4905 GHz	1.000 MHz	2.489850400 GHz	-50.55 dBm	-25.55 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494240000 GHz	-50.31 dBm	-37.31 dB
4	4	2.4960 GHz	2.5430 GHz	1.000 MHz	2.542079600 GHz	-38.77 dBm	-25.77 dB
5	5	2.5430 GHz	2.5470 GHz	1.000 MHz	2.547020000 GHz	-26.18 dBm	-16.18 dB
6	6	2.5470 GHz	2.5480 GHz	100.0 kHz	2.548020000 GHz	-13.51 dBm	-3.509 dB
7	7	2.5480 GHz	2.6380 GHz	100.0 kHz	2.549020000 GHz	27.16 dBm	-8.837 dB
8	8	2.6380 GHz	2.6390 GHz	100.0 kHz	2.638770000 GHz	-38.63 dBm	-28.63 dB
9	9	2.6390 GHz	2.6430 GHz	1.000 MHz	2.639020000 GHz	-31.88 dBm	-21.88 dB
10	10	2.6430 GHz	2.7280 GHz	1.000 MHz	2.658520000 GHz	-42.28 dBm	-29.28 dB
11	11	2.7280 GHz	2.7480 GHz	1.000 MHz	2.744820000 GHz	-50.68 dBm	-25.68 dB

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH528996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490058000 GHz	-50.49 dBm	-25.49 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.491655000 GHz	-50.53 dBm	-37.53 dB
3	3	2.4960 GHz	2.5100 GHz	1.000 MHz	2.503129800 GHz	-50.51 dBm	-25.51 dB
4	4	2.5100 GHz	2.5950 GHz	1.000 MHz	2.594980000 GHz	-37.25 dBm	-24.25 dB
5	5	2.5950 GHz	2.5990 GHz	1.000 MHz	2.598980000 GHz	-25.79 dBm	-15.79 dB
6	6	2.5990 GHz	2.6000 GHz	100.0 kHz	2.599970000 GHz	-13.89 dBm	-3.887 dB
7	7	2.6000 GHz	2.6900 GHz	100.0 kHz	2.601080000 GHz	26.96 dBm	-9.037 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690900000 GHz	-40.30 dBm	-30.30 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-33.81 dBm	-23.81 dB
10	10	2.6950 GHz	2.7800 GHz	1.000 MHz	2.709980000 GHz	-46.19 dBm	-33.19 dB
11	11	2.7800 GHz	2.8000 GHz	1.000 MHz	2.784380000 GHz	-50.75 dBm	-25.75 dB

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB1_244_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4380 GHz	2.4580 GHz	1.000 MHz	2.440220000 GHz	-50.99 dBm	-25.99 dB
2	2	2.4580 GHz	2.4905 GHz	1.000 MHz	2.487901600 GHz	-50.66 dBm	-25.66 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494240000 GHz	-50.19 dBm	-37.19 dB
4	4	2.4960 GHz	2.5430 GHz	1.000 MHz	2.527503400 GHz	-43.39 dBm	-30.39 dB
5	5	2.5430 GHz	2.5470 GHz	1.000 MHz	2.547020000 GHz	-41.60 dBm	-31.60 dB
6	6	2.5470 GHz	2.5480 GHz	100.0 kHz	2.547210000 GHz	-38.80 dBm	-28.80 dB
7	7	2.5480 GHz	2.6380 GHz	100.0 kHz	2.637020000 GHz	27.11 dBm	-8.886 dB
8	8	2.6380 GHz	2.6390 GHz	100.0 kHz	2.638030000 GHz	-13.74 dBm	-3.741 dB
9	9	2.6390 GHz	2.6430 GHz	1.000 MHz	2.639020000 GHz	-17.21 dBm	-7.211 dB
10	10	2.6430 GHz	2.7280 GHz	1.000 MHz	2.658520000 GHz	-40.32 dBm	-27.32 dB
11	11	2.7280 GHz	2.7480 GHz	1.000 MHz	2.738620000 GHz	-50.70 dBm	-25.70 dB

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB1_244_CH528996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490198400 GHz	-50.57 dBm	-25.57 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.491545000 GHz	-50.70 dBm	-37.70 dB
3	3	2.4960 GHz	2.5100 GHz	1.000 MHz	2.506624800 GHz	-50.62 dBm	-25.62 dB
4	4	2.5100 GHz	2.5950 GHz	1.000 MHz	2.579480000 GHz	-40.92 dBm	-27.92 dB
5	5	2.5950 GHz	2.5990 GHz	1.000 MHz	2.598940000 GHz	-41.05 dBm	-31.05 dB
6	6	2.5990 GHz	2.6000 GHz	100.0 kHz	2.599070000 GHz	-37.77 dBm	-27.77 dB
7	7	2.6000 GHz	2.6900 GHz	100.0 kHz	2.688780000 GHz	27.07 dBm	-8.927 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.689980000 GHz	-14.35 dBm	-4.352 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-16.71 dBm	-6.706 dB
10	10	2.6950 GHz	2.7800 GHz	1.000 MHz	2.694980000 GHz	-39.82 dBm	-26.82 dB
11	11	2.7800 GHz	2.8000 GHz	1.000 MHz	2.799780000 GHz	-50.67 dBm	-25.67 dB

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB245_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4380 GHz	2.4580 GHz	1.000 MHz	2.454220000 GHz	-38.06 dBm	-13.06 dB
2	2	2.4580 GHz	2.4905 GHz	1.000 MHz	2.489200800 GHz	-33.55 dBm	-8.546 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.496000000 GHz	-32.50 dBm	-19.50 dB
4	4	2.4960 GHz	2.5430 GHz	1.000 MHz	2.538788200 GHz	-29.37 dBm	-16.37 dB
5	5	2.5430 GHz	2.5470 GHz	1.000 MHz	2.545620000 GHz	-29.06 dBm	-19.06 dB
6	6	2.5470 GHz	2.5480 GHz	100.0 kHz	2.547890000 GHz	-28.45 dBm	-18.45 dB
7	7	2.5480 GHz	2.6380 GHz	100.0 kHz	2.584770000 GHz	4.248 dBm	-31.75 dB
8	8	2.6380 GHz	2.6390 GHz	100.0 kHz	2.638200000 GHz	-28.45 dBm	-18.45 dB
9	9	2.6390 GHz	2.6430 GHz	1.000 MHz	2.639020000 GHz	-19.76 dBm	-9.758 dB
10	10	2.6430 GHz	2.7280 GHz	1.000 MHz	2.646520000 GHz	-29.49 dBm	-16.49 dB
11	11	2.7280 GHz	2.7480 GHz	1.000 MHz	2.728620000 GHz	-37.85 dBm	-12.85 dB

Band41_90MHz_CP_OFDM_SCS30kHz_QPSK_RB245_0_CH528996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490089200 GHz	-36.56 dBm	-11.56 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495835000 GHz	-36.20 dBm	-23.20 dB
3	3	2.4960 GHz	2.5100 GHz	1.000 MHz	2.509141200 GHz	-35.33 dBm	-10.33 dB
4	4	2.5100 GHz	2.5950 GHz	1.000 MHz	2.586480000 GHz	-28.83 dBm	-15.83 dB
5	5	2.5950 GHz	2.5990 GHz	1.000 MHz	2.597380000 GHz	-28.34 dBm	-18.34 dB
6	6	2.5990 GHz	2.6000 GHz	100.0 kHz	2.599980000 GHz	-26.83 dBm	-16.83 dB
7	7	2.6000 GHz	2.6900 GHz	100.0 kHz	2.648230000 GHz	4.234 dBm	-31.77 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690050000 GHz	-28.96 dBm	-18.96 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-19.90 dBm	-9.903 dB
10	10	2.6950 GHz	2.7800 GHz	1.000 MHz	2.695480000 GHz	-30.52 dBm	-17.52 dB
11	11	2.7800 GHz	2.8000 GHz	1.000 MHz	2.782580000 GHz	-38.01 dBm	-13.01 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH509202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3760 GHz	2.3960 GHz	1.000 MHz	2.381600000 GHz	-38.17 dBm	-13.17 dB
2	2	2.3960 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-34.46 dBm	-9.463 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490665000 GHz	-33.02 dBm	-20.02 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-24.26 dBm	-11.26 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.496000000 GHz	-13.12 dBm	-0.118 dB
6	6	2.4960 GHz	2.5960 GHz	100.0 kHz	2.497100000 GHz	27.77 dBm	-8.232 dB
7	7	2.5960 GHz	2.5970 GHz	100.0 kHz	2.596290000 GHz	-36.88 dBm	-26.88 dB
8	8	2.5970 GHz	2.6010 GHz	1.000 MHz	2.597000000 GHz	-27.24 dBm	-17.24 dB
9	9	2.6010 GHz	2.6960 GHz	1.000 MHz	2.606500000 GHz	-36.29 dBm	-23.29 dB
10	10	2.6960 GHz	2.7160 GHz	1.000 MHz	2.711600000 GHz	-37.92 dBm	-12.92 dB

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH510000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3800 GHz	2.4000 GHz	1.000 MHz	2.392000000 GHz	-38.18 dBm	-13.18 dB
2	2	2.4000 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-36.74 dBm	-11.74 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493695000 GHz	-34.23 dBm	-21.23 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495410000 GHz	-32.31 dBm	-19.31 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499000000 GHz	-24.41 dBm	-14.41 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500000000 GHz	-12.06 dBm	-2.060 dB
7	7	2.5000 GHz	2.6000 GHz	100.0 kHz	2.501100000 GHz	27.53 dBm	-8.471 dB
8	8	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600880000 GHz	-36.95 dBm	-26.95 dB
9	9	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-27.19 dBm	-17.19 dB
10	10	2.6050 GHz	2.7000 GHz	1.000 MHz	2.610500000 GHz	-36.50 dBm	-23.50 dB
11	11	2.7000 GHz	2.7200 GHz	1.000 MHz	2.706200000 GHz	-37.94 dBm	-12.94 dB

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_272_CH509202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3760 GHz	2.3960 GHz	1.000 MHz	2.390800000 GHz	-38.11 dBm	-13.11 dB
2	2	2.3960 GHz	2.4905 GHz	1.000 MHz	2.485500000 GHz	-37.04 dBm	-12.04 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490580000 GHz	-37.44 dBm	-24.44 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-37.35 dBm	-24.35 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495570000 GHz	-37.25 dBm	-24.25 dB
6	6	2.4960 GHz	2.5960 GHz	100.0 kHz	2.594900000 GHz	27.72 dBm	-8.281 dB
7	7	2.5960 GHz	2.5970 GHz	100.0 kHz	2.596000000 GHz	-13.55 dBm	-3.550 dB
8	8	2.5970 GHz	2.6010 GHz	1.000 MHz	2.597000000 GHz	-15.89 dBm	-5.892 dB
9	9	2.6010 GHz	2.6960 GHz	1.000 MHz	2.601000000 GHz	-35.46 dBm	-22.46 dB
10	10	2.6960 GHz	2.7160 GHz	1.000 MHz	2.702600000 GHz	-37.92 dBm	-12.92 dB

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_272_CH510000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3800 GHz	2.4000 GHz	1.000 MHz	2.385600000 GHz	-38.14 dBm	-13.14 dB
2	2	2.4000 GHz	2.4905 GHz	1.000 MHz	2.489500000 GHz	-36.97 dBm	-11.97 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494190000 GHz	-37.33 dBm	-24.33 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495410000 GHz	-37.38 dBm	-24.38 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498820000 GHz	-37.31 dBm	-27.31 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499250000 GHz	-37.12 dBm	-27.12 dB
7	7	2.5000 GHz	2.6000 GHz	100.0 kHz	2.599050000 GHz	27.73 dBm	-8.267 dB
8	8	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600000000 GHz	-12.53 dBm	-2.533 dB
9	9	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-15.63 dBm	-5.627 dB
10	10	2.6050 GHz	2.7000 GHz	1.000 MHz	2.605000000 GHz	-35.76 dBm	-22.76 dB
11	11	2.7000 GHz	2.7200 GHz	1.000 MHz	2.701400000 GHz	-37.90 dBm	-12.90 dB

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB270_0_CH509202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3760 GHz	2.3960 GHz	1.000 MHz	2.378400000 GHz	-38.02 dBm	-13.02 dB
2	2	2.3960 GHz	2.4905 GHz	1.000 MHz	2.480500000 GHz	-30.93 dBm	-5.933 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490805000 GHz	-31.02 dBm	-18.02 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494280000 GHz	-30.26 dBm	-17.26 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495340000 GHz	-29.60 dBm	-16.60 dB
6	6	2.4960 GHz	2.5960 GHz	100.0 kHz	2.575500000 GHz	5.584 dBm	-30.42 dB
7	7	2.5960 GHz	2.5970 GHz	100.0 kHz	2.596670000 GHz	-26.74 dBm	-16.74 dB
8	8	2.5970 GHz	2.6010 GHz	1.000 MHz	2.597000000 GHz	-17.49 dBm	-7.493 dB
9	9	2.6010 GHz	2.6960 GHz	1.000 MHz	2.601000000 GHz	-28.08 dBm	-15.08 dB
10	10	2.6960 GHz	2.7160 GHz	1.000 MHz	2.696200000 GHz	-37.09 dBm	-12.09 dB

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB270_0_CH510000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3800 GHz	2.4000 GHz	1.000 MHz	2.391600000 GHz	-38.11 dBm	-13.11 dB
2	2	2.4000 GHz	2.4905 GHz	1.000 MHz	2.486500000 GHz	-32.32 dBm	-7.322 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.492570000 GHz	-31.78 dBm	-18.78 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495540000 GHz	-31.61 dBm	-18.61 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499000000 GHz	-30.74 dBm	-20.74 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499730000 GHz	-29.52 dBm	-19.52 dB
7	7	2.5000 GHz	2.6000 GHz	100.0 kHz	2.575600000 GHz	5.483 dBm	-30.52 dB
8	8	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600910000 GHz	-25.23 dBm	-15.23 dB
9	9	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-16.84 dBm	-6.839 dB
10	10	2.6050 GHz	2.7000 GHz	1.000 MHz	2.605000000 GHz	-28.75 dBm	-15.75 dB
11	11	2.7000 GHz	2.7200 GHz	1.000 MHz	2.700200000 GHz	-37.26 dBm	-12.26 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4230 GHz	2.4430 GHz	1.000 MHz	2.442620000 GHz	-38.01 dBm	-13.01 dB
2	2	2.4430 GHz	2.4905 GHz	1.000 MHz	2.479579600 GHz	-37.81 dBm	-12.81 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495065000 GHz	-36.20 dBm	-23.20 dB
4	4	2.4960 GHz	2.5380 GHz	1.000 MHz	2.538020000 GHz	-34.55 dBm	-21.55 dB
5	5	2.5380 GHz	2.5420 GHz	1.000 MHz	2.541940000 GHz	-23.03 dBm	-13.03 dB
6	6	2.5420 GHz	2.5430 GHz	100.0 kHz	2.543020000 GHz	-12.47 dBm	-2.470 dB
7	7	2.5430 GHz	2.6430 GHz	100.0 kHz	2.544020000 GHz	27.55 dBm	-8.446 dB
8	8	2.6430 GHz	2.6440 GHz	100.0 kHz	2.643080000 GHz	-36.95 dBm	-26.95 dB
9	9	2.6440 GHz	2.6480 GHz	1.000 MHz	2.644020000 GHz	-27.28 dBm	-17.28 dB
10	10	2.6480 GHz	2.7430 GHz	1.000 MHz	2.653520000 GHz	-36.22 dBm	-23.22 dB
11	11	2.7430 GHz	2.7630 GHz	1.000 MHz	2.744620000 GHz	-37.92 dBm	-12.92 dB

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH528000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.482600000 GHz	-37.73 dBm	-12.73 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490360000 GHz	-37.72 dBm	-12.72 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.493965000 GHz	-37.74 dBm	-24.74 dB
4	4	2.4960 GHz	2.5850 GHz	1.000 MHz	2.594500000 GHz	-35.87 dBm	-22.87 dB
5	5	2.5850 GHz	2.5890 GHz	1.000 MHz	2.589000000 GHz	-24.42 dBm	-14.42 dB
6	6	2.5890 GHz	2.5900 GHz	100.0 kHz	2.589980000 GHz	-11.56 dBm	-1.558 dB
7	7	2.5900 GHz	2.6900 GHz	100.0 kHz	2.590950000 GHz	27.71 dBm	-8.292 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690030000 GHz	-37.23 dBm	-27.23 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-27.58 dBm	-17.58 dB
10	10	2.6950 GHz	2.7900 GHz	1.000 MHz	2.700500000 GHz	-37.28 dBm	-24.28 dB
11	11	2.7900 GHz	2.8100 GHz	1.000 MHz	2.791400000 GHz	-38.07 dBm	-13.07 dB

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_272_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4230 GHz	2.4430 GHz	1.000 MHz	2.442820000 GHz	-38.05 dBm	-13.05 dB
2	2	2.4430 GHz	2.4905 GHz	1.000 MHz	2.490025200 GHz	-37.73 dBm	-12.73 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495065000 GHz	-37.73 dBm	-24.73 dB
4	4	2.4960 GHz	2.5380 GHz	1.000 MHz	2.532557400 GHz	-36.68 dBm	-23.68 dB
5	5	2.5380 GHz	2.5420 GHz	1.000 MHz	2.539940000 GHz	-37.38 dBm	-27.38 dB
6	6	2.5420 GHz	2.5430 GHz	100.0 kHz	2.542200000 GHz	-37.03 dBm	-27.03 dB
7	7	2.5430 GHz	2.6430 GHz	100.0 kHz	2.642020000 GHz	28.26 dBm	-7.736 dB
8	8	2.6430 GHz	2.6440 GHz	100.0 kHz	2.643020000 GHz	-12.96 dBm	-2.962 dB
9	9	2.6440 GHz	2.6480 GHz	1.000 MHz	2.644020000 GHz	-15.49 dBm	-5.492 dB
10	10	2.6480 GHz	2.7430 GHz	1.000 MHz	2.648020000 GHz	-35.27 dBm	-22.27 dB
11	11	2.7430 GHz	2.7630 GHz	1.000 MHz	2.747820000 GHz	-37.90 dBm	-12.90 dB

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_272_CH528000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.482800000 GHz	-37.71 dBm	-12.71 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490040000 GHz	-37.73 dBm	-12.73 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.493030000 GHz	-37.68 dBm	-24.68 dB
4	4	2.4960 GHz	2.5850 GHz	1.000 MHz	2.580000000 GHz	-36.21 dBm	-23.21 dB
5	5	2.5850 GHz	2.5890 GHz	1.000 MHz	2.587880000 GHz	-37.14 dBm	-27.14 dB
6	6	2.5890 GHz	2.5900 GHz	100.0 kHz	2.589930000 GHz	-36.82 dBm	-26.82 dB
7	7	2.5900 GHz	2.6900 GHz	100.0 kHz	2.689050000 GHz	27.58 dBm	-8.424 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690010000 GHz	-13.74 dBm	-3.741 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-17.04 dBm	-7.042 dB
10	10	2.6950 GHz	2.7900 GHz	1.000 MHz	2.695000000 GHz	-36.78 dBm	-23.78 dB
11	11	2.7900 GHz	2.8100 GHz	1.000 MHz	2.792400000 GHz	-38.04 dBm	-13.04 dB

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB270_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4230 GHz	2.4430 GHz	1.000 MHz	2.437020000 GHz	-38.02 dBm	-13.02 dB
2	2	2.4430 GHz	2.4905 GHz	1.000 MHz	2.483852800 GHz	-34.51 dBm	-9.510 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495890000 GHz	-30.17 dBm	-17.17 dB
4	4	2.4960 GHz	2.5380 GHz	1.000 MHz	2.534238200 GHz	-30.05 dBm	-17.05 dB
5	5	2.5380 GHz	2.5420 GHz	1.000 MHz	2.542020000 GHz	-30.98 dBm	-20.98 dB
6	6	2.5420 GHz	2.5430 GHz	100.0 kHz	2.542990000 GHz	-29.78 dBm	-19.78 dB
7	7	2.5430 GHz	2.6430 GHz	100.0 kHz	2.622870000 GHz	5.083 dBm	-30.92 dB
8	8	2.6430 GHz	2.6440 GHz	100.0 kHz	2.643050000 GHz	-29.02 dBm	-19.02 dB
9	9	2.6440 GHz	2.6480 GHz	1.000 MHz	2.644020000 GHz	-19.56 dBm	-8.555 dB
10	10	2.6480 GHz	2.7430 GHz	1.000 MHz	2.648520000 GHz	-29.87 dBm	-16.87 dB
11	11	2.7430 GHz	2.7630 GHz	1.000 MHz	2.756220000 GHz	-37.89 dBm	-12.89 dB

Band41_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB270_0_CH528000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.489200000 GHz	-37.36 dBm	-12.36 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490410000 GHz	-37.32 dBm	-12.32 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495945000 GHz	-35.47 dBm	-22.47 dB
4	4	2.4960 GHz	2.5850 GHz	1.000 MHz	2.585000000 GHz	-32.09 dBm	-19.09 dB
5	5	2.5850 GHz	2.5890 GHz	1.000 MHz	2.588480000 GHz	-31.41 dBm	-21.41 dB
6	6	2.5890 GHz	2.5900 GHz	100.0 kHz	2.589960000 GHz	-29.78 dBm	-19.78 dB
7	7	2.5900 GHz	2.6900 GHz	100.0 kHz	2.669350000 GHz	5.903 dBm	-30.10 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690090000 GHz	-28.37 dBm	-18.37 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-18.71 dBm	-8.707 dB
10	10	2.6950 GHz	2.7900 GHz	1.000 MHz	2.695500000 GHz	-29.12 dBm	-16.12 dB
11	11	2.7900 GHz	2.8100 GHz	1.000 MHz	2.798000000 GHz	-38.00 dBm	-13.00 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.