Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH509202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3760 GHz	2.3960 GHz	1.000 MHz	2.393800000 GHz	-51.09 dBm	-26.09 dB
2	2	2.3960 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-36.68 dBm	-11.68 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490930000 GHz	-33.17 dBm	-20.17 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-24.02 dBm	-11.02 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.496000000 GHz	-13.73 dBm	-0.732 dB
6	6	2.4960 GHz	2.5960 GHz	100.0 kHz	2.497000000 GHz	26.96 dBm	-9.039 dB
7	7	2.5960 GHz	2.5970 GHz	100.0 kHz	2.596220000 GHz	-41.12 dBm	-31.12 dB
8	8	2.5970 GHz	2.6010 GHz	1.000 MHz	2.597000000 GHz	-33.20 dBm	-23.20 dB
9	9	2.6010 GHz	2.6960 GHz	1.000 MHz	2.606000000 GHz	-41.00 dBm	-28.00 dB
10	10	2.6960 GHz	2.7160 GHz	1.000 MHz	2.710400000 GHz	-50.64 dBm	-25.64 dB

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH510000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3800 GHz	2.4000 GHz	1.000 MHz	2.380200000 GHz	-38.12 dBm	-13.12 dB
2	2	2.4000 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-36.65 dBm	-11.65 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494955000 GHz	-35.31 dBm	-22.31 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495930000 GHz	-33.56 dBm	-20.56 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499000000 GHz	-25.82 dBm	-15.82 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.500000000 GHz	-13.04 dBm	-3.037 dB
7	7	2.5000 GHz	2.6000 GHz	100.0 kHz	2.501150000 GHz	27.28 dBm	-8.719 dB
8	8	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600460000 GHz	-36.29 dBm	-26.29 dB
9	9	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-26.71 dBm	-16.71 dB
10	10	2.6050 GHz	2.7000 GHz	1.000 MHz	2.610000000 GHz	-35.79 dBm	-22.79 dB
11	11	2.7000 GHz	2.7200 GHz	1.000 MHz	2.717200000 GHz	-37.93 dBm	-12.93 dB

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB1_272_CH509202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3760 GHz	2.3960 GHz	1.000 MHz	2.383800000 GHz	-38.15 dBm	-13.15 dB
2	2	2.3960 GHz	2.4905 GHz	1.000 MHz	2.485500000 GHz	-36.77 dBm	-11.77 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490975000 GHz	-37.01 dBm	-24.01 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.494640000 GHz	-36.90 dBm	-23.90 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495110000 GHz	-36.46 dBm	-23.46 dB
6	6	2.4960 GHz	2.5960 GHz	100.0 kHz	2.594800000 GHz	27.69 dBm	-8.314 dB
7	7	2.5960 GHz	2.5970 GHz	100.0 kHz	2.596010000 GHz	-12.49 dBm	-2.495 dB
8	8	2.5970 GHz	2.6010 GHz	1.000 MHz	2.597000000 GHz	-14.22 dBm	-4.221 dB
9	9	2.6010 GHz	2.6960 GHz	1.000 MHz	2.601000000 GHz	-35.26 dBm	-22.26 dB
10	10	2.6960 GHz	2.7160 GHz	1.000 MHz	2.697200000 GHz	-37.95 dBm	-12.95 dB

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB1_272_CH510000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3800 GHz	2.4000 GHz	1.000 MHz	2.388600000 GHz	-38.06 dBm	-13.06 dB
2	2	2.4000 GHz	2.4905 GHz	1.000 MHz	2.490000000 GHz	-36.51 dBm	-11.51 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493875000 GHz	-36.89 dBm	-23.89 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495380000 GHz	-36.92 dBm	-23.92 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498490000 GHz	-36.78 dBm	-26.78 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499450000 GHz	-36.52 dBm	-26.52 dB
7	7	2.5000 GHz	2.6000 GHz	100.0 kHz	2.598900000 GHz	27.56 dBm	-8.437 dB
8	8	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600010000 GHz	-12.91 dBm	-2.915 dB
9	9	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-15.77 dBm	-5.775 dB
10	10	2.6050 GHz	2.7000 GHz	1.000 MHz	2.605000000 GHz	-35.77 dBm	-22.77 dB
11	11	2.7000 GHz	2.7200 GHz	1.000 MHz	2.700400000 GHz	-37.89 dBm	-12.89 dB

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB273_0_CH509202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3760 GHz	2.3960 GHz	1.000 MHz	2.377600000 GHz	-38.09 dBm	-13.09 dB
2	2	2.3960 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-30.32 dBm	-5.317 dB
3	3	2.4905 GHz	2.4910 GHz	1.000 MHz	2.490760000 GHz	-29.95 dBm	-16.95 dB
4	4	2.4910 GHz	2.4950 GHz	1.000 MHz	2.493480000 GHz	-29.38 dBm	-16.38 dB
5	5	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495740000 GHz	-28.11 dBm	-15.11 dB
6	6	2.4960 GHz	2.5960 GHz	100.0 kHz	2.570100000 GHz	4.256 dBm	-31.74 dB
7	7	2.5960 GHz	2.5970 GHz	100.0 kHz	2.596060000 GHz	-27.65 dBm	-17.65 dB
8	8	2.5970 GHz	2.6010 GHz	1.000 MHz	2.597000000 GHz	-18.98 dBm	-8.982 dB
9	9	2.6010 GHz	2.6960 GHz	1.000 MHz	2.607500000 GHz	-29.32 dBm	-16.32 dB
10	10	2.6960 GHz	2.7160 GHz	1.000 MHz	2.696400000 GHz	-36.56 dBm	-11.56 dB

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB273_0_CH510000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.3800 GHz	2.4000 GHz	1.000 MHz	2.395800000 GHz	-38.11 dBm	-13.11 dB
2	2	2.4000 GHz	2.4905 GHz	1.000 MHz	2.489500000 GHz	-30.78 dBm	-5.780 dB
3	3	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494955000 GHz	-29.70 dBm	-16.70 dB
4	4	2.4950 GHz	2.4960 GHz	1.000 MHz	2.495550000 GHz	-29.48 dBm	-16.48 dB
5	5	2.4960 GHz	2.4990 GHz	1.000 MHz	2.497980000 GHz	-29.14 dBm	-19.14 dB
6	6	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499950000 GHz	-28.04 dBm	-18.04 dB
7	7	2.5000 GHz	2.6000 GHz	100.0 kHz	2.584000000 GHz	4.303 dBm	-31.70 dB
8	8	2.6000 GHz	2.6010 GHz	100.0 kHz	2.600250000 GHz	-27.37 dBm	-17.37 dB
9	9	2.6010 GHz	2.6050 GHz	1.000 MHz	2.601000000 GHz	-18.87 dBm	-8.868 dB
10	10	2.6050 GHz	2.7000 GHz	1.000 MHz	2.606500000 GHz	-29.05 dBm	-16.05 dB
11	11	2.7000 GHz	2.7200 GHz	1.000 MHz	2.700000000 GHz	-36.53 dBm	-11.53 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4230 GHz	2.4430 GHz	1.000 MHz	2.434820000 GHz	-38.03 dBm	-13.03 dB
2	2	2.4430 GHz	2.4905 GHz	1.000 MHz	2.474831600 GHz	-37.75 dBm	-12.75 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494790000 GHz	-36.29 dBm	-23.29 dB
4	4	2.4960 GHz	2.5380 GHz	1.000 MHz	2.538020000 GHz	-32.67 dBm	-19.67 dB
5	5	2.5380 GHz	2.5420 GHz	1.000 MHz	2.542020000 GHz	-22.51 dBm	-12.51 dB
6	6	2.5420 GHz	2.5430 GHz	100.0 kHz	2.543020000 GHz	-11.72 dBm	-1.723 dB
7	7	2.5430 GHz	2.6430 GHz	100.0 kHz	2.544020000 GHz	27.65 dBm	-8.348 dB
8	8	2.6430 GHz	2.6440 GHz	100.0 kHz	2.643840000 GHz	-36.08 dBm	-26.08 dB
9	9	2.6440 GHz	2.6480 GHz	1.000 MHz	2.644020000 GHz	-26.42 dBm	-16.42 dB
10	10	2.6480 GHz	2.7430 GHz	1.000 MHz	2.653520000 GHz	-35.68 dBm	-22.68 dB
11	11	2.7430 GHz	2.7630 GHz	1.000 MHz	2.757420000 GHz	-37.86 dBm	-12.86 dB

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH528000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.485600000 GHz	-37.70 dBm	-12.70 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490360000 GHz	-37.73 dBm	-12.73 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492975000 GHz	-37.71 dBm	-24.71 dB
4	4	2.4960 GHz	2.5850 GHz	1.000 MHz	2.584500000 GHz	-33.94 dBm	-20.94 dB
5	5	2.5850 GHz	2.5890 GHz	1.000 MHz	2.588960000 GHz	-24.35 dBm	-14.35 dB
6	6	2.5890 GHz	2.5900 GHz	100.0 kHz	2.590000000 GHz	-12.38 dBm	-2.384 dB
7	7	2.5900 GHz	2.6900 GHz	100.0 kHz	2.590950000 GHz	27.33 dBm	-8.669 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690110000 GHz	-36.78 dBm	-26.78 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-27.13 dBm	-17.13 dB
10	10	2.6950 GHz	2.7900 GHz	1.000 MHz	2.700000000 GHz	-36.94 dBm	-23.94 dB
11	11	2.7900 GHz	2.8100 GHz	1.000 MHz	2.793000000 GHz	-38.02 dBm	-13.02 dB

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB1_272_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4230 GHz	2.4430 GHz	1.000 MHz	2.434820000 GHz	-38.03 dBm	-13.03 dB
2	2	2.4430 GHz	2.4905 GHz	1.000 MHz	2.479579600 GHz	-37.74 dBm	-12.74 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492370000 GHz	-37.62 dBm	-24.62 dB
4	4	2.4960 GHz	2.5380 GHz	1.000 MHz	2.532557400 GHz	-36.19 dBm	-23.19 dB
5	5	2.5380 GHz	2.5420 GHz	1.000 MHz	2.539580000 GHz	-36.77 dBm	-26.77 dB
6	6	2.5420 GHz	2.5430 GHz	100.0 kHz	2.542200000 GHz	-36.63 dBm	-26.63 dB
7	7	2.5430 GHz	2.6430 GHz	100.0 kHz	2.641970000 GHz	27.80 dBm	-8.203 dB
8	8	2.6430 GHz	2.6440 GHz	100.0 kHz	2.643020000 GHz	-13.41 dBm	-3.415 dB
9	9	2.6440 GHz	2.6480 GHz	1.000 MHz	2.644020000 GHz	-16.84 dBm	-6.841 dB
10	10	2.6480 GHz	2.7430 GHz	1.000 MHz	2.648020000 GHz	-35.43 dBm	-22.43 dB
11	11	2.7430 GHz	2.7630 GHz	1.000 MHz	2.745420000 GHz	-37.92 dBm	-12.92 dB

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB1_272_CH528000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.488200000 GHz	-37.74 dBm	-12.74 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490410000 GHz	-37.74 dBm	-12.74 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492920000 GHz	-37.71 dBm	-24.71 dB
4	4	2.4960 GHz	2.5850 GHz	1.000 MHz	2.579500000 GHz	-35.26 dBm	-22.26 dB
5	5	2.5850 GHz	2.5890 GHz	1.000 MHz	2.588760000 GHz	-36.15 dBm	-26.15 dB
6	6	2.5890 GHz	2.5900 GHz	100.0 kHz	2.589500000 GHz	-35.96 dBm	-25.96 dB
7	7	2.5900 GHz	2.6900 GHz	100.0 kHz	2.588900000 GHz	28.02 dBm	-7.976 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690030000 GHz	-13.08 dBm	-3.085 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-15.61 dBm	-5.612 dB
10	10	2.6950 GHz	2.7900 GHz	1.000 MHz	2.695000000 GHz	-35.68 dBm	-22.68 dB
11	11	2.7900 GHz	2.8100 GHz	1.000 MHz	2.794000000 GHz	-37.95 dBm	-12.95 dB

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB273_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4230 GHz	2.4430 GHz	1.000 MHz	2.440220000 GHz	-38.01 dBm	-13.01 dB
2	2	2.4430 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-32.51 dBm	-7.513 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495890000 GHz	-31.76 dBm	-18.76 dB
4	4	2.4960 GHz	2.5380 GHz	1.000 MHz	2.534658400 GHz	-29.41 dBm	-16.41 dB
5	5	2.5380 GHz	2.5420 GHz	1.000 MHz	2.541820000 GHz	-28.86 dBm	-18.86 dB
6	6	2.5420 GHz	2.5430 GHz	100.0 kHz	2.542680000 GHz	-27.87 dBm	-17.87 dB
7	7	2.5430 GHz	2.6430 GHz	100.0 kHz	2.596470000 GHz	3.794 dBm	-32.21 dB
8	8	2.6430 GHz	2.6440 GHz	100.0 kHz	2.643450000 GHz	-28.61 dBm	-18.61 dB
9	9	2.6440 GHz	2.6480 GHz	1.000 MHz	2.644020000 GHz	-19.22 dBm	-9.221 dB
10	10	2.6480 GHz	2.7430 GHz	1.000 MHz	2.653020000 GHz	-29.28 dBm	-16.28 dB
11	11	2.7430 GHz	2.7630 GHz	1.000 MHz	2.760420000 GHz	-37.89 dBm	-12.89 dB

Band41_100MHz_CP_OFDM_SCS30kHz_QPSK_RB273_0_CH528000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	2.4700 GHz	2.4900 GHz	1.000 MHz	2.489600000 GHz	-36.11 dBm	-11.11 dB
2	2	2.4900 GHz	2.4905 GHz	1.000 MHz	2.490220000 GHz	-36.03 dBm	-11.03 dB
3	3	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495890000 GHz	-35.66 dBm	-22.66 dB
4	4	2.4960 GHz	2.5850 GHz	1.000 MHz	2.584500000 GHz	-28.36 dBm	-15.36 dB
5	5	2.5850 GHz	2.5890 GHz	1.000 MHz	2.588760000 GHz	-28.06 dBm	-18.06 dB
6	6	2.5890 GHz	2.5900 GHz	100.0 kHz	2.589770000 GHz	-27.31 dBm	-17.31 dB
7	7	2.5900 GHz	2.6900 GHz	100.0 kHz	2.668950000 GHz	3.949 dBm	-32.05 dB
8	8	2.6900 GHz	2.6910 GHz	100.0 kHz	2.690320000 GHz	-28.10 dBm	-18.10 dB
9	9	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691500000 GHz	-19.46 dBm	-9.464 dB
10	10	2.6950 GHz	2.7900 GHz	1.000 MHz	2.697000000 GHz	-30.13 dBm	-17.13 dB
11	11	2.7900 GHz	2.8100 GHz	1.000 MHz	2.790200000 GHz	-37.98 dBm	-12.98 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_5MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH342500



Band66_5MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB25_0_CH355500



Band66_5MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB25_0_CH342500



Band66_5MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH342500



Band66_5MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_24_CH355500



Band66_5MHz_CP_OFDM_SCS15kHz_QPSK_RB25_0_CH342500



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_5MHz_CP_OFDM_SCS15kHz_QPSK_RB1_24_CH355500



Band66_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH343000



Band66_5MHz_CP_OFDM_SCS15kHz_QPSK_RB25_0_CH355500



Band66_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_51_CH355000



Band66_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH343000



Band66_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH355000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH343000



Band66_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH355000



Band66_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH343000



Band66_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH343000



Band66_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_51_CH355000



Band66_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH343000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH355000



Band66_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH343000



Band66_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH355000



Band66_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH355000



Band66_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH343000



Band66_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH355000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH343500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.6950 GHz	1.7090 GHz	1.000 MHz	1.708958000 GHz	-30.02 dBm	-17.02 dB
2	2	1.7090 GHz	1.7100 GHz	100.0 kHz	1.710000000 GHz	-18.17 dBm	-5.165 dB
3	3	1.7100 GHz	1.7250 GHz	100.0 kHz	1.710450000 GHz	22.38 dBm	-7.619 dB

Band66_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB75_0_CH354500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.7650 GHz	1.7800 GHz	100.0 kHz	1.778665000 GHz	5.351 dBm	-24.65 dB
2	2	1.7800 GHz	1.7810 GHz	100.0 kHz	1.780065000 GHz	-33.91 dBm	-20.91 dB
3	3	1.7810 GHz	1.7950 GHz	1.000 MHz	1.784766000 GHz	-25.78 dBm	-12.78 dB

Band66_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB75_0_CH343500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.6950 GHz	1.7090 GHz	1.000 MHz	1.703624000 GHz	-22.37 dBm	-9.368 dB
2	2	1.7090 GHz	1.7100 GHz	100.0 kHz	1.709998000 GHz	-27.76 dBm	-14.76 dB
3	3	1.7100 GHz	1.7250 GHz	100.0 kHz	1.721715000 GHz	5.385 dBm	-24.62 dB

Band66_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH343500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.6950 GHz	1.7090 GHz	1.000 MHz	1.708916000 GHz	-31.77 dBm	-18.77 dB
2	2	1.7090 GHz	1.7100 GHz	100.0 kHz	1.709988000 GHz	-19.05 dBm	-6.047 dB
3	3	1.7100 GHz	1.7250 GHz	100.0 kHz	1.710480000 GHz	19.85 dBm	-10.15 dB

Band66_15MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_78_CH354500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.7650 GHz	1.7800 GHz	100.0 kHz	1.779475000 GHz	23.03 dBm	-6.970 dB
2	2	1.7800 GHz	1.7810 GHz	100.0 kHz	1.780019000 GHz	-17.90 dBm	-4.899 dB
3	3	1.7810 GHz	1.7950 GHz	1.000 MHz	1.781028000 GHz	-28.09 dBm	-15.09 dB

Band66_15MHz_CP_OFDM_SCS15kHz_QPSK_RB79_0_CH343500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.6950 GHz	1.7090 GHz	1.000 MHz	1.708986000 GHz	-23.01 dBm	-10.01 dB
2	2	1.7090 GHz	1.7100 GHz	100.0 kHz	1.709816000 GHz	-29.68 dBm	-16.68 dB
3	3	1.7100 GHz	1.7250 GHz	100.0 kHz	1.724205000 GHz	1.749 dBm	-28.25 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_78_CH354500



Band66_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH343500



Band66_15MHz_CP_OFDM_SCS15kHz_QPSK_RB79_0_CH354500



Band66_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH354500



Band66_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH343500



Band66_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH354500



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH343500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.6950 GHz	1.7090 GHz	1.000 MHz	1.708720000 GHz	-17.22 dBm	-4.221 dB
2	2	1.7090 GHz	1.7100 GHz	100.0 kHz	1.709999000 GHz	-20.78 dBm	-7.776 dB
3	3	1.7100 GHz	1.7250 GHz	100.0 kHz	1.710870000 GHz	16.78 dBm	-13.22 dB

Band66_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH354500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.7650 GHz	1.7800 GHz	100.0 kHz	1.777330000 GHz	1.687 dBm	-28.31 dB
2	2	1.7800 GHz	1.7810 GHz	100.0 kHz	1.780001000 GHz	-32.19 dBm	-19.19 dB
3	3	1.7810 GHz	1.7950 GHz	1.000 MHz	1.781000000 GHz	-26.90 dBm	-13.90 dB

Band66_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH343500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.6950 GHz	1.7090 GHz	1.000 MHz	1.708776000 GHz	-23.31 dBm	-10.31 dB
2	2	1.7090 GHz	1.7100 GHz	100.0 kHz	1.709901000 GHz	-28.57 dBm	-15.57 dB
3	3	1.7100 GHz	1.7250 GHz	100.0 kHz	1.722555000 GHz	1.996 dBm	-28.00 dB

Band66_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB100_0_CH344000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.6900 GHz	1.7090 GHz	1.000 MHz	1.707442000 GHz	-23.65 dBm	-10.65 dB
2	2	1.7090 GHz	1.7100 GHz	100.0 kHz	1.709985000 GHz	-28.00 dBm	-15.00 dB
3	3	1.7100 GHz	1.7300 GHz	100.0 kHz	1.725380000 GHz	5.125 dBm	-24.88 dB

Band66_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_37_CH354500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.7650 GHz	1.7800 GHz	100.0 kHz	1.779235000 GHz	17.00 dBm	-13.00 dB
2	2	1.7800 GHz	1.7810 GHz	100.0 kHz	1.780000000 GHz	-21.12 dBm	-8.116 dB
3	3	1.7810 GHz	1.7950 GHz	1.000 MHz	1.781070000 GHz	-24.01 dBm	-11.01 dB

Band66_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH344000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	1.6900 GHz	1.7090 GHz	1.000 MHz	1.708981000 GHz	-28.25 dBm	-15.25 dB
2	2	1.7090 GHz	1.7100 GHz	100.0 kHz	1.709954000 GHz	-18.77 dBm	-5.774 dB
3	3	1.7100 GHz	1.7300 GHz	100.0 kHz	1.710540000 GHz	20.81 dBm	-9.188 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB100_0_CH354000



Band66_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH344000



Band66_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_105_CH354000



Band66_20MHz_CP_OFDM_SCS15kHz_QPSK_RB106_0_CH354000



Band66_20MHz_CP_OFDM_SCS15kHz_QPSK_RB106_0_CH344000



Band66_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_105_CH354000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH344000



Band66_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH354000



Band66_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH344000



Band66_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH344000



Band66_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH354000



Band66_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH344000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH354000



Band66_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH344500



Band66_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH354000



Band66_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB128_0_CH353500



Band66_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB128_0_CH344500



Band66_25MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_132_CH353500



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.