Band71_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH134100



Band71_15MHz_CP_OFDM_SCS15kHz_QPSK_RB79_0_CH138100



Band71_15MHz_CP_OFDM_SCS15kHz_QPSK_RB79_0_CH134100



Band71_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH134100



Band71_15MHz_CP_OFDM_SCS15kHz_QPSK_RB1_78_CH138100



Band71_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH134100



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band71_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH138100



Band71_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH134100



Band71_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH138100



Band71_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_37_CH138100



Band71_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH134100



Band71_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH138100



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band71_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB100_0_CH134600



Band71_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_105_CH137600



Band71_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH134600



Band71_20MHz_CP_OFDM_SCS15kHz_QPSK_RB106_0_CH134600



Band71_20MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB100_0_CH137600



Band71_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH134600



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band71_20MHz_CP_OFDM_SCS15kHz_QPSK_RB106_0_CH137600



Band71_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH134600



Band71_20MHz_CP_OFDM_SCS15kHz_QPSK_RB1_105_CH137600



Band71_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH137600



Band71_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH134600



Band71_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH137600



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band71_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH134600



Band71_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH137600



Band71_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH134600



Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH630334



Band71_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH137600



Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_51_CH630334



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH630334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4450 GHz	1.000 MHz	3.444990000 GHz	-28.79 dBm	-15.79 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.448834000 GHz	-20.02 dBm	-7.024 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449985000 GHz	-24.57 dBm	-11.57 dB
4	4	3.4500 GHz	3.4600 GHz	100.0 kHz	3.452550000 GHz	8.409 dBm	-21.59 dB
5	5	3.4600 GHz	3.4610 GHz	100.0 kHz	3.460372500 GHz	-28.07 dBm	-15.07 dB
6	6	3.4610 GHz	3.4650 GHz	1.000 MHz	3.461222000 GHz	-21.96 dBm	-8.960 dB
7	7	3.4650 GHz	3.4700 GHz	1.000 MHz	3.465560000 GHz	-28.48 dBm	-15.48 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4850 GHz	3.4900 GHz	1.000 MHz	3.490010000 GHz	-27.74 dBm	-14.74 dB
2	2	3.4900 GHz	3.4940 GHz	1.000 MHz	3.493978000 GHz	-21.00 dBm	-8.002 dB
3	3	3.4940 GHz	3.4950 GHz	100.0 kHz	3.495002500 GHz	-23.82 dBm	-10.82 dB
4	4	3.4950 GHz	3.5050 GHz	100.0 kHz	3.498720000 GHz	8.858 dBm	-21.14 dB
5	5	3.5050 GHz	3.5060 GHz	100.0 kHz	3.505022500 GHz	-30.72 dBm	-17.72 dB
6	6	3.5060 GHz	3.5100 GHz	1.000 MHz	3.506342000 GHz	-24.68 dBm	-11.68 dB
7	7	3.5100 GHz	3.5150 GHz	1.000 MHz	3.510320000 GHz	-31.28 dBm	-18.28 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4850 GHz	3.4900 GHz	1.000 MHz	3.489110000 GHz	-32.08 dBm	-19.08 dB
2	2	3.4900 GHz	3.4940 GHz	1.000 MHz	3.494010000 GHz	-21.58 dBm	-8.582 dB
3	3	3.4940 GHz	3.4950 GHz	100.0 kHz	3.495010000 GHz	-16.00 dBm	-2.997 dB
4	4	3.4950 GHz	3.5050 GHz	100.0 kHz	3.495410000 GHz	20.30 dBm	-9.696 dB
5	5	3.5050 GHz	3.5060 GHz	100.0 kHz	3.505110000 GHz	-44.27 dBm	-31.27 dB
6	6	3.5060 GHz	3.5100 GHz	1.000 MHz	3.507210000 GHz	-34.99 dBm	-21.99 dB
7	7	3.5100 GHz	3.5150 GHz	1.000 MHz	3.510660000 GHz	-35.98 dBm	-22.98 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH636332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5300 GHz	3.5350 GHz	1.000 MHz	3.534980000 GHz	-33.02 dBm	-20.02 dB
2	2	3.5350 GHz	3.5390 GHz	1.000 MHz	3.538980000 GHz	-22.34 dBm	-9.335 dB
3	3	3.5390 GHz	3.5400 GHz	100.0 kHz	3.539980000 GHz	-14.97 dBm	-1.971 dB
4	4	3.5400 GHz	3.5500 GHz	100.0 kHz	3.540380000 GHz	20.32 dBm	-9.680 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550170000 GHz	-44.18 dBm	-31.18 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-35.11 dBm	-22.11 dB
7	7	3.5550 GHz	3.5600 GHz	1.000 MHz	3.555680000 GHz	-36.04 dBm	-23.04 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_51_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4850 GHz	3.4900 GHz	1.000 MHz	3.489760000 GHz	-35.70 dBm	-22.70 dB
2	2	3.4900 GHz	3.4940 GHz	1.000 MHz	3.492730000 GHz	-34.66 dBm	-21.66 dB
3	3	3.4940 GHz	3.4950 GHz	100.0 kHz	3.494570000 GHz	-44.03 dBm	-31.03 dB
4	4	3.4950 GHz	3.5050 GHz	100.0 kHz	3.504560000 GHz	20.49 dBm	-9.510 dB
5	5	3.5050 GHz	3.5060 GHz	100.0 kHz	3.505010000 GHz	-17.58 dBm	-4.576 dB
6	6	3.5060 GHz	3.5100 GHz	1.000 MHz	3.506010000 GHz	-22.18 dBm	-9.181 dB
7	7	3.5100 GHz	3.5150 GHz	1.000 MHz	3.510710000 GHz	-32.62 dBm	-19.62 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_51_CH636332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5300 GHz	3.5350 GHz	1.000 MHz	3.534480000 GHz	-35.91 dBm	-22.91 dB
2	2	3.5350 GHz	3.5390 GHz	1.000 MHz	3.538940000 GHz	-35.00 dBm	-22.00 dB
3	3	3.5390 GHz	3.5400 GHz	100.0 kHz	3.539910000 GHz	-44.09 dBm	-31.09 dB
4	4	3.5400 GHz	3.5500 GHz	100.0 kHz	3.549580000 GHz	20.48 dBm	-9.522 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549980000 GHz	-16.48 dBm	-3.485 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-22.52 dBm	-9.515 dB
7	7	3.5550 GHz	3.5600 GHz	1.000 MHz	3.554980000 GHz	-32.96 dBm	-19.96 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH636332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5300 GHz	3.5350 GHz	1.000 MHz	3.534940000 GHz	-29.94 dBm	-16.94 dB
2	2	3.5350 GHz	3.5390 GHz	1.000 MHz	3.538912000 GHz	-25.04 dBm	-12.04 dB
3	3	3.5390 GHz	3.5400 GHz	100.0 kHz	3.539975000 GHz	-27.35 dBm	-14.35 dB
4	4	3.5400 GHz	3.5500 GHz	100.0 kHz	3.544950000 GHz	8.503 dBm	-21.50 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550152500 GHz	-28.89 dBm	-15.89 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.552068000 GHz	-22.93 dBm	-9.934 dB
7	7	3.5550 GHz	3.5600 GHz	1.000 MHz	3.556010000 GHz	-29.50 dBm	-16.50 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH647000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6900 GHz	3.6950 GHz	1.000 MHz	3.694890000 GHz	-27.97 dBm	-14.97 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698912000 GHz	-21.90 dBm	-8.901 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699940000 GHz	-24.46 dBm	-11.46 dB
4	4	3.7000 GHz	3.7100 GHz	100.0 kHz	3.702770000 GHz	7.817 dBm	-22.18 dB
5	5	3.7100 GHz	3.7110 GHz	100.0 kHz	3.710210000 GHz	-29.10 dBm	-16.10 dB
6	6	3.7110 GHz	3.7150 GHz	1.000 MHz	3.711436000 GHz	-20.79 dBm	-7.794 dB
7	7	3.7150 GHz	3.7200 GHz	1.000 MHz	3.715080000 GHz	-27.69 dBm	-14.69 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH647000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6900 GHz	3.6950 GHz	1.000 MHz	3.694850000 GHz	-31.25 dBm	-18.25 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.699000000 GHz	-23.01 dBm	-10.01 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.700000000 GHz	-16.17 dBm	-3.173 dB
4	4	3.7000 GHz	3.7100 GHz	100.0 kHz	3.700400000 GHz	19.28 dBm	-10.72 dB
5	5	3.7100 GHz	3.7110 GHz	100.0 kHz	3.710010000 GHz	-42.63 dBm	-29.63 dB
6	6	3.7110 GHz	3.7150 GHz	1.000 MHz	3.711240000 GHz	-33.18 dBm	-20.18 dB
7	7	3.7150 GHz	3.7200 GHz	1.000 MHz	3.715100000 GHz	-33.46 dBm	-20.46 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.8250 GHz	3.8300 GHz	1.000 MHz	3.830000000 GHz	-31.85 dBm	-18.85 dB
2	2	3.8300 GHz	3.8340 GHz	1.000 MHz	3.834000000 GHz	-23.07 dBm	-10.07 dB
3	3	3.8340 GHz	3.8350 GHz	100.0 kHz	3.835000000 GHz	-17.73 dBm	-4.734 dB
4	4	3.8350 GHz	3.8450 GHz	100.0 kHz	3.835400000 GHz	18.42 dBm	-11.58 dB
5	5	3.8450 GHz	3.8460 GHz	100.0 kHz	3.845630000 GHz	-42.53 dBm	-29.53 dB
6	6	3.8460 GHz	3.8500 GHz	1.000 MHz	3.846080000 GHz	-32.99 dBm	-19.99 dB
7	7	3.8500 GHz	3.8550 GHz	1.000 MHz	3.850450000 GHz	-33.34 dBm	-20.34 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_51_CH647000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6900 GHz	3.6950 GHz	1.000 MHz	3.695000000 GHz	-33.48 dBm	-20.48 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698800000 GHz	-32.98 dBm	-19.98 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699940000 GHz	-42.63 dBm	-29.63 dB
4	4	3.7000 GHz	3.7100 GHz	100.0 kHz	3.709600000 GHz	19.51 dBm	-10.49 dB
5	5	3.7100 GHz	3.7110 GHz	100.0 kHz	3.710000000 GHz	-16.71 dBm	-3.714 dB
6	6	3.7110 GHz	3.7150 GHz	1.000 MHz	3.711000000 GHz	-23.47 dBm	-10.47 dB
7	7	3.7150 GHz	3.7200 GHz	1.000 MHz	3.715000000 GHz	-31.94 dBm	-18.94 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_51_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.8250 GHz	3.8300 GHz	1.000 MHz	3.829550000 GHz	-32.83 dBm	-19.83 dB
2	2	3.8300 GHz	3.8340 GHz	1.000 MHz	3.834000000 GHz	-32.23 dBm	-19.23 dB
3	3	3.8340 GHz	3.8350 GHz	100.0 kHz	3.835000000 GHz	-41.77 dBm	-28.77 dB
4	4	3.8350 GHz	3.8450 GHz	100.0 kHz	3.844600000 GHz	19.15 dBm	-10.85 dB
5	5	3.8450 GHz	3.8460 GHz	100.0 kHz	3.845000000 GHz	-17.55 dBm	-4.553 dB
6	6	3.8460 GHz	3.8500 GHz	1.000 MHz	3.846000000 GHz	-23.03 dBm	-10.03 dB
7	7	3.8500 GHz	3.8550 GHz	1.000 MHz	3.850900000 GHz	-31.36 dBm	-18.36 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.8250 GHz	3.8300 GHz	1.000 MHz	3.829650000 GHz	-27.27 dBm	-14.27 dB
2	2	3.8300 GHz	3.8340 GHz	1.000 MHz	3.833536000 GHz	-19.43 dBm	-6.428 dB
3	3	3.8340 GHz	3.8350 GHz	100.0 kHz	3.834962500 GHz	-25.72 dBm	-12.72 dB
4	4	3.8350 GHz	3.8450 GHz	100.0 kHz	3.841950000 GHz	7.965 dBm	-22.03 dB
5	5	3.8450 GHz	3.8460 GHz	100.0 kHz	3.845052500 GHz	-30.01 dBm	-17.01 dB
6	6	3.8460 GHz	3.8500 GHz	1.000 MHz	3.846160000 GHz	-22.63 dBm	-9.627 dB
7	7	3.8500 GHz	3.8550 GHz	1.000 MHz	3.850230000 GHz	-29.99 dBm	-16.99 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB50_0_CH665000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9600 GHz	3.9650 GHz	1.000 MHz	3.965000000 GHz	-27.67 dBm	-14.67 dB
2	2	3.9650 GHz	3.9690 GHz	1.000 MHz	3.968560000 GHz	-22.99 dBm	-9.987 dB
3	3	3.9690 GHz	3.9700 GHz	100.0 kHz	3.969980000 GHz	-24.81 dBm	-11.81 dB
4	4	3.9700 GHz	3.9800 GHz	100.0 kHz	3.971210000 GHz	8.161 dBm	-21.84 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980080000 GHz	-27.91 dBm	-14.91 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981984000 GHz	-20.95 dBm	-7.948 dB
7	7	3.9850 GHz	3.9900 GHz	1.000 MHz	3.985420000 GHz	-28.43 dBm	-15.43 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH665000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9600 GHz	3.9650 GHz	1.000 MHz	3.964950000 GHz	-32.14 dBm	-19.14 dB
2	2	3.9650 GHz	3.9690 GHz	1.000 MHz	3.968960000 GHz	-20.45 dBm	-7.445 dB
3	3	3.9690 GHz	3.9700 GHz	100.0 kHz	3.970000000 GHz	-16.07 dBm	-3.075 dB
4	4	3.9700 GHz	3.9800 GHz	100.0 kHz	3.970350000 GHz	19.41 dBm	-10.59 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980000000 GHz	-43.36 dBm	-30.36 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.982360000 GHz	-33.91 dBm	-20.91 dB
7	7	3.9850 GHz	3.9900 GHz	1.000 MHz	3.985350000 GHz	-34.37 dBm	-21.37 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH630334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4450 GHz	1.000 MHz	3.444960000 GHz	-32.43 dBm	-19.43 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449010000 GHz	-22.44 dBm	-9.440 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.450000000 GHz	-17.04 dBm	-4.039 dB
4	4	3.4500 GHz	3.4600 GHz	100.0 kHz	3.450410000 GHz	20.05 dBm	-9.952 dB
5	5	3.4600 GHz	3.4610 GHz	100.0 kHz	3.460250000 GHz	-43.30 dBm	-30.30 dB
6	6	3.4610 GHz	3.4650 GHz	1.000 MHz	3.461290000 GHz	-34.27 dBm	-21.27 dB
7	7	3.4650 GHz	3.4700 GHz	1.000 MHz	3.465710000 GHz	-35.53 dBm	-22.53 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_51_CH665000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9600 GHz	3.9650 GHz	1.000 MHz	3.964200000 GHz	-33.97 dBm	-20.97 dB
2	2	3.9650 GHz	3.9690 GHz	1.000 MHz	3.968840000 GHz	-33.57 dBm	-20.57 dB
3	3	3.9690 GHz	3.9700 GHz	100.0 kHz	3.969920000 GHz	-43.12 dBm	-30.12 dB
4	4	3.9700 GHz	3.9800 GHz	100.0 kHz	3.979550000 GHz	19.67 dBm	-10.33 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980000000 GHz	-16.79 dBm	-3.786 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-23.25 dBm	-10.25 dB
7	7	3.9850 GHz	3.9900 GHz	1.000 MHz	3.985000000 GHz	-32.61 dBm	-19.61 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_51_CH630334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4450 GHz	1.000 MHz	3.444360000 GHz	-36.05 dBm	-23.05 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.448770000 GHz	-34.92 dBm	-21.92 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449870000 GHz	-44.08 dBm	-31.08 dB
4	4	3.4500 GHz	3.4600 GHz	100.0 kHz	3.459610000 GHz	20.32 dBm	-9.679 dB
5	5	3.4600 GHz	3.4610 GHz	100.0 kHz	3.460020000 GHz	-18.25 dBm	-5.254 dB
6	6	3.4610 GHz	3.4650 GHz	1.000 MHz	3.461010000 GHz	-26.65 dBm	-13.65 dB
7	7	3.4650 GHz	3.4700 GHz	1.000 MHz	3.465210000 GHz	-35.17 dBm	-22.17 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH630334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4450 GHz	1.000 MHz	3.444840000 GHz	-30.78 dBm	-17.78 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.447798000 GHz	-23.76 dBm	-10.76 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.450007500 GHz	-27.60 dBm	-14.60 dB
4	4	3.4500 GHz	3.4600 GHz	100.0 kHz	3.458650000 GHz	4.800 dBm	-25.20 dB
5	5	3.4600 GHz	3.4610 GHz	100.0 kHz	3.460017500 GHz	-28.04 dBm	-15.04 dB
6	6	3.4610 GHz	3.4650 GHz	1.000 MHz	3.461258000 GHz	-23.21 dBm	-10.21 dB
7	7	3.4650 GHz	3.4700 GHz	1.000 MHz	3.465110000 GHz	-30.97 dBm	-17.97 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4850 GHz	3.4900 GHz	1.000 MHz	3.489989000 GHz	-28.16 dBm	-15.16 dB
2	2	3.4900 GHz	3.4940 GHz	1.000 MHz	3.492758000 GHz	-20.71 dBm	-7.707 dB
3	3	3.4940 GHz	3.4950 GHz	100.0 kHz	3.495010000 GHz	-24.90 dBm	-11.90 dB
4	4	3.4950 GHz	3.5050 GHz	100.0 kHz	3.504570000 GHz	5.092 dBm	-24.91 dB
5	5	3.5050 GHz	3.5060 GHz	100.0 kHz	3.505027500 GHz	-29.29 dBm	-16.29 dB
6	6	3.5060 GHz	3.5100 GHz	1.000 MHz	3.506026000 GHz	-21.02 dBm	-8.020 dB
7	7	3.5100 GHz	3.5150 GHz	1.000 MHz	3.510080000 GHz	-29.92 dBm	-16.92 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4850 GHz	3.4900 GHz	1.000 MHz	3.488860000 GHz	-30.70 dBm	-17.70 dB
2	2	3.4900 GHz	3.4940 GHz	1.000 MHz	3.494010000 GHz	-19.76 dBm	-6.764 dB
3	3	3.4940 GHz	3.4950 GHz	100.0 kHz	3.495010000 GHz	-15.56 dBm	-2.564 dB
4	4	3.4950 GHz	3.5050 GHz	100.0 kHz	3.495410000 GHz	20.35 dBm	-9.655 dB
5	5	3.5050 GHz	3.5060 GHz	100.0 kHz	3.505080000 GHz	-42.53 dBm	-29.53 dB
6	6	3.5060 GHz	3.5100 GHz	1.000 MHz	3.506010000 GHz	-33.48 dBm	-20.48 dB
7	7	3.5100 GHz	3.5150 GHz	1.000 MHz	3.510410000 GHz	-35.03 dBm	-22.03 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH636332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5300 GHz	3.5350 GHz	1.000 MHz	3.534880000 GHz	-34.22 dBm	-21.22 dB
2	2	3.5350 GHz	3.5390 GHz	1.000 MHz	3.538980000 GHz	-24.79 dBm	-11.79 dB
3	3	3.5390 GHz	3.5400 GHz	100.0 kHz	3.539980000 GHz	-16.28 dBm	-3.280 dB
4	4	3.5400 GHz	3.5500 GHz	100.0 kHz	3.540330000 GHz	20.02 dBm	-9.985 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550020000 GHz	-43.74 dBm	-30.74 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-34.43 dBm	-21.43 dB
7	7	3.5550 GHz	3.5600 GHz	1.000 MHz	3.555180000 GHz	-35.69 dBm	-22.69 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_51_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4850 GHz	3.4900 GHz	1.000 MHz	3.489260000 GHz	-35.05 dBm	-22.05 dB
2	2	3.4900 GHz	3.4940 GHz	1.000 MHz	3.493970000 GHz	-34.31 dBm	-21.31 dB
3	3	3.4940 GHz	3.4950 GHz	100.0 kHz	3.494960000 GHz	-43.47 dBm	-30.47 dB
4	4	3.4950 GHz	3.5050 GHz	100.0 kHz	3.504610000 GHz	20.28 dBm	-9.716 dB
5	5	3.5050 GHz	3.5060 GHz	100.0 kHz	3.505020000 GHz	-17.32 dBm	-4.316 dB
6	6	3.5060 GHz	3.5100 GHz	1.000 MHz	3.506010000 GHz	-23.64 dBm	-10.64 dB
7	7	3.5100 GHz	3.5150 GHz	1.000 MHz	3.510010000 GHz	-33.28 dBm	-20.28 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_51_CH636332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5300 GHz	3.5350 GHz	1.000 MHz	3.534230000 GHz	-35.08 dBm	-22.08 dB
2	2	3.5350 GHz	3.5390 GHz	1.000 MHz	3.538460000 GHz	-34.13 dBm	-21.13 dB
3	3	3.5390 GHz	3.5400 GHz	100.0 kHz	3.539980000 GHz	-43.17 dBm	-30.17 dB
4	4	3.5400 GHz	3.5500 GHz	100.0 kHz	3.549580000 GHz	20.14 dBm	-9.859 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549980000 GHz	-17.91 dBm	-4.908 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-22.56 dBm	-9.559 dB
7	7	3.5550 GHz	3.5600 GHz	1.000 MHz	3.555680000 GHz	-32.28 dBm	-19.28 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH636332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5300 GHz	3.5350 GHz	1.000 MHz	3.534880000 GHz	-30.18 dBm	-17.18 dB
2	2	3.5350 GHz	3.5390 GHz	1.000 MHz	3.538816000 GHz	-21.17 dBm	-8.165 dB
3	3	3.5390 GHz	3.5400 GHz	100.0 kHz	3.539947500 GHz	-27.50 dBm	-14.50 dB
4	4	3.5400 GHz	3.5500 GHz	100.0 kHz	3.544580000 GHz	5.594 dBm	-24.41 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550017500 GHz	-28.02 dBm	-15.02 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.551636000 GHz	-22.61 dBm	-9.613 dB
7	7	3.5550 GHz	3.5600 GHz	1.000 MHz	3.555770000 GHz	-29.93 dBm	-16.93 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH647000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6900 GHz	3.6950 GHz	1.000 MHz	3.694900000 GHz	-28.58 dBm	-15.58 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698472000 GHz	-21.11 dBm	-8.112 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699955000 GHz	-26.77 dBm	-13.77 dB
4	4	3.7000 GHz	3.7100 GHz	100.0 kHz	3.701950000 GHz	4.535 dBm	-25.47 dB
5	5	3.7100 GHz	3.7110 GHz	100.0 kHz	3.710032500 GHz	-25.12 dBm	-12.12 dB
6	6	3.7110 GHz	3.7150 GHz	1.000 MHz	3.711068000 GHz	-21.33 dBm	-8.330 dB
7	7	3.7150 GHz	3.7200 GHz	1.000 MHz	3.715080000 GHz	-29.71 dBm	-16.71 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH647000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6900 GHz	3.6950 GHz	1.000 MHz	3.694850000 GHz	-32.36 dBm	-19.36 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.699000000 GHz	-24.13 dBm	-11.13 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.700000000 GHz	-17.00 dBm	-4.002 dB
4	4	3.7000 GHz	3.7100 GHz	100.0 kHz	3.700450000 GHz	19.28 dBm	-10.72 dB
5	5	3.7100 GHz	3.7110 GHz	100.0 kHz	3.710020000 GHz	-42.27 dBm	-29.27 dB
6	6	3.7110 GHz	3.7150 GHz	1.000 MHz	3.711160000 GHz	-32.74 dBm	-19.74 dB
7	7	3.7150 GHz	3.7200 GHz	1.000 MHz	3.715200000 GHz	-33.38 dBm	-20.38 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.8250 GHz	3.8300 GHz	1.000 MHz	3.829850000 GHz	-31.76 dBm	-18.76 dB
2	2	3.8300 GHz	3.8340 GHz	1.000 MHz	3.834000000 GHz	-24.89 dBm	-11.89 dB
3	3	3.8340 GHz	3.8350 GHz	100.0 kHz	3.835000000 GHz	-19.02 dBm	-6.021 dB
4	4	3.8350 GHz	3.8450 GHz	100.0 kHz	3.835400000 GHz	18.91 dBm	-11.09 dB
5	5	3.8450 GHz	3.8460 GHz	100.0 kHz	3.845050000 GHz	-42.15 dBm	-29.15 dB
6	6	3.8460 GHz	3.8500 GHz	1.000 MHz	3.847240000 GHz	-32.66 dBm	-19.66 dB
7	7	3.8500 GHz	3.8550 GHz	1.000 MHz	3.850350000 GHz	-33.22 dBm	-20.22 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_51_CH647000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6900 GHz	3.6950 GHz	1.000 MHz	3.694850000 GHz	-33.03 dBm	-20.03 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698960000 GHz	-31.93 dBm	-18.93 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699870000 GHz	-41.61 dBm	-28.61 dB
4	4	3.7000 GHz	3.7100 GHz	100.0 kHz	3.709550000 GHz	19.34 dBm	-10.66 dB
5	5	3.7100 GHz	3.7110 GHz	100.0 kHz	3.710000000 GHz	-16.14 dBm	-3.140 dB
6	6	3.7110 GHz	3.7150 GHz	1.000 MHz	3.711000000 GHz	-20.49 dBm	-7.489 dB
7	7	3.7150 GHz	3.7200 GHz	1.000 MHz	3.715000000 GHz	-30.46 dBm	-17.46 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_51_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.8250 GHz	3.8300 GHz	1.000 MHz	3.828250000 GHz	-33.28 dBm	-20.28 dB
2	2	3.8300 GHz	3.8340 GHz	1.000 MHz	3.834000000 GHz	-32.60 dBm	-19.60 dB
3	3	3.8340 GHz	3.8350 GHz	100.0 kHz	3.834860000 GHz	-42.44 dBm	-29.44 dB
4	4	3.8350 GHz	3.8450 GHz	100.0 kHz	3.844550000 GHz	19.14 dBm	-10.86 dB
5	5	3.8450 GHz	3.8460 GHz	100.0 kHz	3.845000000 GHz	-18.04 dBm	-5.035 dB
6	6	3.8460 GHz	3.8500 GHz	1.000 MHz	3.846000000 GHz	-25.02 dBm	-12.02 dB
7	7	3.8500 GHz	3.8550 GHz	1.000 MHz	3.850000000 GHz	-32.47 dBm	-19.47 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.8250 GHz	3.8300 GHz	1.000 MHz	3.829320000 GHz	-30.02 dBm	-17.02 dB
2	2	3.8300 GHz	3.8340 GHz	1.000 MHz	3.833988000 GHz	-23.44 dBm	-10.44 dB
3	3	3.8340 GHz	3.8350 GHz	100.0 kHz	3.834980000 GHz	-27.60 dBm	-14.60 dB
4	4	3.8350 GHz	3.8450 GHz	100.0 kHz	3.843880000 GHz	4.979 dBm	-25.02 dB
5	5	3.8450 GHz	3.8460 GHz	100.0 kHz	3.845017500 GHz	-27.77 dBm	-14.77 dB
6	6	3.8460 GHz	3.8500 GHz	1.000 MHz	3.846152000 GHz	-21.17 dBm	-8.170 dB
7	7	3.8500 GHz	3.8550 GHz	1.000 MHz	3.850570000 GHz	-31.04 dBm	-18.04 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB52_0_CH665000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9600 GHz	3.9650 GHz	1.000 MHz	3.963290000 GHz	-26.16 dBm	-13.16 dB
2	2	3.9650 GHz	3.9690 GHz	1.000 MHz	3.968824000 GHz	-18.67 dBm	-5.667 dB
3	3	3.9690 GHz	3.9700 GHz	100.0 kHz	3.969847500 GHz	-24.92 dBm	-11.92 dB
4	4	3.9700 GHz	3.9800 GHz	100.0 kHz	3.978180000 GHz	4.935 dBm	-25.07 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980175000 GHz	-26.91 dBm	-13.91 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981440000 GHz	-16.83 dBm	-3.830 dB
7	7	3.9850 GHz	3.9900 GHz	1.000 MHz	3.985890000 GHz	-27.03 dBm	-14.03 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH665000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9600 GHz	3.9650 GHz	1.000 MHz	3.965000000 GHz	-34.03 dBm	-21.03 dB
2	2	3.9650 GHz	3.9690 GHz	1.000 MHz	3.969000000 GHz	-28.70 dBm	-15.70 dB
3	3	3.9690 GHz	3.9700 GHz	100.0 kHz	3.969990000 GHz	-18.67 dBm	-5.667 dB
4	4	3.9700 GHz	3.9800 GHz	100.0 kHz	3.970400000 GHz	19.41 dBm	-10.59 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980220000 GHz	-43.23 dBm	-30.23 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981040000 GHz	-33.78 dBm	-20.78 dB
7	7	3.9850 GHz	3.9900 GHz	1.000 MHz	3.985650000 GHz	-34.61 dBm	-21.61 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH630334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4450 GHz	1.000 MHz	3.444810000 GHz	-37.14 dBm	-24.14 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449010000 GHz	-32.13 dBm	-19.13 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.450000000 GHz	-23.24 dBm	-10.24 dB
4	4	3.4500 GHz	3.4600 GHz	100.0 kHz	3.450810000 GHz	17.85 dBm	-12.15 dB
5	5	3.4600 GHz	3.4610 GHz	100.0 kHz	3.460100000 GHz	-44.72 dBm	-31.72 dB
6	6	3.4610 GHz	3.4650 GHz	1.000 MHz	3.461250000 GHz	-36.60 dBm	-23.60 dB
7	7	3.4650 GHz	3.4700 GHz	1.000 MHz	3.467810000 GHz	-37.41 dBm	-24.41 dB

Band77-Part27_10MHz_CP_OFDM_SCS15kHz_QPSK_RB1_51_CH665000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9600 GHz	3.9650 GHz	1.000 MHz	3.964750000 GHz	-34.01 dBm	-21.01 dB
2	2	3.9650 GHz	3.9690 GHz	1.000 MHz	3.969000000 GHz	-33.23 dBm	-20.23 dB
3	3	3.9690 GHz	3.9700 GHz	100.0 kHz	3.969860000 GHz	-42.82 dBm	-29.82 dB
4	4	3.9700 GHz	3.9800 GHz	100.0 kHz	3.979600000 GHz	19.46 dBm	-10.54 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980000000 GHz	-17.14 dBm	-4.144 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-25.18 dBm	-12.18 dB
7	7	3.9850 GHz	3.9900 GHz	1.000 MHz	3.985000000 GHz	-33.23 dBm	-20.23 dB

Band77-Part27_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH630334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4450 GHz	1.000 MHz	3.442910000 GHz	-36.64 dBm	-23.64 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449010000 GHz	-35.80 dBm	-22.80 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449990000 GHz	-44.17 dBm	-31.17 dB
4	4	3.4500 GHz	3.4600 GHz	100.0 kHz	3.459160000 GHz	17.53 dBm	-12.47 dB
5	5	3.4600 GHz	3.4610 GHz	100.0 kHz	3.460010000 GHz	-24.25 dBm	-11.25 dB
6	6	3.4610 GHz	3.4650 GHz	1.000 MHz	3.461010000 GHz	-28.39 dBm	-15.39 dB
7	7	3.4650 GHz	3.4700 GHz	1.000 MHz	3.467110000 GHz	-35.21 dBm	-22.21 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.