Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_159_CH631000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4200 GHz	3.4450 GHz	1.000 MHz	3.422250000 GHz	-35.82 dBm	-22.82 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.448960000 GHz	-36.64 dBm	-23.64 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449270000 GHz	-41.35 dBm	-28.35 dB
4	4	3.4500 GHz	3.4800 GHz	100.0 kHz	3.479300000 GHz	25.00 dBm	-4.996 dB
5	5	3.4800 GHz	3.4810 GHz	100.0 kHz	3.480000000 GHz	-20.18 dBm	-7.178 dB
6	6	3.4810 GHz	3.4850 GHz	1.000 MHz	3.481000000 GHz	-20.22 dBm	-7.222 dB
7	7	3.4850 GHz	3.5100 GHz	1.000 MHz	3.485000000 GHz	-34.39 dBm	-21.39 dB

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_159_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4550 GHz	3.4800 GHz	1.000 MHz	3.457260000 GHz	-36.18 dBm	-23.18 dB
2	2	3.4800 GHz	3.4840 GHz	1.000 MHz	3.483850000 GHz	-36.56 dBm	-23.56 dB
3	3	3.4840 GHz	3.4850 GHz	100.0 kHz	3.484320000 GHz	-41.47 dBm	-28.47 dB
4	4	3.4850 GHz	3.5150 GHz	100.0 kHz	3.514310000 GHz	24.99 dBm	-5.012 dB
5	5	3.5150 GHz	3.5160 GHz	100.0 kHz	3.515020000 GHz	-20.58 dBm	-7.582 dB
6	6	3.5160 GHz	3.5200 GHz	1.000 MHz	3.516010000 GHz	-20.91 dBm	-7.912 dB
7	7	3.5200 GHz	3.5450 GHz	1.000 MHz	3.520010000 GHz	-34.76 dBm	-21.76 dB

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB160_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4550 GHz	3.4800 GHz	1.000 MHz	3.479210000 GHz	-28.62 dBm	-15.62 dB
2	2	3.4800 GHz	3.4840 GHz	1.000 MHz	3.482630000 GHz	-26.50 dBm	-13.50 dB
3	3	3.4840 GHz	3.4850 GHz	100.0 kHz	3.484882500 GHz	-29.69 dBm	-16.69 dB
4	4	3.4850 GHz	3.5150 GHz	100.0 kHz	3.507690000 GHz	6.083 dBm	-23.92 dB
5	5	3.5150 GHz	3.5160 GHz	100.0 kHz	3.515982500 GHz	-30.09 dBm	-17.09 dB
6	6	3.5160 GHz	3.5200 GHz	1.000 MHz	3.516010000 GHz	-22.25 dBm	-9.249 dB
7	7	3.5200 GHz	3.5450 GHz	1.000 MHz	3.520160000 GHz	-29.58 dBm	-16.58 dB

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB160_0_CH635666



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4900 GHz	3.5150 GHz	1.000 MHz	3.514140000 GHz	-26.89 dBm	-13.89 dB
2	2	3.5150 GHz	3.5190 GHz	1.000 MHz	3.518942000 GHz	-22.83 dBm	-9.830 dB
3	3	3.5190 GHz	3.5200 GHz	100.0 kHz	3.519760000 GHz	-27.70 dBm	-14.70 dB
4	4	3.5200 GHz	3.5500 GHz	100.0 kHz	3.530100000 GHz	4.943 dBm	-25.06 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550325000 GHz	-28.37 dBm	-15.37 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.551078000 GHz	-21.66 dBm	-8.655 dB
7	7	3.5550 GHz	3.5800 GHz	1.000 MHz	3.555440000 GHz	-27.10 dBm	-14.10 dB

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4550 GHz	3.4800 GHz	1.000 MHz	3.479510000 GHz	-35.40 dBm	-22.40 dB
2	2	3.4800 GHz	3.4840 GHz	1.000 MHz	3.483970000 GHz	-26.77 dBm	-13.77 dB
3	3	3.4840 GHz	3.4850 GHz	100.0 kHz	3.485000000 GHz	-20.28 dBm	-7.282 dB
4	4	3.4850 GHz	3.5150 GHz	100.0 kHz	3.485710000 GHz	24.78 dBm	-5.225 dB
5	5	3.5150 GHz	3.5160 GHz	100.0 kHz	3.515760000 GHz	-41.54 dBm	-28.54 dB
6	6	3.5160 GHz	3.5200 GHz	1.000 MHz	3.516010000 GHz	-31.94 dBm	-18.94 dB
7	7	3.5200 GHz	3.5450 GHz	1.000 MHz	3.543010000 GHz	-36.10 dBm	-23.10 dB

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH635666



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4900 GHz	3.5150 GHz	1.000 MHz	3.514990000 GHz	-35.89 dBm	-22.89 dB
2	2	3.5150 GHz	3.5190 GHz	1.000 MHz	3.518990000 GHz	-25.79 dBm	-12.79 dB
3	3	3.5190 GHz	3.5200 GHz	100.0 kHz	3.519980000 GHz	-19.84 dBm	-6.840 dB
4	4	3.5200 GHz	3.5500 GHz	100.0 kHz	3.520690000 GHz	24.94 dBm	-5.058 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550730000 GHz	-41.49 dBm	-28.49 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550990000 GHz	-31.78 dBm	-18.78 dB
7	7	3.5550 GHz	3.5800 GHz	1.000 MHz	3.577740000 GHz	-36.15 dBm	-23.15 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_159_CH635666



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4900 GHz	3.5150 GHz	1.000 MHz	3.491990000 GHz	-36.22 dBm	-23.22 dB
2	2	3.5150 GHz	3.5190 GHz	1.000 MHz	3.518750000 GHz	-36.48 dBm	-23.48 dB
3	3	3.5190 GHz	3.5200 GHz	100.0 kHz	3.519220000 GHz	-41.03 dBm	-28.03 dB
4	4	3.5200 GHz	3.5500 GHz	100.0 kHz	3.549290000 GHz	24.86 dBm	-5.142 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549990000 GHz	-18.08 dBm	-5.080 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550990000 GHz	-18.14 dBm	-5.141 dB
7	7	3.5550 GHz	3.5800 GHz	1.000 MHz	3.554990000 GHz	-33.39 dBm	-20.39 dB

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_159_CH647668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6700 GHz	3.6950 GHz	1.000 MHz	3.672270000 GHz	-33.97 dBm	-20.97 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698780000 GHz	-33.86 dBm	-20.86 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699300000 GHz	-38.75 dBm	-25.75 dB
4	4	3.7000 GHz	3.7300 GHz	100.0 kHz	3.729320000 GHz	24.24 dBm	-5.761 dB
5	5	3.7300 GHz	3.7310 GHz	100.0 kHz	3.730030000 GHz	-21.29 dBm	-8.288 dB
6	6	3.7310 GHz	3.7350 GHz	1.000 MHz	3.731020000 GHz	-21.30 dBm	-8.296 dB
7	7	3.7350 GHz	3.7600 GHz	1.000 MHz	3.735270000 GHz	-33.17 dBm	-20.17 dB

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB160_0_CH647668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6700 GHz	3.6950 GHz	1.000 MHz	3.694270000 GHz	-27.68 dBm	-14.68 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.697228000 GHz	-24.58 dBm	-11.58 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699437500 GHz	-30.31 dBm	-17.31 dB
4	4	3.7000 GHz	3.7300 GHz	100.0 kHz	3.718860000 GHz	4.438 dBm	-25.56 dB
5	5	3.7300 GHz	3.7310 GHz	100.0 kHz	3.730117500 GHz	-28.76 dBm	-15.76 dB
6	6	3.7310 GHz	3.7350 GHz	1.000 MHz	3.733648000 GHz	-24.44 dBm	-11.44 dB
7	7	3.7350 GHz	3.7600 GHz	1.000 MHz	3.735170000 GHz	-27.98 dBm	-14.98 dB

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB160_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7950 GHz	3.8200 GHz	1.000 MHz	3.819050000 GHz	-28.69 dBm	-15.69 dB
2	2	3.8200 GHz	3.8240 GHz	1.000 MHz	3.823064000 GHz	-24.68 dBm	-11.68 dB
3	3	3.8240 GHz	3.8250 GHz	100.0 kHz	3.824915000 GHz	-31.15 dBm	-18.15 dB
4	4	3.8250 GHz	3.8550 GHz	100.0 kHz	3.842970000 GHz	3.809 dBm	-26.19 dB
5	5	3.8550 GHz	3.8560 GHz	100.0 kHz	3.855075000 GHz	-31.00 dBm	-18.00 dB
6	6	3.8560 GHz	3.8600 GHz	1.000 MHz	3.856000000 GHz	-25.40 dBm	-12.40 dB
7	7	3.8600 GHz	3.8850 GHz	1.000 MHz	3.860500000 GHz	-28.95 dBm	-15.95 dB

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH647668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6700 GHz	3.6950 GHz	1.000 MHz	3.695020000 GHz	-33.20 dBm	-20.20 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.699020000 GHz	-24.87 dBm	-11.87 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.700020000 GHz	-20.44 dBm	-7.436 dB
4	4	3.7000 GHz	3.7300 GHz	100.0 kHz	3.700720000 GHz	23.82 dBm	-6.176 dB
5	5	3.7300 GHz	3.7310 GHz	100.0 kHz	3.730770000 GHz	-38.76 dBm	-25.76 dB
6	6	3.7310 GHz	3.7350 GHz	1.000 MHz	3.731020000 GHz	-28.86 dBm	-15.86 dB
7	7	3.7350 GHz	3.7600 GHz	1.000 MHz	3.758020000 GHz	-33.38 dBm	-20.38 dB

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7950 GHz	3.8200 GHz	1.000 MHz	3.820000000 GHz	-33.61 dBm	-20.61 dB
2	2	3.8200 GHz	3.8240 GHz	1.000 MHz	3.823960000 GHz	-27.80 dBm	-14.80 dB
3	3	3.8240 GHz	3.8250 GHz	100.0 kHz	3.824990000 GHz	-21.62 dBm	-8.616 dB
4	4	3.8250 GHz	3.8550 GHz	100.0 kHz	3.825700000 GHz	23.42 dBm	-6.581 dB
5	5	3.8550 GHz	3.8560 GHz	100.0 kHz	3.855090000 GHz	-38.59 dBm	-25.59 dB
6	6	3.8560 GHz	3.8600 GHz	1.000 MHz	3.856000000 GHz	-28.98 dBm	-15.98 dB
7	7	3.8600 GHz	3.8850 GHz	1.000 MHz	3.860750000 GHz	-33.72 dBm	-20.72 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_159_CH656000



Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_159_CH664332



Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB160_0_CH664332



Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH631000



Band77-Part27_30MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH664332



Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_77_CH631000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB75_0_CH631000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4200 GHz	3.4450 GHz	1.000 MHz	3.442650000 GHz	-29.23 dBm	-16.23 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449000000 GHz	-26.89 dBm	-13.89 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449992500 GHz	-28.88 dBm	-15.88 dB
4	4	3.4500 GHz	3.4800 GHz	100.0 kHz	3.468150000 GHz	8.243 dBm	-21.76 dB
5	5	3.4800 GHz	3.4810 GHz	100.0 kHz	3.480017500 GHz	-33.09 dBm	-20.09 dB
6	6	3.4810 GHz	3.4850 GHz	1.000 MHz	3.481000000 GHz	-26.67 dBm	-13.67 dB
7	7	3.4850 GHz	3.5100 GHz	1.000 MHz	3.485250000 GHz	-31.69 dBm	-18.69 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB75_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4550 GHz	3.4800 GHz	1.000 MHz	3.472260000 GHz	-32.66 dBm	-19.66 dB
2	2	3.4800 GHz	3.4840 GHz	1.000 MHz	3.483830000 GHz	-29.55 dBm	-16.55 dB
3	3	3.4840 GHz	3.4850 GHz	100.0 kHz	3.484985000 GHz	-28.17 dBm	-15.17 dB
4	4	3.4850 GHz	3.5150 GHz	100.0 kHz	3.497100000 GHz	8.696 dBm	-21.30 dB
5	5	3.5150 GHz	3.5160 GHz	100.0 kHz	3.515427500 GHz	-32.63 dBm	-19.63 dB
6	6	3.5160 GHz	3.5200 GHz	1.000 MHz	3.516010000 GHz	-27.80 dBm	-14.80 dB
7	7	3.5200 GHz	3.5450 GHz	1.000 MHz	3.521060000 GHz	-32.09 dBm	-19.09 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4550 GHz	3.4800 GHz	1.000 MHz	3.479760000 GHz	-36.52 dBm	-23.52 dB
2	2	3.4800 GHz	3.4840 GHz	1.000 MHz	3.484010000 GHz	-27.64 dBm	-14.64 dB
3	3	3.4840 GHz	3.4850 GHz	100.0 kHz	3.485010000 GHz	-19.97 dBm	-6.972 dB
4	4	3.4850 GHz	3.5150 GHz	100.0 kHz	3.486160000 GHz	22.54 dBm	-7.465 dB
5	5	3.5150 GHz	3.5160 GHz	100.0 kHz	3.515220000 GHz	-42.51 dBm	-29.51 dB
6	6	3.5160 GHz	3.5200 GHz	1.000 MHz	3.516010000 GHz	-32.63 dBm	-19.63 dB
7	7	3.5200 GHz	3.5450 GHz	1.000 MHz	3.541760000 GHz	-37.53 dBm	-24.53 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH635666



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4900 GHz	3.5150 GHz	1.000 MHz	3.514990000 GHz	-35.97 dBm	-22.97 dB
2	2	3.5150 GHz	3.5190 GHz	1.000 MHz	3.518990000 GHz	-26.87 dBm	-13.87 dB
3	3	3.5190 GHz	3.5200 GHz	100.0 kHz	3.519990000 GHz	-19.82 dBm	-6.823 dB
4	4	3.5200 GHz	3.5500 GHz	100.0 kHz	3.521090000 GHz	22.67 dBm	-7.333 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550040000 GHz	-42.29 dBm	-29.29 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550990000 GHz	-32.53 dBm	-19.53 dB
7	7	3.5550 GHz	3.5800 GHz	1.000 MHz	3.562990000 GHz	-37.39 dBm	-24.39 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_77_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4550 GHz	3.4800 GHz	1.000 MHz	3.479260000 GHz	-37.48 dBm	-24.48 dB
2	2	3.4800 GHz	3.4840 GHz	1.000 MHz	3.483570000 GHz	-37.21 dBm	-24.21 dB
3	3	3.4840 GHz	3.4850 GHz	100.0 kHz	3.484850000 GHz	-42.25 dBm	-29.25 dB
4	4	3.4850 GHz	3.5150 GHz	100.0 kHz	3.513860000 GHz	22.78 dBm	-7.217 dB
5	5	3.5150 GHz	3.5160 GHz	100.0 kHz	3.515010000 GHz	-20.85 dBm	-7.850 dB
6	6	3.5160 GHz	3.5200 GHz	1.000 MHz	3.516010000 GHz	-23.16 dBm	-10.16 dB
7	7	3.5200 GHz	3.5450 GHz	1.000 MHz	3.520260000 GHz	-35.31 dBm	-22.31 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_77_CH635666



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4900 GHz	3.5150 GHz	1.000 MHz	3.514490000 GHz	-37.40 dBm	-24.40 dB
2	2	3.5150 GHz	3.5190 GHz	1.000 MHz	3.518670000 GHz	-37.10 dBm	-24.10 dB
3	3	3.5190 GHz	3.5200 GHz	100.0 kHz	3.519960000 GHz	-42.01 dBm	-29.01 dB
4	4	3.5200 GHz	3.5500 GHz	100.0 kHz	3.548740000 GHz	22.89 dBm	-7.108 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549990000 GHz	-18.75 dBm	-5.749 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550990000 GHz	-22.22 dBm	-9.216 dB
7	7	3.5550 GHz	3.5800 GHz	1.000 MHz	3.554990000 GHz	-36.03 dBm	-23.03 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB75_0_CH635666



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4900 GHz	3.5150 GHz	1.000 MHz	3.514940000 GHz	-31.40 dBm	-18.40 dB
2	2	3.5150 GHz	3.5190 GHz	1.000 MHz	3.515870000 GHz	-26.85 dBm	-13.85 dB
3	3	3.5190 GHz	3.5200 GHz	100.0 kHz	3.519912500 GHz	-30.60 dBm	-17.60 dB
4	4	3.5200 GHz	3.5500 GHz	100.0 kHz	3.528240000 GHz	8.506 dBm	-21.49 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550917500 GHz	-31.85 dBm	-18.85 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550990000 GHz	-25.69 dBm	-12.69 dB
7	7	3.5550 GHz	3.5800 GHz	1.000 MHz	3.556440000 GHz	-30.12 dBm	-17.12 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB75_0_CH647668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6700 GHz	3.6950 GHz	1.000 MHz	3.686820000 GHz	-31.94 dBm	-18.94 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698772000 GHz	-26.64 dBm	-13.64 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.700010000 GHz	-29.48 dBm	-16.48 dB
4	4	3.7000 GHz	3.7300 GHz	100.0 kHz	3.707910000 GHz	10.00 dBm	-20.00 dB
5	5	3.7300 GHz	3.7310 GHz	100.0 kHz	3.730300000 GHz	-32.35 dBm	-19.35 dB
6	6	3.7310 GHz	3.7350 GHz	1.000 MHz	3.731064000 GHz	-28.78 dBm	-15.78 dB
7	7	3.7350 GHz	3.7600 GHz	1.000 MHz	3.741620000 GHz	-31.58 dBm	-18.58 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH647668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6700 GHz	3.6950 GHz	1.000 MHz	3.694770000 GHz	-33.71 dBm	-20.71 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.699020000 GHz	-26.48 dBm	-13.48 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.700020000 GHz	-19.61 dBm	-6.614 dB
4	4	3.7000 GHz	3.7300 GHz	100.0 kHz	3.701120000 GHz	21.99 dBm	-8.007 dB
5	5	3.7300 GHz	3.7310 GHz	100.0 kHz	3.730160000 GHz	-39.07 dBm	-26.07 dB
6	6	3.7310 GHz	3.7350 GHz	1.000 MHz	3.731020000 GHz	-29.20 dBm	-16.20 dB
7	7	3.7350 GHz	3.7600 GHz	1.000 MHz	3.742520000 GHz	-33.89 dBm	-20.89 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7950 GHz	3.8200 GHz	1.000 MHz	3.820000000 GHz	-33.52 dBm	-20.52 dB
2	2	3.8200 GHz	3.8240 GHz	1.000 MHz	3.824000000 GHz	-26.46 dBm	-13.46 dB
3	3	3.8240 GHz	3.8250 GHz	100.0 kHz	3.825000000 GHz	-19.42 dBm	-6.418 dB
4	4	3.8250 GHz	3.8550 GHz	100.0 kHz	3.826000000 GHz	20.94 dBm	-9.064 dB
5	5	3.8550 GHz	3.8560 GHz	100.0 kHz	3.855280000 GHz	-38.88 dBm	-25.88 dB
6	6	3.8560 GHz	3.8600 GHz	1.000 MHz	3.856000000 GHz	-29.13 dBm	-16.13 dB
7	7	3.8600 GHz	3.8850 GHz	1.000 MHz	3.862000000 GHz	-33.97 dBm	-20.97 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_77_CH647668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6700 GHz	3.6950 GHz	1.000 MHz	3.690520000 GHz	-34.09 dBm	-21.09 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698980000 GHz	-33.96 dBm	-20.96 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699960000 GHz	-39.17 dBm	-26.17 dB
4	4	3.7000 GHz	3.7300 GHz	100.0 kHz	3.728720000 GHz	21.50 dBm	-8.496 dB
5	5	3.7300 GHz	3.7310 GHz	100.0 kHz	3.730020000 GHz	-21.09 dBm	-8.090 dB
6	6	3.7310 GHz	3.7350 GHz	1.000 MHz	3.731020000 GHz	-22.70 dBm	-9.696 dB
7	7	3.7350 GHz	3.7600 GHz	1.000 MHz	3.735020000 GHz	-33.16 dBm	-20.16 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_77_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7950 GHz	3.8200 GHz	1.000 MHz	3.801000000 GHz	-33.75 dBm	-20.75 dB
2	2	3.8200 GHz	3.8240 GHz	1.000 MHz	3.823840000 GHz	-33.81 dBm	-20.81 dB
3	3	3.8240 GHz	3.8250 GHz	100.0 kHz	3.824280000 GHz	-38.93 dBm	-25.93 dB
4	4	3.8250 GHz	3.8550 GHz	100.0 kHz	3.853950000 GHz	21.49 dBm	-8.510 dB
5	5	3.8550 GHz	3.8560 GHz	100.0 kHz	3.855000000 GHz	-19.72 dBm	-6.719 dB
6	6	3.8560 GHz	3.8600 GHz	1.000 MHz	3.856000000 GHz	-22.45 dBm	-9.447 dB
7	7	3.8600 GHz	3.8850 GHz	1.000 MHz	3.860250000 GHz	-33.38 dBm	-20.38 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB75_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7950 GHz	3.8200 GHz	1.000 MHz	3.815850000 GHz	-30.93 dBm	-17.93 dB
2	2	3.8200 GHz	3.8240 GHz	1.000 MHz	3.823968000 GHz	-27.88 dBm	-14.88 dB
3	3	3.8240 GHz	3.8250 GHz	100.0 kHz	3.824970000 GHz	-30.32 dBm	-17.32 dB
4	4	3.8250 GHz	3.8550 GHz	100.0 kHz	3.847950000 GHz	8.927 dBm	-21.07 dB
5	5	3.8550 GHz	3.8560 GHz	100.0 kHz	3.855042500 GHz	-33.35 dBm	-20.35 dB
6	6	3.8560 GHz	3.8600 GHz	1.000 MHz	3.856000000 GHz	-28.34 dBm	-15.34 dB
7	7	3.8600 GHz	3.8850 GHz	1.000 MHz	3.862750000 GHz	-32.31 dBm	-19.31 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB75_0_CH664332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9200 GHz	3.9450 GHz	1.000 MHz	3.942180000 GHz	-29.88 dBm	-16.88 dB
2	2	3.9450 GHz	3.9490 GHz	1.000 MHz	3.948204000 GHz	-24.54 dBm	-11.54 dB
3	3	3.9490 GHz	3.9500 GHz	100.0 kHz	3.949980000 GHz	-28.30 dBm	-15.30 dB
4	4	3.9500 GHz	3.9800 GHz	100.0 kHz	3.970170000 GHz	8.611 dBm	-21.39 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980087500 GHz	-36.09 dBm	-23.09 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.980980000 GHz	-30.12 dBm	-17.12 dB
7	7	3.9850 GHz	4.0100 GHz	1.000 MHz	3.989480000 GHz	-34.30 dBm	-21.30 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH664332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9200 GHz	3.9450 GHz	1.000 MHz	3.939480000 GHz	-34.45 dBm	-21.45 dB
2	2	3.9450 GHz	3.9490 GHz	1.000 MHz	3.948980000 GHz	-27.07 dBm	-14.07 dB
3	3	3.9490 GHz	3.9500 GHz	100.0 kHz	3.949970000 GHz	-20.87 dBm	-7.872 dB
4	4	3.9500 GHz	3.9800 GHz	100.0 kHz	3.951030000 GHz	21.72 dBm	-8.281 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980080000 GHz	-40.05 dBm	-27.05 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.980980000 GHz	-30.29 dBm	-17.29 dB
7	7	3.9850 GHz	4.0100 GHz	1.000 MHz	3.985230000 GHz	-35.24 dBm	-22.24 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH631000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4200 GHz	3.4450 GHz	1.000 MHz	3.445000000 GHz	-33.66 dBm	-20.66 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449000000 GHz	-24.46 dBm	-11.46 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.450000000 GHz	-18.78 dBm	-5.777 dB
4	4	3.4500 GHz	3.4800 GHz	100.0 kHz	3.451100000 GHz	22.08 dBm	-7.919 dB
5	5	3.4800 GHz	3.4810 GHz	100.0 kHz	3.481000000 GHz	-41.30 dBm	-28.30 dB
6	6	3.4810 GHz	3.4850 GHz	1.000 MHz	3.481000000 GHz	-31.65 dBm	-18.65 dB
7	7	3.4850 GHz	3.5100 GHz	1.000 MHz	3.506500000 GHz	-36.35 dBm	-23.35 dB

Band77-Part27_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_77_CH664332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9200 GHz	3.9450 GHz	1.000 MHz	3.923230000 GHz	-34.47 dBm	-21.47 dB
2	2	3.9450 GHz	3.9490 GHz	1.000 MHz	3.945180000 GHz	-34.55 dBm	-21.55 dB
3	3	3.9490 GHz	3.9500 GHz	100.0 kHz	3.949840000 GHz	-39.65 dBm	-26.65 dB
4	4	3.9500 GHz	3.9800 GHz	100.0 kHz	3.978880000 GHz	21.94 dBm	-8.064 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.979980000 GHz	-20.10 dBm	-7.101 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.980980000 GHz	-22.81 dBm	-9.805 dB
7	7	3.9850 GHz	4.0100 GHz	1.000 MHz	3.984980000 GHz	-34.49 dBm	-21.49 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_77_CH631000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4200 GHz	3.4450 GHz	1.000 MHz	3.423250000 GHz	-36.72 dBm	-23.72 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.448880000 GHz	-36.37 dBm	-23.37 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449010000 GHz	-41.47 dBm	-28.47 dB
4	4	3.4500 GHz	3.4800 GHz	100.0 kHz	3.478850000 GHz	22.34 dBm	-7.665 dB
5	5	3.4800 GHz	3.4810 GHz	100.0 kHz	3.480010000 GHz	-20.13 dBm	-7.133 dB
6	6	3.4810 GHz	3.4850 GHz	1.000 MHz	3.481000000 GHz	-23.26 dBm	-10.26 dB
7	7	3.4850 GHz	3.5100 GHz	1.000 MHz	3.492500000 GHz	-36.34 dBm	-23.34 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB78_0_CH631000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4200 GHz	3.4450 GHz	1.000 MHz	3.444350000 GHz	-29.29 dBm	-16.29 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.448816000 GHz	-27.74 dBm	-14.74 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449852500 GHz	-29.79 dBm	-16.79 dB
4	4	3.4500 GHz	3.4800 GHz	100.0 kHz	3.476730000 GHz	5.815 dBm	-24.18 dB
5	5	3.4800 GHz	3.4810 GHz	100.0 kHz	3.480092500 GHz	-30.41 dBm	-17.41 dB
6	6	3.4810 GHz	3.4850 GHz	1.000 MHz	3.481000000 GHz	-24.81 dBm	-11.81 dB
7	7	3.4850 GHz	3.5100 GHz	1.000 MHz	3.487400000 GHz	-28.80 dBm	-15.80 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB78_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4550 GHz	3.4800 GHz	1.000 MHz	3.478960000 GHz	-28.55 dBm	-15.55 dB
2	2	3.4800 GHz	3.4840 GHz	1.000 MHz	3.483582000 GHz	-27.42 dBm	-14.42 dB
3	3	3.4840 GHz	3.4850 GHz	100.0 kHz	3.484957500 GHz	-30.32 dBm	-17.32 dB
4	4	3.4850 GHz	3.5150 GHz	100.0 kHz	3.504240000 GHz	5.932 dBm	-24.07 dB
5	5	3.5150 GHz	3.5160 GHz	100.0 kHz	3.515165000 GHz	-30.77 dBm	-17.77 dB
6	6	3.5160 GHz	3.5200 GHz	1.000 MHz	3.516010000 GHz	-23.74 dBm	-10.74 dB
7	7	3.5200 GHz	3.5450 GHz	1.000 MHz	3.521710000 GHz	-28.46 dBm	-15.46 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4550 GHz	3.4800 GHz	1.000 MHz	3.479760000 GHz	-35.50 dBm	-22.50 dB
2	2	3.4800 GHz	3.4840 GHz	1.000 MHz	3.483970000 GHz	-27.06 dBm	-14.06 dB
3	3	3.4840 GHz	3.4850 GHz	100.0 kHz	3.485000000 GHz	-19.68 dBm	-6.678 dB
4	4	3.4850 GHz	3.5150 GHz	100.0 kHz	3.486260000 GHz	22.12 dBm	-7.885 dB
5	5	3.5150 GHz	3.5160 GHz	100.0 kHz	3.515110000 GHz	-41.42 dBm	-28.42 dB
6	6	3.5160 GHz	3.5200 GHz	1.000 MHz	3.516010000 GHz	-31.71 dBm	-18.71 dB
7	7	3.5200 GHz	3.5450 GHz	1.000 MHz	3.541760000 GHz	-36.25 dBm	-23.25 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH635666



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4900 GHz	3.5150 GHz	1.000 MHz	3.514990000 GHz	-34.57 dBm	-21.57 dB
2	2	3.5150 GHz	3.5190 GHz	1.000 MHz	3.518950000 GHz	-25.33 dBm	-12.33 dB
3	3	3.5190 GHz	3.5200 GHz	100.0 kHz	3.519990000 GHz	-17.64 dBm	-4.641 dB
4	4	3.5200 GHz	3.5500 GHz	100.0 kHz	3.521190000 GHz	22.27 dBm	-7.732 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550240000 GHz	-41.39 dBm	-28.39 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550990000 GHz	-31.79 dBm	-18.79 dB
7	7	3.5550 GHz	3.5800 GHz	1.000 MHz	3.576490000 GHz	-35.97 dBm	-22.97 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_77_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4550 GHz	3.4800 GHz	1.000 MHz	3.458260000 GHz	-36.39 dBm	-23.39 dB
2	2	3.4800 GHz	3.4840 GHz	1.000 MHz	3.483810000 GHz	-36.39 dBm	-23.39 dB
3	3	3.4840 GHz	3.4850 GHz	100.0 kHz	3.484250000 GHz	-41.25 dBm	-28.25 dB
4	4	3.4850 GHz	3.5150 GHz	100.0 kHz	3.513960000 GHz	22.30 dBm	-7.701 dB
5	5	3.5150 GHz	3.5160 GHz	100.0 kHz	3.515010000 GHz	-19.68 dBm	-6.682 dB
6	6	3.5160 GHz	3.5200 GHz	1.000 MHz	3.516010000 GHz	-23.27 dBm	-10.27 dB
7	7	3.5200 GHz	3.5450 GHz	1.000 MHz	3.520010000 GHz	-35.90 dBm	-22.90 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_77_CH635666



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4900 GHz	3.5150 GHz	1.000 MHz	3.493490000 GHz	-36.41 dBm	-23.41 dB
2	2	3.5150 GHz	3.5190 GHz	1.000 MHz	3.518870000 GHz	-36.22 dBm	-23.22 dB
3	3	3.5190 GHz	3.5200 GHz	100.0 kHz	3.519340000 GHz	-41.21 dBm	-28.21 dB
4	4	3.5200 GHz	3.5500 GHz	100.0 kHz	3.548890000 GHz	22.04 dBm	-7.960 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550000000 GHz	-20.00 dBm	-7.001 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550990000 GHz	-21.65 dBm	-8.654 dB
7	7	3.5550 GHz	3.5800 GHz	1.000 MHz	3.554990000 GHz	-34.67 dBm	-21.67 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB78_0_CH635666



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4900 GHz	3.5150 GHz	1.000 MHz	3.514840000 GHz	-27.17 dBm	-14.17 dB
2	2	3.5150 GHz	3.5190 GHz	1.000 MHz	3.518650000 GHz	-25.41 dBm	-12.41 dB
3	3	3.5190 GHz	3.5200 GHz	100.0 kHz	3.519752500 GHz	-29.42 dBm	-16.42 dB
4	4	3.5200 GHz	3.5500 GHz	100.0 kHz	3.528030000 GHz	6.718 dBm	-23.28 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549990000 GHz	-30.68 dBm	-17.68 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550990000 GHz	-25.79 dBm	-12.79 dB
7	7	3.5550 GHz	3.5800 GHz	1.000 MHz	3.555940000 GHz	-29.28 dBm	-16.28 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB78_0_CH647668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6700 GHz	3.6950 GHz	1.000 MHz	3.694370000 GHz	-26.99 dBm	-13.99 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.697404000 GHz	-25.78 dBm	-12.78 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.700015000 GHz	-28.75 dBm	-15.75 dB
4	4	3.7000 GHz	3.7300 GHz	100.0 kHz	3.718320000 GHz	5.147 dBm	-24.85 dB
5	5	3.7300 GHz	3.7310 GHz	100.0 kHz	3.730170000 GHz	-29.19 dBm	-16.19 dB
6	6	3.7310 GHz	3.7350 GHz	1.000 MHz	3.731020000 GHz	-23.58 dBm	-10.58 dB
7	7	3.7350 GHz	3.7600 GHz	1.000 MHz	3.735320000 GHz	-26.65 dBm	-13.65 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH647668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6700 GHz	3.6950 GHz	1.000 MHz	3.694520000 GHz	-33.71 dBm	-20.71 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.699020000 GHz	-27.52 dBm	-14.52 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.700010000 GHz	-20.70 dBm	-7.702 dB
4	4	3.7000 GHz	3.7300 GHz	100.0 kHz	3.701270000 GHz	20.97 dBm	-9.035 dB
5	5	3.7300 GHz	3.7310 GHz	100.0 kHz	3.730100000 GHz	-38.61 dBm	-25.61 dB
6	6	3.7310 GHz	3.7350 GHz	1.000 MHz	3.731020000 GHz	-28.99 dBm	-15.99 dB
7	7	3.7350 GHz	3.7600 GHz	1.000 MHz	3.756520000 GHz	-33.57 dBm	-20.57 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7950 GHz	3.8200 GHz	1.000 MHz	3.814000000 GHz	-33.62 dBm	-20.62 dB
2	2	3.8200 GHz	3.8240 GHz	1.000 MHz	3.824000000 GHz	-27.31 dBm	-14.31 dB
3	3	3.8240 GHz	3.8250 GHz	100.0 kHz	3.825000000 GHz	-19.87 dBm	-6.872 dB
4	4	3.8250 GHz	3.8550 GHz	100.0 kHz	3.826100000 GHz	20.84 dBm	-9.159 dB
5	5	3.8550 GHz	3.8560 GHz	100.0 kHz	3.855970000 GHz	-38.56 dBm	-25.56 dB
6	6	3.8560 GHz	3.8600 GHz	1.000 MHz	3.856000000 GHz	-28.99 dBm	-15.99 dB
7	7	3.8600 GHz	3.8850 GHz	1.000 MHz	3.861250000 GHz	-33.73 dBm	-20.73 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_77_CH647668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6700 GHz	3.6950 GHz	1.000 MHz	3.694770000 GHz	-33.98 dBm	-20.98 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698660000 GHz	-33.76 dBm	-20.76 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699200000 GHz	-38.93 dBm	-25.93 dB
4	4	3.7000 GHz	3.7300 GHz	100.0 kHz	3.728970000 GHz	21.17 dBm	-8.827 dB
5	5	3.7300 GHz	3.7310 GHz	100.0 kHz	3.730020000 GHz	-20.91 dBm	-7.910 dB
6	6	3.7310 GHz	3.7350 GHz	1.000 MHz	3.731020000 GHz	-22.48 dBm	-9.478 dB
7	7	3.7350 GHz	3.7600 GHz	1.000 MHz	3.735020000 GHz	-33.22 dBm	-20.22 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_77_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7950 GHz	3.8200 GHz	1.000 MHz	3.798250000 GHz	-33.56 dBm	-20.56 dB
2	2	3.8200 GHz	3.8240 GHz	1.000 MHz	3.823560000 GHz	-33.53 dBm	-20.53 dB
3	3	3.8240 GHz	3.8250 GHz	100.0 kHz	3.824140000 GHz	-38.64 dBm	-25.64 dB
4	4	3.8250 GHz	3.8550 GHz	100.0 kHz	3.853900000 GHz	21.32 dBm	-8.681 dB
5	5	3.8550 GHz	3.8560 GHz	100.0 kHz	3.855000000 GHz	-18.53 dBm	-5.527 dB
6	6	3.8560 GHz	3.8600 GHz	1.000 MHz	3.856000000 GHz	-20.69 dBm	-7.690 dB
7	7	3.8600 GHz	3.8850 GHz	1.000 MHz	3.860000000 GHz	-32.52 dBm	-19.52 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB78_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7950 GHz	3.8200 GHz	1.000 MHz	3.819600000 GHz	-30.25 dBm	-17.25 dB
2	2	3.8200 GHz	3.8240 GHz	1.000 MHz	3.823144000 GHz	-28.29 dBm	-15.29 dB
3	3	3.8240 GHz	3.8250 GHz	100.0 kHz	3.824832500 GHz	-31.59 dBm	-18.59 dB
4	4	3.8250 GHz	3.8550 GHz	100.0 kHz	3.840630000 GHz	5.361 dBm	-24.64 dB
5	5	3.8550 GHz	3.8560 GHz	100.0 kHz	3.855015000 GHz	-31.78 dBm	-18.78 dB
6	6	3.8560 GHz	3.8600 GHz	1.000 MHz	3.856000000 GHz	-25.07 dBm	-12.07 dB
7	7	3.8600 GHz	3.8850 GHz	1.000 MHz	3.860750000 GHz	-32.76 dBm	-19.76 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB78_0_CH664332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9200 GHz	3.9450 GHz	1.000 MHz	3.944930000 GHz	-29.19 dBm	-16.19 dB
2	2	3.9450 GHz	3.9490 GHz	1.000 MHz	3.947688000 GHz	-28.73 dBm	-15.73 dB
3	3	3.9490 GHz	3.9500 GHz	100.0 kHz	3.949910000 GHz	-31.39 dBm	-18.39 dB
4	4	3.9500 GHz	3.9800 GHz	100.0 kHz	3.966720000 GHz	5.535 dBm	-24.47 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980437500 GHz	-32.83 dBm	-19.83 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.980980000 GHz	-29.03 dBm	-16.03 dB
7	7	3.9850 GHz	4.0100 GHz	1.000 MHz	3.985980000 GHz	-32.04 dBm	-19.04 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH664332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9200 GHz	3.9450 GHz	1.000 MHz	3.944730000 GHz	-33.59 dBm	-20.59 dB
2	2	3.9450 GHz	3.9490 GHz	1.000 MHz	3.948980000 GHz	-26.29 dBm	-13.29 dB
3	3	3.9490 GHz	3.9500 GHz	100.0 kHz	3.949980000 GHz	-19.59 dBm	-6.590 dB
4	4	3.9500 GHz	3.9800 GHz	100.0 kHz	3.950980000 GHz	21.20 dBm	-8.804 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980540000 GHz	-39.80 dBm	-26.80 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.980980000 GHz	-30.14 dBm	-17.14 dB
7	7	3.9850 GHz	4.0100 GHz	1.000 MHz	4.006730000 GHz	-34.94 dBm	-21.94 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.445010000 GHz	-35.02 dBm	-22.02 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449010000 GHz	-25.35 dBm	-12.35 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.450010000 GHz	-14.32 dBm	-1.323 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.450660000 GHz	25.89 dBm	-4.112 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490030000 GHz	-41.47 dBm	-28.47 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-31.70 dBm	-18.70 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.499910000 GHz	-37.59 dBm	-24.59 dB

Band77-Part27_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_77_CH664332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9200 GHz	3.9450 GHz	1.000 MHz	3.923730000 GHz	-34.01 dBm	-21.01 dB
2	2	3.9450 GHz	3.9490 GHz	1.000 MHz	3.948940000 GHz	-34.20 dBm	-21.20 dB
3	3	3.9490 GHz	3.9500 GHz	100.0 kHz	3.949960000 GHz	-39.26 dBm	-26.26 dB
4	4	3.9500 GHz	3.9800 GHz	100.0 kHz	3.978780000 GHz	21.27 dBm	-8.725 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.979990000 GHz	-20.29 dBm	-7.292 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.980980000 GHz	-23.15 dBm	-10.15 dB
7	7	3.9850 GHz	4.0100 GHz	1.000 MHz	3.985480000 GHz	-34.72 dBm	-21.72 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_215_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.436260000 GHz	-37.60 dBm	-24.60 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.447050000 GHz	-37.62 dBm	-24.62 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449210000 GHz	-41.48 dBm	-28.48 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.489360000 GHz	26.20 dBm	-3.797 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490010000 GHz	-15.58 dBm	-2.583 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-19.91 dBm	-6.910 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.495010000 GHz	-35.39 dBm	-22.39 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB216_0_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.441510000 GHz	-31.74 dBm	-18.74 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.448702000 GHz	-24.27 dBm	-11.27 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449995000 GHz	-27.62 dBm	-14.62 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.479810000 GHz	7.445 dBm	-22.55 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490325000 GHz	-23.22 dBm	-10.22 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491126000 GHz	-18.40 dBm	-5.396 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.495150000 GHz	-26.52 dBm	-15.52 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB216_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.471440000 GHz	-29.55 dBm	-16.55 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.478850000 GHz	-23.98 dBm	-10.98 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.479977500 GHz	-27.73 dBm	-14.73 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.500810000 GHz	7.807 dBm	-22.19 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520067500 GHz	-26.41 dBm	-13.41 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-22.58 dBm	-9.580 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.528090000 GHz	-26.75 dBm	-13.75 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.475010000 GHz	-35.03 dBm	-22.03 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.478890000 GHz	-23.97 dBm	-10.97 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.480010000 GHz	-13.70 dBm	-0.704 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.480666000 GHz	25.89 dBm	-4.111 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520310000 GHz	-41.29 dBm	-28.29 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-31.64 dBm	-18.64 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.529560000 GHz	-37.42 dBm	-24.42 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.504980000 GHz	-35.17 dBm	-22.17 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.508980000 GHz	-25.37 dBm	-12.37 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509980000 GHz	-14.15 dBm	-1.148 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.510630000 GHz	25.83 dBm	-4.173 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549990000 GHz	-41.10 dBm	-28.10 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-31.43 dBm	-18.43 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.559880000 GHz	-37.20 dBm	-24.20 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_215_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.470460000 GHz	-37.63 dBm	-24.63 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.478450000 GHz	-37.61 dBm	-24.61 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.480000000 GHz	-41.40 dBm	-28.40 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.519310000 GHz	26.07 dBm	-3.930 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520010000 GHz	-15.24 dBm	-2.239 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-18.99 dBm	-5.988 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.525010000 GHz	-34.32 dBm	-21.32 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_215_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.499730000 GHz	-37.68 dBm	-24.68 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.507700000 GHz	-37.55 dBm	-24.55 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509940000 GHz	-41.24 dBm	-28.24 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.549330000 GHz	26.04 dBm	-3.959 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549980000 GHz	-14.15 dBm	-1.147 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-19.09 dBm	-6.094 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.554980000 GHz	-34.94 dBm	-21.94 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB216_0_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.503790000 GHz	-31.07 dBm	-18.07 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.508740000 GHz	-24.17 dBm	-11.17 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509937500 GHz	-27.80 dBm	-14.80 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.526180000 GHz	8.135 dBm	-21.86 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550040000 GHz	-27.43 dBm	-14.43 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-24.86 dBm	-11.86 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.568280000 GHz	-31.46 dBm	-18.46 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB216_0_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.694720000 GHz	-28.44 dBm	-15.44 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698744000 GHz	-22.75 dBm	-9.750 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699967500 GHz	-26.14 dBm	-13.14 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.718280000 GHz	7.210 dBm	-22.79 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740067500 GHz	-26.82 dBm	-13.82 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741144000 GHz	-22.33 dBm	-9.325 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.753610000 GHz	-28.71 dBm	-15.71 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.695000000 GHz	-33.02 dBm	-20.02 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.699000000 GHz	-24.72 dBm	-11.72 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.700000000 GHz	-15.25 dBm	-2.246 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.700700000 GHz	24.75 dBm	-5.250 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740620000 GHz	-37.73 dBm	-24.73 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-28.04 dBm	-15.04 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.753400000 GHz	-33.83 dBm	-20.83 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.815000000 GHz	-32.98 dBm	-19.98 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.819000000 GHz	-24.31 dBm	-11.31 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.820000000 GHz	-15.68 dBm	-2.684 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.820650000 GHz	24.73 dBm	-5.269 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860010000 GHz	-37.76 dBm	-24.76 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-28.01 dBm	-15.01 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.869550000 GHz	-33.95 dBm	-20.95 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_215_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.693600000 GHz	-34.14 dBm	-21.14 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.696480000 GHz	-34.17 dBm	-21.17 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699040000 GHz	-38.15 dBm	-25.15 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.739350000 GHz	25.38 dBm	-4.617 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740000000 GHz	-16.00 dBm	-3.000 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-19.53 dBm	-6.526 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.745000000 GHz	-32.88 dBm	-19.88 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_215_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.805900000 GHz	-33.82 dBm	-20.82 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.817160000 GHz	-33.95 dBm	-20.95 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.819760000 GHz	-37.79 dBm	-24.79 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.859350000 GHz	24.97 dBm	-5.026 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860000000 GHz	-15.80 dBm	-2.799 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-20.18 dBm	-7.182 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.865000000 GHz	-32.95 dBm	-19.95 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.