Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB216_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.814860000 GHz	-29.62 dBm	-16.62 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.818820000 GHz	-24.22 dBm	-11.22 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.819667500 GHz	-29.83 dBm	-16.83 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.839160000 GHz	7.320 dBm	-22.68 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860105000 GHz	-27.92 dBm	-14.92 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.862948000 GHz	-24.30 dBm	-11.30 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.871720000 GHz	-29.10 dBm	-16.10 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB216_0_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.932340000 GHz	-30.88 dBm	-17.88 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.938644000 GHz	-21.83 dBm	-8.825 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.939700000 GHz	-28.46 dBm	-15.48 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.961200000 GHz	7.083 dBm	-22.92 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980165000 GHz	-27.54 dBm	-14.54 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981232000 GHz	-23.69 dBm	-10.69 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.986540000 GHz	-30.68 dBm	-17.68 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.935000000 GHz	-33.32 dBm	-20.32 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.939000000 GHz	-24.69 dBm	-11.69 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.940000000 GHz	-14.99 dBm	-1.988 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.940600000 GHz	25.15 dBm	-4.849 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980110000 GHz	-39.06 dBm	-26.06 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-29.22 dBm	-16.22 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.987100000 GHz	-35.32 dBm	-22.32 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.445010000 GHz	-35.34 dBm	-22.34 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449010000 GHz	-26.12 dBm	-13.12 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.450000000 GHz	-15.21 dBm	-2.210 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.450610000 GHz	25.57 dBm	-4.429 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490420000 GHz	-40.89 dBm	-27.89 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-31.10 dBm	-18.10 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.500260000 GHz	-37.30 dBm	-24.30 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_215_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.900000000 GHz	-34.43 dBm	-21.43 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.937360000 GHz	-34.62 dBm	-21.62 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.939950000 GHz	-38.47 dBm	-25.47 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.979400000 GHz	25.34 dBm	-4.662 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980000000 GHz	-15.60 dBm	-2.604 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-19.60 dBm	-6.604 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.985000000 GHz	-33.72 dBm	-20.72 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_215_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.436260000 GHz	-37.09 dBm	-24.09 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.447610000 GHz	-37.05 dBm	-24.05 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449510000 GHz	-40.73 dBm	-27.73 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.489360000 GHz	25.88 dBm	-4.115 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490020000 GHz	-15.58 dBm	-2.585 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-20.78 dBm	-7.783 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.495010000 GHz	-35.74 dBm	-22.74 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB216_0_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.442560000 GHz	-30.25 dBm	-17.25 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.448730000 GHz	-25.90 dBm	-12.90 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449992500 GHz	-28.65 dBm	-15.65 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.459450000 GHz	4.434 dBm	-25.57 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490150000 GHz	-31.23 dBm	-18.23 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-25.56 dBm	-12.56 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.496900000 GHz	-28.63 dBm	-15.63 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB216_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.473260000 GHz	-29.27 dBm	-16.27 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.478658000 GHz	-23.91 dBm	-10.91 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.480000000 GHz	-29.51 dBm	-16.51 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.497370000 GHz	4.953 dBm	-25.05 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520035000 GHz	-27.20 dBm	-14.20 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521034000 GHz	-23.18 dBm	-10.18 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.526340000 GHz	-27.93 dBm	-14.93 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.475010000 GHz	-36.84 dBm	-23.84 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.479010000 GHz	-28.75 dBm	-15.75 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.480010000 GHz	-14.60 dBm	-1.602 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.480666000 GHz	25.85 dBm	-4.154 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520450000 GHz	-40.77 dBm	-27.77 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-31.16 dBm	-18.16 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.533760000 GHz	-37.25 dBm	-24.25 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.504980000 GHz	-36.08 dBm	-23.08 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.508940000 GHz	-25.53 dBm	-12.53 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509980000 GHz	-15.12 dBm	-2.117 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.510630000 GHz	26.09 dBm	-3.907 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550940000 GHz	-40.71 dBm	-27.71 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-31.00 dBm	-18.00 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.564080000 GHz	-36.79 dBm	-23.79 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_215_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.465910000 GHz	-36.91 dBm	-23.91 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.478770000 GHz	-37.17 dBm	-24.17 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.479750000 GHz	-40.85 dBm	-27.85 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.519360000 GHz	26.01 dBm	-3.986 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520020000 GHz	-14.67 dBm	-1.674 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-20.67 dBm	-7.666 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.525010000 GHz	-35.17 dBm	-22.17 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_215_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.495880000 GHz	-36.96 dBm	-23.96 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.508700000 GHz	-37.11 dBm	-24.11 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509460000 GHz	-40.78 dBm	-27.78 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.549330000 GHz	25.72 dBm	-4.277 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549980000 GHz	-15.83 dBm	-2.831 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-20.93 dBm	-7.934 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.554980000 GHz	-35.21 dBm	-22.21 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB216_0_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.504210000 GHz	-28.27 dBm	-15.27 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.508660000 GHz	-25.91 dBm	-12.91 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509797500 GHz	-28.81 dBm	-15.81 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.519900000 GHz	4.644 dBm	-25.36 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550040000 GHz	-30.79 dBm	-17.79 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-23.30 dBm	-10.30 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.558480000 GHz	-28.99 dBm	-15.99 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB216_0_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.694510000 GHz	-27.44 dBm	-14.44 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698636000 GHz	-22.16 dBm	-9.156 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699887500 GHz	-28.95 dBm	-15.95 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.729080000 GHz	3.863 dBm	-26.14 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740037500 GHz	-29.73 dBm	-16.73 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-21.45 dBm	-8.446 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.746750000 GHz	-28.66 dBm	-15.66 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.695000000 GHz	-32.91 dBm	-19.91 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.699000000 GHz	-24.76 dBm	-11.76 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.700000000 GHz	-14.84 dBm	-1.844 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.700650000 GHz	24.90 dBm	-5.104 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740420000 GHz	-37.44 dBm	-24.44 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-27.83 dBm	-14.83 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.753750000 GHz	-33.64 dBm	-20.64 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.814650000 GHz	-32.85 dBm	-19.85 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.819000000 GHz	-25.67 dBm	-12.67 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.820000000 GHz	-16.63 dBm	-3.631 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.820600000 GHz	24.45 dBm	-5.548 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860140000 GHz	-37.52 dBm	-24.52 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-27.90 dBm	-14.90 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.869550000 GHz	-33.90 dBm	-20.90 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_215_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.692200000 GHz	-33.96 dBm	-20.96 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.697160000 GHz	-33.99 dBm	-20.99 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699970000 GHz	-37.68 dBm	-24.68 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.739350000 GHz	25.25 dBm	-4.748 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740000000 GHz	-16.48 dBm	-3.482 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-23.18 dBm	-10.18 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.745000000 GHz	-33.67 dBm	-20.67 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_215_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.810100000 GHz	-33.81 dBm	-20.81 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.818400000 GHz	-33.74 dBm	-20.74 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.819020000 GHz	-37.65 dBm	-24.65 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.859350000 GHz	25.12 dBm	-4.883 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860000000 GHz	-15.74 dBm	-2.740 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-21.63 dBm	-8.628 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.865350000 GHz	-33.06 dBm	-20.06 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB216_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.814230000 GHz	-29.76 dBm	-16.76 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.818884000 GHz	-22.25 dBm	-9.245 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.819985000 GHz	-27.01 dBm	-14.01 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.837600000 GHz	3.904 dBm	-26.10 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860002500 GHz	-30.74 dBm	-17.74 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-24.90 dBm	-11.90 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.866540000 GHz	-30.95 dBm	-17.95 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB216_0_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.931990000 GHz	-28.88 dBm	-15.88 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.937796000 GHz	-25.73 dBm	-12.73 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.940000000 GHz	-30.23 dBm	-17.23 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.954920000 GHz	3.924 dBm	-26.08 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980070000 GHz	-31.56 dBm	-18.56 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-24.76 dBm	-11.76 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.987170000 GHz	-30.59 dBm	-17.59 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_0_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.935000000 GHz	-32.30 dBm	-19.30 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.939000000 GHz	-23.15 dBm	-10.15 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.940000000 GHz	-14.43 dBm	-1.425 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.940650000 GHz	25.34 dBm	-4.659 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980480000 GHz	-38.75 dBm	-25.75 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-29.10 dBm	-16.10 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.985700000 GHz	-35.11 dBm	-22.11 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB100_0_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.444800000 GHz	-33.51 dBm	-20.51 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449006000 GHz	-30.28 dBm	-17.28 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449972500 GHz	-28.54 dBm	-15.54 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.472490000 GHz	8.186 dBm	-21.81 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490220000 GHz	-33.38 dBm	-20.38 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-28.57 dBm	-15.57 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.496970000 GHz	-34.75 dBm	-21.75 dB

Band77-Part27_40MHz_CP_OFDM_SCS15kHz_QPSK_RB1_215_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.925900000 GHz	-34.12 dBm	-21.12 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.938440000 GHz	-34.40 dBm	-21.40 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.939570000 GHz	-38.35 dBm	-25.35 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.979350000 GHz	25.07 dBm	-4.930 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980010000 GHz	-15.30 dBm	-2.303 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-19.80 dBm	-6.801 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.985000000 GHz	-33.46 dBm	-20.46 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.445010000 GHz	-36.50 dBm	-23.50 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449010000 GHz	-29.18 dBm	-16.18 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.450000000 GHz	-18.63 dBm	-5.627 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.451010000 GHz	23.33 dBm	-6.667 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490020000 GHz	-41.27 dBm	-28.27 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-31.67 dBm	-18.67 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.507260000 GHz	-37.64 dBm	-24.64 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_105_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.432760000 GHz	-37.33 dBm	-24.33 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.448690000 GHz	-37.44 dBm	-24.44 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449380000 GHz	-41.16 dBm	-28.16 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.488960000 GHz	23.83 dBm	-6.166 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490010000 GHz	-18.37 dBm	-5.367 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-22.61 dBm	-9.608 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.495010000 GHz	-35.94 dBm	-22.94 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_105_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.469410000 GHz	-37.56 dBm	-24.56 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.478650000 GHz	-37.40 dBm	-24.40 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.479970000 GHz	-41.01 dBm	-28.01 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.518960000 GHz	23.51 dBm	-6.493 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520010000 GHz	-16.74 dBm	-3.740 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-22.08 dBm	-9.080 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.525010000 GHz	-35.86 dBm	-22.86 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB100_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.473960000 GHz	-30.99 dBm	-17.99 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.478934000 GHz	-28.43 dBm	-15.43 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.479880000 GHz	-27.33 dBm	-14.33 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.498050000 GHz	9.180 dBm	-20.82 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520592500 GHz	-32.53 dBm	-19.53 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-26.69 dBm	-13.69 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.535090000 GHz	-33.44 dBm	-20.44 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB100_0_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.502390000 GHz	-30.32 dBm	-17.32 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.508524000 GHz	-26.76 dBm	-13.76 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509895000 GHz	-25.72 dBm	-12.72 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.517140000 GHz	9.281 dBm	-20.72 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549995000 GHz	-29.26 dBm	-16.26 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-22.62 dBm	-9.617 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.556800000 GHz	-29.03 dBm	-16.03 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.475010000 GHz	-34.89 dBm	-21.89 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.479010000 GHz	-27.77 dBm	-14.77 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.480010000 GHz	-17.66 dBm	-4.663 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.481210000 GHz	23.32 dBm	-6.676 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520150000 GHz	-41.36 dBm	-28.36 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-31.67 dBm	-18.67 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.556860000 GHz	-37.48 dBm	-24.48 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.504280000 GHz	-36.07 dBm	-23.07 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.508980000 GHz	-27.82 dBm	-14.82 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509980000 GHz	-16.60 dBm	-3.604 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.511180000 GHz	23.49 dBm	-6.515 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550210000 GHz	-41.17 dBm	-28.17 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-31.54 dBm	-18.54 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.567930000 GHz	-37.50 dBm	-24.50 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_105_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.493080000 GHz	-37.54 dBm	-24.54 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.508980000 GHz	-37.38 dBm	-24.38 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509780000 GHz	-41.16 dBm	-28.16 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.548880000 GHz	23.65 dBm	-6.353 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549980000 GHz	-20.51 dBm	-7.514 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-23.67 dBm	-10.67 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.554980000 GHz	-36.06 dBm	-23.06 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_105_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.693950000 GHz	-34.13 dBm	-21.13 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.696160000 GHz	-34.11 dBm	-21.11 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699220000 GHz	-37.83 dBm	-24.83 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.739000000 GHz	22.57 dBm	-7.428 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740020000 GHz	-20.07 dBm	-7.070 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-23.08 dBm	-10.08 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.745000000 GHz	-33.20 dBm	-20.20 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB100_0_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.688700000 GHz	-30.33 dBm	-17.33 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698880000 GHz	-27.55 dBm	-14.55 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699967500 GHz	-26.56 dBm	-13.56 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.725920000 GHz	9.061 dBm	-20.94 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740715000 GHz	-31.77 dBm	-18.77 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-26.07 dBm	-13.07 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.748990000 GHz	-28.47 dBm	-15.47 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB100_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.813950000 GHz	-33.63 dBm	-20.63 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.818460000 GHz	-30.98 dBm	-17.98 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.819807500 GHz	-31.29 dBm	-18.29 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.831760000 GHz	9.014 dBm	-20.99 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860080000 GHz	-32.60 dBm	-19.60 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-25.05 dBm	-12.05 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.865210000 GHz	-34.20 dBm	-21.20 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.695000000 GHz	-33.56 dBm	-20.56 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.699000000 GHz	-27.62 dBm	-14.62 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.700000000 GHz	-17.53 dBm	-4.531 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.701050000 GHz	22.17 dBm	-7.827 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740290000 GHz	-37.66 dBm	-24.66 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-27.97 dBm	-14.97 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.750600000 GHz	-33.86 dBm	-20.86 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.815000000 GHz	-33.52 dBm	-20.52 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.819000000 GHz	-28.77 dBm	-15.77 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.820000000 GHz	-19.72 dBm	-6.717 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.821100000 GHz	22.09 dBm	-7.907 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860240000 GHz	-37.72 dBm	-24.72 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-28.10 dBm	-15.10 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.877600000 GHz	-34.06 dBm	-21.06 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_105_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.797150000 GHz	-33.73 dBm	-20.73 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.819000000 GHz	-33.75 dBm	-20.75 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.819860000 GHz	-37.58 dBm	-24.58 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.858800000 GHz	22.92 dBm	-7.085 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860020000 GHz	-20.89 dBm	-7.886 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-23.00 dBm	-9.997 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.865000000 GHz	-33.27 dBm	-20.27 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_105_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.903500000 GHz	-34.31 dBm	-21.31 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.936560000 GHz	-34.54 dBm	-21.54 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.939360000 GHz	-38.41 dBm	-25.41 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.979000000 GHz	22.58 dBm	-7.420 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980000000 GHz	-19.12 dBm	-6.124 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-23.24 dBm	-10.24 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.985000000 GHz	-34.52 dBm	-21.52 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB100_0_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.931290000 GHz	-28.67 dBm	-15.67 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.938744000 GHz	-27.42 dBm	-14.42 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.939890000 GHz	-28.06 dBm	-15.06 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.955720000 GHz	8.114 dBm	-21.89 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980735000 GHz	-32.02 dBm	-19.02 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-25.30 dBm	-12.30 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.986470000 GHz	-30.38 dBm	-17.38 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB106_0_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.442630000 GHz	-31.18 dBm	-18.18 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.448994000 GHz	-27.17 dBm	-14.17 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449552500 GHz	-31.12 dBm	-18.12 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.457090000 GHz	4.960 dBm	-25.04 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490062500 GHz	-30.10 dBm	-17.10 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-25.39 dBm	-12.39 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.495080000 GHz	-30.43 dBm	-17.43 dB

Band77-Part27_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.935000000 GHz	-34.00 dBm	-21.00 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.939000000 GHz	-27.83 dBm	-14.83 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.940000000 GHz	-18.22 dBm	-5.220 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.941050000 GHz	22.99 dBm	-7.013 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980270000 GHz	-39.08 dBm	-26.08 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-29.21 dBm	-16.21 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.986050000 GHz	-35.34 dBm	-22.34 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.444310000 GHz	-36.56 dBm	-23.56 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449010000 GHz	-30.13 dBm	-17.13 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.450010000 GHz	-18.81 dBm	-5.815 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.451110000 GHz	23.19 dBm	-6.809 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490440000 GHz	-40.48 dBm	-27.48 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-30.88 dBm	-17.88 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.526860000 GHz	-37.03 dBm	-24.03 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_105_CH631334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4100 GHz	3.4450 GHz	1.000 MHz	3.445010000 GHz	-37.06 dBm	-24.06 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449010000 GHz	-36.72 dBm	-23.72 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449040000 GHz	-40.42 dBm	-27.42 dB
4	4	3.4500 GHz	3.4900 GHz	100.0 kHz	3.488860000 GHz	23.18 dBm	-6.816 dB
5	5	3.4900 GHz	3.4910 GHz	100.0 kHz	3.490020000 GHz	-19.13 dBm	-6.130 dB
6	6	3.4910 GHz	3.4950 GHz	1.000 MHz	3.491010000 GHz	-23.07 dBm	-10.07 dB
7	7	3.4950 GHz	3.5300 GHz	1.000 MHz	3.495010000 GHz	-35.73 dBm	-22.73 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_105_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.474310000 GHz	-37.13 dBm	-24.13 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.479010000 GHz	-36.83 dBm	-23.83 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.479350000 GHz	-40.23 dBm	-27.23 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.518960000 GHz	23.24 dBm	-6.760 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520010000 GHz	-16.48 dBm	-3.478 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-20.59 dBm	-7.587 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.525010000 GHz	-34.57 dBm	-21.57 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB106_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.474310000 GHz	-29.21 dBm	-16.21 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.478786000 GHz	-27.41 dBm	-14.41 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.479935000 GHz	-28.90 dBm	-15.90 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.497770000 GHz	5.189 dBm	-24.81 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520420000 GHz	-30.31 dBm	-17.31 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-24.89 dBm	-11.89 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.525780000 GHz	-30.23 dBm	-17.23 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB106_0_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.504910000 GHz	-30.65 dBm	-17.65 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.507936000 GHz	-28.88 dBm	-15.88 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509945000 GHz	-32.15 dBm	-19.15 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.535340000 GHz	5.967 dBm	-24.03 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549982500 GHz	-30.21 dBm	-17.21 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-25.40 dBm	-12.40 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.555400000 GHz	-29.89 dBm	-16.89 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4400 GHz	3.4750 GHz	1.000 MHz	3.474660000 GHz	-36.49 dBm	-23.49 dB
2	2	3.4750 GHz	3.4790 GHz	1.000 MHz	3.479010000 GHz	-29.43 dBm	-16.43 dB
3	3	3.4790 GHz	3.4800 GHz	100.0 kHz	3.480000000 GHz	-17.81 dBm	-4.810 dB
4	4	3.4800 GHz	3.5200 GHz	100.0 kHz	3.481160000 GHz	23.16 dBm	-6.837 dB
5	5	3.5200 GHz	3.5210 GHz	100.0 kHz	3.520020000 GHz	-40.48 dBm	-27.48 dB
6	6	3.5210 GHz	3.5250 GHz	1.000 MHz	3.521010000 GHz	-30.90 dBm	-17.90 dB
7	7	3.5250 GHz	3.5600 GHz	1.000 MHz	3.537960000 GHz	-37.05 dBm	-24.05 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.504980000 GHz	-35.51 dBm	-22.51 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.508980000 GHz	-28.50 dBm	-15.50 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509970000 GHz	-18.99 dBm	-5.985 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.511030000 GHz	23.23 dBm	-6.775 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550410000 GHz	-40.49 dBm	-27.49 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-30.77 dBm	-17.77 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.586480000 GHz	-36.74 dBm	-23.74 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_105_CH635332



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4700 GHz	3.5050 GHz	1.000 MHz	3.504630000 GHz	-37.07 dBm	-24.07 dB
2	2	3.5050 GHz	3.5090 GHz	1.000 MHz	3.508980000 GHz	-36.83 dBm	-23.83 dB
3	3	3.5090 GHz	3.5100 GHz	100.0 kHz	3.509660000 GHz	-40.37 dBm	-27.37 dB
4	4	3.5100 GHz	3.5500 GHz	100.0 kHz	3.548830000 GHz	23.14 dBm	-6.856 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.549980000 GHz	-19.66 dBm	-6.664 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.550980000 GHz	-24.57 dBm	-11.57 dB
7	7	3.5550 GHz	3.5900 GHz	1.000 MHz	3.554980000 GHz	-36.39 dBm	-23.39 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_105_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.694300000 GHz	-34.11 dBm	-21.11 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.699000000 GHz	-33.93 dBm	-20.93 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699740000 GHz	-37.68 dBm	-24.68 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.738950000 GHz	22.41 dBm	-7.590 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740020000 GHz	-18.73 dBm	-5.733 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-22.78 dBm	-9.776 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.746050000 GHz	-33.31 dBm	-20.31 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB106_0_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.691850000 GHz	-28.82 dBm	-15.82 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.698988000 GHz	-26.98 dBm	-13.98 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699700000 GHz	-29.36 dBm	-16.36 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.723800000 GHz	4.845 dBm	-25.16 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740015000 GHz	-30.38 dBm	-17.38 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-25.34 dBm	-12.34 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.746050000 GHz	-30.44 dBm	-17.44 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB106_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.814930000 GHz	-31.06 dBm	-18.06 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.817800000 GHz	-29.77 dBm	-16.77 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.819957500 GHz	-32.41 dBm	-19.41 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.840480000 GHz	5.092 dBm	-24.91 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860110000 GHz	-30.25 dBm	-17.25 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-27.10 dBm	-14.10 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.866960000 GHz	-30.85 dBm	-17.85 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH648000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6600 GHz	3.6950 GHz	1.000 MHz	3.695000000 GHz	-33.78 dBm	-20.78 dB
2	2	3.6950 GHz	3.6990 GHz	1.000 MHz	3.699000000 GHz	-29.12 dBm	-16.12 dB
3	3	3.6990 GHz	3.7000 GHz	100.0 kHz	3.699990000 GHz	-20.28 dBm	-7.276 dB
4	4	3.7000 GHz	3.7400 GHz	100.0 kHz	3.701000000 GHz	22.08 dBm	-7.923 dB
5	5	3.7400 GHz	3.7410 GHz	100.0 kHz	3.740650000 GHz	-37.24 dBm	-24.24 dB
6	6	3.7410 GHz	3.7450 GHz	1.000 MHz	3.741000000 GHz	-27.76 dBm	-14.76 dB
7	7	3.7450 GHz	3.7800 GHz	1.000 MHz	3.749900000 GHz	-33.70 dBm	-20.70 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.814650000 GHz	-33.34 dBm	-20.34 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.819000000 GHz	-28.83 dBm	-15.83 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.819990000 GHz	-19.66 dBm	-6.660 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.821050000 GHz	21.62 dBm	-8.378 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860180000 GHz	-37.65 dBm	-24.65 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-27.82 dBm	-14.82 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.867100000 GHz	-33.83 dBm	-20.83 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_105_CH656000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.7800 GHz	3.8150 GHz	1.000 MHz	3.799600000 GHz	-33.74 dBm	-20.74 dB
2	2	3.8150 GHz	3.8190 GHz	1.000 MHz	3.818920000 GHz	-33.70 dBm	-20.70 dB
3	3	3.8190 GHz	3.8200 GHz	100.0 kHz	3.819860000 GHz	-37.59 dBm	-24.59 dB
4	4	3.8200 GHz	3.8600 GHz	100.0 kHz	3.858800000 GHz	22.06 dBm	-7.937 dB
5	5	3.8600 GHz	3.8610 GHz	100.0 kHz	3.860000000 GHz	-20.60 dBm	-7.598 dB
6	6	3.8610 GHz	3.8650 GHz	1.000 MHz	3.861000000 GHz	-22.78 dBm	-9.784 dB
7	7	3.8650 GHz	3.9000 GHz	1.000 MHz	3.865000000 GHz	-33.04 dBm	-20.04 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_105_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.922050000 GHz	-34.33 dBm	-21.33 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.938160000 GHz	-34.36 dBm	-21.36 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.939940000 GHz	-38.18 dBm	-25.18 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.979000000 GHz	22.25 dBm	-7.748 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980000000 GHz	-20.95 dBm	-7.951 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-25.40 dBm	-12.40 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.985350000 GHz	-34.86 dBm	-21.86 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB106_0_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.934090000 GHz	-31.60 dBm	-18.60 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.938860000 GHz	-29.78 dBm	-16.78 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.939872500 GHz	-27.50 dBm	-14.50 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.962320000 GHz	4.623 dBm	-25.38 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980050000 GHz	-33.03 dBm	-20.03 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-27.99 dBm	-14.99 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.985000000 GHz	-32.24 dBm	-19.24 dB

Band77-Part27_50MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH631668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4000 GHz	3.4450 GHz	1.000 MHz	3.445020000 GHz	-35.30 dBm	-22.30 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.449020000 GHz	-25.49 dBm	-12.49 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.450020000 GHz	-16.98 dBm	-3.979 dB
4	4	3.4500 GHz	3.5000 GHz	100.0 kHz	3.450770000 GHz	27.06 dBm	-2.936 dB
5	5	3.5000 GHz	3.5010 GHz	100.0 kHz	3.500280000 GHz	-40.16 dBm	-27.16 dB
6	6	3.5010 GHz	3.5050 GHz	1.000 MHz	3.501020000 GHz	-30.55 dBm	-17.55 dB
7	7	3.5050 GHz	3.5500 GHz	1.000 MHz	3.505470000 GHz	-36.93 dBm	-23.93 dB

Band77-Part27_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH664000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.9000 GHz	3.9350 GHz	1.000 MHz	3.935000000 GHz	-32.78 dBm	-19.78 dB
2	2	3.9350 GHz	3.9390 GHz	1.000 MHz	3.939000000 GHz	-25.43 dBm	-12.43 dB
3	3	3.9390 GHz	3.9400 GHz	100.0 kHz	3.939990000 GHz	-17.11 dBm	-4.113 dB
4	4	3.9400 GHz	3.9800 GHz	100.0 kHz	3.941200000 GHz	22.25 dBm	-7.752 dB
5	5	3.9800 GHz	3.9810 GHz	100.0 kHz	3.980650000 GHz	-38.59 dBm	-25.59 dB
6	6	3.9810 GHz	3.9850 GHz	1.000 MHz	3.981000000 GHz	-29.06 dBm	-16.06 dB
7	7	3.9850 GHz	4.0200 GHz	1.000 MHz	3.989900000 GHz	-35.08 dBm	-22.08 dB

Band77-Part27_50MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_269_CH631668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4000 GHz	3.4450 GHz	1.000 MHz	3.444570000 GHz	-36.58 dBm	-23.58 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.445020000 GHz	-36.95 dBm	-23.95 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449700000 GHz	-40.10 dBm	-27.10 dB
4	4	3.4500 GHz	3.5000 GHz	100.0 kHz	3.499220000 GHz	27.23 dBm	-2.775 dB
5	5	3.5000 GHz	3.5010 GHz	100.0 kHz	3.500030000 GHz	-15.86 dBm	-2.859 dB
6	6	3.5010 GHz	3.5050 GHz	1.000 MHz	3.501020000 GHz	-18.12 dBm	-5.117 dB
7	7	3.5050 GHz	3.5500 GHz	1.000 MHz	3.505020000 GHz	-34.74 dBm	-21.74 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band77-Part27_50MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB270_0_CH631668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4000 GHz	3.4450 GHz	1.000 MHz	3.445020000 GHz	-31.79 dBm	-18.79 dB
2	2	3.4450 GHz	3.4490 GHz	1.000 MHz	3.448980000 GHz	-29.64 dBm	-16.64 dB
3	3	3.4490 GHz	3.4500 GHz	100.0 kHz	3.449860000 GHz	-31.50 dBm	-18.50 dB
4	4	3.4500 GHz	3.5000 GHz	100.0 kHz	3.472520000 GHz	7.206 dBm	-22.79 dB
5	5	3.5000 GHz	3.5010 GHz	100.0 kHz	3.500020000 GHz	-30.22 dBm	-17.22 dB
6	6	3.5010 GHz	3.5050 GHz	1.000 MHz	3.501020000 GHz	-21.80 dBm	-8.804 dB
7	7	3.5050 GHz	3.5500 GHz	1.000 MHz	3.505020000 GHz	-31.25 dBm	-18.25 dB

Band77-Part27_50MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB270_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4250 GHz	3.4700 GHz	1.000 MHz	3.470010000 GHz	-32.57 dBm	-19.57 dB
2	2	3.4700 GHz	3.4740 GHz	1.000 MHz	3.474010000 GHz	-30.74 dBm	-17.74 dB
3	3	3.4740 GHz	3.4750 GHz	100.0 kHz	3.474990000 GHz	-30.88 dBm	-17.88 dB
4	4	3.4750 GHz	3.5250 GHz	100.0 kHz	3.507560000 GHz	7.272 dBm	-22.73 dB
5	5	3.5250 GHz	3.5260 GHz	100.0 kHz	3.525080000 GHz	-29.29 dBm	-16.29 dB
6	6	3.5260 GHz	3.5300 GHz	1.000 MHz	3.526010000 GHz	-22.64 dBm	-9.635 dB
7	7	3.5300 GHz	3.5750 GHz	1.000 MHz	3.530010000 GHz	-31.43 dBm	-18.43 dB

Band77-Part27_50MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4250 GHz	3.4700 GHz	1.000 MHz	3.470010000 GHz	-35.32 dBm	-22.32 dB
2	2	3.4700 GHz	3.4740 GHz	1.000 MHz	3.474010000 GHz	-25.68 dBm	-12.68 dB
3	3	3.4740 GHz	3.4750 GHz	100.0 kHz	3.475010000 GHz	-15.92 dBm	-2.916 dB
4	4	3.4750 GHz	3.5250 GHz	100.0 kHz	3.475760000 GHz	27.15 dBm	-2.853 dB
5	5	3.5250 GHz	3.5260 GHz	100.0 kHz	3.525030000 GHz	-40.13 dBm	-27.13 dB
6	6	3.5260 GHz	3.5300 GHz	1.000 MHz	3.526010000 GHz	-30.48 dBm	-17.48 dB
7	7	3.5300 GHz	3.5750 GHz	1.000 MHz	3.530460000 GHz	-36.65 dBm	-23.65 dB

Band77-Part27_50MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_0_CH635000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4500 GHz	3.4950 GHz	1.000 MHz	3.495000000 GHz	-34.95 dBm	-21.95 dB
2	2	3.4950 GHz	3.4990 GHz	1.000 MHz	3.499000000 GHz	-24.92 dBm	-11.92 dB
3	3	3.4990 GHz	3.5000 GHz	100.0 kHz	3.500000000 GHz	-15.20 dBm	-2.196 dB
4	4	3.5000 GHz	3.5500 GHz	100.0 kHz	3.500750000 GHz	27.26 dBm	-2.743 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550070000 GHz	-39.74 dBm	-26.74 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.551000000 GHz	-30.17 dBm	-17.17 dB
7	7	3.5550 GHz	3.6000 GHz	1.000 MHz	3.555450000 GHz	-36.48 dBm	-23.48 dB

Band77-Part27_50MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_269_CH633334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4250 GHz	3.4700 GHz	1.000 MHz	3.469560000 GHz	-36.63 dBm	-23.63 dB
2	2	3.4700 GHz	3.4740 GHz	1.000 MHz	3.470010000 GHz	-37.05 dBm	-24.05 dB
3	3	3.4740 GHz	3.4750 GHz	100.0 kHz	3.474840000 GHz	-39.99 dBm	-26.99 dB
4	4	3.4750 GHz	3.5250 GHz	100.0 kHz	3.524210000 GHz	27.24 dBm	-2.755 dB
5	5	3.5250 GHz	3.5260 GHz	100.0 kHz	3.525010000 GHz	-14.91 dBm	-1.910 dB
6	6	3.5260 GHz	3.5300 GHz	1.000 MHz	3.526010000 GHz	-18.02 dBm	-5.020 dB
7	7	3.5300 GHz	3.5750 GHz	1.000 MHz	3.530010000 GHz	-35.04 dBm	-22.04 dB

Band77-Part27_50MHz_DFT_s_OFDM_SCS15kHz_BPSK_RB1_269_CH635000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.4500 GHz	3.4950 GHz	1.000 MHz	3.494100000 GHz	-36.74 dBm	-23.74 dB
2	2	3.4950 GHz	3.4990 GHz	1.000 MHz	3.495000000 GHz	-36.96 dBm	-23.96 dB
3	3	3.4990 GHz	3.5000 GHz	100.0 kHz	3.499740000 GHz	-40.04 dBm	-27.04 dB
4	4	3.5000 GHz	3.5500 GHz	100.0 kHz	3.549200000 GHz	27.25 dBm	-2.754 dB
5	5	3.5500 GHz	3.5510 GHz	100.0 kHz	3.550010000 GHz	-18.29 dBm	-5.289 dB
6	6	3.5510 GHz	3.5550 GHz	1.000 MHz	3.551000000 GHz	-19.36 dBm	-6.361 dB
7	7	3.5550 GHz	3.6000 GHz	1.000 MHz	3.555000000 GHz	-35.09 dBm	-22.09 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.