| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NR_n77 | Test Date | :2025-03-21 |
| Test Mode | :Tx | Temp./Humi. | :19.2℃/45% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :3969.99 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit dBm | Margin dB |
|---|---|---|---|---|---|---|
| 60.07 | -79.32 | -67.98 | -9.92 | -1.42 | -13.00 | -66.32 |
| 85.29 | -82.92 | -79.68 | -1.54 | -1.69 | -13.00 | -69.92 |
| 159.98 | -81.74 | -78.39 | -1.04 | -2.31 | -13.00 | -68.74 |
| 209.45 | -83.27 | -84.91 | 4.29 | -2.65 | -13.00 | -70.27 |
| 287.05 | -81.68 | -82.29 | 3.70 | -3.10 | -13.00 | -68.68 |
| 377.26 | -77.00 | -77.47 | 4.02 | -3.55 | -13.00 | -64.00 |
| 7939.98 | -48.55 | -42.85 | 11.22 | -16.92 | -13.00 | -35.55 |
| 11909.97 | -45.74 | -37.51 | 12.70 | -20.92 | -13.00 | -32.74 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 5.2 Mode: ENDC

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1852.5_2501.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 59.100 | -83.02 | -71.62 | -10.00 | -1.41 | -25.00 | -58.02 |
| 137.670 | -78.75 | -74.83 | -1.78 | -2.14 | -25.00 | -53.75 |
| 179.380 | -78.19 | -76.90 | 1.16 | -2.45 | -25.00 | -53.19 |
| 232.730 | -77.09 | -78.63 | 4.32 | -2.79 | -25.00 | -52.09 |
| 281.230 | -77.63 | -78.28 | 3.71 | -3.07 | -25.00 | -52.63 |
| 382.110 | -77.56 | -77.94 | 3.94 | -3.57 | -25.00 | -52.56 |
| 3705.000 | -53.56 | -54.71 | 12.50 | -11.36 | -25.00 | -28.56 |
| 5002.020 | -54.05 | -53.35 | 12.60 | -13.29 | -25.00 | -29.05 |
| 5557.500 | -52.64 | -51.80 | 13.23 | -14.07 | -25.00 | -27.64 |
| 7503.030 | -49.84 | -44.42 | 11.01 | -16.43 | -25.00 | -24.84 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1852.5_2501.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 61.040 | -79.86 | -69.03 | -9.40 | -1.43 | -25.00 | -54.86 |
| 122.150 | -82.92 | -79.38 | -1.51 | -2.03 | -25.00 | -57.92 |
| 160.950 | -81.66 | -78.36 | -0.98 | -2.32 | -25.00 | -56.66 |
| 213.330 | -83.33 | -85.12 | 4.46 | -2.67 | -25.00 | -58.33 |
| 315.180 | -80.41 | -80.93 | 3.75 | -3.24 | -25.00 | -55.41 |
| 375.320 | -76.93 | -77.45 | 4.05 | -3.54 | -25.00 | -51.93 |
| 3705.000 | -54.20 | -55.34 | 12.50 | -11.36 | -25.00 | -29.20 |
| 5002.020 | -52.60 | -51.90 | 12.60 | -13.29 | -25.00 | -27.60 |
| 5557.500 | -53.07 | -52.23 | 13.23 | -14.07 | -25.00 | -28.07 |
| 7503.030 | -49.42 | -44.00 | 11.01 | -16.43 | -25.00 | -24.42 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1880_2593.02 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 50.370 | -82.86 | -69.61 | -11.95 | -1.30 | -25.00 | -57.86 |
| 80.440 | -83.09 | -78.51 | -2.94 | -1.64 | -25.00 | -58.09 |
| 136.700 | -79.40 | -75.55 | -1.71 | -2.14 | -25.00 | -54.40 |
| 182.290 | -78.13 | -77.28 | 1.62 | -2.47 | -25.00 | -53.13 |
| 229.820 | -76.85 | -78.80 | 4.72 | -2.77 | -25.00 | -51.85 |
| 281.230 | -77.71 | -78.35 | 3.71 | -3.07 | -25.00 | -52.71 |
| 3760.000 | -54.09 | -55.14 | 12.50 | -11.44 | -25.00 | -29.09 |
| 5186.040 | -54.38 | -53.44 | 12.62 | -13.56 | -25.00 | -29.38 |
| 5640.000 | -51.97 | -51.28 | 13.48 | -14.17 | -25.00 | -26.97 |
| 7779.060 | -50.51 | -45.30 | 11.54 | -16.75 | -25.00 | -25.51 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1880_2593.02 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 75.590 | -81.89 | -75.53 | -4.77 | -1.59 | -25.00 | -56.89 |
| 119.240 | -82.27 | -78.75 | -1.52 | -2.00 | -25.00 | -57.27 |
| 147.370 | -81.52 | -77.49 | -1.81 | -2.22 | -25.00 | -56.52 |
| 203.630 | -81.98 | -83.30 | 3.93 | -2.61 | -25.00 | -56.98 |
| 345.250 | -78.12 | -78.77 | 4.05 | -3.39 | -25.00 | -53.12 |
| 410.240 | -76.90 | -77.25 | 4.04 | -3.69 | -25.00 | -51.90 |
| 3760.000 | -55.20 | -56.26 | 12.50 | -11.44 | -25.00 | -30.20 |
| 5186.040 | -55.33 | -54.39 | 12.62 | -13.56 | -25.00 | -30.33 |
| 5640.000 | -52.87 | -52.19 | 13.48 | -14.17 | -25.00 | -27.87 |
| 7779.060 | -50.32 | -45.11 | 11.54 | -16.75 | -25.00 | -25.32 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1907.5_2685 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 50.370 | -82.78 | -69.52 | -11.95 | -1.30 | -25.00 | -57.78 |
| 82.380 | -82.35 | -78.36 | -2.33 | -1.66 | -25.00 | -57.35 |
| 132.820 | -79.64 | -75.87 | -1.65 | -2.11 | -25.00 | -54.64 |
| 179.380 | -78.74 | -77.45 | 1.16 | -2.45 | -25.00 | -53.74 |
| 229.820 | -76.69 | -78.64 | 4.72 | -2.77 | -25.00 | -51.69 |
| 279.290 | -77.82 | -78.48 | 3.71 | -3.06 | -25.00 | -52.82 |
| 3815.000 | -54.80 | -55.72 | 12.44 | -11.52 | -25.00 | -29.80 |
| 5370.000 | -54.10 | -53.51 | 13.22 | -13.81 | -25.00 | -29.10 |
| 5722.500 | -52.15 | -51.17 | 13.30 | -14.28 | -25.00 | -27.15 |
| 7630.000 | -42.50 | -37.24 | 11.32 | -16.58 | -25.00 | -17.50 |
| 8055.000 | -49.78 | -43.73 | 11.02 | -17.07 | -25.00 | -24.78 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1907.5_2685 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 96.930 | -83.11 | -80.24 | -1.07 | -1.80 | -25.00 | -58.11 |
| 135.730 | -81.66 | -77.76 | -1.77 | -2.13 | -25.00 | -56.66 |
| 173.560 | -81.53 | -79.50 | 0.38 | -2.41 | -25.00 | -56.53 |
| 207.510 | -83.27 | -84.80 | 4.17 | -2.64 | -25.00 | -58.27 |
| 366.590 | -77.28 | -77.99 | 4.20 | -3.49 | -25.00 | -52.28 |
| 403.450 | -77.26 | -77.52 | 3.93 | -3.66 | -25.00 | -52.26 |
| 3815.000 | -54.71 | -55.63 | 12.44 | -11.52 | -25.00 | -29.71 |
| 5370.000 | -53.39 | -52.81 | 13.22 | -13.81 | -25.00 | -28.39 |
| 5722.500 | -52.78 | -51.80 | 13.30 | -14.28 | -25.00 | -27.78 |
| 8055.000 | -49.91 | -43.87 | 11.02 | -17.07 | -25.00 | -24.91 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1852.5_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 51.340 | -82.65 | -69.49 | -11.84 | -1.32 | -13.00 | -69.65 |
| 136.700 | -78.81 | -74.97 | -1.71 | -2.14 | -13.00 | -65.81 |
| 180.350 | -79.28 | -78.10 | 1.27 | -2.45 | -13.00 | -66.28 |
| 226.910 | -77.28 | -79.43 | 4.90 | -2.75 | -13.00 | -64.28 |
| 279.290 | -77.95 | -78.60 | 3.71 | -3.06 | -13.00 | -64.95 |
| 339.430 | -78.04 | -78.67 | 4.00 | -3.37 | -13.00 | -65.04 |
| 3705.000 | -55.99 | -57.13 | 12.50 | -11.36 | -13.00 | -42.99 |
| 5557.500 | -52.85 | -52.02 | 13.23 | -14.07 | -13.00 | -39.85 |
| 6915.000 | -50.78 | -46.96 | 11.94 | -15.76 | -13.00 | -37.78 |
| 10372.500 | -48.42 | -40.38 | 11.40 | -19.44 | -13.00 | -35.42 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1852.5_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 96.930 | -82.88 | -80.01 | -1.07 | -1.80 | -13.00 | -69.88 |
| 163.860 | -81.15 | -78.08 | -0.73 | -2.34 | -13.00 | -68.15 |
| 206.540 | -84.08 | -85.56 | 4.11 | -2.63 | -13.00 | -71.08 |
| 295.780 | -81.80 | -82.45 | 3.79 | -3.14 | -13.00 | -68.80 |
| 382.110 | -77.69 | -78.06 | 3.94 | -3.57 | -13.00 | -64.69 |
| 420.910 | -77.42 | -77.80 | 4.12 | -3.74 | -13.00 | -64.42 |
| 3705.000 | -55.92 | -57.06 | 12.50 | -11.36 | -13.00 | -42.92 |
| 5557.500 | -52.37 | -51.53 | 13.23 | -14.07 | -13.00 | -39.37 |
| 6915.000 | -51.21 | -47.39 | 11.94 | -15.76 | -13.00 | -38.21 |
| 10372.500 | -47.00 | -38.96 | 11.40 | -19.44 | -13.00 | -34.00 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1880_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 43.580 | -82.99 | -69.06 | -12.72 | -1.21 | -13.00 | -69.99 |
| 129.910 | -79.27 | -75.45 | -1.74 | -2.09 | -13.00 | -66.27 |
| 180.350 | -77.91 | -76.73 | 1.27 | -2.45 | -13.00 | -64.91 |
| 230.790 | -76.47 | -78.30 | 4.60 | -2.77 | -13.00 | -63.47 |
| 289.960 | -78.26 | -78.88 | 3.73 | -3.11 | -13.00 | -65.26 |
| 417.030 | -77.66 | -78.08 | 4.14 | -3.73 | -13.00 | -64.66 |
| 3760.000 | -55.57 | -56.63 | 12.50 | -11.44 | -13.00 | -42.57 |
| 5640.000 | -52.36 | -51.67 | 13.48 | -14.17 | -13.00 | -39.36 |
| 7000.020 | -50.75 | -46.38 | 11.50 | -15.87 | -13.00 | -37.75 |
| 10500.030 | -48.63 | -40.45 | 11.40 | -19.58 | -13.00 | -35.63 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1880_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 73.650 | -81.03 | -74.14 | -5.32 | -1.57 | -13.00 | -68.03 |
| 104.690 | -74.24 | -70.80 | -1.56 | -1.87 | -13.00 | -61.24 |
| 164.830 | -80.68 | -77.82 | -0.51 | -2.35 | -13.00 | -67.68 |
| 201.690 | -83.02 | -84.22 | 3.81 | -2.60 | -13.00 | -70.02 |
| 359.800 | -78.09 | -78.84 | 4.21 | -3.46 | -13.00 | -65.09 |
| 386.960 | -77.00 | -77.30 | 3.89 | -3.59 | -13.00 | -64.00 |
| 3760.000 | -54.13 | -55.18 | 12.50 | -11.44 | -13.00 | -41.13 |
| 5640.000 | -53.16 | -52.47 | 13.48 | -14.17 | -13.00 | -40.16 |
| 7000.020 | -50.66 | -46.29 | 11.50 | -15.87 | -13.00 | -37.66 |
| 10500.030 | -47.20 | -39.02 | 11.40 | -19.58 | -13.00 | -34.20 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1907.5_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 55.220 | -82.37 | -70.11 | -10.90 | -1.36 | -13.00 | -69.37 |
| 73.650 | -82.28 | -75.39 | -5.32 | -1.57 | -13.00 | -69.28 |
| 130.880 | -78.32 | -74.46 | -1.77 | -2.10 | -13.00 | -65.32 |
| 178.410 | -78.25 | -76.86 | 1.05 | -2.44 | -13.00 | -65.25 |
| 229.820 | -76.20 | -78.15 | 4.72 | -2.77 | -13.00 | -63.20 |
| 282.200 | -77.49 | -78.12 | 3.70 | -3.07 | -13.00 | -64.49 |
| 3815.000 | -54.98 | -55.89 | 12.44 | -11.52 | -13.00 | -41.98 |
| 5722.500 | -53.00 | -52.02 | 13.30 | -14.28 | -13.00 | -40.00 |
| 7084.980 | -49.89 | -45.05 | 11.13 | -15.97 | -13.00 | -36.89 |
| 10627.470 | -49.80 | -41.48 | 11.35 | -19.66 | -13.00 | -36.80 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_2A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1907.5_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 61.040 | -80.29 | -69.46 | -9.40 | -1.43 | -13.00 | -67.29 |
| 124.090 | -82.59 | -79.00 | -1.55 | -2.04 | -13.00 | -69.59 |
| 174.530 | -81.27 | -79.31 | 0.46 | -2.42 | -13.00 | -68.27 |
| 212.360 | -82.50 | -84.26 | 4.42 | -2.66 | -13.00 | -69.50 |
| 345.250 | -78.52 | -79.18 | 4.05 | -3.39 | -13.00 | -65.52 |
| 413.150 | -76.61 | -77.00 | 4.10 | -3.71 | -13.00 | -63.61 |
| 3815.000 | -55.25 | -56.16 | 12.44 | -11.52 | -13.00 | -42.25 |
| 5722.500 | -53.03 | -52.05 | 13.30 | -14.28 | -13.00 | -40.03 |
| 7084.980 | -50.36 | -45.52 | 11.13 | -15.97 | -13.00 | -37.36 |
| 10627.470 | -46.80 | -38.48 | 11.35 | -19.66 | -13.00 | -33.80 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n66A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :826.5_1717.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 81.410 | -74.80 | -70.58 | -2.56 | -1.65 | -13.00 | -61.80 |
| 130.880 | -79.41 | -75.54 | -1.77 | -2.10 | -13.00 | -66.41 |
| 175.500 | -78.89 | -76.98 | 0.52 | -2.42 | -13.00 | -65.89 |
| 228.850 | -76.27 | -78.29 | 4.78 | -2.76 | -13.00 | -63.27 |
| 291.900 | -75.12 | -75.75 | 3.75 | -3.12 | -13.00 | -62.12 |
| 381.140 | -75.51 | -75.91 | 3.96 | -3.56 | -13.00 | -62.51 |
| 1653.000 | -57.71 | -59.84 | 9.60 | -7.47 | -13.00 | -44.71 |
| 2479.500 | -57.17 | -58.54 | 10.60 | -9.23 | -13.00 | -44.17 |
| 3435.000 | -50.71 | -52.36 | 12.57 | -10.93 | -13.00 | -37.71 |
| 5152.500 | -54.01 | -52.91 | 12.42 | -13.51 | -13.00 | -41.01 |
| 6870.000 | -41.31 | -37.73 | 12.12 | -15.70 | -13.00 | -28.31 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n66A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :826.5_1717.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 74.620 | -81.31 | -74.66 | -5.07 | -1.58 | -13.00 | -68.31 |
| 123.120 | -82.50 | -78.85 | -1.61 | -2.03 | -13.00 | -69.50 |
| 167.740 | -81.06 | -78.34 | -0.35 | -2.37 | -13.00 | -68.06 |
| 237.580 | -82.39 | -83.41 | 3.83 | -2.82 | -13.00 | -69.39 |
| 360.770 | -77.83 | -78.58 | 4.21 | -3.46 | -13.00 | -64.83 |
| 380.170 | -77.08 | -77.49 | 3.98 | -3.56 | -13.00 | -64.08 |
| 1653.000 | -56.38 | -58.51 | 9.60 | -7.47 | -13.00 | -43.38 |
| 2479.500 | -57.19 | -58.56 | 10.60 | -9.23 | -13.00 | -44.19 |
| 3435.000 | -56.49 | -58.14 | 12.57 | -10.93 | -13.00 | -43.49 |
| 5152.500 | -53.53 | -52.43 | 12.42 | -13.51 | -13.00 | -40.53 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n66A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :836.5_1745 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 76.560 | -70.82 | -64.85 | -4.37 | -1.60 | -13.00 | -57.82 |
| 131.850 | -79.78 | -75.95 | -1.72 | -2.10 | -13.00 | -66.78 |
| 180.350 | -78.12 | -76.94 | 1.27 | -2.45 | -13.00 | -65.12 |
| 230.790 | -77.36 | -79.19 | 4.60 | -2.77 | -13.00 | -64.36 |
| 272.500 | -77.64 | -78.35 | 3.74 | -3.02 | -13.00 | -64.64 |
| 371.440 | -74.22 | -74.82 | 4.12 | -3.52 | -13.00 | -61.22 |
| 1673.000 | -57.82 | -60.01 | 9.70 | -7.52 | -13.00 | -44.82 |
| 2509.500 | -57.23 | -58.64 | 10.70 | -9.29 | -13.00 | -44.23 |
| 3490.000 | -47.26 | -48.76 | 12.52 | -11.01 | -13.00 | -34.26 |
| 5235.000 | -53.90 | -53.18 | 12.91 | -13.63 | -13.00 | -40.90 |
| 6980.000 | -41.60 | -37.37 | 11.62 | -15.85 | -13.00 | -28.60 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n66A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :836.5_1745 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 119.240 | -82.85 | -79.32 | -1.52 | -2.00 | -13.00 | -69.85 |
| 169.680 | -81.47 | -78.99 | -0.09 | -2.39 | -13.00 | -68.47 |
| 213.330 | -82.37 | -84.16 | 4.46 | -2.67 | -13.00 | -69.37 |
| 337.490 | -79.03 | -79.61 | 3.94 | -3.36 | -13.00 | -66.03 |
| 377.260 | -77.68 | -78.16 | 4.02 | -3.55 | -13.00 | -64.68 |
| 428.670 | -77.33 | -77.45 | 3.90 | -3.77 | -13.00 | -64.33 |
| 1673.000 | -57.90 | -60.08 | 9.70 | -7.52 | -13.00 | -44.90 |
| 2509.500 | -57.37 | -58.78 | 10.70 | -9.29 | -13.00 | -44.37 |
| 3490.000 | -51.45 | -52.96 | 12.52 | -11.01 | -13.00 | -38.45 |
| 5235.000 | -53.19 | -52.48 | 12.91 | -13.63 | -13.00 | -40.19 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n66A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :846.5_1772.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 61.040 | -78.24 | -67.41 | -9.40 | -1.43 | -13.00 | -65.24 |
| 84.320 | -76.58 | -73.13 | -1.77 | -1.68 | -13.00 | -63.58 |
| 122.150 | -79.27 | -75.73 | -1.51 | -2.03 | -13.00 | -66.27 |
| 180.350 | -77.93 | -76.76 | 1.27 | -2.45 | -13.00 | -64.93 |
| 229.820 | -77.34 | -79.29 | 4.72 | -2.77 | -13.00 | -64.34 |
| 277.350 | -77.66 | -78.30 | 3.69 | -3.05 | -13.00 | -64.66 |
| 1693.000 | -57.66 | -59.85 | 9.76 | -7.56 | -13.00 | -44.66 |
| 2539.500 | -57.29 | -58.45 | 10.51 | -9.35 | -13.00 | -44.29 |
| 3545.000 | -45.42 | -46.55 | 12.23 | -11.10 | -13.00 | -32.42 |
| 5317.500 | -53.61 | -53.17 | 13.30 | -13.74 | -13.00 | -40.61 |
| 7090.000 | -39.86 | -35.00 | 11.12 | -15.98 | -13.00 | -26.86 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n66A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :846.5_1772.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 80.440 | -76.73 | -72.15 | -2.94 | -1.64 | -13.00 | -63.73 |
| 127.970 | -81.92 | -78.17 | -1.68 | -2.07 | -13.00 | -68.92 |
| 157.070 | -81.49 | -78.01 | -1.20 | -2.29 | -13.00 | -68.49 |
| 212.360 | -83.29 | -85.05 | 4.42 | -2.66 | -13.00 | -70.29 |
| 345.250 | -78.33 | -78.98 | 4.05 | -3.39 | -13.00 | -65.33 |
| 381.140 | -76.98 | -77.38 | 3.96 | -3.56 | -13.00 | -63.98 |
| 1693.000 | -57.76 | -59.96 | 9.76 | -7.56 | -13.00 | -44.76 |
| 2539.500 | -56.39 | -57.54 | 10.51 | -9.35 | -13.00 | -43.39 |
| 3545.000 | -48.84 | -49.97 | 12.23 | -11.10 | -13.00 | -35.84 |
| 5317.500 | -53.62 | -53.18 | 13.30 | -13.74 | -13.00 | -40.62 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :826.5_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 65.890 | -74.93 | -65.65 | -7.80 | -1.48 | -13.00 | -61.93 |
| 84.320 | -82.02 | -78.57 | -1.77 | -1.68 | -13.00 | -69.02 |
| 138.640 | -78.71 | -74.71 | -1.85 | -2.15 | -13.00 | -65.71 |
| 176.470 | -78.27 | -76.55 | 0.71 | -2.43 | -13.00 | -65.27 |
| 233.700 | -77.55 | -78.95 | 4.18 | -2.79 | -13.00 | -64.55 |
| 280.260 | -77.25 | -77.91 | 3.72 | -3.06 | -13.00 | -64.25 |
| 1653.000 | -59.99 | -62.12 | 9.60 | -7.47 | -13.00 | -46.99 |
| 2479.500 | -57.98 | -59.35 | 10.60 | -9.23 | -13.00 | -44.98 |
| 6915.000 | -51.84 | -48.02 | 11.94 | -15.76 | -13.00 | -38.84 |
| 10372.500 | -48.13 | -40.08 | 11.40 | -19.44 | -13.00 | -35.13 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :826.5_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 55.220 | -78.45 | -66.19 | -10.90 | -1.36 | -13.00 | -65.45 |
| 86.260 | -82.68 | -79.67 | -1.30 | -1.70 | -13.00 | -69.68 |
| 163.860 | -81.39 | -78.32 | -0.73 | -2.34 | -13.00 | -68.39 |
| 213.330 | -82.89 | -84.68 | 4.46 | -2.67 | -13.00 | -69.89 |
| 302.570 | -81.42 | -82.10 | 3.85 | -3.17 | -13.00 | -68.42 |
| 365.620 | -77.49 | -78.22 | 4.22 | -3.49 | -13.00 | -64.49 |
| 1653.000 | -58.90 | -61.03 | 9.60 | -7.47 | -13.00 | -45.90 |
| 2479.500 | -59.14 | -60.51 | 10.60 | -9.23 | -13.00 | -46.14 |
| 6915.000 | -51.76 | -47.94 | 11.94 | -15.76 | -13.00 | -38.76 |
| 10372.500 | -46.81 | -38.77 | 11.40 | -19.44 | -13.00 | -33.81 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :836.5_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 66.860 | -74.75 | -65.55 | -7.70 | -1.50 | -13.00 | -61.75 |
| 132.820 | -79.24 | -75.47 | -1.65 | -2.11 | -13.00 | -66.24 |
| 175.500 | -78.27 | -76.37 | 0.52 | -2.42 | -13.00 | -65.27 |
| 228.850 | -77.44 | -79.46 | 4.78 | -2.76 | -13.00 | -64.44 |
| 271.530 | -77.40 | -78.15 | 3.77 | -3.02 | -13.00 | -64.40 |
| 372.410 | -77.71 | -78.29 | 4.10 | -3.52 | -13.00 | -64.71 |
| 1673.000 | -59.48 | -61.67 | 9.70 | -7.52 | -13.00 | -46.48 |
| 2509.500 | -59.06 | -60.47 | 10.70 | -9.29 | -13.00 | -46.06 |
| 7000.020 | -50.75 | -46.38 | 11.50 | -15.87 | -13.00 | -37.75 |
| 10500.030 | -48.12 | -39.94 | 11.40 | -19.58 | -13.00 | -35.12 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :836.5_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 59.100 | -79.68 | -68.28 | -10.00 | -1.41 | -13.00 | -66.68 |
| 123.120 | -82.69 | -79.04 | -1.61 | -2.03 | -13.00 | -69.69 |
| 159.980 | -81.66 | -78.30 | -1.04 | -2.31 | -13.00 | -68.66 |
| 231.760 | -83.02 | -84.70 | 4.46 | -2.78 | -13.00 | -70.02 |
| 345.250 | -77.85 | -78.51 | 4.05 | -3.39 | -13.00 | -64.85 |
| 407.330 | -77.15 | -77.45 | 3.98 | -3.68 | -13.00 | -64.15 |
| 1673.000 | -60.10 | -62.28 | 9.70 | -7.52 | -13.00 | -47.10 |
| 2509.500 | -58.95 | -60.36 | 10.70 | -9.29 | -13.00 | -45.95 |
| 7000.020 | -51.43 | -47.06 | 11.50 | -15.87 | -13.00 | -38.43 |
| 10500.030 | -46.82 | -38.64 | 11.40 | -19.58 | -13.00 | -33.82 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :846.5_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 62.010 | -77.62 | -67.11 | -9.07 | -1.44 | -13.00 | -64.62 |
| 76.560 | -75.79 | -69.82 | -4.37 | -1.60 | -13.00 | -62.79 |
| 130.880 | -79.08 | -75.22 | -1.77 | -2.10 | -13.00 | -66.08 |
| 177.440 | -79.01 | -77.48 | 0.91 | -2.43 | -13.00 | -66.01 |
| 228.850 | -77.50 | -79.52 | 4.78 | -2.76 | -13.00 | -64.50 |
| 268.620 | -75.70 | -76.63 | 3.93 | -3.00 | -13.00 | -62.70 |
| 1693.000 | -60.61 | -62.80 | 9.76 | -7.56 | -13.00 | -47.61 |
| 2539.500 | -58.86 | -60.01 | 10.51 | -9.35 | -13.00 | -45.86 |
| 7084.980 | -50.55 | -45.71 | 11.13 | -15.97 | -13.00 | -37.55 |
| 10627.470 | -48.56 | -40.24 | 11.35 | -19.66 | -13.00 | -35.56 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_5A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :846.5_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 98.870 | -82.86 | -80.04 | -1.00 | -1.82 | -13.00 | -69.86 |
| 157.070 | -81.44 | -77.96 | -1.20 | -2.29 | -13.00 | -68.44 |
| 207.510 | -81.78 | -83.32 | 4.17 | -2.64 | -13.00 | -68.78 |
| 277.350 | -82.14 | -82.78 | 3.69 | -3.05 | -13.00 | -69.14 |
| 341.370 | -78.70 | -79.34 | 4.02 | -3.38 | -13.00 | -65.70 |
| 393.750 | -77.03 | -77.32 | 3.91 | -3.62 | -13.00 | -64.03 |
| 1693.000 | -59.19 | -61.39 | 9.76 | -7.56 | -13.00 | -46.19 |
| 2539.500 | -58.67 | -59.83 | 10.51 | -9.35 | -13.00 | -45.67 |
| 7084.980 | -51.23 | -46.39 | 11.13 | -15.97 | -13.00 | -38.23 |
| 10627.470 | -47.30 | -38.98 | 11.35 | -19.66 | -13.00 | -34.30 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n2A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :704_1855 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 40.670 | -78.41 | -64.21 | -13.03 | -1.17 | -13.00 | -65.41 |
| 82.380 | -70.31 | -66.32 | -2.33 | -1.66 | -13.00 | -57.31 |
| 135.730 | -79.45 | -75.55 | -1.77 | -2.13 | -13.00 | -66.45 |
| 180.350 | -78.45 | -77.27 | 1.27 | -2.45 | -13.00 | -65.45 |
| 237.580 | -76.65 | -77.67 | 3.83 | -2.82 | -13.00 | -63.65 |
| 279.290 | -77.10 | -77.76 | 3.71 | -3.06 | -13.00 | -64.10 |
| 1408.000 | -58.86 | -59.66 | 7.68 | -6.88 | -13.00 | -45.86 |
| 2112.000 | -57.06 | -58.25 | 9.68 | -8.49 | -13.00 | -44.06 |
| 3710.000 | -53.23 | -54.36 | 12.50 | -11.37 | -13.00 | -40.23 |
| 5565.000 | -53.71 | -52.89 | 13.26 | -14.08 | -13.00 | -40.71 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n2A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :704_1855 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 83.350 | -78.75 | -75.05 | -2.03 | -1.67 | -13.00 | -65.75 |
| 149.310 | -81.39 | -77.55 | -1.60 | -2.23 | -13.00 | -68.39 |
| 175.500 | -82.05 | -80.14 | 0.52 | -2.42 | -13.00 | -69.05 |
| 210.420 | -83.34 | -85.03 | 4.34 | -2.65 | -13.00 | -70.34 |
| 350.100 | -78.00 | -78.76 | 4.16 | -3.41 | -13.00 | -65.00 |
| 414.120 | -77.76 | -78.17 | 4.12 | -3.71 | -13.00 | -64.76 |
| 1408.000 | -59.05 | -59.85 | 7.68 | -6.88 | -13.00 | -46.05 |
| 2112.000 | -57.18 | -58.37 | 9.68 | -8.49 | -13.00 | -44.18 |
| 3710.000 | -55.97 | -57.10 | 12.50 | -11.37 | -13.00 | -42.97 |
| 5565.000 | -52.77 | -51.95 | 13.26 | -14.08 | -13.00 | -39.77 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n2A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :707.5_1880 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 48.430 | -82.30 | -68.76 | -12.27 | -1.28 | -13.00 | -69.30 |
| 75.590 | -81.66 | -75.29 | -4.77 | -1.59 | -13.00 | -68.66 |
| 139.610 | -79.16 | -75.18 | -1.82 | -2.16 | -13.00 | -66.16 |
| 180.350 | -77.91 | -76.73 | 1.27 | -2.45 | -13.00 | -64.91 |
| 231.760 | -77.51 | -79.19 | 4.46 | -2.78 | -13.00 | -64.51 |
| 280.260 | -77.38 | -78.04 | 3.72 | -3.06 | -13.00 | -64.38 |
| 1415.000 | -58.87 | -59.73 | 7.75 | -6.90 | -13.00 | -45.87 |
| 2122.500 | -55.65 | -56.74 | 9.60 | -8.51 | -13.00 | -42.65 |
| 3760.000 | -50.08 | -51.14 | 12.50 | -11.44 | -13.00 | -37.08 |
| 5640.000 | -52.17 | -51.48 | 13.48 | -14.17 | -13.00 | -39.17 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n2A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :707.5_1880 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 68.800 | -82.11 | -73.53 | -7.07 | -1.52 | -13.00 | -69.11 |
| 120.210 | -82.05 | -78.51 | -1.52 | -2.01 | -13.00 | -69.05 |
| 170.650 | -80.40 | -77.96 | -0.04 | -2.39 | -13.00 | -67.40 |
| 211.390 | -83.56 | -85.28 | 4.38 | -2.66 | -13.00 | -70.56 |
| 358.830 | -77.70 | -78.47 | 4.23 | -3.45 | -13.00 | -64.70 |
| 392.780 | -77.61 | -77.90 | 3.91 | -3.61 | -13.00 | -64.61 |
| 1415.000 | -58.70 | -59.56 | 7.75 | -6.90 | -13.00 | -45.70 |
| 2122.500 | -56.67 | -57.76 | 9.60 | -8.51 | -13.00 | -43.67 |
| 3760.000 | -55.32 | -56.37 | 12.50 | -11.44 | -13.00 | -42.32 |
| 5640.000 | -52.24 | -51.55 | 13.48 | -14.17 | -13.00 | -39.24 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n2A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :711_1905 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 80.440 | -73.79 | -69.21 | -2.94 | -1.64 | -13.00 | -60.79 |
| 134.760 | -79.09 | -75.17 | -1.80 | -2.12 | -13.00 | -66.09 |
| 180.350 | -78.48 | -77.30 | 1.27 | -2.45 | -13.00 | -65.48 |
| 231.760 | -75.51 | -77.19 | 4.46 | -2.78 | -13.00 | -62.51 |
| 278.320 | -77.99 | -78.64 | 3.70 | -3.05 | -13.00 | -64.99 |
| 374.350 | -76.62 | -77.16 | 4.07 | -3.53 | -13.00 | -63.62 |
| 1422.000 | -58.73 | -59.62 | 7.80 | -6.91 | -13.00 | -45.73 |
| 2133.000 | -57.08 | -58.15 | 9.60 | -8.53 | -13.00 | -44.08 |
| 3810.000 | -51.07 | -52.01 | 12.46 | -11.52 | -13.00 | -38.07 |
| 5715.000 | -53.01 | -52.04 | 13.30 | -14.27 | -13.00 | -40.01 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n2A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :711_1905 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 80.440 | -76.31 | -71.73 | -2.94 | -1.64 | -13.00 | -63.31 |
| 121.180 | -81.87 | -78.38 | -1.47 | -2.02 | -13.00 | -68.87 |
| 169.680 | -81.31 | -78.83 | -0.09 | -2.39 | -13.00 | -68.31 |
| 345.250 | -78.15 | -78.81 | 4.05 | -3.39 | -13.00 | -65.15 |
| 366.590 | -77.75 | -78.46 | 4.20 | -3.49 | -13.00 | -64.75 |
| 475.230 | -76.51 | -76.54 | 4.01 | -3.98 | -13.00 | -63.51 |
| 1422.000 | -59.02 | -59.91 | 7.80 | -6.91 | -13.00 | -46.02 |
| 2133.000 | -57.38 | -58.44 | 9.60 | -8.53 | -13.00 | -44.38 |
| 3810.000 | -55.77 | -56.71 | 12.46 | -11.52 | -13.00 | -42.77 |
| 5715.000 | -53.24 | -52.27 | 13.30 | -14.27 | -13.00 | -40.24 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :704_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 54.250 | -83.08 | -70.54 | -11.18 | -1.35 | -13.00 | -70.08 |
| 83.350 | -82.97 | -79.26 | -2.03 | -1.67 | -13.00 | -69.97 |
| 134.760 | -79.02 | -75.10 | -1.80 | -2.12 | -13.00 | -66.02 |
| 179.380 | -78.76 | -77.47 | 1.16 | -2.45 | -13.00 | -65.76 |
| 229.820 | -77.07 | -79.03 | 4.72 | -2.77 | -13.00 | -64.07 |
| 275.410 | -78.20 | -78.83 | 3.67 | -3.04 | -13.00 | -65.20 |
| 1408.000 | -59.52 | -60.32 | 7.68 | -6.88 | -13.00 | -46.52 |
| 2112.000 | -57.64 | -58.83 | 9.68 | -8.49 | -13.00 | -44.64 |
| 6915.000 | -51.37 | -47.55 | 11.94 | -15.76 | -13.00 | -38.37 |
| 10372.500 | -49.08 | -41.04 | 11.40 | -19.44 | -13.00 | -36.08 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :704_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 61.040 | -80.05 | -69.22 | -9.40 | -1.43 | -13.00 | -67.05 |
| 140.580 | -80.73 | -76.80 | -1.77 | -2.16 | -13.00 | -67.73 |
| 175.500 | -80.96 | -79.05 | 0.52 | -2.42 | -13.00 | -67.96 |
| 212.360 | -82.95 | -84.71 | 4.42 | -2.66 | -13.00 | -69.95 |
| 340.400 | -77.03 | -77.67 | 4.01 | -3.37 | -13.00 | -64.03 |
| 438.370 | -77.52 | -77.38 | 3.68 | -3.82 | -13.00 | -64.52 |
| 1408.000 | -60.23 | -61.03 | 7.68 | -6.88 | -13.00 | -47.23 |
| 2112.000 | -58.09 | -59.28 | 9.68 | -8.49 | -13.00 | -45.09 |
| 6915.000 | -51.25 | -47.43 | 11.94 | -15.76 | -13.00 | -38.25 |
| 10372.500 | -46.48 | -38.44 | 11.40 | -19.44 | -13.00 | -33.48 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :707.5_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 49.400 | -81.64 | -68.24 | -12.11 | -1.29 | -13.00 | -68.64 |
| 136.700 | -78.85 | -75.01 | -1.71 | -2.14 | -13.00 | -65.85 |
| 179.380 | -78.03 | -76.75 | 1.16 | -2.45 | -13.00 | -65.03 |
| 233.700 | -77.39 | -78.78 | 4.18 | -2.79 | -13.00 | -64.39 |
| 276.380 | -77.67 | -78.31 | 3.68 | -3.04 | -13.00 | -64.67 |
| 336.520 | -78.19 | -78.75 | 3.92 | -3.35 | -13.00 | -65.19 |
| 1415.000 | -59.61 | -60.46 | 7.75 | -6.90 | -13.00 | -46.61 |
| 2122.500 | -58.94 | -60.03 | 9.60 | -8.51 | -13.00 | -45.94 |
| 7000.020 | -51.64 | -47.27 | 11.50 | -15.87 | -13.00 | -38.64 |
| 10500.030 | -48.73 | -40.55 | 11.40 | -19.58 | -13.00 | -35.73 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :707.5_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 61.040 | -79.89 | -69.06 | -9.40 | -1.43 | -13.00 | -66.89 |
| 120.210 | -82.54 | -79.01 | -1.52 | -2.01 | -13.00 | -69.54 |
| 174.530 | -80.53 | -78.58 | 0.46 | -2.42 | -13.00 | -67.53 |
| 207.510 | -83.04 | -84.58 | 4.17 | -2.64 | -13.00 | -70.04 |
| 380.170 | -77.17 | -77.58 | 3.98 | -3.56 | -13.00 | -64.17 |
| 444.190 | -77.21 | -76.93 | 3.57 | -3.85 | -13.00 | -64.21 |
| 1415.000 | -59.48 | -60.33 | 7.75 | -6.90 | -13.00 | -46.48 |
| 2122.500 | -58.96 | -60.05 | 9.60 | -8.51 | -13.00 | -45.96 |
| 7000.020 | -52.33 | -47.95 | 11.50 | -15.87 | -13.00 | -39.33 |
| 10500.030 | -47.99 | -39.81 | 11.40 | -19.58 | -13.00 | -34.99 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :711_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 48.430 | -82.65 | -69.10 | -12.27 | -1.28 | -13.00 | -69.65 |
| 133.790 | -79.12 | -75.25 | -1.75 | -2.12 | -13.00 | -66.12 |
| 179.380 | -78.16 | -76.87 | 1.16 | -2.45 | -13.00 | -65.16 |
| 228.850 | -76.42 | -78.44 | 4.78 | -2.76 | -13.00 | -63.42 |
| 280.260 | -77.41 | -78.07 | 3.72 | -3.06 | -13.00 | -64.41 |
| 377.260 | -78.21 | -78.69 | 4.02 | -3.55 | -13.00 | -65.21 |
| 1422.000 | -60.24 | -61.13 | 7.80 | -6.91 | -13.00 | -47.24 |
| 2133.000 | -58.46 | -59.53 | 9.60 | -8.53 | -13.00 | -45.46 |
| 7084.980 | -49.08 | -44.24 | 11.13 | -15.97 | -13.00 | -36.08 |
| 10627.470 | -48.71 | -40.40 | 11.35 | -19.66 | -13.00 | -35.71 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_12A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :711_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 65.890 | -81.37 | -72.09 | -7.80 | -1.48 | -13.00 | -68.37 |
| 120.210 | -82.87 | -79.33 | -1.52 | -2.01 | -13.00 | -69.87 |
| 175.500 | -81.07 | -79.16 | 0.52 | -2.42 | -13.00 | -68.07 |
| 225.940 | -82.38 | -84.59 | 4.96 | -2.75 | -13.00 | -69.38 |
| 365.620 | -77.52 | -78.25 | 4.22 | -3.49 | -13.00 | -64.52 |
| 406.360 | -77.53 | -77.82 | 3.96 | -3.68 | -13.00 | -64.53 |
| 1422.000 | -59.65 | -60.54 | 7.80 | -6.91 | -13.00 | -46.65 |
| 2133.000 | -59.41 | -60.48 | 9.60 | -8.53 | -13.00 | -46.41 |
| 7084.980 | -51.27 | -46.43 | 11.13 | -15.97 | -13.00 | -38.27 |
| 10627.470 | -47.70 | -39.38 | 11.35 | -19.66 | -13.00 | -34.70 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n5A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :2307.5_831.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 77.530 | -70.13 | -64.60 | -3.92 | -1.61 | -40.00 | -30.13 |
| 130.880 | -79.19 | -75.33 | -1.77 | -2.10 | -40.00 | -39.19 |
| 179.380 | -78.86 | -77.57 | 1.16 | -2.45 | -40.00 | -38.86 |
| 226.910 | -77.12 | -79.27 | 4.90 | -2.75 | -40.00 | -37.12 |
| 280.260 | -77.68 | -78.34 | 3.72 | -3.06 | -40.00 | -37.68 |
| 417.030 | -76.17 | -76.58 | 4.14 | -3.73 | -40.00 | -36.17 |
| 1663.000 | -59.06 | -61.20 | 9.63 | -7.49 | -40.00 | -19.06 |
| 2494.500 | -56.54 | -57.93 | 10.65 | -9.26 | -40.00 | -16.54 |
| 4615.000 | -54.73 | -54.56 | 12.57 | -12.73 | -40.00 | -14.73 |
| 6922.500 | -44.35 | -40.49 | 11.91 | -15.77 | -40.00 | -4.35 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n5A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :2307.5_831.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 80.440 | -78.38 | -73.80 | -2.94 | -1.64 | -40.00 | -38.38 |
| 141.550 | -82.25 | -78.27 | -1.81 | -2.17 | -40.00 | -42.25 |
| 168.710 | -79.99 | -77.34 | -0.27 | -2.38 | -40.00 | -39.99 |
| 209.450 | -82.76 | -84.40 | 4.29 | -2.65 | -40.00 | -42.76 |
| 366.590 | -76.48 | -77.19 | 4.20 | -3.49 | -40.00 | -36.48 |
| 382.110 | -76.33 | -76.71 | 3.94 | -3.57 | -40.00 | -36.33 |
| 1663.000 | -58.30 | -60.44 | 9.63 | -7.49 | -40.00 | -18.30 |
| 2494.500 | -56.52 | -57.90 | 10.65 | -9.26 | -40.00 | -16.52 |
| 4615.000 | -54.57 | -54.41 | 12.57 | -12.73 | -40.00 | -14.57 |
| 6922.500 | -51.03 | -47.17 | 11.91 | -15.77 | -40.00 | -11.03 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n5A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :2310_836.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 82.380 | -74.04 | -70.05 | -2.33 | -1.66 | -40.00 | -34.04 |
| 134.760 | -79.62 | -75.69 | -1.80 | -2.12 | -40.00 | -39.62 |
| 178.410 | -77.79 | -76.40 | 1.05 | -2.44 | -40.00 | -37.79 |
| 228.850 | -77.33 | -79.35 | 4.78 | -2.76 | -40.00 | -37.33 |
| 262.800 | -77.33 | -78.44 | 4.08 | -2.97 | -40.00 | -37.33 |
| 294.810 | -75.88 | -76.53 | 3.78 | -3.13 | -40.00 | -35.88 |
| 1673.000 | -58.46 | -60.64 | 9.70 | -7.52 | -40.00 | -18.46 |
| 2509.500 | -55.10 | -56.51 | 10.70 | -9.29 | -40.00 | -15.10 |
| 4620.000 | -53.97 | -53.79 | 12.56 | -12.74 | -40.00 | -13.97 |
| 6930.000 | -44.88 | -40.98 | 11.88 | -15.78 | -40.00 | -4.88 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n5A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :2310_836.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 82.380 | -74.32 | -70.33 | -2.33 | -1.66 | -40.00 | -34.32 |
| 131.850 | -82.71 | -78.89 | -1.72 | -2.10 | -40.00 | -42.71 |
| 178.410 | -81.28 | -79.89 | 1.05 | -2.44 | -40.00 | -41.28 |
| 294.810 | -81.69 | -82.33 | 3.78 | -3.13 | -40.00 | -41.69 |
| 375.320 | -76.22 | -76.74 | 4.05 | -3.54 | -40.00 | -36.22 |
| 460.680 | -76.34 | -76.27 | 3.84 | -3.91 | -40.00 | -36.34 |
| 1673.000 | -59.21 | -61.40 | 9.70 | -7.52 | -40.00 | -19.21 |
| 2509.500 | -56.03 | -57.44 | 10.70 | -9.29 | -40.00 | -16.03 |
| 4620.000 | -55.27 | -55.09 | 12.56 | -12.74 | -40.00 | -15.27 |
| 6930.000 | -51.96 | -48.06 | 11.88 | -15.78 | -40.00 | -11.96 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n5A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :2312.5_841.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 77.530 | -71.76 | -66.23 | -3.92 | -1.61 | -40.00 | -31.76 |
| 130.880 | -79.98 | -76.11 | -1.77 | -2.10 | -40.00 | -39.98 |
| 168.710 | -77.61 | -74.95 | -0.27 | -2.38 | -40.00 | -37.61 |
| 225.940 | -76.89 | -79.10 | 4.96 | -2.75 | -40.00 | -36.89 |
| 267.650 | -73.37 | -74.38 | 4.01 | -3.00 | -40.00 | -33.37 |
| 338.460 | -77.81 | -78.42 | 3.97 | -3.36 | -40.00 | -37.81 |
| 1683.000 | -58.96 | -61.12 | 9.70 | -7.54 | -40.00 | -18.96 |
| 2524.500 | -56.66 | -57.94 | 10.60 | -9.32 | -40.00 | -16.66 |
| 4625.000 | -54.87 | -54.67 | 12.55 | -12.75 | -40.00 | -14.87 |
| 6937.500 | -44.99 | -41.05 | 11.85 | -15.79 | -40.00 | -4.99 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n5A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :2312.5_841.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 77.530 | -82.03 | -76.50 | -3.92 | -1.61 | -40.00 | -42.03 |
| 122.150 | -82.06 | -78.52 | -1.51 | -2.03 | -40.00 | -42.06 |
| 170.650 | -81.69 | -79.25 | -0.04 | -2.39 | -40.00 | -41.69 |
| 204.600 | -82.85 | -84.22 | 3.99 | -2.62 | -40.00 | -42.85 |
| 345.250 | -78.33 | -78.98 | 4.05 | -3.39 | -40.00 | -38.33 |
| 400.540 | -76.69 | -76.96 | 3.92 | -3.65 | -40.00 | -36.69 |
| 1683.000 | -58.50 | -60.67 | 9.70 | -7.54 | -40.00 | -18.50 |
| 2524.500 | -56.19 | -57.47 | 10.60 | -9.32 | -40.00 | -16.19 |
| 4625.000 | -54.50 | -54.30 | 12.55 | -12.75 | -40.00 | -14.50 |
| 6937.500 | -52.05 | -48.11 | 11.85 | -15.79 | -40.00 | -12.05 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :2307.5_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 76.560 | -73.88 | -67.90 | -4.37 | -1.60 | -13.00 | -60.88 |
| 135.730 | -78.95 | -75.06 | -1.77 | -2.13 | -13.00 | -65.95 |
| 180.350 | -78.40 | -77.22 | 1.27 | -2.45 | -13.00 | -65.40 |
| 233.700 | -76.99 | -78.38 | 4.18 | -2.79 | -13.00 | -63.99 |
| 281.230 | -77.31 | -77.96 | 3.71 | -3.07 | -13.00 | -64.31 |
| 339.430 | -78.30 | -78.92 | 4.00 | -3.37 | -13.00 | -65.30 |
| 4615.000 | -53.96 | -53.80 | 12.57 | -12.73 | -13.00 | -40.96 |
| 6915.000 | -51.42 | -47.60 | 11.94 | -15.76 | -13.00 | -38.42 |
| 6922.500 | -42.84 | -38.97 | 11.91 | -15.77 | -13.00 | -29.84 |
| 10372.500 | -47.57 | -39.53 | 11.40 | -19.44 | -13.00 | -34.57 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :2307.5_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 80.440 | -81.51 | -76.93 | -2.94 | -1.64 | -13.00 | -68.51 |
| 123.120 | -81.46 | -77.81 | -1.61 | -2.03 | -13.00 | -68.46 |
| 167.740 | -81.42 | -78.69 | -0.35 | -2.37 | -13.00 | -68.42 |
| 208.480 | -83.50 | -85.09 | 4.23 | -2.64 | -13.00 | -70.50 |
| 382.110 | -77.21 | -77.58 | 3.94 | -3.57 | -13.00 | -64.21 |
| 450.010 | -76.70 | -76.58 | 3.74 | -3.87 | -13.00 | -63.70 |
| 4615.000 | -53.84 | -53.68 | 12.57 | -12.73 | -13.00 | -40.84 |
| 6915.000 | -51.24 | -47.42 | 11.94 | -15.76 | -13.00 | -38.24 |
| 6922.500 | -47.35 | -43.49 | 11.91 | -15.77 | -13.00 | -34.35 |
| 10372.500 | -45.66 | -37.62 | 11.40 | -19.44 | -13.00 | -32.66 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :2310_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 53.280 | -82.63 | -69.83 | -11.46 | -1.34 | -13.00 | -69.63 |
| 83.350 | -82.52 | -78.82 | -2.03 | -1.67 | -13.00 | -69.52 |
| 135.730 | -78.32 | -74.42 | -1.77 | -2.13 | -13.00 | -65.32 |
| 180.350 | -78.99 | -77.81 | 1.27 | -2.45 | -13.00 | -65.99 |
| 231.760 | -77.25 | -78.93 | 4.46 | -2.78 | -13.00 | -64.25 |
| 278.320 | -77.79 | -78.44 | 3.70 | -3.05 | -13.00 | -64.79 |
| 4620.000 | -53.73 | -53.55 | 12.56 | -12.74 | -13.00 | -40.73 |
| 6930.000 | -49.15 | -45.25 | 11.88 | -15.78 | -13.00 | -36.15 |
| 7000.020 | -48.37 | -44.00 | 11.50 | -15.87 | -13.00 | -35.37 |
| 10500.030 | -47.10 | -38.92 | 11.40 | -19.58 | -13.00 | -34.10 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :2310_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 86.260 | -82.95 | -79.94 | -1.30 | -1.70 | -13.00 | -69.95 |
| 152.220 | -80.75 | -76.95 | -1.55 | -2.26 | -13.00 | -67.75 |
| 208.480 | -83.41 | -85.00 | 4.23 | -2.64 | -13.00 | -70.41 |
| 304.510 | -81.39 | -82.07 | 3.87 | -3.18 | -13.00 | -68.39 |
| 341.370 | -78.37 | -79.01 | 4.02 | -3.38 | -13.00 | -65.37 |
| 399.570 | -76.24 | -76.51 | 3.92 | -3.65 | -13.00 | -63.24 |
| 4620.000 | -53.38 | -53.20 | 12.56 | -12.74 | -13.00 | -40.38 |
| 6930.000 | -50.90 | -47.00 | 11.88 | -15.78 | -13.00 | -37.90 |
| 7000.020 | -49.44 | -45.07 | 11.50 | -15.87 | -13.00 | -36.44 |
| 10500.030 | -45.65 | -37.47 | 11.40 | -19.58 | -13.00 | -32.65 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :2312.5_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 72.680 | -76.15 | -68.77 | -5.82 | -1.56 | -13.00 | -63.15 |
| 132.820 | -78.90 | -75.13 | -1.65 | -2.11 | -13.00 | -65.90 |
| 178.410 | -78.70 | -77.32 | 1.05 | -2.44 | -13.00 | -65.70 |
| 229.820 | -77.25 | -79.20 | 4.72 | -2.77 | -13.00 | -64.25 |
| 281.230 | -77.55 | -78.19 | 3.71 | -3.07 | -13.00 | -64.55 |
| 394.720 | -78.19 | -78.48 | 3.91 | -3.62 | -13.00 | -65.19 |
| 4625.000 | -54.24 | -54.04 | 12.55 | -12.75 | -13.00 | -41.24 |
| 6937.500 | -44.78 | -40.84 | 11.85 | -15.79 | -13.00 | -31.78 |
| 7084.980 | -49.03 | -44.18 | 11.13 | -15.97 | -13.00 | -36.03 |
| 10627.470 | -46.46 | -38.15 | 11.35 | -19.66 | -13.00 | -33.46 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_30A_n77A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :2312.5_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 66.860 | -81.54 | -72.34 | -7.70 | -1.50 | -13.00 | -68.54 |
| 121.180 | -82.88 | -79.39 | -1.47 | -2.02 | -13.00 | -69.88 |
| 163.860 | -81.11 | -78.04 | -0.73 | -2.34 | -13.00 | -68.11 |
| 207.510 | -80.77 | -82.30 | 4.17 | -2.64 | -13.00 | -67.77 |
| 340.400 | -77.54 | -78.18 | 4.01 | -3.37 | -13.00 | -64.54 |
| 388.900 | -77.79 | -78.09 | 3.90 | -3.60 | -13.00 | -64.79 |
| 4625.000 | -53.83 | -53.64 | 12.55 | -12.75 | -13.00 | -40.83 |
| 6937.500 | -49.73 | -45.79 | 11.85 | -15.79 | -13.00 | -36.73 |
| 7084.980 | -50.22 | -45.38 | 11.13 | -15.97 | -13.00 | -37.22 |
| 10627.470 | -45.98 | -37.67 | 11.35 | -19.66 | -13.00 | -32.98 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_41A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :2498.5_2501.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 64.920 | -74.30 | -64.45 | -8.38 | -1.47 | -25.00 | -49.30 |
| 134.760 | -79.63 | -75.71 | -1.80 | -2.12 | -25.00 | -54.63 |
| 178.410 | -78.05 | -76.66 | 1.05 | -2.44 | -25.00 | -53.05 |
| 229.820 | -76.58 | -78.53 | 4.72 | -2.77 | -25.00 | -51.58 |
| 284.140 | -78.18 | -78.79 | 3.69 | -3.08 | -25.00 | -53.18 |
| 376.290 | -78.18 | -78.68 | 4.04 | -3.54 | -25.00 | -53.18 |
| 4997.000 | -53.08 | -52.39 | 12.60 | -13.29 | -25.00 | -28.08 |
| 5002.020 | -53.08 | -52.38 | 12.60 | -13.29 | -25.00 | -28.08 |
| 7495.500 | -48.13 | -42.70 | 11.00 | -16.43 | -25.00 | -23.13 |
| 7503.030 | -46.92 | -41.50 | 11.01 | -16.43 | -25.00 | -21.92 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_41A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :2498.5_2501.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 94.990 | -83.11 | -80.55 | -0.77 | -1.78 | -25.00 | -58.11 |
| 151.250 | -81.69 | -77.81 | -1.63 | -2.25 | -25.00 | -56.69 |
| 211.390 | -83.32 | -85.04 | 4.38 | -2.66 | -25.00 | -58.32 |
| 367.560 | -77.87 | -78.56 | 4.18 | -3.50 | -25.00 | -52.87 |
| 392.780 | -76.59 | -76.89 | 3.91 | -3.61 | -25.00 | -51.59 |
| 455.830 | -77.45 | -77.39 | 3.84 | -3.89 | -25.00 | -52.45 |
| 4997.000 | -53.70 | -53.01 | 12.60 | -13.29 | -25.00 | -28.70 |
| 5002.020 | -52.97 | -52.28 | 12.60 | -13.29 | -25.00 | -27.97 |
| 7495.500 | -49.83 | -44.40 | 11.00 | -16.43 | -25.00 | -24.83 |
| 7503.030 | -49.83 | -44.41 | 11.01 | -16.43 | -25.00 | -24.83 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_41A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :2593_2593.02 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 79.470 | -68.56 | -63.60 | -3.32 | -1.63 | -25.00 | -43.56 |
| 128.940 | -79.26 | -75.47 | -1.71 | -2.08 | -25.00 | -54.26 |
| 181.320 | -78.71 | -77.73 | 1.48 | -2.46 | -25.00 | -53.71 |
| 227.880 | -77.42 | -79.50 | 4.84 | -2.76 | -25.00 | -52.42 |
| 275.410 | -72.80 | -73.44 | 3.67 | -3.04 | -25.00 | -47.80 |
| 377.260 | -74.33 | -74.81 | 4.02 | -3.55 | -25.00 | -49.33 |
| 5186.000 | -53.92 | -52.98 | 12.62 | -13.56 | -25.00 | -28.92 |
| 5186.040 | -53.47 | -52.53 | 12.62 | -13.56 | -25.00 | -28.47 |
| 7779.000 | -51.09 | -45.88 | 11.54 | -16.75 | -25.00 | -26.09 |
| 7779.060 | -47.41 | -42.20 | 11.54 | -16.75 | -25.00 | -22.41 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_41A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :2593_2593.02 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 88.200 | -82.58 | -79.75 | -1.11 | -1.72 | -25.00 | -57.58 |
| 143.490 | -82.19 | -78.17 | -1.83 | -2.19 | -25.00 | -57.19 |
| 169.680 | -81.37 | -78.89 | -0.09 | -2.39 | -25.00 | -56.37 |
| 227.880 | -82.76 | -84.84 | 4.84 | -2.76 | -25.00 | -57.76 |
| 304.510 | -81.42 | -82.11 | 3.87 | -3.18 | -25.00 | -56.42 |
| 393.750 | -76.92 | -77.21 | 3.91 | -3.62 | -25.00 | -51.92 |
| 5186.000 | -54.56 | -53.62 | 12.62 | -13.56 | -25.00 | -29.56 |
| 5186.040 | -52.29 | -51.35 | 12.62 | -13.56 | -25.00 | -27.29 |
| 7779.000 | -49.84 | -44.63 | 11.54 | -16.75 | -25.00 | -24.84 |
| 7779.060 | -49.37 | -44.16 | 11.54 | -16.75 | -25.00 | -24.37 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_41A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :2687.5_2685 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 81.410 | -68.52 | -64.30 | -2.56 | -1.65 | -25.00 | -43.52 |
| 137.670 | -78.68 | -74.76 | -1.78 | -2.14 | -25.00 | -53.68 |
| 179.380 | -78.96 | -77.67 | 1.16 | -2.45 | -25.00 | -53.96 |
| 229.820 | -76.14 | -78.09 | 4.72 | -2.77 | -25.00 | -51.14 |
| 280.260 | -78.18 | -78.84 | 3.72 | -3.06 | -25.00 | -53.18 |
| 364.650 | -78.14 | -78.88 | 4.23 | -3.48 | -25.00 | -53.14 |
| 5370.000 | -51.53 | -50.94 | 13.22 | -13.81 | -25.00 | -26.53 |
| 5375.000 | -51.53 | -50.91 | 13.20 | -13.82 | -25.00 | -26.53 |
| 8055.000 | -47.48 | -41.43 | 11.02 | -17.07 | -25.00 | -22.48 |
| 8062.500 | -50.33 | -44.31 | 11.05 | -17.07 | -25.00 | -25.33 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_41A_n41A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :2687.5_2685 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 61.040 | -80.30 | -69.47 | -9.40 | -1.43 | -25.00 | -55.30 |
| 122.150 | -82.72 | -79.18 | -1.51 | -2.03 | -25.00 | -57.72 |
| 171.620 | -80.53 | -78.17 | 0.03 | -2.40 | -25.00 | -55.53 |
| 228.850 | -83.28 | -85.30 | 4.78 | -2.76 | -25.00 | -58.28 |
| 368.530 | -77.57 | -78.23 | 4.17 | -3.50 | -25.00 | -52.57 |
| 405.390 | -77.30 | -77.56 | 3.94 | -3.67 | -25.00 | -52.30 |
| 5370.000 | -53.32 | -52.73 | 13.22 | -13.81 | -25.00 | -28.32 |
| 5375.000 | -53.47 | -52.86 | 13.20 | -13.82 | -25.00 | -28.47 |
| 8055.000 | -49.36 | -43.31 | 11.02 | -17.07 | -25.00 | -24.36 |
| 8062.500 | -49.50 | -43.47 | 11.05 | -17.07 | -25.00 | -24.50 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_66A_n71A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1712.5_670.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 58.130 | -82.12 | -70.51 | -10.22 | -1.40 | -13.00 | -69.12 |
| 80.440 | -79.61 | -75.03 | -2.94 | -1.64 | -13.00 | -66.61 |
| 136.700 | -79.31 | -75.47 | -1.71 | -2.14 | -13.00 | -66.31 |
| 179.380 | -78.56 | -77.27 | 1.16 | -2.45 | -13.00 | -65.56 |
| 229.820 | -77.20 | -79.16 | 4.72 | -2.77 | -13.00 | -64.20 |
| 279.290 | -77.24 | -77.89 | 3.71 | -3.06 | -13.00 | -64.24 |
| 1341.000 | -57.14 | -57.82 | 7.40 | -6.72 | -13.00 | -44.14 |
| 2011.500 | -57.03 | -59.34 | 10.59 | -8.28 | -13.00 | -44.03 |
| 3425.000 | -51.20 | -52.84 | 12.55 | -10.91 | -13.00 | -38.20 |
| 5137.500 | -53.66 | -52.57 | 12.40 | -13.49 | -13.00 | -40.66 |
| 6850.000 | -38.91 | -35.43 | 12.20 | -15.68 | -13.00 | -25.91 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_66A_n71A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1712.5_670.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 62.980 | -80.48 | -70.19 | -8.83 | -1.45 | -13.00 | -67.48 |
| 94.990 | -82.84 | -80.28 | -0.77 | -1.78 | -13.00 | -69.84 |
| 168.710 | -81.71 | -79.05 | -0.27 | -2.38 | -13.00 | -68.71 |
| 213.330 | -83.56 | -85.35 | 4.46 | -2.67 | -13.00 | -70.56 |
| 305.480 | -81.80 | -82.48 | 3.86 | -3.19 | -13.00 | -68.80 |
| 384.050 | -77.47 | -77.80 | 3.91 | -3.58 | -13.00 | -64.47 |
| 1341.000 | -58.99 | -59.67 | 7.40 | -6.72 | -13.00 | -45.99 |
| 2011.500 | -56.40 | -58.71 | 10.59 | -8.28 | -13.00 | -43.40 |
| 3425.000 | -52.47 | -54.11 | 12.55 | -10.91 | -13.00 | -39.47 |
| 5137.500 | -53.95 | -52.85 | 12.40 | -13.49 | -13.00 | -40.95 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_66A_n71A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1745_680.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 71.710 | -80.57 | -72.79 | -6.23 | -1.55 | -13.00 | -67.57 |
| 129.910 | -79.27 | -75.44 | -1.74 | -2.09 | -13.00 | -66.27 |
| 179.380 | -78.64 | -77.35 | 1.16 | -2.45 | -13.00 | -65.64 |
| 231.760 | -77.37 | -79.05 | 4.46 | -2.78 | -13.00 | -64.37 |
| 280.260 | -77.33 | -77.99 | 3.72 | -3.06 | -13.00 | -64.33 |
| 422.850 | -77.42 | -77.76 | 4.09 | -3.75 | -13.00 | -64.42 |
| 1361.000 | -58.72 | -59.45 | 7.50 | -6.77 | -13.00 | -45.72 |
| 2041.500 | -57.15 | -59.03 | 10.22 | -8.34 | -13.00 | -44.15 |
| 3490.000 | -51.59 | -53.10 | 12.52 | -11.01 | -13.00 | -38.59 |
| 5235.000 | -54.53 | -53.81 | 12.91 | -13.63 | -13.00 | -41.53 |
| 6980.000 | -41.22 | -36.99 | 11.62 | -15.85 | -13.00 | -28.22 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_66A_n71A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1745_680.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 55.220 | -78.47 | -66.21 | -10.90 | -1.36 | -13.00 | -65.47 |
| 81.410 | -73.23 | -69.01 | -2.56 | -1.65 | -13.00 | -60.23 |
| 118.270 | -82.67 | -79.12 | -1.56 | -1.99 | -13.00 | -69.67 |
| 173.560 | -81.61 | -79.58 | 0.38 | -2.41 | -13.00 | -68.61 |
| 208.480 | -82.37 | -83.96 | 4.23 | -2.64 | -13.00 | -69.37 |
| 370.470 | -77.51 | -78.13 | 4.13 | -3.51 | -13.00 | -64.51 |
| 1361.000 | -57.30 | -58.03 | 7.50 | -6.77 | -13.00 | -44.30 |
| 2041.500 | -55.95 | -57.83 | 10.22 | -8.34 | -13.00 | -42.95 |
| 3490.000 | -56.89 | -58.40 | 12.52 | -11.01 | -13.00 | -43.89 |
| 5235.000 | -53.83 | -53.11 | 12.91 | -13.63 | -13.00 | -40.83 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_66A_n71A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1777.5_690.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 67.830 | -78.35 | -69.25 | -7.59 | -1.51 | -13.00 | -65.35 |
| 132.820 | -79.37 | -75.61 | -1.65 | -2.11 | -13.00 | -66.37 |
| 179.380 | -79.02 | -77.73 | 1.16 | -2.45 | -13.00 | -66.02 |
| 229.820 | -76.98 | -78.93 | 4.72 | -2.77 | -13.00 | -63.98 |
| 274.440 | -76.91 | -77.57 | 3.69 | -3.03 | -13.00 | -63.91 |
| 367.560 | -77.57 | -78.26 | 4.18 | -3.50 | -13.00 | -64.57 |
| 1381.000 | -58.73 | -59.32 | 7.40 | -6.81 | -13.00 | -45.73 |
| 2071.500 | -57.07 | -58.74 | 10.07 | -8.40 | -13.00 | -44.07 |
| 3555.000 | -47.81 | -48.90 | 12.21 | -11.12 | -13.00 | -34.81 |
| 5332.500 | -53.97 | -53.51 | 13.30 | -13.76 | -13.00 | -40.97 |
| 7110.000 | -37.18 | -32.28 | 11.10 | -16.00 | -13.00 | -24.18 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :ENDC_66A_n71A | Test Date | :2025-03-25 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1777.5_690.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 60.070 | -79.67 | -68.33 | -9.92 | -1.42 | -13.00 | -66.67 |
| 112.450 | -82.65 | -79.16 | -1.55 | -1.94 | -13.00 | -69.65 |
| 160.950 | -80.95 | -77.65 | -0.98 | -2.32 | -13.00 | -67.95 |
| 207.510 | -81.18 | -82.71 | 4.17 | -2.64 | -13.00 | -68.18 |
| 305.480 | -81.16 | -81.83 | 3.86 | -3.19 | -13.00 | -68.16 |
| 362.710 | -76.41 | -77.15 | 4.22 | -3.47 | -13.00 | -63.41 |
| 1381.000 | -58.38 | -58.96 | 7.40 | -6.81 | -13.00 | -45.38 |
| 2071.500 | -57.74 | -59.41 | 10.07 | -8.40 | -13.00 | -44.74 |
| 3555.000 | -52.96 | -54.05 | 12.21 | -11.12 | -13.00 | -39.96 |
| 5332.500 | -53.52 | -53.07 | 13.30 | -13.76 | -13.00 | -40.52 |
| 7110.000 | -45.28 | -40.38 | 11.10 | -16.00 | -13.00 | -32.28 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 5.3 Mode: NRCA

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n14A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1855_790.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 46.490 | -82.46 | -68.73 | -12.47 | -1.25 | -13.00 | -69.46 |
| 74.620 | -79.67 | -73.03 | -5.07 | -1.58 | -13.00 | -66.67 |
| 135.730 | -77.96 | -74.06 | -1.77 | -2.13 | -13.00 | -64.96 |
| 178.410 | -78.37 | -76.98 | 1.05 | -2.44 | -13.00 | -65.37 |
| 229.820 | -76.55 | -78.51 | 4.72 | -2.77 | -13.00 | -63.55 |
| 280.260 | -77.50 | -78.15 | 3.72 | -3.06 | -13.00 | -64.50 |
| 1581.000 | -58.32 | -60.22 | 9.20 | -7.30 | -13.00 | -45.32 |
| 2371.500 | -56.92 | -57.91 | 10.02 | -9.02 | -13.00 | -43.92 |
| 3710.000 | -51.27 | -52.41 | 12.50 | -11.37 | -13.00 | -38.27 |
| 5565.000 | -53.59 | -52.77 | 13.26 | -14.08 | -13.00 | -40.59 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n14A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1855_790.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 81.410 | -81.56 | -77.34 | -2.56 | -1.65 | -13.00 | -68.56 |
| 156.100 | -81.48 | -77.85 | -1.34 | -2.28 | -13.00 | -68.48 |
| 174.530 | -80.78 | -78.82 | 0.46 | -2.42 | -13.00 | -67.78 |
| 211.390 | -82.11 | -83.83 | 4.38 | -2.66 | -13.00 | -69.11 |
| 290.930 | -82.10 | -82.72 | 3.74 | -3.11 | -13.00 | -69.10 |
| 372.410 | -77.22 | -77.80 | 4.10 | -3.52 | -13.00 | -64.22 |
| 1581.000 | -57.24 | -59.14 | 9.20 | -7.30 | -13.00 | -44.24 |
| 2371.500 | -56.43 | -57.42 | 10.02 | -9.02 | -13.00 | -43.43 |
| 3710.000 | -55.88 | -57.02 | 12.50 | -11.37 | -13.00 | -42.88 |
| 5565.000 | -53.77 | -52.95 | 13.26 | -14.08 | -13.00 | -40.77 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n14A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1880_793 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 80.440 | -68.60 | -64.02 | -2.94 | -1.64 | -13.00 | -55.60 |
| 127.970 | -79.07 | -75.32 | -1.68 | -2.07 | -13.00 | -66.07 |
| 181.320 | -77.75 | -76.77 | 1.48 | -2.46 | -13.00 | -64.75 |
| 229.820 | -77.83 | -79.78 | 4.72 | -2.77 | -13.00 | -64.83 |
| 278.320 | -77.00 | -77.65 | 3.70 | -3.05 | -13.00 | -64.00 |
| 363.680 | -77.25 | -78.00 | 4.22 | -3.48 | -13.00 | -64.25 |
| 1586.000 | -57.96 | -59.85 | 9.20 | -7.31 | -13.00 | -44.96 |
| 2379.000 | -57.56 | -58.61 | 10.09 | -9.04 | -13.00 | -44.56 |
| 3760.000 | -50.01 | -51.06 | 12.50 | -11.44 | -13.00 | -37.01 |
| 5640.000 | -52.29 | -51.60 | 13.48 | -14.17 | -13.00 | -39.29 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n14A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1880_793 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 77.530 | -80.02 | -74.49 | -3.92 | -1.61 | -13.00 | -67.02 |
| 151.250 | -81.16 | -77.28 | -1.63 | -2.25 | -13.00 | -68.16 |
| 171.620 | -81.63 | -79.27 | 0.03 | -2.40 | -13.00 | -68.63 |
| 216.240 | -82.26 | -84.15 | 4.58 | -2.69 | -13.00 | -69.26 |
| 272.500 | -74.53 | -75.24 | 3.74 | -3.02 | -13.00 | -61.53 |
| 377.260 | -77.20 | -77.67 | 4.02 | -3.55 | -13.00 | -64.20 |
| 1586.000 | -57.74 | -59.63 | 9.20 | -7.31 | -13.00 | -44.74 |
| 2379.000 | -56.20 | -57.26 | 10.09 | -9.04 | -13.00 | -43.20 |
| 3760.000 | -55.42 | -56.48 | 12.50 | -11.44 | -13.00 | -42.42 |
| 5640.000 | -52.19 | -51.51 | 13.48 | -14.17 | -13.00 | -39.19 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n14A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1905_795.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 53.280 | -76.47 | -63.67 | -11.46 | -1.34 | -13.00 | -63.47 |
| 73.650 | -74.17 | -67.28 | -5.32 | -1.57 | -13.00 | -61.17 |
| 131.850 | -78.93 | -75.10 | -1.72 | -2.10 | -13.00 | -65.93 |
| 179.380 | -78.36 | -77.07 | 1.16 | -2.45 | -13.00 | -65.36 |
| 229.820 | -77.42 | -79.37 | 4.72 | -2.77 | -13.00 | -64.42 |
| 280.260 | -77.20 | -77.86 | 3.72 | -3.06 | -13.00 | -64.20 |
| 1591.000 | -58.26 | -60.15 | 9.21 | -7.32 | -13.00 | -45.26 |
| 2386.500 | -56.23 | -57.27 | 10.10 | -9.05 | -13.00 | -43.23 |
| 3810.000 | -51.00 | -51.94 | 12.46 | -11.52 | -13.00 | -38.00 |
| 5715.000 | -53.15 | -52.17 | 13.30 | -14.27 | -13.00 | -40.15 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n14A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1905_795.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 89.170 | -82.44 | -79.70 | -1.01 | -1.73 | -13.00 | -69.44 |
| 151.250 | -81.56 | -77.69 | -1.63 | -2.25 | -13.00 | -68.56 |
| 174.530 | -81.25 | -79.30 | 0.46 | -2.42 | -13.00 | -68.25 |
| 210.420 | -82.02 | -83.71 | 4.34 | -2.65 | -13.00 | -69.02 |
| 346.220 | -78.54 | -79.21 | 4.07 | -3.39 | -13.00 | -65.54 |
| 385.020 | -77.01 | -77.32 | 3.89 | -3.58 | -13.00 | -64.01 |
| 1591.000 | -56.53 | -58.42 | 9.21 | -7.32 | -13.00 | -43.53 |
| 2386.500 | -56.59 | -57.64 | 10.10 | -9.05 | -13.00 | -43.59 |
| 3810.000 | -55.83 | -56.77 | 12.46 | -11.52 | -13.00 | -42.83 |
| 5715.000 | -53.16 | -52.19 | 13.30 | -14.27 | -13.00 | -40.16 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1855_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 74.620 | -70.16 | -63.52 | -5.07 | -1.58 | -13.00 | -57.16 |
| 135.730 | -78.65 | -74.75 | -1.77 | -2.13 | -13.00 | -65.65 |
| 174.530 | -78.95 | -77.00 | 0.46 | -2.42 | -13.00 | -65.95 |
| 230.790 | -77.37 | -79.19 | 4.60 | -2.77 | -13.00 | -64.37 |
| 277.350 | -77.38 | -78.02 | 3.69 | -3.05 | -13.00 | -64.38 |
| 375.320 | -78.27 | -78.78 | 4.05 | -3.54 | -13.00 | -65.27 |
| 3710.000 | -55.99 | -57.12 | 12.50 | -11.37 | -13.00 | -42.99 |
| 5565.000 | -52.85 | -52.04 | 13.26 | -14.08 | -13.00 | -39.85 |
| 6915.000 | -51.78 | -47.96 | 11.94 | -15.76 | -13.00 | -38.78 |
| 10372.500 | -48.55 | -40.50 | 11.40 | -19.44 | -13.00 | -35.55 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1855_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 81.410 | -78.83 | -74.61 | -2.56 | -1.65 | -13.00 | -65.83 |
| 116.330 | -82.77 | -79.32 | -1.47 | -1.98 | -13.00 | -69.77 |
| 169.680 | -80.85 | -78.37 | -0.09 | -2.39 | -13.00 | -67.85 |
| 216.240 | -81.64 | -83.54 | 4.58 | -2.69 | -13.00 | -68.64 |
| 282.200 | -81.46 | -82.09 | 3.70 | -3.07 | -13.00 | -68.46 |
| 379.200 | -75.16 | -75.60 | 3.99 | -3.56 | -13.00 | -62.16 |
| 3710.000 | -55.92 | -57.06 | 12.50 | -11.37 | -13.00 | -42.92 |
| 5565.000 | -52.37 | -51.55 | 13.26 | -14.08 | -13.00 | -39.37 |
| 6915.000 | -51.05 | -47.23 | 11.94 | -15.76 | -13.00 | -38.05 |
| 10372.500 | -46.95 | -38.91 | 11.40 | -19.44 | -13.00 | -33.95 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1880_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 76.560 | -75.81 | -69.84 | -4.37 | -1.60 | -13.00 | -62.81 |
| 129.910 | -78.86 | -75.04 | -1.74 | -2.09 | -13.00 | -65.86 |
| 179.380 | -78.56 | -77.27 | 1.16 | -2.45 | -13.00 | -65.56 |
| 228.850 | -76.69 | -78.71 | 4.78 | -2.76 | -13.00 | -63.69 |
| 277.350 | -77.63 | -78.28 | 3.69 | -3.05 | -13.00 | -64.63 |
| 374.350 | -77.52 | -78.05 | 4.07 | -3.53 | -13.00 | -64.52 |
| 3760.000 | -55.57 | -56.63 | 12.50 | -11.44 | -13.00 | -42.57 |
| 5640.000 | -52.36 | -51.67 | 13.48 | -14.17 | -13.00 | -39.36 |
| 7000.020 | -50.75 | -46.38 | 11.50 | -15.87 | -13.00 | -37.75 |
| 10500.030 | -48.63 | -40.45 | 11.40 | -19.58 | -13.00 | -35.63 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1880_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 80.440 | -77.77 | -73.19 | -2.94 | -1.64 | -13.00 | -64.77 |
| 123.120 | -82.51 | -78.86 | -1.61 | -2.03 | -13.00 | -69.51 |
| 170.650 | -81.42 | -78.98 | -0.04 | -2.39 | -13.00 | -68.42 |
| 210.420 | -81.37 | -83.06 | 4.34 | -2.65 | -13.00 | -68.37 |
| 376.290 | -75.73 | -76.22 | 4.04 | -3.54 | -13.00 | -62.73 |
| 414.120 | -75.98 | -76.40 | 4.12 | -3.71 | -13.00 | -62.98 |
| 3760.000 | -54.13 | -55.18 | 12.50 | -11.44 | -13.00 | -41.13 |
| 5640.000 | -53.16 | -52.47 | 13.48 | -14.17 | -13.00 | -40.16 |
| 7000.020 | -50.66 | -46.29 | 11.50 | -15.87 | -13.00 | -37.66 |
| 10500.030 | -47.20 | -39.02 | 11.40 | -19.58 | -13.00 | -34.20 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :1905_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 49.400 | -82.23 | -68.83 | -12.11 | -1.29 | -13.00 | -69.23 |
| 80.440 | -71.68 | -67.10 | -2.94 | -1.64 | -13.00 | -58.68 |
| 131.850 | -78.23 | -74.40 | -1.72 | -2.10 | -13.00 | -65.23 |
| 179.380 | -77.48 | -76.19 | 1.16 | -2.45 | -13.00 | -64.48 |
| 230.790 | -76.84 | -78.66 | 4.60 | -2.77 | -13.00 | -63.84 |
| 281.230 | -77.17 | -77.81 | 3.71 | -3.07 | -13.00 | -64.17 |
| 3815.000 | -54.98 | -55.89 | 12.44 | -11.52 | -13.00 | -41.98 |
| 5722.500 | -53.00 | -52.02 | 13.30 | -14.28 | -13.00 | -40.00 |
| 7084.980 | -49.89 | -45.05 | 11.13 | -15.97 | -13.00 | -36.89 |
| 10627.470 | -49.80 | -41.48 | 11.35 | -19.66 | -13.00 | -36.80 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n2A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :1905_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 69.770 | -82.38 | -74.15 | -6.69 | -1.53 | -13.00 | -69.38 |
| 122.150 | -82.85 | -79.31 | -1.51 | -2.03 | -13.00 | -69.85 |
| 167.740 | -81.32 | -78.59 | -0.35 | -2.37 | -13.00 | -68.32 |
| 215.270 | -81.88 | -83.74 | 4.54 | -2.68 | -13.00 | -68.88 |
| 291.900 | -81.31 | -81.94 | 3.75 | -3.12 | -13.00 | -68.31 |
| 394.720 | -75.62 | -75.91 | 3.91 | -3.62 | -13.00 | -62.62 |
| 3815.000 | -55.25 | -56.16 | 12.44 | -11.52 | -13.00 | -42.25 |
| 5722.500 | -53.03 | -52.05 | 13.30 | -14.28 | -13.00 | -40.03 |
| 7084.980 | -50.36 | -45.52 | 11.13 | -15.97 | -13.00 | -37.36 |
| 10627.470 | -46.80 | -38.48 | 11.35 | -19.66 | -13.00 | -33.80 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n12A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :701.5_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 80.440 | -69.01 | -64.43 | -2.94 | -1.64 | -13.00 | -56.01 |
| 126.030 | -79.43 | -75.66 | -1.71 | -2.06 | -13.00 | -66.43 |
| 178.410 | -78.07 | -76.68 | 1.05 | -2.44 | -13.00 | -65.07 |
| 230.790 | -77.24 | -79.06 | 4.60 | -2.77 | -13.00 | -64.24 |
| 280.260 | -77.59 | -78.25 | 3.72 | -3.06 | -13.00 | -64.59 |
| 370.470 | -78.15 | -78.77 | 4.13 | -3.51 | -13.00 | -65.15 |
| 1403.000 | -59.52 | -60.28 | 7.63 | -6.87 | -13.00 | -46.52 |
| 2104.500 | -57.64 | -59.04 | 9.87 | -8.47 | -13.00 | -44.64 |
| 6915.000 | -52.37 | -48.55 | 11.94 | -15.76 | -13.00 | -39.37 |
| 10372.500 | -48.93 | -40.89 | 11.40 | -19.44 | -13.00 | -35.93 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n12A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :701.5_3457.5 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 80.440 | -80.86 | -76.28 | -2.94 | -1.64 | -13.00 | -67.86 |
| 143.490 | -81.94 | -77.92 | -1.83 | -2.19 | -13.00 | -68.94 |
| 170.650 | -82.09 | -79.65 | -0.04 | -2.39 | -13.00 | -69.09 |
| 210.420 | -82.88 | -84.57 | 4.34 | -2.65 | -13.00 | -69.88 |
| 353.010 | -77.64 | -78.44 | 4.23 | -3.43 | -13.00 | -64.64 |
| 403.450 | -76.74 | -77.00 | 3.93 | -3.66 | -13.00 | -63.74 |
| 1403.000 | -60.23 | -60.99 | 7.63 | -6.87 | -13.00 | -47.23 |
| 2104.500 | -58.09 | -59.48 | 9.87 | -8.47 | -13.00 | -45.09 |
| 6915.000 | -52.25 | -48.43 | 11.94 | -15.76 | -13.00 | -39.25 |
| 10372.500 | -46.62 | -38.58 | 11.40 | -19.44 | -13.00 | -33.62 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n12A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :707.5_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 49.400 | -82.30 | -68.90 | -12.11 | -1.29 | -13.00 | -69.30 |
| 129.910 | -78.78 | -74.95 | -1.74 | -2.09 | -13.00 | -65.78 |
| 184.230 | -78.43 | -77.86 | 1.91 | -2.48 | -13.00 | -65.43 |
| 229.820 | -76.52 | -78.47 | 4.72 | -2.77 | -13.00 | -63.52 |
| 284.140 | -77.66 | -78.26 | 3.69 | -3.08 | -13.00 | -64.66 |
| 366.590 | -78.17 | -78.88 | 4.20 | -3.49 | -13.00 | -65.17 |
| 1415.000 | -62.79 | -63.65 | 7.75 | -6.90 | -13.00 | -49.79 |
| 2122.500 | -60.88 | -61.97 | 9.60 | -8.51 | -13.00 | -47.88 |
| 7000.020 | -51.77 | -47.40 | 11.50 | -15.87 | -13.00 | -38.77 |
| 10500.030 | -48.69 | -40.51 | 11.40 | -19.58 | -13.00 | -35.69 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n12A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :707.5_3500.01 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 60.070 | -79.56 | -68.21 | -9.92 | -1.42 | -13.00 | -66.56 |
| 119.240 | -82.50 | -78.98 | -1.52 | -2.00 | -13.00 | -69.50 |
| 179.380 | -81.35 | -80.07 | 1.16 | -2.45 | -13.00 | -68.35 |
| 206.540 | -82.29 | -83.78 | 4.11 | -2.63 | -13.00 | -69.29 |
| 353.980 | -76.61 | -77.44 | 4.26 | -3.43 | -13.00 | -63.61 |
| 411.210 | -76.52 | -76.89 | 4.06 | -3.70 | -13.00 | -63.52 |
| 1415.000 | -63.11 | -63.96 | 7.75 | -6.90 | -13.00 | -50.11 |
| 2122.500 | -61.37 | -62.46 | 9.60 | -8.51 | -13.00 | -48.37 |
| 7000.020 | -52.41 | -48.04 | 11.50 | -15.87 | -13.00 | -39.41 |
| 10500.030 | -47.97 | -39.79 | 11.40 | -19.58 | -13.00 | -34.97 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n12A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :713.5_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 53.280 | -82.94 | -70.14 | -11.46 | -1.34 | -13.00 | -69.94 |
| 84.320 | -77.93 | -74.48 | -1.77 | -1.68 | -13.00 | -64.93 |
| 141.550 | -78.94 | -74.96 | -1.81 | -2.17 | -13.00 | -65.94 |
| 178.410 | -78.63 | -77.24 | 1.05 | -2.44 | -13.00 | -65.63 |
| 232.730 | -77.16 | -78.70 | 4.32 | -2.79 | -13.00 | -64.16 |
| 281.230 | -78.09 | -78.73 | 3.71 | -3.07 | -13.00 | -65.09 |
| 1427.000 | -60.24 | -61.12 | 7.80 | -6.92 | -13.00 | -47.24 |
| 2140.500 | -58.46 | -59.50 | 9.59 | -8.55 | -13.00 | -45.46 |
| 7084.980 | -48.95 | -44.11 | 11.13 | -15.97 | -13.00 | -35.95 |
| 10627.470 | -48.04 | -39.72 | 11.35 | -19.66 | -13.00 | -35.04 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n12A_n77A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :713.5_3542.49 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 59.100 | -78.61 | -67.20 | -10.00 | -1.41 | -13.00 | -65.61 |
| 80.440 | -79.81 | -75.23 | -2.94 | -1.64 | -13.00 | -66.81 |
| 167.740 | -81.36 | -78.63 | -0.35 | -2.37 | -13.00 | -68.36 |
| 213.330 | -82.44 | -84.23 | 4.46 | -2.67 | -13.00 | -69.44 |
| 353.980 | -77.39 | -78.21 | 4.26 | -3.43 | -13.00 | -64.39 |
| 382.110 | -75.90 | -76.28 | 3.94 | -3.57 | -13.00 | -62.90 |
| 1427.000 | -59.26 | -60.13 | 7.80 | -6.92 | -13.00 | -46.26 |
| 2140.500 | -59.41 | -60.46 | 9.59 | -8.55 | -13.00 | -46.41 |
| 7084.980 | -50.27 | -45.42 | 11.13 | -15.97 | -13.00 | -37.27 |
| 10627.470 | -46.83 | -38.51 | 11.35 | -19.66 | -13.00 | -33.83 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n14A_n30A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :790.5_2310 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 74.620 | -72.85 | -66.20 | -5.07 | -1.58 | -13.00 | -59.85 |
| 127.000 | -79.27 | -75.57 | -1.64 | -2.07 | -13.00 | -66.27 |
| 180.350 | -78.55 | -77.37 | 1.27 | -2.45 | -13.00 | -65.55 |
| 226.910 | -76.81 | -78.96 | 4.90 | -2.75 | -13.00 | -63.81 |
| 281.230 | -77.25 | -77.89 | 3.71 | -3.07 | -13.00 | -64.25 |
| 378.230 | -78.13 | -78.59 | 4.01 | -3.55 | -13.00 | -65.13 |
| 1581.000 | -59.05 | -60.96 | 9.20 | -7.30 | -40.00 | -19.05 |
| 2371.500 | -54.99 | -55.98 | 10.02 | -9.02 | -40.00 | -14.99 |
| 4620.000 | -54.39 | -54.21 | 12.56 | -12.74 | -40.00 | -14.39 |
| 6930.000 | -45.35 | -41.45 | 11.88 | -15.78 | -40.00 | -5.35 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n14A_n30A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :790.5_2310 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 66.860 | -80.72 | -71.52 | -7.70 | -1.50 | -13.00 | -67.72 |
| 99.840 | -82.78 | -79.93 | -1.02 | -1.83 | -13.00 | -69.78 |
| 170.650 | -81.43 | -78.99 | -0.04 | -2.39 | -13.00 | -68.43 |
| 213.330 | -83.13 | -84.92 | 4.46 | -2.67 | -13.00 | -70.13 |
| 345.250 | -78.31 | -78.97 | 4.05 | -3.39 | -13.00 | -65.31 |
| 385.020 | -76.40 | -76.71 | 3.89 | -3.58 | -13.00 | -63.40 |
| 1581.000 | -58.45 | -60.35 | 9.20 | -7.30 | -40.00 | -18.45 |
| 2371.500 | -55.73 | -56.72 | 10.02 | -9.02 | -40.00 | -15.73 |
| 4620.000 | -54.02 | -53.84 | 12.56 | -12.74 | -40.00 | -14.02 |
| 6930.000 | -50.69 | -46.79 | 11.88 | -15.78 | -40.00 | -10.69 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n14A_n30A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :793_2310 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 73.650 | -72.61 | -65.72 | -5.32 | -1.57 | -13.00 | -59.61 |
| 128.940 | -79.91 | -76.12 | -1.71 | -2.08 | -13.00 | -66.91 |
| 179.380 | -78.54 | -77.25 | 1.16 | -2.45 | -13.00 | -65.54 |
| 226.910 | -77.55 | -79.70 | 4.90 | -2.75 | -13.00 | -64.55 |
| 278.320 | -77.24 | -77.89 | 3.70 | -3.05 | -13.00 | -64.24 |
| 353.980 | -78.14 | -78.96 | 4.26 | -3.43 | -13.00 | -65.14 |
| 1586.000 | -57.81 | -59.70 | 9.20 | -7.31 | -40.00 | -17.81 |
| 2379.000 | -55.38 | -56.44 | 10.09 | -9.04 | -40.00 | -15.38 |
| 4620.000 | -53.27 | -53.09 | 12.56 | -12.74 | -40.00 | -13.27 |
| 6930.000 | -45.88 | -41.98 | 11.88 | -15.78 | -40.00 | -5.88 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n14A_n30A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Horizontal |
| Test Frequency | :793_2310 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 80.440 | -81.53 | -76.95 | -2.94 | -1.64 | -13.00 | -68.53 |
| 146.400 | -81.33 | -77.39 | -1.73 | -2.21 | -13.00 | -68.33 |
| 173.560 | -81.75 | -79.71 | 0.38 | -2.41 | -13.00 | -68.75 |
| 206.540 | -82.13 | -83.61 | 4.11 | -2.63 | -13.00 | -69.13 |
| 348.160 | -77.68 | -78.39 | 4.12 | -3.40 | -13.00 | -64.68 |
| 379.200 | -76.99 | -77.43 | 3.99 | -3.56 | -13.00 | -63.99 |
| 1586.000 | -59.31 | -61.20 | 9.20 | -7.31 | -40.00 | -19.31 |
| 2379.000 | -55.99 | -57.04 | 10.09 | -9.04 | -40.00 | -15.99 |
| 4620.000 | -53.31 | -53.13 | 12.56 | -12.74 | -40.00 | -13.31 |
| 6930.000 | -49.79 | -45.88 | 11.88 | -15.78 | -40.00 | -9.79 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| | | | |
|---|---|---|---|
| Report Number | :TERF2501000195ER | Test Site | :SAC 3 |
| Operation Mode | :NRCA_n14A_n30A | Test Date | :2025-03-27 |
| Test Mode | :Tx | Temp./Humi. | :21.7℃/61% |
| EUT Pol | :H Plane | Antenna Pol. | :Vertical |
| Test Frequency | :795.5_2310 MHz | Engineer | :Nick Lin |




| Freq. MHz | EIRP/ERP dBm | SG Output Level dBm | Antenna Gain dBi/dBd | Cable Loss dB | Limit @3m dBm | Margin dB |
|---|---|---|---|---|---|---|
| 48.430 | -82.73 | -69.19 | -12.27 | -1.28 | -13.00 | -69.73 |
| 81.410 | -83.51 | -79.29 | -2.56 | -1.65 | -13.00 | -70.51 |
| 135.730 | -78.73 | -74.83 | -1.77 | -2.13 | -13.00 | -65.73 |
| 177.440 | -78.36 | -76.83 | 0.91 | -2.43 | -13.00 | -65.36 |
| 231.760 | -76.71 | -78.39 | 4.46 | -2.78 | -13.00 | -63.71 |
| 279.290 | -78.41 | -79.06 | 3.71 | -3.06 | -13.00 | -65.41 |
| 1591.000 | -58.81 | -60.70 | 9.21 | -7.32 | -40.00 | -18.81 |
| 2386.500 | -54.83 | -55.87 | 10.10 | -9.05 | -40.00 | -14.83 |
| 4620.000 | -54.39 | -54.21 | 12.56 | -12.74 | -40.00 | -14.39 |
| 6930.000 | -45.99 | -42.09 | 11.88 | -15.78 | -40.00 | -5.99 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.