




B2_CH18625_5M_QPSK_1RB0_Ratio




B2_CH18900_5M_QPSK_1RB0_Ratio




B2_CH19175_5M_QPSK_1RB24_Ratio




B2_CH18625_5M_16-QAM_1RB0_Ratio




B2_CH18900_5M_16-QAM_1RB0_Ratio




B2_CH19175_5M_16-QAM_1RB24_Ratio




B2_CH18625_5M_64-QAM_1RB0_Ratio




B2_CH18900_5M_64-QAM_1RB0_Ratio




B2_CH19175_5M_64-QAM_1RB24_Ratio




B2_CH18625_5M_256-QAM_1RB0_Ratio




B2_CH18900_5M_256-QAM_1RB0_Ratio




B2_CH19175_5M_256-QAM_1RB24_Ratio




B2_CH18650_10M_QPSK_1RB0_Ratio




B2_CH18900_10M_QPSK_1RB0_Ratio




B2_CH19150_10M_QPSK_1RB49_Ratio




B2_CH18650_10M_16-QAM_1RB0_Ratio




B2_CH18900_10M_16-QAM_1RB0_Ratio




B2_CH19150_10M_16-QAM_1RB49_Ratio




B2_CH18650_10M_64-QAM_1RB0_Ratio




B2_CH18900_10M_64-QAM_1RB0_Ratio




B2_CH19150_10M_64-QAM_1RB49_Ratio




B2_CH18650_10M_256-QAM_1RB0_Ratio




B2_CH18900_10M_256-QAM_1RB0_Ratio




B2_CH19150_10M_256-QAM_1RB49_Ratio




B2_CH18675_15M_QPSK_1RB0_Ratio




B2_CH18900_15M_QPSK_1RB0_Ratio




B2_CH19125_15M_QPSK_1RB74_Ratio




CH18675_15M_16-QAM_1RB0_Ratio




B2_CH18900_15M_16-QAM_1RB0_Ratio




B2_CH19125_15M_16-QAM_1RB74_Ratio




B2_CH18675_15M_64-QAM_1RB0_Ratio




B2_CH18900_15M_64-QAM_1RB0_Ratio




B2_CH19125_15M_64-QAM_1RB74_Ratio




B2_CH18675_15M_256-QAM_1RB0_Ratio




B2_CH18900_15M_256-QAM_1RB0_Ratio




B2_CH19125_15M_256-QAM_1RB74_Ratio




B2_CH18700_20M_QPSK_1RB0_Ratio




B2_CH18900_20M_QPSK_1RB0_Ratio




B2_CH19100_20M_QPSK_1RB99_Ratio




B2_CH18700_20M_16-QAM_1RB0_Ratio




B2_CH18900_20M_16-QAM_1RB0_Ratio




B2_CH19100_20M_16-QAM_1RB99_Ratio




B2_CH18700_20M_64-QAM_1RB0_Ratio




B2_CH18900_20M_64-QAM_1RB0_Ratio




B2_CH19100_20M_64-QAM_1RB99_Ratio




B2_CH18700_20M_256-QAM_1RB0_Ratio



B2_CH18900_20M_256-QAM_1RB0_Ratio




B2_CH19100_20M_256-QAM_1RB99_Ratio




Mode 2: LTE Band 5


B5_CH20407_1.4M_QPSK_1RB0_Ratio




B5_CH20525_1.4M_QPSK_1RB0 Ratio




B5_CH20643_1.4M_QPSK_1RB5_Ratio




B5_CH20407_1.4M_16-QAM_1RB0_Ratio




B5_CH20525_1.4M_16-QAM_1RB0_Ratio



B5_CH20643_1.4M_16-QAM_1RB5_Ratio




B5_CH20407_1.4M_64-QAM_1RB0_Ratio




B5_CH20525_1.4M_64-QAM_1RB0_Ratio




B5_CH20643_1.4M_64-QAM_1RB5_Ratio




B5_CH20407_1.4M_256-QAM_1RB0_Ratio




B5_CH20525_1.4M_256-QAM_1RB0_Ratio




B5_CH20643_1.4M_256-QAM_1RB5_Ratio




B5_CH20415_3M_QPSK_1RB0_Ratio




B5_CH20525_3M_QPSK_1RB0_Ratio




B5_CH20635_3M_QPSK_1RB14_Ratio




B5_CH20415_3M_16-QAM_1RB0_Ratio




B5_CH20525_3M_16-QAM_1RB0_Ratio




B5_CH20635_3M_16-QAM_1RB14_Ratio




B5_CH20415_3M_64-QAM_1RB0_Ratio




CH20525_3M_64-QAM_1RB0_Ratio




CH20635_3M_64-QAM_1RB14_Ratio




B5_CH20415_3M_256-QAM_1RB0_Ratio




B5_CH20525_3M_256-QAM_1RB0_Ratio




B5_CH20635_3M_256-QAM_1RB14_Ratio




B5_CH20425_5M_QPSK_1RB0_Ratio




B5_CH20525_5M_QPSK_1RB0_Ratio




B5_CH20625_5M_QPSK_1RB24_Ratio




B5_CH20425_5M_16-QAM_1RB0_Ratio




B5_CH20525_5M_16-QAM_1RB0_Ratio




B5_CH20625_5M_16-QAM_1RB24_Ratio




B5_CH20425_5M_64-QAM_1RB0_Ratio




B5_CH20525_5M_64-QAM_1RB0_Ratio




B5_CH20625_5M_64-QAM_1RB24_Ratio




B5_CH20425_5M_256-QAM_1RB0




B5_CH20525_5M_256-QAM_1RB0_Ratio



B5_CH20625_5M_256-QAM_1RB24_Ratio




B5_CH20450_10M_QPSK_1RB0_Ratio




B5_CH20525_10M_QPSK_1RB0_Ratio




B5_CH20600_10M_QPSK_1RB49_Ratio




B5_CH20450_10M_16-QAM_1RB0_Ratio




B5_CH20525_10M_16-QAM_1RB0_Ratio




B5_CH20600_10M_16-QAM_1RB49_Ratio




B5_CH20450_10M_64-QAM_1RB0_Ratio




B5_CH20525_10M_64-QAM_1RB0_Ratio




B5_CH20600_10M_64-QAM_1RB49_Ratio




B5_CH20450_10M_256-QAM_1RB0_Ratio









B5_CH20525_10M_256-QAM_1RB0_Ratio




B5_CH20600_10M_256-QAM_1RB49_Ratio




Mode 3: LTE Band 13**B13_CH23205_5M_QPSK_1RB0_Ratio****B13_CH23230_5M_QPSK_1RB0_Ratio****B13_CH23255_5M_QPSK_1RB24_Ratio****B13_CH23205_5M_16-QAM_1RB0_Ratio****B13_CH23230_5M_16-QAM_1RB0_Ratio****B13_CH23255_5M_16-QAM_1RB24_Ratio**


B13_CH23205_5M_64-QAM_1RB0_Ratio




B13_CH23230_5M_64-QAM_1RB0_Ratio




B13_CH23255_5M_64-QAM_1RB24_Ratio




B13_CH23205_5M_256-QAM_1RB0_Ratio




B13_CH23230_5M_256-QAM_1RB0_Ratio




B13_CH23255_5M_256-QAM_1RB24_Ratio




B13_CH23230_10M_QPSK_1RB0_Ratio




B13_CH23230_10M_16-QAM_1RB0_Ratio



B13_CH23230_10M_64-QAM_1RB0_Ratio




B13_CH23230_10M_256-QAM_1RB0_Ratio




Mode 4: LTE Band 66


B66_CH131979_1.4M_QPSK_1RB0_Ratio




B66_CH132322_1.4M_QPSK_1RB0_Ratio




B66_CH132665_1.4M_QPSK_1RB5_Ratio




B66_CH131979_1.4M_16-QAM_1RB0_Ratio




B66_CH132322_1.4M_16-QAM_1RB0_Ratio




B66_CH132665_1.4M_16-QAM_1RB5_Ratio




B66_CH131979_1.4M_64-QAM_1RB0_Ratio




B66_CH132322_1.4M_64-QAM_1RB0_Ratio




B66_CH132665_1.4M_64-QAM_1RB5_Ratio




B66_CH131979_1.4M_256-QAM_1RB0_Ratio




B66_CH132322_1.4M_256-QAM_1RB0_Ratio




B66_CH132665_1.4M_256-QAM_1RB5_Ratio




B66_CH131987_3M_QPSK_1RB0_Ratio




B66_CH132322_3M_QPSK_1RB0_1RB0_Ratio




B66_CH132657_3M_QPSK_1RB14_1RB0_Ratio




B66_CH131987_3M_16-QAM_1RB0_Ratio




B66_CH132322_3M_16-QAM_1RB0_Ratio




B66_CH132657_3M_16-QAM_1RB14_Ratio




B66_CH131987_3M_64-QAM_1RB0_Ratio




B66_CH132322_3M_64-QAM_1RB0_Ratio




B66_CH132657_3M_64-QAM_1RB14_Ratio




B66_CH131987_3M_256-QAM_1RB0_Ratio




B66_CH132322_3M_256-QAM_1RB0_Ratio




B66_CH132657_3M_256-QAM_1RB14_Ratio




B66_CH131997_5M_QPSK_1RB0_Ratio




B66_CH132322_5M_QPSK_1RB0_Ratio




B66_CH132647_5M_QPSK_1RB24_Ratio




B66_CH131997_5M_16-QAM_1RB0_Ratio




B66_CH132322_5M_16-QAM_1RB0_Ratio




B66_CH132647_5M_16-QAM_1RB24_Ratio




B66_CH131997_5M_64-QAM_1RB0_Ratio




B66_CH132322_5M_64-QAM_1RB0_Ratio




B66_CH132647_5M_64-QAM_1RB24_Ratio




B66_CH131997_5M_256-QAM_1RB0_Ratio




B66_CH132322_5M_256-QAM_1RB0_Ratio




B66_CH132647_5M_256-QAM_1RB24_Ratio




B66_CH132022_10M_QPSK_1RB0_Ratio




B66_CH132322_10M_QPSK_1RB0_Ratio




B66_CH132622_10M_QPSK_1RB49_Ratio




B66_CH132022_10M_16-QAM_1RB0_Ratio




B66_CH132322_10M_16-QAM_1RB0_Ratio




B66_CH132622_10M_16-QAM_1RB49_Ratio




B66_CH132022_10M_64-QAM_1RB0_Ratio




B66_CH132322_10M_64-QAM_1RB0_Ratio




B66_CH132622_10M_64-QAM_1RB49_Ratio




B66_CH132022_10M_256-QAM_1RB0_Ratio




B66_CH132322_10M_256-QAM_1RB0_Ratio




B66_CH132622_10M_256-QAM_1RB49_Ratio




B66_CH132047_15M_QPSK_1RB0_1RB0_Ratio




B66_CH132322_15M_QPSK_1RB0_1RB0_Ratio




B66_CH132597_15M_QPSK_1RB74_Ratio




B66_CH132047_15M_16-QAM_1RB0_Ratio




B66_CH132322_15M_16-QAM_1RB0_Ratio




B66_CH132597_15M_16-QAM_1RB74_Ratio




B66_CH132047_15M_64-QAM_1RB0_Ratio




B66_CH132322_15M_64-QAM_1RB0_Ratio




B66_CH132597_15M_64-QAM_1RB74_Ratio




B66_CH132047_15M_256-QAM_1RB0_Ratio




B66_CH132322_15M_256-QAM_1RB0_Ratio




B66_CH132597_15M_256-QAM_1RB74_Ratio




B66_CH132072_20M_QPSK_1RB0_Ratio




B66_CH132322_20M_QPSK_1RB0_Ratio




B66_CH132572_20M_QPSK_1RB99_Ratio




B66_CH132072_20M_16-QAM_1RB0_Ratio




B66_CH132322_20M_16-QAM_1RB0_Ratio




B66_CH132572_20M_16-QAM_1RB99_Ratio




B66_CH132072_20M_64-QAM_1RB0_Ratio




B66_CH132322_20M_64-QAM_1RB0_Ratio




B66_CH132572_20M_64-QAM_1RB99_Ratio




B66_CH132072_20M_256-QAM_1RB0_Ratio



B66_CH132322_20M_256-QAM_1RB0_Ratio




B66_CH132572_20M_256-QAM_1RB99_Ratio




6. Spurious Emissions

6.1. Test Setup


Conducted Spurious Measurement



Radiated Spurious Measurement: below 1GHz



Radiated Spurious Measurement: above 1GHz



6.2. Test Procedure

Conducted Spurious Measurement:

The EUT makes a call to the communication simulator. The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency. The path loss was compensated to the results for each measurement. The resolution bandwidth of the spectrum analyzer was set at 1 MHz, sufficient scans were taken to show the out of band Emission if any up to 10th harmonic.

Radiated Spurious Measurement:

The EUT and its simulators are placed on a turn table which is 0.8 or 1.5 meter above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations. The resolution bandwidth of the spectrum analyzer was set at 1 MHz, sufficient scans were taken to show the out of band Emission if any up to 10th harmonic. Taking the record of maximum spurious emission.

6.3. Test Methodology and Reference Procedures


KDB 971168 D01 Power Meas License Digital Systems v03r01

ANSI C63.26-2015


6.4. Test Result of Conducted Spurious Emission

Mode 1: LTE Band 2


B2_CH18607_1.4M_1RB0_QPSK_Below 1G




B2_CH18607_1.4M_1RB0_QPSK_Above 1G




B2_CH18900_1.4M_1RB0_QPSK_Below 1G




B2_CH18900_1.4M_1RB0_QPSK_Above 1G




B2_CH19193_1.4M_1RB0_QPSK_Below 1G




B2_CH19193_1.4M_1RB0_QPSK_Above 1G




B2_CH18615_3M_1RB0_QPSK_Below 1G




B2_CH18615_3M_1RB0_QPSK_Above 1G




B2_CH18900_3M_1RB0_QPSK_Below 1G




B2_CH18900_3M_1RB0_QPSK_Above 1G




B2_CH19185_3M_1RB0_QPSK_Below 1G




B2_CH19185_3M_1RB0_QPSK_Above 1G




B2_CH18625_5M_1RB0_QPSK_Below 1G




B2_CH18625_5M_1RB0_QPSK_Above 1G




B2_CH18900_5M_1RB0_QPSK_Below 1G




B2_CH18900_5M_1RB0_QPSK_Above 1G




B2_CH19175_5M_1RB0_QPSK_Below 1G




B2_CH19175_5M_1RB0_QPSK_Above 1G




B2_CH18650_10M_1RB0_QPSK_Below 1G




B2_CH18650_10M_1RB0_QPSK_Above 1G




B2_CH18900_10M_1RB0_QPSK_Below 1G




B2_CH18900_10M_1RB0_QPSK_Above 1G




B2_CH19150_10M_1RB0_QPSK_Below 1G




B2_CH19150_10M_1RB0_QPSK_Above 1G




B2_CH18675_15M_1RB0_QPSK_Below 1G




B2_CH18675_15M_1RB0_QPSK_Above 1G




B2_CH18900_15M_1RB0_QPSK_Below 1G




B2_CH18900_15M_1RB0_QPSK_Above 1G




B2_CH19125_15M_1RB0_QPSK_Below 1G




B2_CH19125_15M_1RB0_QPSK_Above 1G




B2_CH18700_20M_1RB0_QPSK_Below 1G




B2_CH18700_20M_1RB0_QPSK_Above 1G




B2_CH18900_20M_1RB0_QPSK_Below 1G




B2_CH18900_20M_1RB0_QPSK_Above 1G



B2_CH19100_20M_1RB0_QPSK_Below 1G




B2_CH19100_20M_1RB0_QPSK_Above 1G




Mode 2: LTE Band 5


B5_CH20407_1.4M_1RB0_QPSK_Below 1G




B5_CH20407_1.4M_1RB0_QPSK_Above 1G




B5_CH20525_1.4M_1RB0_QPSK_Below 1G




B5_CH20525_1.4M_1RB0_QPSK_Above 1G




B5_CH20643_1.4M_1RB0_QPSK_Below 1G




B5_CH20643_1.4M_1RB0_QPSK_Above 1G




B5_CH20415_3M_1RB0_QPSK_Below 1G




B5_CH20415_3M_1RB0_QPSK_Above 1G




B5_CH20525_3M_1RB0_QPSK_Below 1G




B5_CH20525_3M_1RB0_QPSK_Above 1G




B5_CH20635_3M_1RB0_QPSK_Below 1G




B5_CH20635_3M_1RB0_QPSK_Above 1G




B5_CH20425_5M_1RB0_QPSK_Below 1G




B5_CH20425_5M_1RB0_QPSK_Above 1G




B5_CH20525_5M_1RB0_QPSK_Below 1G




B5_CH20525_5M_1RB0_QPSK_Above 1G




B5_CH20625_5M_1RB0_QPSK_Below 1G




B5_CH20625_5M_1RB0_QPSK_Above 1G




B5_CH20450_10M_1RB0_QPSK_Below 1G




B5_CH20450_10M_1RB0_QPSK_Above 1G




B5_CH20525_10M_1RB0_QPSK_Below 1G




B5_CH20525_10M_1RB0_QPSK_Above 1G










B5_CH20600_10M_1RB0_QPSK_Below 1G









B5_CH20600_10M_1RB0_QPSK_Above 1G




Mode 3: LTE Band 13**B13_CH23205_5M_1RB0_QPSK_Below 1G****B13_CH23205_5M_1RB0_QPSK_Above 1G****B13_CH23230_5M_1RB0_QPSK_Below 1G****B13_CH23230_5M_1RB0_QPSK_Above 1G****B13_CH23255_5M_1RB0_QPSK_Below 1G****B13_CH23255_5M_1RB0_QPSK_Above 1G**




Mode 4: LTE Band 66**B66_CH131979_1.4M_1RB0_QPSK_Below 1G****B66_CH131979_1.4M_1RB0_QPSK_Above 1G****B66_CH132322_1.4M_1RB0_QPSK_Below 1G****B66_CH132322_1.4M_1RB0_QPSK_Above 1G****B66_CH132665_1.4M_1RB0_QPSK_Below 1G****B66_CH132665_1.4M_1RB0_QPSK_Above 1G**


B66_CH131987_3M_1RB0_QPSK_Below 1G




B66_CH131987_3M_1RB0_QPSK_Above 1G




B66_CH132322_3M_1RB0_QPSK_Below 1G




B66_CH132322_3M_1RB0_QPSK_Above 1G




B66_CH132657_3M_1RB0_QPSK_Below 1G




B66_CH132657_3M_1RB0_QPSK_Above 1G




B66_CH131997_5M_1RB0_QPSK_Below 1G




B66_CH131997_5M_1RB0_QPSK_Above 1G




B66_CH132322_5M_1RB0_QPSK_Below 1G




B66_CH132322_5M_1RB0_QPSK_Above 1G




B66_CH132647_5M_1RB0_QPSK_Below 1G




B66_CH132647_5M_1RB0_QPSK_Above 1G




B66_CH132022_10M_1RB0_QPSK_Below 1G




B66_CH132022_10M_1RB0_QPSK_Above 1G




B66_CH132322_10M_1RB0_QPSK_Below 1G




B66_CH132322_10M_1RB0_QPSK_Above 1G




B66_CH132622_10M_1RB0_QPSK_Below 1G




B66_CH132622_10M_1RB0_QPSK_Above 1G




B66_CH132047_15M_1RB0_QPSK_Below 1G




B66_CH132047_15M_1RB0_QPSK_Above 1G




B66_CH132322_15M_1RB0_QPSK_Below 1G




B66_CH132322_15M_1RB0_QPSK_Above 1G




B66_CH132597_15M_1RB0_QPSK_Below 1G




B66_CH132597_15M_1RB0_QPSK_Above 1G




B66_CH132072_20M_1RB0_QPSK_Below 1G




B66_CH132072_20M_1RB0_QPSK_Above 1G




B66_CH132322_20M_1RB0_QPSK_Below 1G




B66_CH132322_20M_1RB0_QPSK_Above 1G



B66_CH132572_20M_1RB0_QPSK_Below 1G




B66_CH132572_20M_1RB0_QPSK_Above 1G



6.5. Test Result of Radiated Spurious Emission

Mode 1: LTE Band 2

Site :CB2-H
Condition :3m Horizontal
Mode :LTE_B2_20M_Ch18700
Test by :Ling




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3720.000	-48.51	-13.00	-35.51	-42.80	-5.71	Peak
2	5580.000	-39.72	-13.00	-26.72	-40.39	0.67	Peak
3	7440.000	-40.39	-13.00	-27.39	-47.75	7.36	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Vertical
Mode :LTE_B2_20M_Ch18700
Test by :Ling




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3720.000	-48.08	-13.00	-35.08	-42.37	-5.71	Peak
2	5580.000	-39.40	-13.00	-26.40	-40.07	0.67	Peak
3	7440.000	-40.08	-13.00	-27.08	-47.44	7.36	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Horizontal
Mode :LTE_B2_20M_Ch18900
Test by :Ling




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3760.000	-48.05	-13.00	-35.05	-42.49	-5.56	Peak
2	5640.000	-39.71	-13.00	-26.71	-40.68	0.97	Peak
3	7520.000	-40.12	-13.00	-27.12	-47.52	7.40	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Vertical
Mode :LTE_B2_20M_Ch18900
Test by :Ling




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3760.000	-47.40	-13.00	-34.40	-41.84	-5.56	Peak
2	5640.000	-39.78	-13.00	-26.78	-40.75	0.97	Peak
3	7520.000	-38.06	-13.00	-25.06	-45.46	7.40	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Horizontal
Mode :LTE_B2_20M_Ch19100
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3800.000	-46.65	-13.00	-33.65	-41.24	-5.41	Peak
2	5700.000	-36.92	-13.00	-23.92	-38.20	1.28	Peak
3	7600.000	-37.19	-13.00	-24.19	-44.46	7.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Vertical
Mode :LTE_B2_20M_Ch19100
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3800.000	-45.26	-13.00	-32.26	-39.85	-5.41	Peak
2	5700.000	-42.11	-13.00	-29.11	-43.39	1.28	Peak
3	7600.000	-36.47	-13.00	-23.47	-43.74	7.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 2: LTE Band 5

Site :CB2-H
Condition :3m Horizontal
Mode :LTE_B5_10M_Ch20450
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1658.000	-57.96	-13.00	-44.96	-45.20	-12.76	Peak
2	2487.000	-55.89	-13.00	-42.89	-46.53	-9.36	Peak
3	3316.000	-55.01	-13.00	-42.01	-48.21	-6.80	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Vertical
Mode :LTE_B5_10M_Ch20450
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1658.000	-58.82	-13.00	-45.82	-46.06	-12.76	Peak
2	2487.000	-56.71	-13.00	-43.71	-47.35	-9.36	Peak
3	3316.000	-54.85	-13.00	-41.85	-48.05	-6.80	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Horizontal
Mode :LTE_B5_10M_Ch20525
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1673.000	-59.04	-13.00	-46.04	-46.34	-12.70	Peak
2	2509.500	-55.42	-13.00	-42.42	-46.16	-9.26	Peak
3	3346.000	-54.35	-13.00	-41.35	-47.59	-6.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Vertical
Mode :LTE_B5_10M_Ch20525
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	1673.000	-56.85	-13.00	-43.85	-44.15	-12.70	Peak
2	2509.500	-56.07	-13.00	-43.07	-46.81	-9.26	Peak
3	3346.000	-54.75	-13.00	-41.75	-47.99	-6.76	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Horizontal
Mode :LTE_B5_10M_Ch20600
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1688.000	-58.75	-13.00	-45.75	-46.09	-12.66	Peak
2	2532.000	-56.31	-13.00	-43.31	-47.15	-9.16	Peak
3	3376.000	-54.35	-13.00	-41.35	-47.63	-6.72	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Vertical
Mode :LTE_B5_10M_Ch20600
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1688.000	-57.77	-13.00	-44.77	-45.11	-12.66	Peak
2	2532.000	-55.82	-13.00	-42.82	-46.66	-9.16	Peak
3	3376.000	-54.60	-13.00	-41.60	-47.88	-6.72	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 3: LTE Band 13

Site :CB2-H
 Condition :3m Horizontal
 Mode :LTE_B13_10M_Ch23230
 Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1564.000	-56.85	-40.00	-16.85	-43.76	-13.09	Peak
2	2346.000	-56.25	-13.00	-43.25	-46.25	-10.00	Peak
3	3128.000	-54.40	-13.00	-41.40	-47.36	-7.04	Peak
4	3910.000	-50.50	-13.00	-37.50	-45.52	-4.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
 Condition :3m Vertical
 Mode :LTE_B13_10M_Ch23230
 Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1564.000	-50.66	-40.00	-10.66	-37.57	-13.09	Peak
2	2346.000	-53.55	-13.00	-40.55	-43.55	-10.00	Peak
3	3128.000	-53.20	-13.00	-40.20	-46.16	-7.04	Peak
4	3910.000	-51.25	-13.00	-38.25	-46.27	-4.98	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 4: LTE Band 66

Site :CB2-H
Condition :3m Horizontal
Mode :LTE_B66_20M_Ch132072
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3440.000	-55.03	-13.00	-42.03	-48.39	-6.64	Peak
2	5160.000	-50.34	-13.00	-37.34	-49.56	-0.78	Peak
3	6880.000	-46.52	-13.00	-33.52	-52.71	6.19	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Vertical
Mode :LTE_B66_20M_Ch132072
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3440.000	-53.34	-13.00	-40.34	-46.70	-6.64	Peak
2	5160.000	-49.59	-13.00	-36.59	-48.81	-0.78	Peak
3	6880.000	-46.39	-13.00	-33.39	-52.58	6.19	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Horizontal
Mode :LTE_B66_20M_Ch132322
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3490.000	-54.84	-13.00	-41.84	-48.26	-6.58	Peak
2	5235.000	-50.85	-13.00	-37.85	-50.29	-0.56	Peak
3	6980.000	-45.77	-13.00	-32.77	-52.47	6.70	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Vertical
Mode :LTE_B66_20M_Ch132322
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3490.000	-55.02	-13.00	-42.02	-48.44	-6.58	Peak
2	5235.000	-48.99	-13.00	-35.99	-48.43	-0.56	Peak
3	6980.000	-45.23	-13.00	-32.23	-51.93	6.70	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Horizontal
Mode :LTE_B66_20M_Ch132572
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3540.000	-53.47	-13.00	-40.47	-47.07	-6.40	Peak
2	5310.000	-49.68	-13.00	-36.68	-49.35	-0.33	Peak
3	7080.000	-46.00	-13.00	-33.00	-52.90	6.90	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H
Condition :3m Vertical
Mode :LTE_B66_20M_Ch132572
Test by :Ling




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3540.000	-54.57	-13.00	-41.57	-48.17	-6.40	Peak
2	5310.000	-47.73	-13.00	-34.73	-47.40	-0.33	Peak
3	7080.000	-45.59	-13.00	-32.59	-52.49	6.90	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

7. Conducted Band Edge

7.1. Test Setup



7.2. Test Procedure

1. The EUT makes a call to the communication simulator. The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency. The path loss was compensated to the results for each measurement.
2. In the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions.

7.3. Test Methodology and Reference Procedures

KDB 971168 D01 Power Meas License Digital Systems v03r01

ANSI C63.26-2015